



Entergy Operations, Inc.
River Bend Station
5485 U.S. Highway 61
P. O. Box 220
St. Francisville, LA 70775
Tel 225 336 6225
Fax 225 635 5068

Rick J. King
Director
Nuclear Safety Assurance

July 27, 2000

U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, D. C. 20555

Subject: River Bend Station - Unit 1
Docket No. 50-458
License No. NPF-47
River Bend Station Fitness-For-Duty Program
Six-Month Performance Data Report

File No.: G9.5, G1.51

RBG-45443
RBF1-00-0169

Gentlemen:

Pursuant to 10CFR26.71 (d), "Recordkeeping requirements," enclosed is River Bend Station's Fitness-For-Duty (FFD) Six-Month Program Performance Data Report for the report period January 1, 2000, through June 30, 2000. This report contains statistical data and trend analysis compiled by the Fitness-For-Duty Department. We have reviewed this data and determined that no programmatic weaknesses exist.

Should you have any questions regarding the attached, please contact Ms. Sheila Burd at (225) 381-4292 or Mr. Bill Fountain of my staff at (225) 381-4625.

Sincerely,

A handwritten signature in cursive script, appearing to read "Rick J. King".

RJK/WJF
enclosure

A021

River Bend Station Fitness-For-Duty Program
Six-Month Performance Data Report
July 27, 2000
RBG-45443
RBF1-00-0169
Page 2 of 2

cc: U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011

NRC Resident Inspector (w/o)
P. O. Box 1050
St. Francisville, LA 70775

Mr. Jefferey F. Harold (w/o)
U. S. Nuclear Regulatory Commission
M/S OWFN 7 D1
Washington, DC 20555

Fitness for Duty Program
Performance Data
Personnel Subject to 10 CFR 26

1. ENTERGY OPERATIONS INC.
Company
2. June 30,2000
6 Months Ending
3. River Bend Station
Location
4. Sheila W. Burd
Contact Name
5. (225) 381-4292
Phone (include area code)
- 5A. Random Testing Rate - 50%
6. Cutoffs: Screen/Confirmation (ng/ml) Appendix A to 10 CFR 26

Marijuana	50/15	Amphetamine	1000/500	<u>N/A</u>
Cocaine	300/150	Phencyclidine	25/25	<u>N/A</u>
Opiates	300/300	Alcohol (%BAC)	0.04	<u>N/A</u>

Testing Results	Licensee Employees		Long-term Contractor Personnel		Short-Term Contractor Personnel	
Average Number with unescorted access	757		N/A		286	
Categories	# Tested	# Positive	#Tested	#Positive	#Tested	#Positive
Pre-Access	68	0	N/A	N/A	586	0/5
Random	210	0	N/A	N/A	79	0
FOR CAUSE:						
Postaccident	0	0	N/A	N/A	0	0
Observed Behavior	1	1	N/A	N/A	3	0/2
Follow-up	18	0	N/A	N/A	0	0
Other	6	0	N/A	N/A	0	0
Total	303	1	N/A	N/A	668	7

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal to Test	1	2	3	4	5	
Licensee Employees	0 / 0	0 / 0	0	0	0	1	0	N / A	N / A	N / A	N / A	N / A	
Long-Term Contractor	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	
Short-Term Contractor	1 / 0	0 / 4	0	0	0	2	0	N / A	N / A	N / A	N / A	N / A	
Total	1 / 0	0 / 4	0	0	0	3	0	N / A	N / A	N / A	N / A	N / A	8

**River Bend Station
Fitness for Duty Six Month Performance Data Report
January 1, 2000 to June 30, 2000**

FITNESS FOR DUTY PROGRAM SUMMARY:

- During this reporting period, January 1, 2000 to June 30, 2000; the River Bend Station (RBS) random testing rate was approximately 25.1% percent.
- Wrap-up for RF-9 occurred during this reporting period. The RBS Fitness-for-Duty department was supported by personnel from other on-site departments and personnel from Waterford III.

POSITIVE RESULTS:

- There were 8 positive tests during this reporting period out of a total of 971 specimens collected. No positive tests resulted from random selection during this reporting period; however, five contractors tested positive during pre-access screening. One licensee employee and two contractor employees tested positive for alcohol during for-cause tests resulting from observed behavior.
- Cocaine accounted for 50% of the positive results and alcohol was second, yielding 38% of the positives for this period.

MANAGEMENT ACTIONS:

- Access was suspended for the licensee employee that tested positive for alcohol and the individual was referred to the company's employee assistance (EMAX) program. Access was denied for all of the contract employees that tested positive for drugs and alcohol. Management was notified and these individuals' files were annotated to reflect the positive results and the actions taken.
- Four employees participated in the follow-up program during this reporting period. Eighteen follow-up tests have been administered to these employees. All tests yielded negative results.

EFFECTIVENESS EVALUATION/AUDITS:

- The RBS Quality Assurance department performed one audit of the Fitness-for-Duty Program during this reporting period, with no audit findings or deficiencies identified.
- No problems were identified within the RBS Fitness-for-Duty program during this reporting period.