

August 21, 2000

Mr. Harold W. Keiser  
Chief Nuclear Officer & President -  
Nuclear Business Unit  
Public Service Electric & Gas  
Company  
Post Office Box 236  
Hancocks Bridge, NJ 08038

SUBJECT: SALEM NUCLEAR GENERATING STATION, UNIT NOS. 1 AND 2 - ISSUANCE  
OF CONFORMING AMENDMENT RE: TRANSFER OF LICENSE FOR SALEM  
NUCLEAR GENERATING STATION, UNIT NOS. 1 AND 2, TO THE EXTENT  
HELD BY PUBLIC SERVICE ELECTRIC AND GAS COMPANY, TO PSEG  
NUCLEAR LIMITED LIABILITY COMPANY (TAC NOS. MA5675 AND MA5676)

Dear Mr. Keiser:

By Order dated February 16, 2000, the U.S. Nuclear Regulatory Commission (NRC) approved the transfer of the license for the Salem Nuclear Generating Station (SNGS), Units 1 and 2, to the extent held by Public Service Electric and Gas Company (PSE&G), to PSEG Nuclear Limited Liability Company (PSEG Nuclear) and approved the conforming amendment pursuant to Sections 50.80 and 50.90 of Title 10 of the *Code of Federal Regulations*. The Order was published in the *Federal Register* on February 23, 2000 (65 FR 8999).

By letter dated August 11, 2000, PSE&G notified the NRC that the closing of the license transfer is anticipated to occur on August 21, 2000, and that all regulatory approvals have been obtained to the extent necessary to proceed. In addition, on August 18, 2000, PSE&G provided documentary evidence that PSEG Nuclear obtained the appropriate amount of insurance required of licensees under 10 CFR Part 140 of the Commission's regulations.

Accordingly, the Commission has issued the enclosed Amendment Nos.                      and to Facility Operating License Nos. DPR-70 and DPR-75 for SNGS, Unit Nos. 1 and 2. The conforming amendments reflect the transfer of PSE&G's ownership of SNGS, Unit Nos. 1 and 2, to PSEG Nuclear. The safety evaluation supporting the conforming amendment was enclosed with the Order issued on February 16, 2000.

Six copies of Indemnity Agreement No. B-28, Amendment No. 24, required in connection with the transfer of the licence, are enclosed in the letter to you transmitting the Hope Creek Generating Station Conforming Amendment that is also associated with this license transfer.

H. Keiser

-2-

Notice of Issuance will be included in the Commission's biweekly *Federal Register* notice.

Sincerely,

***/RA by John T. Harrison for/***

Robert J. Fretz, Project Manager, Section 2  
Project Directorate I  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket Nos. 50-272 and 50-311

Enclosures: 1. Amendment No. 233 to  
License No. DPR-70  
2. Amendment No. 214 to  
License No. DPR-75

cc w/encls: See next page

Salem Nuclear Generating Station,  
Units 1 and 2

cc:

Jeffrie J. Keenan, Esquire  
Nuclear Business Unit - N21  
P.O. Box 236  
Hancocks Bridge, NJ 08038

General Manager - Salem Operations  
Salem Nuclear Generating Station  
P.O. Box 236  
Hancocks Bridge, NJ 08038

Mr. Louis Storz  
Sr. Vice President - Nuclear Operations  
Nuclear Department  
P.O. Box 236  
Hancocks Bridge, NJ 08038

Senior Resident Inspector  
Salem Nuclear Generating Station  
U.S. Nuclear Regulatory Commission  
Drawer 0509  
Hancocks Bridge, NJ 08038

Dr. Jill Lipoti, Asst. Director  
Radiation Protection Programs  
NJ Department of Environmental  
Protection and Energy  
CN 415  
Trenton, NJ 08625-0415

Maryland Office of People's Counsel  
6 St. Paul Street, 21st Floor  
Suite 2102  
Baltimore, MD 21202

Ms. R. A. Kankus  
Joint Owner Affairs  
PECO Energy Company  
965 Chesterbrook Blvd., 63C-5  
Wayne, PA 19087

Mr. Elbert Simpson  
Senior Vice President-  
Nuclear Engineering  
Nuclear Department  
P.O. Box 236  
Hancocks Bridge, NJ 08038

Richard Hartung  
Electric Service Evaluation  
Board of Regulatory Commissioners  
2 Gateway Center, Tenth Floor  
Newark, NJ 07102

Regional Administrator, Region I  
U.S. Nuclear Regulatory Commission  
475 Allendale Road  
King of Prussia, PA 19406

Lower Alloways Creek Township  
c/o Mary O. Henderson, Clerk  
Municipal Building, P.O. Box 157  
Hancocks Bridge, NJ 08038

Director - Licensing Regulation & Fuels  
Nuclear Business Unit - N21  
P.O. Box 236  
Hancocks Bridge, NJ 08038

Mr. David Wersan  
Assistant Consumer Advocate  
Office of Consumer Advocate  
1425 Strawberry Square  
Harrisburg, PA 17120

Manager - Joint Generation  
Atlantic Energy  
6801 Black Horse Pike  
Egg Harbor Twp., NJ 08234-4130

Carl D. Schaefer  
External Operations - Nuclear  
Delmarva Power & Light Company  
P.O. Box 231  
Wilmington, DE 19899

Public Service Commission of Maryland  
Engineering Division  
Chief Engineer  
6 St. Paul Centre  
Baltimore, MD 21202-6806

H. Keiser

-2-

Notice of Issuance will be included in the Commission's biweekly *Federal Register* notice.

Sincerely,

**/RA by John T. Harrison for/**

Robert J. Fretz, Project Manager, Section 2  
Project Directorate I  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket Nos. 50-272 and 50-311

Enclosures: 1. Amendment No. 233 to  
License No. DPR-70  
2. Amendment No. 214 to  
License No. DPR-75

cc w/encls: See next page

**DISTRIBUTION**

EAdensam	JClifford	OGC	GMeyer, RGN-I	PUBLIC
RFretz	ACRS	TClark	GHill(4)	PDI-2 Reading
OPA	WBeckner	JHarrison		

DOCUMENT NAME: C:\Amda9770.wpd

OFFICE	PDI-2/PM	PDI-2/PM	PDI-2/LA	PDI-2/SC
NAME	JHarrison	JHarrison for RFretz	TClark	JClifford
DATE	8/21/00	8/21/00	8/21/00	8/21/00

OFFICIAL RECORD COPY

PUBLIC SERVICE ELECTRIC & GAS COMPANY

PHILADELPHIA ELECTRIC COMPANY

DELMARVA POWER AND LIGHT COMPANY

ATLANTIC CITY ELECTRIC COMPANY

DOCKET NO. 50-272

SALEM NUCLEAR GENERATING STATION, UNIT NO. 1

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 233  
License No. DPR-70

1. The Nuclear Regulatory Commission (the Commission or the NRC) has found that:
  - A. The application for amendment filed by the Public Service Electric & Gas Company (the licensee), dated June 4, 1999, as supplemented October 22, 1999, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
  - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
  - C. There is reasonable assurance: (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations set forth in 10 CFR Chapter I;
  - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
  - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is amended as indicated in the attachment to this license amendment, and paragraph 2.C.(2) of Facility Operating License No. DPR-70 is hereby amended to read as follows:

(2) Technical Specifications and Environmental Protection Plan

The Technical Specifications contained in Appendices A and B, as revised through Amendment No. 233, are hereby incorporated in the license. The licensee shall operate the facility in accordance with the Technical Specifications.

3. This license amendment is effective as of its date of issuance and shall be implemented within 30 days of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

***/RA/***

Samuel J. Collins, Director  
Office of Nuclear Reactor Regulation

Attachment: Changes to License DPR-70 and  
Appendices A, B, and C to the License

Date of Issuance: August 21, 2000

ATTACHMENT TO LICENSE AMENDMENT NO. 233

FACILITY OPERATING LICENSE NO. DPR-70

DOCKET NO. 50-272

Replace the following pages of the Facility Operating License, the Appendix "A" Technical Specifications, the Appendix "B" Environmental Protection Plan, and the Appendix "C" Additional Conditions with the attached revised pages as indicated. The revised pages are identified by amendment number and contain marginal lines indicating the areas of change.

Remove Pages

License, page 1  
License, page 2  
License, page 3  
License, page 4  
License, page 4a  
License, page 4b  
License, page 5  
License, page 5a  
License, page 5b  
License, page 5c

Appendix A, page 1-4

Appendix B, cover sheet  
Appendix B, page 4-1

Appendix C, page 1

Insert Pages

License, page 1  
License, page 2  
License, page 3  
License, page 4  
\*License, page 4a  
License, page 4b  
\*License, page 5  
License, page 5a  
\*License, page 5b  
License, page 5c

Appendix A, page 1-4

Appendix B, cover sheet  
Appendix B, page 4-1

Appendix C, page 1

\* Note, License pages 4a, 5, and 5b do not have any revisions associated with this amendment and are included for convenience.

PUBLIC SERVICE ELECTRIC & GAS COMPANY

PHILADELPHIA ELECTRIC COMPANY

DELMARVA POWER AND LIGHT COMPANY

ATLANTIC CITY ELECTRIC COMPANY

DOCKET NO. 50-311

SALEM NUCLEAR GENERATING STATION, UNIT NO. 2

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 214  
License No. DPR-75

1. The Nuclear Regulatory Commission (the Commission or the NRC) has found that:
  - A. The application for amendment filed by the Public Service Electric & Gas Company (the licensee), dated June 4, 1999, as supplemented October 22, 1999, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
  - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
  - C. There is reasonable assurance: (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations set forth in 10 CFR Chapter I;
  - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
  - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is amended as indicated in the attachment to this license amendment, and paragraph 2.C.(2) of Facility Operating License No. DPR-75 is hereby amended to read as follows:



(2) Technical Specifications and Environmental Protection Plan

The Technical Specifications contained in Appendices A and B, as revised through Amendment No. 214, are hereby incorporated in the license. The licensee shall operate the facility in accordance with the Technical Specifications.

3. This license amendment is effective as of its date of issuance and shall be implemented within 30 days of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

**/RA/**

Samuel J. Collins, Director  
Office of Nuclear Reactor Regulation

Attachment: Changes to License DPR-75 and  
Appendices A, B, and C to the License

Date of Issuance: August 21, 2000

ATTACHMENT TO LICENSE AMENDMENT NO. 214

FACILITY OPERATING LICENSE NO. DPR-75

DOCKET NO. 50-311

Replace the following pages of the Facility Operating License, the Appendix "A" Technical Specifications, the Appendix "B" Environmental Protection Plan, and the Appendix "C" Additional Conditions with the attached revised pages as indicated. The revised pages are identified by amendment number and contain marginal lines indicating the areas of change.

Remove Pages

License, page 1  
License, page 2  
License, page 3  
License, page 7  
License, page 21  
License, page 22  
License, page 23  
License, page 24  
---

Appendix A, page 1-4

Appendix B, cover sheet  
Appendix B, page 4-1

Appendix C, page 1

Insert Pages

License, page 1  
License, page 2  
License, page 3  
License, page 7  
License, page 21  
License, page 22  
License, page 23  
License, page 24  
License, page 25

Appendix A, page 1-4

Appendix B, cover sheet  
Appendix B, page 4-1

Appendix C, page 1