



IMS Systems, Inc.  
10521 Perry Highway  
Suite 310  
Wexford, PA. 15090  
(724) 940-7160 Main Office  
(724) 940-7179 Fax

IMS Systems, Inc.  
10521 Perry Highway  
Suite 310  
Wexford, PA. 15090  
(724) 940-7160 Main Office  
(724) 940-7179 Fax

10 October, 2000

Mr. Bill Ward  
US NRC  
Washington D.C.  
Phone: (301) 415-7038  
Fax: (301) 415-5369

Dear Mr. Ward,

Nameplate templates to be installed on Nucor Hertford Gauge

If I can help further, please feel free to contact me.

Very Best Regards,

Frank Festa  
Project Coordinator, Alt. RSO  
**IMS Systems Inc.**

**THE FOLLOWING RADIOACTIVE SOURCES ARE CONTAINED  
WITHIN THIS PROFILE THICKNESS GAUGE.**

**1 x Cs 137, I.D. 1119GP,**

**ACTIVITY: 55 CURIE**

**1 x Cs 137, I.D. 1126GP,**

**ACTIVITY: 55 CURIE**

**1 x Cs 137, I.D. 1127GP,**

**ACTIVITY: 55 CURIE**

**EACH SOURCE MUST BE LEAK TESTED ONCE PER SIX (6) MONTHS.  
THE SOURCE SHUTTER OPERATION (OPEN/CLOSED) MUST BE  
CHECKED EVERY SIX (6) MONTHS.**

**REMOVAL OF THIS LABEL IS PROHIBITED.**

**The receipt, possession, use and transfer of this device, model profile thickness gauge serial No. C98-22-007 are subject to a specific license or the equivalent and the regulations of The U.S. NRC or of a state with which the NRC has entered into an agreement for the exercise of regulatory authority.**

**This label shall be maintained on the device in a legible condition.**

**REMOVAL OF THIS LABEL IS PROHIBITED.**

**Please refer to the profile thickness gauge  
Operating/maintenance manual for installation, operation, and service  
instructions.**

**Service Agent:                      IMS Systems, Inc.  
    10521 Perry Highway  
    Suite 310  
    Wexford, PA. 15090  
    (724) 940-7160**

**ANSI Classification: Source Housing:      ANSI 32-SSS-454-R3**

**REMOVAL OF THIS LABEL IS PROHIBITED.**