

**From:** "Vickie" <vickie.allen@imssystemsinco.com>  
**To:** "Bill Ward" <wrwl@nrc.gov>  
**Date:** Wed, Oct 4, 2000 9:53 AM  
**Subject:** Fw: Nucor gauge C98-22-007

----- Original Message -----

From: "Vickie" <vickie.allen@imssystemsinco.com>  
To: <wrw/@nrc.gov>  
Cc: "John Buckman" <John.Buckman@IMSSystemsInc.com>  
Sent: Wednesday, October 04, 2000 9:33 AM  
Subject: Fw: Nucor gauge C98-22-007

> Hello Mr. Ward,  
>  
> The information that you have requested. I will continue to e-mail  
the  
> information at it is forward on to me.  
> If you have any further questions, please do not hesitate to call.  
> Best Regards,  
> Vickie Allen

> ----- Original Message -----

> From: <petra.klein@ims-gmbh.de>  
> To: <Vickie.Allen@IMSSystemsInc.com>  
> Cc: <rainer.fackert@ims-gmbh.de>; <hendrik.schultes@ims-gmbh.de>;  
> <m.schultheimwalde@ims-gmbh.de>; <John.Buckman@IMSSystemsInc.com>;  
> <ch.hollands@ims-gmbh.de>  
> Sent: Wednesday, October 04, 2000 9:35 AM  
> Subject: Nucor gauge C98-22-007

>  
>  
> >  
> >  
> >  
> >  
> > Petra Klein@IMS  
> > 04.10.2000 15:35

> > Hi Vickie,

Distance from	Measuring Frame	Measuring
measuring frame	Shutter Closed	Frame
		Shutter Open
6 cm	2 mR/hr	280 mR/hr
30 cm	0.7 mR/hr	70 mR/hr
100 cm	background (<0.05	12 mR/hr
	mR/hr)	

> >  
> >

> >  
> > The data was partly measured and partly calculated.  
> >  
> > At the moment Christoph is waiting for the information at what  
temperature  
> the  
> > springs start to get weak.  
> > The answer should be here in the next minutes.  
> >  
> > Best regards  
> > Petra Klein  
> > IMS GmbH / Tel.: 02056/975-169  
> >  
> >  
> >  
>

**Mail Envelope Properties**

(39DB35FE.69F : 3 : 46751)

**Subject:** Fw: Nucor gauge C98-22-007  
**Creation Date:** Wed, Oct 4, 2000 9:43 AM  
**From:** "Vickie" <vickie.allen@imssystemsincc.com>  
**Created By:** GWIA:vickie.allen

**Recipients**

Post Office OWFN\_DO.owf1\_po  
WRW1 (William Ward)

**Domain.Post Office**  
OWFN\_DO.owf1\_po

**Route**  
OWFN\_DO.owf1\_po

<b>Files</b>	<b>Size</b>	<b>Date &amp; Time</b>
MESSAGE	1903	Wednesday, October 4, 2000 9:43 AM
Header	972	

**Options**

**Expiration Date:** None  
**Priority:** Standard  
**Reply Requested:** No  
**Return Notification:** None

**Concealed Subject:** No  
**Security:** Standard

Received: from igate2.nrc.gov  
(igate.nrc.gov [148.184.176.31])  
by nrcgwia.nrc.gov; Wed, 04 Oct 2000 09:51:48 -0400  
Received: from nrc.gov  
by smtp-gateway ESMTP id JAA09190  
for <wrw1@nrc.gov>; Wed, 4 Oct 2000 09:51:10 -0400 (EDT)  
Received: from frontdesk (1.wxfr4.xdsl.nauticom.net [209.195.163.34])  
by pgh.nauticom.net (8.10.1/8.8.7) with SMTP id e94DtWw06206  
for <wrw1@nrc.gov>; Wed, 4 Oct 2000 09:55:32 -0400 (EDT)  
Message-ID: <004c01c02e09\$1b3f4ad0\$6700000a@ims.LOCAL>  
Reply-To: "Vickie" <vickie.allen@imssystemsinc.com>  
From: "Vickie" <vickie.allen@imssystemsinc.com>  
To: "Bill Ward" <wrw1@nrc.gov>  
Subject: Fw: Nucor gauge C98-22-007  
Date: Wed, 4 Oct 2000 09:43:40 -0400  
MIME-Version: 1.0  
Content-Type: text/plain;  
charset="iso-8859-1"  
Content-Transfer-Encoding: 7bit  
X-Priority: 3  
X-MSMail-Priority: Normal  
X-Mailer: Microsoft Outlook Express 5.00.2919.6700  
X-MimeOLE: Produced By Microsoft MimeOLE V5.00.2919.6700