



Boraflex Test Results and Evaluation

(Non-Proprietary Version)

Prepared by
Northeast Technology Corp.
Kingston, New York

Boraflex Test Results and Evaluation

TR-101986
Research Project 2813-04

Interim Report, February 1993

Prepared by
NORTHEAST TECHNOLOGY CORP.
26 Pearl Street
Kingston, New York 12401

Principal Investigators
K. Lindquist
D. E. Kline
T. C. Haley

Prepared for
Electric Power Research Institute
3412 Hillview Avenue
Palo Alto, California 94304

EPRI Project Manager
R. W. Lambert

High Level Waste and Spent Fuel Storage Program
Nuclear Power Division

DISCLAIMER OF WARRANTIES AND LIMITATION OF LIABILITIES

THIS REPORT WAS PREPARED BY THE ORGANIZATION(S) NAMED BELOW AS AN ACCOUNT OF WORK SPONSORED OR COSPONSORED BY THE ELECTRIC POWER RESEARCH INSTITUTE, INC. (EPRI). NEITHER EPRI, ANY MEMBER OF EPRI, ANY COSPONSOR, THE ORGANIZATION(S) NAMED BELOW, NOR ANY PERSON ACTING ON BEHALF OF ANY OF THEM:

(A) MAKES ANY WARRANTY OR REPRESENTATION WHATSOEVER, EXPRESS OR IMPLIED, (I) WITH RESPECT TO THE USE OF ANY INFORMATION, APPARATUS, METHOD, PROCESS, OR SIMILAR ITEM DISCLOSED IN THIS REPORT, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, OR (II) THAT SUCH USE DOES NOT INFRINGE ON OR INTERFERE WITH PRIVATELY OWNED RIGHTS, INCLUDING ANY PARTY'S INTELLECTUAL PROPERTY, OR (III) THAT THIS REPORT IS SUITABLE TO ANY PARTICULAR USER'S CIRCUMSTANCE; OR

(B) ASSUMES RESPONSIBILITY FOR ANY DAMAGES OR OTHER LIABILITY WHATSOEVER (INCLUDING ANY CONSEQUENTIAL DAMAGES, EVEN IF EPRI OR ANY EPRI REPRESENTATIVE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES) RESULTING FROM YOUR SELECTION OR USE OF THIS REPORT OR ANY INFORMATION, APPARATUS, METHOD, PROCESS, OR SIMILAR ITEM DISCLOSED IN THIS REPORT.

ORGANIZATION(S) THAT PREPARED THIS REPORT:

NORTHEAST TECHNOLOGY CORP.

ORDERING INFORMATION

Requests for copies of this report should be directed to the EPRI Distribution Center, 207 Coggins Drive, P.O. Box 23205, Pleasant Hill, CA 94523, (510) 934-4212. There is no charge for reports requested by EPRI member utilities and affiliates.

Electric Power Research Institute and EPRI are registered service marks of Electric Power Research Institute, Inc.

Copyright © 1993 Electric Power Research Institute, Inc. All rights reserved.

CONTENTS

<u>Section</u>	<u>Page</u>
1 INTRODUCTION	1-1
2 NEW TEST DATA: BORAFLEX COUPONS AND FULL SIZE PANELS	2-1
Special EPRI Test Programs	2-1
EPRI Program Descriptions	2-1
EPRI Program Test Results	2-10
Composite Database of Boraflex Shrinkage	2-27
3 BLACKNESS TESTING OF FULL LENGTH BORAFLEX PANELS	3-1
Status of the Blackness Testing Database	3-1
Frequency of Gap Occurrence, Gap Size, and Axial Distribution of Gaps	3-3
Frequency of Gap Occurrence	3-3
Axial Distribution of Gaps	3-7
Gap Size and Gap Growth	3-9
Total Panel Shrinkage	3-15
4 REACTIVITY EFFECTS OF GAPS AND BORAFLEX SHRINKAGE	4-1
Overview of the Method	4-1
Application of the Method	4-5
Reference Fuel/Rack and Design Analyses	4-5
Calculated Results	4-10
Base Case Analyses	4-10
Axial Decoupling Distance	4-10
Gap Distribution from Blackness Testing	4-12
Reactivity Effects of Gaps	4-15
Reactivity Effects of End Shrinkage	4-17

<u>Section</u>	<u>Page</u>
Verification/Validation of the KENO Method	4-20
5 DESCRIPTION OF THE SIMPLIFIED GAMMA DOSE CALCULATION PROCEDURES	5-1
Overview of the Method	5-1
Development of the Calculational Procedure	5-3
Verification and Validation of the Simplified Dose Calculational Procedure	5-4
6 DISCUSSION	6-1
Boraflex Shrinkage	6-1
Chemical Composition of Boraflex	6-3
Mechanisms of Gap Formation	6-5
Maximum Gap Size and Distribution of Gaps	6-8
Reactivity Effects of Gaps	6-9
Boraflex Dose Calculational Procedure	6-9
7 CONCLUSIONS	7-1
APPENDIX A: BWRDOSE AND PWRDOSE USER'S MANUAL	A-1

ILLUSTRATIONS

<u>Figure</u>	<u>Page</u>
Figure 2-1: EPRI Boraflex Surveillance Assembly at Beaver Valley 2	2-2
Figure 2-2: Section A-A from Figure 2-1	2-3
Figure 2-3: EPRI Surveillance Coupons at Millstone 2	2-7
Figure 2-4: Boraflex Shrinkage Measurements from the EPRI Program at Beaver Valley 2 and Millstone 2	2-14
Figure 2-5: Change in Coupon Thickness versus Gamma Dose from the EPRI Programs at Beaver Valley 2 and Millstone 2	2-15
Figure 2-6: Millstone Coupon M4 Thickness Measurements	2-16
Figure 2-7: Change in Density versus Gamma Dose from the EPRI Programs at Beaver Valley 2 and Millstone 2	2-17
Figure 2-8: Change in Shore A Hardness versus Gamma Dose from the EPRI Programs at Beaver Valley 2 and Millstone 2	2-18
Figure 2-9: Change in Coupon Weight versus Gamma Dose from the EPRI Programs at Beaver Valley 2 and Millstone 2	2-19
Figure 2-10: Coupon Dimension Changes from the AFRRI Co-60 Irradiation	2-21
Figure 2-11: Dynamic Shear Modulus Ratio versus Gamma Dose	2-22
Figure 2-12: Shore A Hardness versus Gamma Exposure	2-24
Figure 2-13: Coupon Density Change versus Gamma Exposure	2-25
Figure 2-14: Coupon Weight Change versus Gamma Exposure	2-26
Figure 2-15: Change in Boraflex Length/Width - Composite Coupon Database	2-28
Figure 3-1: Frequency of Gap Occurrence by Rack Type	3-5
Figure 3-2: Boraflex Panel Configuration for PWR B Spent Fuel Racks	3-6
Figure 3-3: Axial Distribution of Gaps by Rack Type	3-8
Figure 3-4: Fraction of Panels with More Than One Gap	3-10
Figure 3-5: Cumulative Gap Size Distribution for PWR H	3-11
Figure 3-6: Gap Size Distribution for BWR A	3-13
Figure 3-7: Gap Size Distribution at PWR A	3-14

<u>Figure</u>	<u>Page</u>
Figure 3-8: Gap Size versus Integrated Gamma Exposure for BWR B	3-16
Figure 3-9: Total Panel Shrinkage at BWR C versus Gamma Dose	3-17
Figure 3-10: Total Panel Shrinkage at PWR F and PWR G	3-18
Figure 3-11: Total Panel Shrinkage at PWR D and PWR E	3-20
Figure 4-1: Boraflex Panel Geometry for Computing the Axial Decoupling Distance	4-3
Figure 4-2: Plan View of the 4 x 4 KENO5A Model	4-4
Figure 4-3: Some Lateral Distributions of Eight Panels with Gaps	4-6
Figure 4-4: BWR A High Density Fuel Storage Rack	4-8
Figure 4-5: k_{eff} versus Gap Separation Distance	4-13
Figure 4-6: Axial Distribution of Oat Adhered Racks Compared to a Truncated Uniform Distribution	4-14
Figure 4-7: Worst Case Distributions of 4.0 inch Gaps in an Axial Interval	4-16
Figure 4-8: The Reactivity Effect of Gaps	4-18
Figure 4-9: Reactivity Effect of Coplaner Gaps	4-22
Figure 5-1: Gamma Dose Rate Measurement Locations	5-5
Figure 5-2: Calculated versus Measured Dose Rate	5-7
Figure 6-1: Gamma Radiation Reactions and Crosslink Bond Formations in PDMS	6-2
Figure 6-2: The Effect of Free Radicals in the Pool Water	6-4
Figure 6-3: Mechanism of Crack Initiation and Gap Growth	6-7

TABLES

<u>Table</u>	<u>Page</u>
Table 3-1: EPRI Blackness Test Database	3-2
Table 4-1: Reference Fuel Design Parameters: GE 8 x 8	4-9
Table 4-2: Nominal Reference Case Analyses - Rack without Gaps	4-11
Table 4-3: Summary of Results of KENO5A Benchmarking Calculations	4-21

ABOUT EPRI

The mission of the Electric Power Research Institute is to discover, develop, and deliver advances in science and technology for the benefit of member utilities, their customers, and society.

Funded through annual membership dues from some 700 member utilities, EPRI's work covers a wide range of technologies related to the generation, delivery, and use of electricity, with special attention paid to cost-effectiveness and environmental concerns.

At EPRI's headquarters in Palo Alto, California, more than 350 scientists and engineers manage some 1600 ongoing projects throughout the world. Benefits accrue in the form of products, services, and information for direct application by the electric utility industry and its customers.

