

# BWR OWNERS' GROUP

James M. Kenny, Chairman  
Tel: (610) 774-5362  
Fax: (610) 774-6575

c/o PPL, Inc. • Two North Ninth Street • Mail Code GENA6-1 • Allentown, PA, 18101-1179

## NRC Project 691

BWROG-01002  
January 10, 2001

US Nuclear Regulatory Commission  
Mr. Robert Pulsifer  
One White Flint North (Mail Stop 13D1)  
11555 Rockville Pike  
Rockville, MD 20852-2738

SUBJECT: ***GS1 156.6.1 - PIPE BREAK EFFECTS ON SYSTEMS AND COMPONENTS  
INSIDE CONTAINMENT***

Reference: USNRC letter from Farouk Eltawila to W. Glenn Warren, Chairman BWROG  
dated August 10, 2000

This is in response to the referenced letter. The BWROG has initiated activities to respond to NRC concerns regarding Generic Safety Issue 156.6.1, Pipe Break Effects on Systems and Components Inside Containment with respect to the designs of BWR Systematic Evaluation Program Phase III (SEP III) plants. BWROG has formed a committee and will be coordinating the response for all committee members. There are a total of twelve BWR owners with 16 SEP III BWRs.

The BWROG plans to discuss this issue and the proposed BWROG resolution approach at the BWROG/NRC management meeting on January 19, 2001. If you have any question regarding this subject, please contact the undersigned.

Very truly yours,



James M. Kenny, Chairman  
BWR Owners' Group  
Tel: (610) 774-5362  
Fax: (610) 774-6575  
E-mail: jmkenny@pplweb.com

cc: Stu Rubin, NRC  
BWROG Primary Representatives  
BWROG Executive Oversight Committee  
TG Hurst, GE  
TA Green, GE  
KH Narayan, GE  
RE Engel, GE

DO44