



Private Fuel Storage, L.L.C.

P.O. Box C4010, La Crosse, WI 54602-4010

Phone 303-741-7009 Fax: 303-741-7806

John L. Donnell, P.E., Project Director

Mr. Mark Delligatti
Senior Project Manager
Spent Fuel Project Office
Office of Nuclear Material Safety and Safeguards
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

June 22, 1999

PFSF CALCULATIONS
DOCKET NO. 72-22 / TAC NO. L22462
PRIVATE FUEL STORAGE FACILITY
PRIVATE FUEL STORAGE L.L.C.

Enclosed per your request is one copy of each of the following Private Fuel Storage Facility calculations for your use and information:

- SC -8, Rev. 0 - Crane Decoupling Evaluation, Canister Transfer Building
- G(B)-15, Rev. 0 - Determination of Aquifer Permeability from Constant Head Test and Estimation of Radius of Influence for the Proposed Water Well
- G(B)-16, Rev. 1 - PFSF Flood Analysis at 3 mile-long Portion of Rail Spur
- G(B)-18, Rev. 0 - Determine the Thickness of Structural Fill Required in Areas Where the Transporter will Travel Carrying Fully Loaded Casks
- E(B)-02, Rev. 1 - Summary of On-Site Meteorological Data
- UR-3, Rev. 2 - Postulated Release of Removable Contamination from Canister Outer Surfaces - Dose Consequences

If you have any questions regarding this response, please contact me at 303-741-7009.

John L. Donnell
Project Director
Private Fuel Storage L.L.C.

Copy to: J. Silberg-1/1
D. Chancellor-1/1
L. Bear-1/1

J. Walker-1/1
J. Kennedy-1/0
Utah Document File-1/1

A. Chowdhury-1/1
R. Condit-1/0

9906290254 990622
PDR ADOCK 07200022
B PDR