



South Texas Project Nuclear Operating Company P.O. Box 289 Wadsworth, Texas 77483

February 15, 2001
NOC-AE-01001039
File No. G02
STI31238257
10CFR50.71

U. S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, DC 20555

South Texas Project
Units 1 and 2
Docket Nos. STN 50-498, STN 50-499
Monthly Operating Reports for January 2001

Pursuant to 10CFR50.71(a) and South Texas Project Electric Generating Station (STPEGS) Technical Specification 6.9.1.5, attached are the Monthly Operating Reports for January 2001.

If you should have any questions on this matter, please contact R. L. Hill at (361) 972-7667.

Sincerely,

A handwritten signature in cursive script that reads "George Harrison". Below the signature, the word "for" is written in a smaller, simpler script.

F. H. Mallen
Manager, Planning & Controls

Attachments: 1) STPEGS Unit 1 Monthly Operating Report -- January 2001
2) STPEGS Unit 2 Monthly Operating Report -- January 2001

JE24

cc:

Ellis W. Merschhoff
Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, Texas 76011-8064

John A. Nakoski
Addressee Only
U. S. Nuclear Regulatory Commission
Project Manager, Mail Stop OWFN/7-D-1
Washington, DC 20555-0001

Mohan C. Thadani
Addressee Only
U. S. Nuclear Regulatory Commission
Project Manager, Mail Stop OWFN/7-D-1
Washington, DC 20555

Cornelius F. O'Keefe
c/o U. S. Nuclear Regulatory Commission
P. O. Box 910
Bay City, TX 77404-0910

A. H. Gutterman, Esquire
Morgan, Lewis & Bockius
1800 M. Street, N.W.
Washington, DC 20036-5869

M. T. Hardt/W. C. Gunst
City Public Service
P. O. Box 1771
San Antonio, TX 78296

A. Ramirez/C. M. Canady
City of Austin
Electric Utility Department
721 Barton Springs Road
Austin, TX 78704

Jon C. Wood
Matthews & Branscomb
112 East Pecan, Suite 1100
San Antonio, Texas 78205-3692

Institute of Nuclear Power
Operations - Records Center
700 Galleria Parkway
Atlanta, GA 30339-5957

Richard A. Ratliff
Bureau of Radiation Control
Texas Department of Health
1100 West 49th Street
Austin, TX 78756-3189

D. G. Tees/R. L. Balcom
Houston Lighting & Power Co.
P. O. Box 1700
Houston, TX 77251

C. A. Johnson/R. P. Powers
AEP - Central Power and Light Company
P. O. Box 289, Mail Code: N5012
Wadsworth, TX 77483

U. S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, D.C. 20555-0001

SOUTH TEXAS PROJECT
ELECTRIC GENERATING STATION
UNIT 1
MONTHLY OPERATING REPORT
JANUARY 2001
STP NUCLEAR OPERATING COMPANY
NRC DOCKET NO. 50-498
LICENSE NO. NPF-76

Approved By:

G.L. PARKEY

AL Parkey

2/14/01
Date

MONTHLY SUMMARY

South Texas Project Unit 1 operated during the reporting period at full power with no unit shutdowns or significant power reductions.

OPERATING DATA REPORT

DOCKET NO. 50-498
UNIT 1
DATE Feb. 13, 2001
COMPLETED BY R.L. Hill
TELEPHONE 361 972-7667

OPERATING STATUS

1. REPORTING PERIOD: 1/1/01-1/31/01 GROSS HOURS IN REPORTING PERIOD: 744
2. CURRENTLY AUTHORIZED POWER LEVEL (Mwt): 3800
MAXIMUM DEPENDABLE CAPACITY (MWe-Net): 1250.6
DESIGN ELECTRICAL RATING (MWe-Net): 1250.6
3. POWER LEVEL TO WHICH RESTRICTED (IF ANY) (MWe-Net): None
4. REASONS FOR RESTRICTION (IF ANY): N/A

	THIS MONTH	YR TO DATE	CUMULATIVE
5. NUMBER OF HOURS REACTOR CRITICAL	<u>744.0</u>	<u>744.0</u>	<u>82,423.5</u>
6. REACTOR RESERVE SHUTDOWN HOURS	<u>0</u>	<u>0</u>	<u>0</u>
7. HOURS GENERATOR ON LINE	<u>744.0</u>	<u>744.0</u>	<u>80,823.3</u>
8. UNIT RESERVE SHUTDOWN HOURS	<u>0</u>	<u>0</u>	<u>0</u>
9. GROSS THERMAL ENERGY GENERATED (MWH)	<u>2,839,207</u>	<u>2,839,207</u>	<u>300,894,272</u>
10. GROSS ELECTRICAL ENERGY GENERATED (MWH)	<u>985,486</u>	<u>985,486</u>	<u>102,748,247</u>
11. NET ELECTRICAL ENERGY GENERATED (MWH)	<u>945,742</u>	<u>945,742</u>	<u>97,955,700</u>
12. REACTOR SERVICE FACTOR	<u>100.0%</u>	<u>100.0%</u>	<u>75.6%</u>
13. REACTOR AVAILABILITY FACTOR	<u>100.0%</u>	<u>100.0%</u>	<u>75.6%</u>
14. UNIT SERVICE FACTOR	<u>100.0%</u>	<u>100.0%</u>	<u>74.1%</u>
15. UNIT AVAILABILITY FACTOR	<u>100.0%</u>	<u>100.0%</u>	<u>74.1%</u>
16. UNIT CAPACITY FACTOR (Using MDC)	<u>101.6%</u>	<u>101.6%</u>	<u>71.8%</u>
17. UNIT CAPACITY FACTOR (Using Design MWe)	<u>101.6%</u>	<u>101.6%</u>	<u>71.8%</u>
18. UNIT FORCED OUTAGE RATE	<u>0.0%</u>	<u>0.0%</u>	<u>15.4%</u>
19. SHUTDOWNS SCHEDULED OVER NEXT 6 MONTHS (TYPE, DATE, & DURATION OF EACH):	<u>N/A</u>		
20. IF SHUTDOWN AT END OF REPORT PERIOD, ESTIMATED DATE OF STARTUP:	<u>N/A</u>		

AVERAGE DAILY UNIT POWER LEVEL

DOCKET NO. 50-498
UNIT 1
DATE Feb. 13, 2001
COMPLETED BY R.L. Hill
TELEPHONE 361 972-7667

MONTH JANUARY

DAY AVERAGE DAILY POWER
 LEVEL
 (MWe-Net)

1 1271

2 1270

3 1269

4 1271

5 1272

6 1271

7 1272

8 1272

9 1272

10 1273

11 1273

12 1271

13 1268

14 1273

15 1273

16 1272

DAY AVERAGE DAILY POWER
 LEVEL
 (MWe-Net)

17 1272

18 1272

19 1272

20 1272

21 1272

22 1271

23 1270

24 1271

25 1270

26 1270

27 1270

28 1270

29 1270

30 1271

31 1271

UNIT SHUTDOWNS AND POWER REDUCTIONS

DOCKET NO. 50-498
 UNIT 1
 DATE Feb. 13, 2001
 COMPLETED BY R.L. Hill
 TELEPHONE 361 972-7667

REPORT MONTH JANUARY

No.	Date	1 Type	Duration (Hours)	2 Reason	3 Method of Shutting Down Reactor	Licensee Event Report #	4 System Code	5 Component Code	Cause & Corrective Action to Prevent Recurrence
THERE WERE NO UNIT SHUTDOWNS OR SIGNIFICANT POWER REDUCTIONS DURING THE REPORTING PERIOD									

1
 F: Forced
 S: Scheduled

2
 Reason:
 A-Equipment Failure (Explain)
 B-Maintenance or Test
 C-Refueling
 D-Regulatory Restriction
 E-Operator Training & License Exam
 F-Administrative
 G-Operational Error (Explain)
 H-Other (Explain)

3
 Method:
 1-Manual
 2-Manual Scram
 3-Automatic Scram
 4-Cont. of Existing
 Outage
 5-Reduction
 9-Other

4
 IEEE 805-1983

5
 IEEE 803-1983

PORVS AND SAFETY VALVE SUMMARY

There were no PORV or Safety Valves challenged during the reporting period.

SOUTH TEXAS PROJECT
ELECTRIC GENERATING STATION
UNIT 2
MONTHLY OPERATING REPORT
JANUARY 2001
STP NUCLEAR OPERATING COMPANY
NRC DOCKET NO. 50-499
LICENSE NO. NPF-80

Approved By:

G.L. Parkey
G.L. PARKEY

2/14/01
Date

MONTHLY SUMMARY

South Texas Project Unit 2 operated during the reporting period at full power with no unit shutdowns or significant power reductions.

OPERATING DATA REPORT

DOCKETNO. 50-499
UNIT 2
DATE Feb. 13, 2001
COMPLETED BY R.L. Hill
TELEPHONE 361 972-7667

OPERATING STATUS

1. REPORTING PERIOD: 1/1/01-1/31/01 GROSS HOURS IN REPORTING PERIOD: 744
2. CURRENTLY AUTHORIZED POWER LEVEL (MWt): 3800
MAXIMUM DEPENDABLE CAPACITY (MWe-Net): 1250.6
DESIGN ELECTRICAL RATING (MWe-Net): 1250.6
3. POWER LEVEL TO WHICH RESTRICTED (IF ANY) (MWe-Net): None
4. REASONS FOR RESTRICTION (IF ANY): N/A

	THIS MONTH	YR TO DATE	CUMULATIVE
5. NUMBER OF HOURS REACTOR CRITICAL	<u>744.0</u>	<u>744.0</u>	<u>80,677.3</u>
6. REACTOR RESERVE SHUTDOWN HOURS	<u>0</u>	<u>0</u>	<u>0</u>
7. HOURS GENERATOR ON LINE	<u>744.0</u>	<u>744.0</u>	<u>78,617.7</u>
8. UNIT RESERVE SHUTDOWN HOURS	<u>0</u>	<u>0</u>	<u>0</u>
9. GROSS THERMAL ENERGY GENERATED (MWH)	<u>2,839,115</u>	<u>2,839,115</u>	<u>292,960,643</u>
10. GROSS ELECTRICAL ENERGY GENERATED (MWH)	<u>981,475</u>	<u>981,475</u>	<u>99,846,519</u>
11. NET ELECTRICAL ENERGY GENERATED (MWH)	<u>940,579</u>	<u>940,579</u>	<u>95,361,143</u>
12. REACTOR SERVICE FACTOR	<u>100.0%</u>	<u>100.0%</u>	<u>79.2%</u>
13. REACTOR AVAILABILITY FACTOR	<u>100.0%</u>	<u>100.0%</u>	<u>79.2%</u>
14. UNIT SERVICE FACTOR	<u>100.0%</u>	<u>100.0%</u>	<u>77.2%</u>
15. UNIT AVAILABILITY FACTOR	<u>100.0%</u>	<u>100.0%</u>	<u>77.2%</u>
16. UNIT CAPACITY FACTOR (Using MDC)	<u>101.1%</u>	<u>101.1%</u>	<u>74.8%</u>
17. UNIT CAPACITY FACTOR (Using Design MWe)	<u>101.1%</u>	<u>101.1%</u>	<u>74.8%</u>
18. UNIT FORCED OUTAGE RATE	<u>0.0%</u>	<u>0.0%</u>	<u>14.7%</u>
19. SHUTDOWNS SCHEDULED OVER NEXT 6 MONTHS (TYPE, DATE, & DURATION OF EACH):	Scheduled 25 day outage to allow refueling to begin on March 7, 2001.		
20. IF SHUTDOWN AT END OF REPORT PERIOD, ESTIMATED DATE OF STARTUP: N/A			

AVERAGE DAILY UNIT POWER LEVEL

DOCKETNO. 50-499
UNIT 2
DATE Feb. 13, 2001
COMPLETED BY R.L. Hill
TELEPHONE 361 972-7667

MONTH JANUARY

DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)	DAY	AVERAGE DAILY POWER LEVEL (MWe-Net)
1	<u>1264</u>	17	<u>1264</u>
2	<u>1265</u>	18	<u>1265</u>
3	<u>1263</u>	19	<u>1265</u>
4	<u>1264</u>	20	<u>1264</u>
5	<u>1265</u>	21	<u>1265</u>
6	<u>1265</u>	22	<u>1264</u>
7	<u>1265</u>	23	<u>1264</u>
8	<u>1263</u>	24	<u>1265</u>
9	<u>1264</u>	25	<u>1266</u>
10	<u>1265</u>	26	<u>1265</u>
11	<u>1265</u>	27	<u>1264</u>
12	<u>1264</u>	28	<u>1265</u>
13	<u>1260</u>	29	<u>1262</u>
14	<u>1263</u>	30	<u>1264</u>
15	<u>1265</u>	31	<u>1264</u>
16	<u>1265</u>		

UNIT SHUTDOWNS AND POWER REDUCTIONS

DOCKET NO. 50-499
 UNIT 2
 DATE Feb. 13, 2001
 COMPLETED BY R.L. Hill
 TELEPHONE 361 972-7667

REPORT MONTH JANUARY

No.	Date	1 Type	Duration (Hours)	2 Reason	3 Method of Shutting Down Reactor	Licensee Event Report #	4 System Code	5 Component Code	Cause & Corrective Action to Prevent Recurrence
THERE WERE NO UNIT SHUTDOWNS OR SIGNIFICANT POWER REDUCTIONS DURING THE REPORTING PERIOD									

1
 F: Forced
 S: Scheduled

2
 Reason:
 A-Equipment Failure (Explain)
 B-Maintenance or Test
 C-Refueling
 D-Regulatory Restriction
 E-Operator Training & License Exam
 F-Administrative
 G-Operational Error (Explain)
 H-Other (Explain)

3
 Method:
 1-Manual
 2-Manual Scram
 3-Automatic Scram
 4-Cont. of Existing
 Outage
 5-Reduction
 9-Other

4
 IEEE 805-1983

5
 IEEE 803-1983

PORVS AND SAFETY VALVE SUMMARY

There were no PORV or Safety Valves challenged during the reporting period.