



State of New Jersey

Department of Environmental Protection  
Division of Environmental Safety, Health,  
and Analytical Programs  
Bureau of Nuclear Engineering  
P.O.Box - 415  
Trenton, NJ 08625-0415

DONALD T. DiFRANCESCO  
Acting Governor

Robert C. Shinn, Jr.  
Commissioner

March 6, 2001

U.S. Nuclear Regulatory Commission  
Attention: Document Control Desk  
Washington, DC 20555

Gentlemen:

Subject: Hope Creek Generating Station  
Docket No. 50-354  
Amendment to Facility Operating License  
License Change Request H00-07

The subject request was submitted to the NRC by PSE&G letter dated November 29, 2000. The request proposes to modify Technical Specification sections 3.4.1 Recirculation System, and 6.9.1.9 Core Operating Limits Report, and add a new section 3.10 Oscillation Power Range Monitor Instrument, with applicable Limiting Conditions of Operation, Action Statements, and Surveillance Requirements. The purpose of this request is to allow operation of the Oscillation Power Range Monitor Instrument and its associated SCRAM function.

The New Jersey Department of Environmental Protection's Bureau of Nuclear Engineering has reviewed the request in accordance with the requirements of 10CFR50.91 (b). The State of New Jersey has no comment.

If you have any questions, please contact Rich Pinney at (609) 984-7558.

Sincerely,

Kent W. Tosch, Manager  
Bureau of Nuclear Engineering

A001

c: Distribution

J. Lipoti  
N.J. DEP

D. Zannoni  
N.J. DEP

R. Bores  
NRC Region I State Liaison Officer

J. Shoppy  
NRC Sr. Resident Inspector

R. Ennis  
NRC Project Manager

G. Salamon  
PSE&G