

Facility: _____ VERMONT YANKEE _____		Date of Examination: _____ 9/18/00 _____
Examination Level (circle one): <u>RO</u> / SRO		Operating Test Number: _____ 1 _____
Administrative Topic/Subject Description		Describe method of evaluation: 1. ONE Administrative JPM, OR 2. TWO Administrative Questions
A.1	CONDUCT OF OPERATIONS	JPM: Verify RCS temperature within TS limits prior to starting RR pump
		Q: Indications of thermal stratification
		Q: Calculate time to change modes
A.2	EQUIPMENT CONTROL	JPM: Tagout the CRD suction filter
A.3	RADIATION CONTROL	Q: Given an emergency condition, determine allowable stay times
		Q: Limitations on personnel entering a LHRA without HP support
A.4	EMERGENCY PLAN	JPM: Perform control room emergency communications checks

Facility: <u>VERMONT YANKEE</u>		Date of Examination: <u>9/18/00</u>
Examination Level (circle one): RO / <u>SRO</u>		Operating Test Number: <u>1</u>
Administrative Topic/Subject Description		Describe method of evaluation: 1. ONE Administrative JPM, OR 2. TWO Administrative Questions
A.1	CONDUCT OF OPERATIONS	JPM: Verify RCS temperature within TS limits prior to starting RR pump
		Q: Indication of thermal stratification
		Q: Calculate time to change modes
A.2	EQUIPMENT CONTROL	JPM: Tagout the CRD suction filter
A.3	RADIATION CONTROL	Q: Given an emergency condition, determine allowable stay times
		Q: Apply exposure limits for a declared pregnant worker with existing exposure
A.4	EMERGENCY PLAN	JPM: Classify an event based on simulated plant conditions

Facility: Vermont Yankee Date of Examination: SEP 18, 2000

Exam Level (circle one): RO / SRO(I) / SRO(U) Operating Test No.: _____

B.1 Control Room Systems

System / JPM Title	Type Code*	Safety Function
a. CRD / Transfer CRD Pumps (w/ failure of second pump to start) [JPM 29504F/0]	N,A,L	1
b. FW / Transfer Feedwater Pumps at Power (w/ failure of discharge valve to remain open) [JPM 25907F/0]	M,A	2
c. PCIS / Perform MSIV Full Closure Test [JPM 23904/0]	N	3
d. RCIC / RCIC Turbine Mechanical Overspeed Trip Test (w/ bearing high temperature) [JPM 21707F/0]	N,A	4
e. RHR- CTMT SPRAY / Line Up For Primary Containment Spray Using Fire System To RHR Loop A [JPM 20030/7]	D	5
f. 480 VAC / Transfer MCC 89B From UPS To Maintenance Tie [JPM 26201/10]	D	6
g. SBTG / Secure Standby Gas Treatment [JPM 26102/8]	D	9

B.2 Facility Walk-Through

a. SLC / Perform the SLC Quarterly Capacity Check on One Pump (w/ low SLC tank level) [JPM 21102F/6]	M,A,R	1
b. ADS / Operate SRV-71A From the RCIC Room [JPM 21804/7]	D,R	3
c. RPS / Respond to RPS Power Protection Panel Trip [JPM 21205/1]	D	7

* Type Codes: (D)irect from bank, (M)odified from bank, (N)ew, (A)lternate path, (C)ontrol room, (S)imulator, (L)ow-Power, (R)CA