



**Entergy Operations, Inc.**

Waterloo Road  
P.O. Box 756  
Port Gibson, MS 39150  
Tel 601 437 6470

**Jerry C. Roberts**

Director  
Nuclear Safety Assurance

April 5, 2001

Chief Examiner  
U. S. Nuclear Regulatory Commission  
Region IV  
611 Ryan Plaza Drive, Suite 400  
Arlington, TX 76011-8064

Attention: Mr. Michael Murphy

Subject: Grand Gulf Nuclear Station  
Docket No. 50-416  
License No. NPF-29  
Final License Examination For June 2001

GNRO-2001/00027

Dear Mr. Murphy:

Entergy Operations, Inc. is submitting the NRC Final License Examination for the examination to be administered on June 4, 2001. The examination was developed per the guidelines set forth in 10 CFR 55.40 "Operator Licenses" and NUREG 1021 Revision 8, Supplement 1, "Operator Licensing Examination Standards for Power Reactors" Section ES-201.

This letter does not contain any commitments.

If you have any questions or need any further material, please contact Michael K. Rasch at (601) 437-6106; 6107; 6362 or Jay Miller at (601) 437-7303.

Yours truly,

A handwritten signature in black ink, appearing to read "J. Roberts", with a long horizontal line extending to the right.

JCR/MKR/amt

attachment:

cc:

Examination  
(See Next Page)

April 5, 2001  
GNRO-2001/00027  
Page 2 of 2

**cc: DID NOT SEND ATTACHMENT TO ANY OF THE PERSONNEL LISTED BELOW  
OTHER THAN ADDRESSEE**

Hoeg	T. L.	(GGNS Senior Resident)
Levanway	D. E.	(Wise Carter)
Reynolds	N. S.	
Smith	L. J.	(Wise Carter)
Thomas	H. L.	

**ATTN: ADDRESSEE ONLY**

Mr. S. P. Sekerak, NRR/DLPM/PD IV-1 (2)  
U.S. Nuclear Regulatory Commission  
One White Flint North, Mail Stop O7-D1  
11555 Rockville Pike  
Rockville, MD 20852-2378

Mr. Robert M. Gallo  
Chief Operator Licensing Branch  
U.S. Nuclear Regulatory Commission  
Mail Stop OWFN 9D-24  
Washington, DC 20555

Mr. Ellis W. Merschoff (2)  
Regional Administrator  
U.S. Nuclear Regulatory Commission  
Region IV  
611 Ryan Plaza Drive, Suite 400  
Arlington, TX 76011

U.S. Nuclear Regulatory Commission  
Washington, D.C. 20555

Attention: Document Control Desk