

Exelon Nuclear
200 Exelon Way
Kennett Square, PA 19348

www.exeloncorp.com

Nuclear

10CFR50, Appendix E

April 17, 2001

Docket Nos. 50-277
50-278
50-352
50-353

License Nos. DPR-44
DPR-56
NPF-39
NPF-85

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, DC 20555-0001

Subject: Limerick Generating Station, Units 1 & 2
Peach Bottom Atomic Power Station, Units 2 & 3
Common Nuclear Emergency Response Procedure Revision

Dear Sir/Madam:

Enclosed are the following procedure revisions to the Common Emergency Response Procedures (ERPs) for Peach Bottom Atomic Power Station (PBAPS), Units 2 and 3, and Limerick Generating Station (LGS), Units 1 and 2. These procedures are required to be submitted within thirty (30) days of their revision in accordance with 10CFR50, Appendix E, and 10CFR50.4.

- ERP-C-1000, Appendix 1, Revision 3, "EOF Activation Checklist"
- ERP-C-1200, Revision 10, "Emergency Response Manager"
- ERP-C-1200, Appendix 4, Revision 0, "Minimum Staffing Positions Necessary to Activate the EOF"
- ERP-C-1300, Appendix 3, Revision 4, "Protective Action Recommendation Worksheet"

Also enclosed are copies of computer generated report indexes identifying the latest revisions of the LGS and PBAPS ERPs.

If you have any questions or require additional information, please do not hesitate to contact us.

Very truly yours,



James A. Hutton
Director - Licensing

Attachments

cc: H. J. Miller, Administrator, Region I, USNRC (w/attachment, 2 copies)
A. L. Burritt, USNRC Senior Resident Inspector, LGS (w/attachment)
A. C. McMurtry, USNRC Senior Resident Inspector, PBAPS (w/attachment)

A045

ATTACHMENT 1

LIMERICK GENERATING STATION, UNITS 1 & 2 PEACH BOTTOM ATOMIC POWER STATION, UNITS 2 & 3

**Docket Nos. 50-352
50-353
50-277
50-278**

**License Nos. NPF-39
NPF-85
DPR-44
DPR-56**

EMERGENCY RESPONSE PROCEDURE

**ERP-C-1000, Appendix 1, "EOF Activation Checklist"
Revision 3**

**ERP-C-1200, "Emergency Response Manager"
Revision 10**

**ERP-C-1200, Appendix 4, "Minimum Staffing Positions Necessary
to Activate the EOF"
Revision 0**

**ERP-C-1300, Appendix 3, "Protective Action Recommendation
Worksheet"
Revision 4**

Effective Date: 5/30/01

ERP-C-1000-1, Rev. 3

Page 1 of 1

RZK/ldt

EOF ACTIVATION CHECKLIST
(Initial steps as they are completed)

IF any item on this list cannot be completed in a timely manner
THEN note item below as an exception
AND deliver this form to the ERM.

ITEM

INITIALS

1. EOF alarm is unarmed.
2. Lights and ventilation system are operating acceptably.
3. Access to the EOF facility is being controlled.
4. Two-way communications have been established with the TSC (ERM Group and Engineering Group have access to data for assessment of plant conditions).
5. DATL can obtain dose assessment information from DAC/SDAP or DAGM.

NOTE: REPORT TO ERM THAT STEPS NECESSARY
FOR ACTIVATION ARE COMPLETE

6. Initial postings on EOF status boards have been completed.
7. EOF public address system is operating properly and an initial briefing has been made.
8. Copier from the main lobby has been moved to the hallway outside the Dose Assessment room.

NOTE: ITEMS 5-8 ARE NOT REQUIRED TO BE COMPLETED PRIOR TO ACTIVATION OF THE EOF, BUT SHOULD BE ADDRESSED AS SOON AS POSSIBLE.

EOF ACTIVATION CHECKLIST COMPLETED BY:

PRINTED NAME: _____

SIGNATURE: _____

DATE COMPLETED: / / _____ Time Completed: _____

EXCEPTIONS: _____

Effective Date: 3/30/01

ERP-C-1200
Rev. 10
Page 1 of 7
RZK/ldt

PECO NUCLEAR
PEACH BOTTOM/LIMERICK
EMERGENCY RESPONSE PROCEDURE

ERP-C-1200 EMERGENCY RESPONSE MANAGER

1.0 RESPONSIBILITIES

1.1 Emergency Response Manager (ERM)

- 1.1.1 Manages activities of the Emergency Operations Facility (EOF).
- 1.1.2 Maintains overall command and control of station and off-site Emergency Response Organizations (ERO's).
- 1.1.3 Issues Protective Action Recommendations (PAR's) to off-site authorities (Non-delegable).
- 1.1.4 Declares termination of the Emergency Phase and entry into the Recovery Phase, with concurrence of Emergency Director (Non-delegable).
- 1.1.5 Supervises activities of the AERM, Communicators, Emergency Preparedness Coordinator, Team Leaders.
- 1.1.6 Coordinates with the Nuclear Regulatory Commission (NRC) and state representatives on technical matters.
- 1.1.7 Coordinates with the Technical Support Center (TSC) on emergency response requirements and response requests.
- 1.1.8 Supervise activities of Dose Assessment Team Leader (DATL) in determining radiological release, path and dose projections.
- 1.1.9 Evaluates plant status and EALs in support of the Emergency Director (ED).
- 1.1.10 Provides technical resource to Corporate Spokesperson and verifies technical content of press releases.

1.2 Assistant Emergency Response Manager (AERM)

- 1.2.1 Reports to the ERM, provides assistance in all non-delegable responsibilities, and provides operational expertise.

- 1.2.2 Manage the EOF when the ERM is not in the Main Room or temporarily unavailable.

1.3 Communicators

- 1.3.1 Report to the ERM, monitor the ERM group telephones, maintain the ERM's log (calls, information known, decision making, EOF activities), facilitate message requests and review message status boards for accuracy.
- 1.3.2 Maintain and monitor plant data displayed on ERM Group computer.

2.0 INITIAL ACTIONS

NOTE: THE LISTED ACTIONS ARE PRESENTED AS GUIDANCE. ERM JUDGEMENT TAKES PRECEDENCE OVER EXECUTION AND SEQUENCE.

2.1 Upon arrival at the EOF:

- 2.1.1 Check-in with, and show proper identification to the EOF access control personnel.
- 2.1.2 Log in on the EOF staffing status board.
- 2.1.3 Request a Communicator to start and maintain an Emergency Log, listing all significant actions, decisions, and communications, and their times.
- 2.1.4 Request status of Exhibit ERP-C-1000-1, "EOF Activation Checklist".
- 2.1.5 Establish communications within the EOF and among the other emergency response facilities.

NOTE: NOTIFICATION TO OFFSITE AGENCIES OF EMERGENCY DECLARATIONS REMAINS AN EMERGENCY DIRECTOR RESPONSIBILITY.

- 2.2 Determine if prompt activation of the EOF is necessary (a Site Area or General Emergency has been declared). If so, immediately initiate a turnover utilizing ERP-C-1200-1, "ERM Turnover/Briefing Form".

NOTE

If the TSC is not activated, conduct a simultaneous activation among the Shift Manager, ED and ERM. If the TSC is not prepared to activate, receive turnover directly from the Shift Manager.

- 2.3 Utilize Exhibit ERP-C-1200-4, "Minimum Staffing Positions" to determine personnel available to activate the EOF.
- 2.4 Utilizing Exhibits ERP-C-1200-1, "EOF Activation Checklist" and ERP-C-1200-4, "Minimum Staffing Positions",
WHEN in the judgment of the ERM sufficient personnel are prepared
AND adequate equipment is operational to assume control of the emergency
THEN inform the ED and agree on the time to declare the EOF activated.

NOTE: THE EOF SHOULD BE DECLARED ACTIVATED WITHIN 60 MINUTES (1 HOUR) OF SITE AREA EMERGENCY DECLARATION OR HIGHER CLASSIFICATION.

- 2.5 WHEN EOF is activated
THEN inform the Corporate Spokesperson that the EOF is activated, and the ERM is in control of the ERO.
 - 2.5.1 Announce over the EOF public address system that the EOF is activated, the ERM is in control of the ERO, and the names of the Coordinators/Team Leaders.
 - 2.5.2 Brief EOF staff on the current status of the emergency, priority of work items for EOF, priority and status of work items for plant.
 - 2.5.3 When satisfied that all designated positions have been filled, release additional responders.
- 2.6 If immediate activation of the EOF is not necessary, contact the ED and obtain a briefing (use Exhibit ERP-C-1200-1, "ERM Turnover/Briefing Form"). Ensure "NOTE" to Section 2.4 is complied with.
- 2.7 Review status of information provided to governmental agencies with the ED,
AND relieve the ED of responsibility for providing this information, when the EOF is activated, except for declaration notifications (see "NOTE" to Section 2.1.5).

3.0 CONTINUING ACTIONS

- 3.1 Manage EOF operations (including periodic briefings).
- 3.2 Maintain awareness of plant status and potential offsite consequences.
- 3.3 Maintain communications with the ED and monitor the status of responses to requests from the TSC.
- 3.4 Review press releases provided by Corporate Spokesperson prior to issuance. (Ref. 6.5.2)

NOTE: ACCORDING TO NRC INFORMATION NOTICE NO. 91-33, THE NRC IS PREPARED TO PROVIDE AN ANALYSIS OF PLANT CONDITIONS TO THE STATES DURING EMERGENCIES. USE OF THIS INFORMATION FOR DECISION MAKING BY STATE AGENCIES IS ON A VOLUNTARY BASIS.

- 3.5 Maintain awareness of NRC analysis of plant conditions as provided to the States.
- 3.6 Consider performing analysis of release to determine isotopic mix for input into Mesorem, Jr. Obtain updates on dose projections and field survey data from DATL.
- 3.7 Evaluate plant status, i.e., monitor plant parameters, fuel damage estimates, coolant boundary, containment integrity and offsite dose projections for assessment of plant conditions and inputs into PARs.

NOTE: PAR SHALL BE DELIVERED TO STATE(S) REPRESENTATIVE WITHIN 15 MINUTES OF GENERAL EMERGENCY DECLARATION.
--

- 3.8 IF General Emergency is declared,
THEN determine PARs (Ref. 6.5.1)
 - 3.8.1 Obtain completed Part 1 of Exhibit ERP-C-1300-3, "PAR Worksheet", from DATL
AND determine plant status PAR from ERP-101 in conjunction with ED
AND enter on Part 2 of Exhibit ERP-C-1300-3, "PAR Worksheet".
 - 3.8.2 Compare the recommendations
AND enter determined PAR on Part 3 of Exhibit ERP-C-1300-3, PAR Worksheet.

- 3.8.3 Review tasks in ERP-C-1200-3 "ERM PAR Delivery Checklist" and provide PAR to Pennsylvania Senior State Official via telephone and Maryland representative (PBAPS only) in EOF, or by telephone. Background information may be discussed with state(s) representatives in the EOF.
- 3.8.4 IF State(s) cannot be contacted
Direct the ED to deliver PAR directly to counties, over notification circuit.
- 3.8.5 Provide completed copy of Exhibit ERP-C-1300-3, PAR Worksheet to State(s) representatives with each PAR.

NOTE: FOR PBAPS, ALSO PROVIDE TO MARYLAND REPRESENTATIVE THE CALCULATED ADULT THYROID EXPOSURE.
--

- 3.8.6 If NRC response team is available at the facility, discuss PAR's and plant status information provided to the states.
- 3.9 IF new data becomes available or conditions change
THEN update PAR
AND deliver to state representatives.
- 3.10 IF a liquid release of radioactive material occurs,
THEN direct ERM Communicator to contact downstream water users per EOF Emergency Phone List.
- 3.11 Ensure an event chronology, identifying all major plant occurrences and their effects is maintained.
- 3.12 Request periodic updates/discussions on response efforts coordinated by each EOF major functional area (Dose Assessment, Engineering, and Logistic Support).
- 3.13 Conduct periodic briefings every 30 - 60 min. for EOF personnel highlighting information from Exhibit ERP-C-1200-1, "ERM Turnover/Briefing Form" and/or utilizing the ERM briefing form.
- 3.14 Ensure adequate support of station response efforts.
- 3.15 Provide management direction for the establishment of priorities for engineering support.
- 3.16 Serve as primary contact for Federal, State, and local emergency response agencies.
- 3.17 Coordinate direction and processing of personnel/materials dispatched to the station through the LSC
AND development of necessary Emergency Support Centers.
- 3.18 Inform ED and Corporate Spokesperson of actions taken.

3.19 Relay Fuel Damage Estimates provided by Engineering Support Coordinator to the ED.

4.0 FINAL CONDITIONS

4.1 Coordinate with the ED to determine when entry into the Recovery Phase (per ERP-C-1900) is warranted.

5.0 ATTACHMENTS AND APPENDICES

5.1 Exhibit ERP-C-1200-1, "Emergency Response Manager Turnover/Briefing Form"

5.2 Exhibit ERP-C-1200-3, "ERM PAR Delivery Checklist"

5.3 Exhibit ERP-C-1200-4, "Minimum Staffing Positions"

6.0 SUPPORTING INFORMATION

6.1 PURPOSE

This procedure describes the responsibilities, authorities, reporting relationships, and general duties, of the ERM, AERM and Communicators in managing response to a declared emergency.

6.2 CRITERIA FOR USE

The decision/requirement to activate the EOF has been made by the "ED/ERM" or required by the emergency classification level.

6.3 SPECIAL EQUIPMENT

None

6.4 REFERENCES

6.4.1 NUREG-0654, FEMA-REP-1 Rev. 1 "Criteria for Preparation and Evaluation of Radiological Emergency Response Plans and Preparedness in Support of Nuclear Power Plants".

6.4.2 Nuclear Emergency Plan

6.4.3 ERP-C-1000, "Emergency Operations Facility (EOF) Activation/Deactivation"

6.4.4 ERP-C-1300, "EOF Dose Assessment Team Leader"

6.4.5 ERP-C-1900, "Recovery Phase Implementation"

- 6.4.6 ERP-101, (LGS & PBAPS) "Classification of Emergencies"
- 6.4.7 ERP-200, (LGS & PBAPS) "Emergency Director"
- 6.4.8 ERP-300, (LGS) "TSC\MCR Dose Assessment Team"
- 6.4.9 NRC Information Notice No. 91-33: Reactor Safety Information for State during Exercise and Emergencies.

6.5 COMMITMENT ANNOTATION

- 6.5.1 EP Action Item Q0003171 (Step 3.7).
- 6.5.2 EP Action Item Q0003178 (Step 3.4).

Effective Date:

3/30/01

EXHIBIT ERP-C-1200-4

Rev. 0

Page 1 of 1

RZK/ldt

MINIMUM STAFFING POSITIONS NECESSARY TO ACTIVATE THE EOF

- Emergency Response Manager
- Engineering Support Coordinator
- Dose Assessment Team Leader
- Dose Assessment Group Member
- Logistics Support Coordinator
- Emergency Preparedness Coordinator

NOTE

SHOULD CERTAIN POSITIONS BE UNFILLED AT THE TIME
ACTIVATION IS NECESSARY, ALTERNATIVE STAFFING ARRANGEMENTS
CAN BE IMPLEMENTED AS FOLLOWS:

- Any Engineering Group Member for the Engineering Support Coordinator
- Any two (2) Dose Assessment Group Members for the Dose Assessment Team Leader and a Dose Assessment Group Member
- Emergency Preparedness Coordinator for the Logistics Support Coordinator
- Assistant Emergency Response Manager for the Emergency Preparedness Coordinator

Effective Date: 3/30/01

EXHIBIT ERP-C-1300-3

Rev. 4

Page 1 of 1

RZK/ldt

PROTECTIVE ACTION RECOMMENDATION WORKSHEET

PART 1

Date: _____
Time: _____
Windspeed: _____ mph
Direction (from) _____ °
Dose Ratio: _____

Dose Assessment Recommendation:

0-2 Miles _____
2-5 Miles _____
5-10 Miles _____
10+ Miles _____

Circle Affected Sector(s) Plus 1 Sector
on each side of the Affected Sector(s)
(all of which are referred to as the PAR
Sectors on the MESOREM printout).

PART 2

Plant Status Recommendation:
(From ERP-101)

0-2 Miles _____
2-5 Miles _____
5-10 Miles _____

DETERMINE:

PART 3

NOTE: INCLUDE PAR SECTORS FROM PREVIOUS PAR IN ANY REVISED PAR.

Actions Recommended to State(s)

Area	Protective Actions	Sectors
0-2 Miles	_____	_____
2-5 Miles	_____	_____
5-10 Miles	_____	_____
10+ Miles	_____	_____


Ingestion Pathway Recommendations: _____

Mark Affected Areas:
S = Shelter
E = Evacuate

ERM Approval: _____

Time Provided: _____

**PROVIDE COMPLETED COPY OF THIS
FORM TO STATE(S) WITH PAR**



ATTACHMENT 2

LIMERICK GENERATING STATION, UNITS 1 & 2 PEACH BOTTOM ATOMIC POWER STATION, UNITS 2 & 3

**Docket Nos. 50-352
50-353
50-277
50-278**

**License Nos. NPF-39
NPF-85
DPR-44
DPR-56**

EMERGENCY RESPONSE PROCEDURES

REPORT INDEXES

PROCEDURE INDEX REPORT:

FAC	DOC TYPE	PROC TYPE	PROCEDURE NUMBER	CURR REV NBR	TITLE	EFFECTIVE DATE	RESP GROUP	SYSTEM NBR
LG	PROC	ERP	ERP-C-1000	0005	EMERGENCY OPERATIONS FACILITY (EOF) ACTIVATION/DEACTIVATION	04/21/99		
LG	PROC	ERP	ERP-C-1000-1	0003	EOF ACTIVATION CHECKLIST	03/30/01		
LG	PROC	ERP	ERP-C-1000-2	0003	EOF DEACTIVATION CHECKLIST	04/21/99		
LG	PROC	ERP	ERP-C-1000-3	0000	EOF BUSINESS HOURS FIRST RESPONDER CHECKLIST	04/21/99		
LG	PROC	ERP	ERP-C-1000-4	0000	EOF AFTER HOURS FIRST RESPONDER CHECKLIST	04/21/99		
LG	PROC	ERP	ERP-C-1100	0003	EOF STAFF AUGMENTATION INCORPORATED INTO ERP-C-1250	09/14/94		
LG	PROC	ERP	ERP-C-1200	0010	EMERGENCY RESPONSE MANAGER	03/30/01	LWE	
LG	PROC	ERP	ERP-C-1200-1	0000	EMERGENCY RESPONSE MANAGER TURNOVER/BRIEFING FORM	09/14/94		
LG	PROC	ERP	ERP-C-1200-2	0000	PROTECTIVE ACTION RECOMMENDATION WORKSHEET CANCELLED	10/24/95		
LG	PROC	ERP	ERP-C-1200-3	0000	ERM PAR DELIVERY CHECKLIST	04/03/00		
LG	PROC	ERP	ERP-C-1200-4	0000	MINIMUM STAFFING POSITIONS NECESSARY TO ACTIVATE THE EOF	03/30/01		
LG	PROC	ERP	ERP-C-1210	0002	ASSISTANT EMERGENCY RESPONSE MANAGER (AERM) CANCELLED	10/24/95		
LG	PROC	ERP	ERP-C-1250	0003	EMERGENCY PREPAREDNESS COORDINATOR/EOF	11/02/98		
LG	PROC	ERP	ERP-C-1250-1	0000	EMERGENCY POWER INSTRUCTIONS	09/14/94		
LG	PROC	ERP	ERP-C-1250-2	0001	EMERGENCY PREPAREDNESS COORDINATOR INSTRUCTIONS FOR ASPEN BACKUP NOTIFICATION SYSTEM	04/02/98		
LG	PROC	ERP	ERP-C-1250-3	0000	EMERGENCY PREPAREDNESS COORDINATOR INSTRUCTIONS TO STOP STAFFING	09/14/94		
LG	PROC	ERP	ERP-C-1250-4	0000	EMERGENCY PREPAREDNESS COORDINATOR INSTRUCTIONS FOR SYSTEM RESET	09/14/94		
LG	PROC	ERP	ERP-C-1300	0010	EMERGENCY OPERATIONS FACILITY (EOF) DOSE ASSESSMENT TEAM LEADER	08/29/00		
LG	PROC	ERP	ERP-C-1300-1	0003	DOSE ASSESSMENT TEAM LEADER INITIAL ACTIONS	04/03/00		
LG	PROC	ERP	ERP-C-1300-2	0000	DOSE ASSESSMENT TURNOVER LIST	09/23/94		
LG	PROC	ERP	ERP-C-1300-3	0004	PROTECTIVE ACTION RECOMMENDATION WORKSHEET	03/30/01		
LG	PROC	ERP	ERP-C-1300-4	0000	OFFSITE SAMPLE ANALYSIS REQUESTS	09/23/94		
LG	PROC	ERP	ERP-C-1300-5	0001	DETERMINATION OF PROTECTIVE ACTION RECOMMENDATIONS (PARS)	11/02/98		
LG	PROC	ERP	ERP-C-1300-6	0001	DOSE ASSESSMENT GROUP INITIAL ACTIONS	04/10/98		
LG	PROC	ERP	ERP-C-1300-7	0000	OBTAINING EPDS MET/RAD DATA	03/26/97		
LG	PROC	ERP	ERP-C-1300-8	0000	USE OF MODE A/MODE B CDM	03/26/97		
LG	PROC	ERP	ERP-C-1300-9	0001	OBTAINING MET DATA FROM NATIONAL WEATHER SERVICE	09/12/97		
LG	PROC	ERP	ERP-C-1310	0003	EMERGENCY OPERATIONS FACILITY (EOF) DOSE ASSESSMENT GROUP CANCELLED	03/26/97		
LG	PROC	ERP	ERP-C-1310-1	0000	DOSE ASSESSMENT GROUP LEADER INITIAL ACTIONS CANCELLED	03/26/97		
LG	PROC	ERP	ERP-C-1310-2	0000	OBTAINING MET DATA FROM NATIONAL WEATHER SERVICE CANCELLED	03/26/97		
LG	PROC	ERP	ERP-C-1310-3	0000	OBTAINING EPDS MET/RAD DATA CANCELLED	03/26/97		
LG	PROC	ERP	ERP-C-1310-4	0000	USE OF MODE A / MODE B OF CDM CANCELLED	03/26/97		
LG	PROC	ERP	ERP-C-1320	0007	EMERGENCY OPERATIONS FACILITY (EOF) FIELD SURVEY GROUP LEADER	08/29/00		
LG	PROC	ERP	ERP-C-1320-1	0002	FIELD SURVEY GROUP LEADER INITIAL ACTIONS	04/10/98		
LG	PROC	ERP	ERP-C-1320-2	0001	FIELD SURVEY GROUP LEADER TURNOVER SHEET	03/26/97		
LG	PROC	ERP	ERP-C-1320-3	0002	FIELD SURVEY GROUP LEADER DATA SHEET	08/29/00		
LG	PROC	ERP	ERP-C-1400	0004	ENGINEERING SUPPORT TEAM	11/02/98		
LG	PROC	ERP	ERP-C-1400-1	0002	ENGINEERING SUPPORT TEAM CHECKLIST	11/02/98		

PROCEDURE INDEX REPORT:

FAC	DOC TYPE	PROC TYPE	PROCEDURE NUMBER	CURR REV NBR	TITLE	EFFECTIVE DATE	RESP GROUP	SYSTEM NBR
LG	PROC	ERP	ERP-C-1410	0002	CORE DAMAGE ASSESSMENT	09/09/98		
LG	PROC	ERP	ERP-C-1410-1	0000	RADIOLOGICAL DATA	09/14/94		
LG	PROC	ERP	ERP-C-1410-2	0001	HYDROGEN CONCENTRATION DATA	09/09/98		
LG	PROC	ERP	ERP-C-1410-3	0001	CONTAINMENT RADIATION MONITOR DATA	09/09/98		
LG	PROC	ERP	ERP-C-1410-4	0000	METAL WATER REACTION CANCELLED	09/09/98		
LG	PROC	ERP	ERP-C-1410-5	0001	PERCENT OF FUEL INVENTORY AIRBORNE IN THE CONTAINMENT VS. APPROXIMATE SOURCE AND DAMAGE ESTIMATE	09/09/98		
LG	PROC	ERP	ERP-C-1410-6	0001	PROCEDURES FOR ESTIMATING FUEL DAMAGE BASED ON MEASURED I-131 AND XE-133 CONCENTRATIONS	09/09/98		
LG	PROC	ERP	ERP-C-1500	0006	LOGISTIC SUPPORT TEAM	04/14/00		
LG	PROC	ERP	ERP-C-1500-1	0001	MESSAGE AND INFORMATION INSTRUCTIONS	10/24/95		
LG	PROC	ERP	ERP-C-1500-2	0001	HELICOPTER LANDING INFORMATION	10/24/95		
LG	PROC	ERP	ERP-C-1900	0004	RECOVERY PHASE IMPLEMENTATION	11/02/98		
LG	PROC	ERP	ERP-C-1900-1	0000	RECOVERY PHASE IMPLEMENTATION FLOW CHART	06/28/93		
LG	PROC	ERP	ERP-C-1900-2	0002	PEACH BOTTOM ATOMIC POWER STATION RECOVERY ACCEPTANCE CHECKLIST	04/02/98		
LG	PROC	ERP	ERP-C-1900-3	0002	LIMERICK GENERATING STATION RECOVERY ACCEPTANCE CHECKLIST	04/02/98		
LG	PROC	ERP	ERP-C-1900-4	0002	RECOVERY PLAN OUTLINE	04/02/98		
LG	PROC	ERP	ERP-C-1900-5	0002	ASSESSMENT CONSIDERATIONS	12/28/99		
LG	PROC	ERP	ERP-101	0011	CLASSIFICATION OF EMERGENCIES	09/14/99	LWE	
LG	PROC	ERP	ERP-101 BASES	0001	LGS EAL TECHNICAL BASIS MANUAL	03/30/01		
LG	PROC	ERP	ERP-106	0003	WRITTEN SUMMARY NOTIFICATION	11/22/95	LWE	
LG	PROC	ERP	ERP-110	0032	EMERGENCY NOTIFICATION	01/12/01	LWE	
LG	PROC	ERP	ERP-120	0006	STATION EVACUATIONS	11/14/97	LWE	
LG	PROC	ERP	ERP-140	0009	STAFFING AUGMENTATION	02/03/98	LWE	
LG	PROC	ERP	ERP-200	0014	EMERGENCY DIRECTOR (ED) RESPONSE	03/27/01	LWE	
LG	PROC	ERP	ERP-200-1 APP	0011	EMERGENCY NOTIFICATION MESSAGE FORM	03/27/01	LWE	
LG	PROC	ERP	ERP-200-2 APP	0000	DOSE ASSESSMENT DATA SHEET	06/20/00		
LG	PROC	ERP	ERP-230	0014	OPERATIONS SUPPORT CENTER (OSC) DIRECTOR	04/14/00	LWE	
LG	PROC	ERP	ERP-230 APPENDIX 1	0000	OSC - EMERGENCY COMMUNICATIONS EQUIPMENT CHECK LIST	04/14/00		
LG	PROC	ERP	ERP-230 APPENDIX 2	0000	OSC DIRECTOR ACTIVATION CHECK-OFF LIST	04/14/00		
LG	PROC	ERP	ERP-230 APPENDIX 3	0000	OPERATIONS SUPPORT CENTER FACILITY ACCOUNTABILITY LOG	04/14/00		
LG	PROC	ERP	ERP-230 APPENDIX 4	0000	OSC DIRECTOR ACTIVATION	04/14/00		
LG	PROC	ERP	ERP-300	0022	TSC/MCR DOSE ASSESSMENT TEAM	04/03/00	LWE	
LG	PROC	ERP	ERP-300 APPENDIX 1	0000	DOSE ASSESSMENT TEAM ACTIVATION	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 2	0000	DOSE ASSESSMENT TEAM CHECK-OFF LIST	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 3	0001	TURNOVER OF DOSE ASSESSMENT RESPONSIBILITIES	06/19/00		
LG	PROC	ERP	ERP-300 APPENDIX 4	0000	DOSE ASSESSMENT DATA SHEET	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 5	0000	USE OF MESOREM, JR, AUTO MODE A	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 6	0000	OBTAINING RADIOLOGICAL DATA	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 7	0000	OBTAINING MET DATA FROM PLANT MONITORING SYSTEM (PMS)	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 8	0000	OBTAINING METEOROLOGICAL DATA FROM NATIONAL WEATHER SERVICE	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 9	0001	PROTECTIVE ACTION WORKSHEET	06/19/00		
LG	PROC	ERP	ERP-300 APPENDIX 10	0000	USE OF NORTH STACK DOSE RATE TO ESTIMATE RELEASE SOURCE TERM	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 11	0000	OPERATION OF IBM PS/2 MODEL L40SX	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 12	0000	LIMERICK LIQUID RELEASE DOSE CALCULATIONS	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 13	0000	DOSE ASSESSMENT SELF-CHECK	04/03/00		
LG	PROC	ERP	ERP-300 APPENDIX 14	0000	STABILITY CLASS DETERMINATION	04/03/00		
LG	PROC	ERP	ERP-316	0000	OPERATION OF THE DOSE ASSESSMENT COMPUTER (CM-4)	06/20/00		
LG	PROC	ERP	ERP-326	0000	SHIFT DOSE ASSESSMENT PERSONNEL (SDAP)	06/20/00		

PROCEDURE INDEX REPORT:

FAC	DOC	PROC	PROCEDURE	CURR REV NBR	TITLE	EFFECTIVE DATE	RESP GROUP	SYSTEM NBR
LG	PROC	ERP	ERP-330	0000	USE OF NORTH STACK-DOSE RATE TO ESTIMATE RELEASE SOURCE TERM CANCELLED INCORPORATED INTOERP-300 APP.10	11/14/94	LWE	
LG	PROC	ERP	ERP-340	0008	FIELD SURVEY GROUP	06/20/00	LWE	
LG	PROC	ERP	ERP-350	0003	RADIOACTIVE LIQUID RELEASE CANCELLED	11/10/94	LWE	
LG	PROC	ERP	ERP-360	0003	ADJUSTMENT OF WIDE RANGE GAS MONITOR CONVERSION FACTORS	10/18/99	LWE	
LG	PROC	ERP	ERP-370	0001	USE OF RMMS FOR DOSE ASSESSMENT CANCELLED	11/10/94	LWE	
LG	PROC	ERP	ERP-400	0012	CHEMISTRY SAMPLING AND ANALYSIS TEAM	09/28/98	LWE	
LG	PROC	ERP	ERP-410	0002	SAMPLE PREPARATION AND HANDLING OF HIGHLY RADIOACTIVE LIQUID SAMPLES	09/28/98	LWE	
LG	PROC	ERP	ERP-420	0002	SAMPLE PREPARATION AND HANDLING OF HIGHLY RADIOACTIVE PARTICULATE FILTERS AND IODINE CARTRIDGES	09/28/98	LWE	
LG	PROC	ERP	ERP-430	0002	SAMPLE PREPARATION AND HANDLING OF HIGHLY RADIOACTIVE GAS SAMPLES	09/28/98	LWE	
LG	PROC	ERP	ERP-440	0002	OFF-SITE ANALYSIS OF HIGH ACTIVITY SAMPLES	03/29/95	LWE	
LG	PROC	ERP	ERP-500	0016	SECURITY TEAM	04/14/00	LWE	
LG	PROC	ERP	ERP-500 APPENDIX 1	0000	SECURITY TEAM ACTIVATION	04/14/00		
LG	PROC	ERP	ERP-500 APPENDIX 2	0000	SECURITY TEAM STAFFING GUIDELINES	04/14/00		
LG	PROC	ERP	ERP-500 APPENDIX 3	0000	STAFFING FOR SITE EVACUATION	04/14/00		
LG	PROC	ERP	ERP-500 APPENDIX 4	0000	SECURITY EVACUATION GUIDANCE	04/14/00		
LG	PROC	ERP	ERP-500 APPENDIX 5	0000	SECURITY TEAM LEADER CHECK-OFF LIST	04/14/00		
LG	PROC	ERP	ERP-500 APPENDIX 6	0000	EMERGENCY ASSEMBLY AREAS	04/14/00		
LG	PROC	ERP	ERP-500 APPENDIX 7	0000	FACILITY ACCOUNTABILITY LOG TECHNICAL SUPPORT CENTER	04/14/00		
LG	PROC	ERP	ERP-600	0012	HEALTH PHYSICS TEAM	05/19/98	LWE	
LG	PROC	ERP	ERP-620	0002	PLANT SURVEY GROUP CANCELLED - NO REPLACEMENT	05/02/95	LWE	
LG	PROC	ERP	ERP-630	0003	VEHICLE AND EVACUEE CONTROL GROUP	03/29/95	LWE	
LG	PROC	ERP	ERP-640	0008	EMERGENCY RESPONSE FACILITY HABITABILITY	04/17/99	LWE	
LG	PROC	ERP	ERP-650	0010	ENTRY FOR EMERGENCY REPAIR AND OPERATIONS	06/20/00	LWE	
LG	PROC	ERP	ERP-660	0006	DISTRIBUTION OF THYROID BLOCKING TABLETS	04/17/99	LWE	
LG	PROC	ERP	ERP-700	0016	TECHNICAL SUPPORT TEAM	02/15/01	LWE	
LG	PROC	ERP	ERP-800	0020	MAINTENANCE TEAM	12/15/00	LWE	
LG	PROC	ERP	ERP-800 APPENDIX 1	0000	TASK BRIEFING/DEBRIEFING SHEET	04/14/00		
LG	PROC	ERP	ERP-800 APPENDIX 2	0000	MAINTENANCE TEAM ACTIVATION	04/14/00		
LG	PROC	ERP	ERP-800 APPENDIX 3	0001	TECHNICAL SUPPORT CENTER ACTIVATION	12/15/00		
LG	PROC	ERP	ERP-800 APPENDIX 4	0001	OFFSITE SIRENS ACTIVATION (REF. 6.5.1)	12/15/00		

** END OF REPORT **

PROCEDURE INDEX REPORT:

FAC	DOC TYPE	PROC TYPE	PROCEDURE NUMBER	CURR REV NBR	TITLE	EFFECTIVE DATE	RESP GROUP	SYSTEM NBR
PB	PROC	ERP	ERP-C-1000	0005	EMERGENCY OPERATIONS FACILITY (EOF) ACTIVATION/DEACTIVATION	04/21/99	PWE	
PB	PROC	ERP	ERP-C-1000-1	0003	EOF ACTIVATION CHECKLIST	03/30/01	PWE	
PB	PROC	ERP	ERP-C-1000-2	0003	EOF DEACTIVATION CHECKLIST	04/21/99	PWE	
PB	PROC	ERP	ERP-C-1000-3	0000	EOF BUSINESS HOURS FIRST RESPONDER CHECKLIST	04/21/99	PWE	
PB	PROC	ERP	ERP-C-1000-4	0000	EOF AFTER HOURS FIRST RESPONDER CHECKLIST	04/21/99	PWE	
PB	PROC	ERP	ERP-C-1100	0003	EOF STAFF AUGMENTATION- CANCELLED - REPLACED BY ERP-C-1250	09/14/94	PWE	
PB	PROC	ERP	ERP-C-1200	0010	EMERGENCY RESPONSE MANAGER	03/30/01	PWE	
PB	PROC	ERP	ERP-C-1200-1	0000	EMERGENCY RESPONSE MANAGER TURNOVER/BRIEFING FORM	09/14/94	PWE	
PB	PROC	ERP	ERP-C-1200-2 EXH	0000	PROTECTIVE ACTION RECOMMENDATION WORKSHEET CANCELLED REPLACED BY ERP-C-1200	10/24/95	PWE	
PB	PROC	ERP	ERP-C-1200-3	0000	ERM PAR DELIVERY CHECKLIST	04/03/00	PWE	
PB	PROC	ERP	ERP-C-1200-4	0000	MINIMUM STAFFING POSITIONS NECESSARY TO ACTIVATE THE EOF	03/30/01	PWE	
PB	PROC	ERP	ERP-C-1210	0002	ASSISTANT EMERGENCY RESPONSE MANAGER (AERM) CANCELLED - REPLACED BY ERP-C-1200	10/24/95	PWE	
PB	PROC	ERP	ERP-C-1250	0003	EMERGENCY PREPAREDNESS COORDINATOR/EOF	11/02/98	PWE	
PB	PROC	ERP	ERP-C-1250-1	0000	EMERGENCY POWER INSTRUCTIONS	09/14/94	PWE	
PB	PROC	ERP	ERP-C-1250-2	0001	EMERGENCY PREPAREDNESS COORDINATOR INSTRUCTIONS FOR ASPEN BACKUP NOTIFICATION SYSTEM	04/02/98	PWE	
PB	PROC	ERP	ERP-C-1250-3	0000	EMERGENCY PREPAREDNESS COORDINATOR INSTRUCTIONS TO STOP STAFFING	09/14/94	PWE	
PB	PROC	ERP	ERP-C-1250-4	0000	EMERGENCY PREPAREDNESS COORDINATOR INSTRUCTIONS FOR SYSTEM RESET	09/14/94	PWE	
PB	PROC	ERP	ERP-C-1300	0010	EMERGENCY OPERATIONS FACILITY (EOF) DOSE ASSESSMENT TEAM LEADER	08/31/00	PWE	
PB	PROC	ERP	ERP-C-1300-1	0003	DOSE ASSESSMENT TEAM LEADER INITIAL ACTIONS	04/04/00	PWE	
PB	PROC	ERP	ERP-C-1300-2	0000	DOSE ASSESSMENT TURNOVER LIST	09/23/94	PWE	
PB	PROC	ERP	ERP-C-1300-3	0004	PROTECTIVE ACTION RECOMMENDATION WORKSHEET	03/30/01	PWE	
PB	PROC	ERP	ERP-C-1300-4	0000	OFFSITE SAMPLE ANALYSIS REQUESTS	09/23/94	PWE	
PB	PROC	ERP	ERP-C-1300-5	0001	DETERMINATION OF PROTECTIVE ACTION RECOMMENDATIONS (PARS)	11/02/98	PWE	
PB	PROC	ERP	ERP-C-1300-6	0001	DOSE ASSESSMENT GROUP INITIAL ACTIONS	04/10/98	PWE	
PB	PROC	ERP	ERP-C-1300-7	0000	OBTAINING EPDS MET/RAD DATA	03/26/97	PWE	
PB	PROC	ERP	ERP-C-1300-8	0000	USE OF MODE A/MODE B OF CDM	03/26/97	PWE	
PB	PROC	ERP	ERP-C-1300-9	0001	OBTAINING MET DATA FROM NATIONAL WEATHER SERVICE	09/12/97	PWE	
PB	PROC	ERP	ERP-C-1310	0003	EMERGENCY OPERATIONS FACILITY (EOF) DOSE ASSESSMENT GROUP - CANCELLED - REPLACED BY ERP-C-1300	03/26/97	PWE	
PB	PROC	ERP	ERP-C-1310-1	0000	DOSE ASSESSMENT GROUP LEADER INITIAL ACTIONS CANCELLED - REPLACED BY ERP-C-1300	03/26/97	PWE	
PB	PROC	ERP	ERP-C-1310-2	0000	OBTAINING MET DATA FROM NATIONAL WEATHER SERVICE CANCELLED - REPLACED BY ERP-C-1300	03/24/97	PWE	
PB	PROC	ERP	ERP-C-1310-3	0000	OBTAINING EPDS MET/RAD DATA - CANCELLED - NO REPLACED BY ERP-C-1300	03/26/97	PWE	
PB	PROC	ERP	ERP-C-1310-4	0000	USE OF MODE A/MODE B OF CDM CANCELLED - REPLACED BY ERP-C-1300	03/26/97	PWE	
PB	PROC	ERP	ERP-C-1320	0007	EMERGENCY OPERATIONS FACILITY (EOF) FIELD SURVEY GROUP LEADER	08/31/00	PWE	
PB	PROC	ERP	ERP-C-1320-1	0002	FIELD SURVEY GROUP LEADER INITIAL ACTIONS	04/10/98	PWE	
PB	PROC	ERP	ERP-C-1320-2	0001	FIELD SURVEY GROUP LEADER TURNOVER SHEET	03/26/97	PWE	
PB	PROC	ERP	ERP-C-1320-3	0002	FIELD SURVEY GROUP LEADER DATA SHEET	08/31/00	PWE	
PB	PROC	ERP	ERP-C-1400	0004	ENGINEERING SUPPORT TEAM	11/02/98	PWE	
PB	PROC	ERP	ERP-C-1400-1	0002	ENGINEERING SUPPORT TEAM CHECKLIST	11/02/98	PWE	
PB	PROC	ERP	ERP-C-1410	0002	CORE DAMAGE ASSESSMENT	09/09/98	PWE	
PB	PROC	ERP	ERP-C-1410-1	0000	RADIOLOGICAL DATA	09/14/94	PWE	
PB	PROC	ERP	ERP-C-1410-2	0001	HYDROGEN CONCENTRATION DATA	09/09/98	PWE	
PB	PROC	ERP	ERP-C-1410-3	0001	CONTAINMENT RADIATION MONITOR DATA	09/09/98	PWE	

PROCEDURE INDEX REPORT:

FAC	DOC TYPE	PROC TYPE	PROCEDURE NUMBER	CURR REV NBR	TITLE	EFFECTIVE DATE	RESP GROUP	SYSTEM NBR
PB	PROC	ERP	ERP-C-1410-4	0000	METAL WATER REACTION - CANCELLED NO REPLACEMENT	09/09/98	PWE	
PB	PROC	ERP	ERP-C-1410-5	0001	PERCENT OF FUEL INVENTORY AIRBORNE IN THE CONTAINMENT VS. APPROXIMATE SOURCE AND DAMAGE ESTIMATE	09/09/98	PWE	
PB	PROC	ERP	ERP-C-1410-6	0001	PROCEDURES FOR ESTIMATING FUEL DAMAGE BASED ON MEASURED I-131 AND XE-133 CONCENTRATIONS	09/09/98	PWE	
PB	PROC	ERP	ERP-C-1500	0006	LOGISTICS SUPPORT TEAM	04/14/00	PWE	
PB	PROC	ERP	ERP-C-1500-1	0001	MESSAGE AND INFORMATION INSTRUCTIONS	10/24/95	PWE	
PB	PROC	ERP	ERP-C-1500-2	0001	HELICOPTER LANDING INFORMATION	10/24/95	PWE	
PB	PROC	ERP	ERP-C-1900	0004	RECOVERY PHASE IMPLEMENTATION	11/02/98	PWE	
PB	PROC	ERP	ERP-C-1900-1	0000	RECOVERY PHASE IMPLEMENTATION FLOW CHART	06/28/93	PWE	
PB	PROC	ERP	ERP-C-1900-2	0002	PEACH BOTTOM ATOMIC POWER STATION RECOVERY ACCEPTANCE CHECKLIST	04/02/98	PWE	
PB	PROC	ERP	ERP-C-1900-3	0002	LIMERICK GENERATING STATION RECOVERY ACCEPTANCE CHECKLIST	04/02/98	PWE	
PB	PROC	ERP	ERP-C-1900-4	0002	RECOVERY PLAN OUTLINE	04/02/98	PWE	
PB	PROC	ERP	ERP-C-1900-5	0002	ASSESSMENT CONSIDERATIONS	12/28/99	PWE	
PB	PROC	ERP	ERP-101	0022	CLASSIFICATION OF EMERGENCIES	08/15/00	PWE	
PB	PROC	ERP	ERP-101 BASES	0001	PBAPS EAL TECHNICAL BASIS MANUAL TABLE OF CONTENTS	03/30/01	PWE	
PB	PROC	ERP	ERP-110	0012	EMERGENCY NOTIFICATIONS	08/06/98	PWE	
PB	PROC	ERP	ERP-110 APP 1	0057	EMERGENCY NOTIFICATION TELEPHONE LIST	01/06/01	PWE	
PB	PROC	ERP	ERP-110 APP 2	0024	EMERGENCY CLASSIFICATION NOTIFICATION TELEPHONE LIST FOR A SITE EMERGENCY OR GENERAL EMERGENCY CANCELLED - REPLACED BY ERP-110 APPENDIX 1	07/21/93	PWE	
PB	PROC	ERP	ERP-120	0002	PARTIAL PLANT EVACUATION CANCELLED - REPLACED BY ERP-130 & GP-15	08/10/92	PWE	
PB	PROC	ERP	ERP-130	0014	SITE EVACUATION	02/16/00	PWE	
PB	PROC	ERP	ERP-140	0019	EMERGENCY RESPONSE ORGANIZATION (ERO) CALL OUT	03/04/99	PWE	
PB	PROC	ERP	ERP-140 APP 1	0019	AUTOMATED ERO ACTIVATION	08/06/98	PWE	
PB	PROC	ERP	ERP-140 APP 2	0022	ASPEN EMERGENCY MESSAGE CANCELLED - REPLACED BY ERP-110 APP 1	08/06/98	PWE	
PB	PROC	ERP	ERP-140 APP 3	0022	DOSE ASSESSMENT TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2	08/20/92	PWE	
PB	PROC	ERP	ERP-140 APP 4	0015	CHEMISTRY SAMPLING & ANALYSIS TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2	08/20/92		
PB	PROC	ERP	ERP-140 APP 5	0014	DAMAGE REPAIR TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2	08/20/92		
PB	PROC	ERP	ERP-140 APP 6	0013	SECURITY TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2	08/20/92		
PB	PROC	ERP	ERP-140 APP 7	0017	PERSONNEL SAFETY TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2	08/20/92		
PB	PROC	ERP	ERP-140 APP 8	0009	COMPANY CONSULTANTS AND CONTRACTORS CANCELLED - INCLUDED IN EMERGENCY TELEPHONE DIRECTORY	08/20/92		
PB	PROC	ERP	ERP-140 APP 9	0011	NEARBY PUBLIC AND INDUSTRIAL USERS OF DOWNSTREAM WATER CANCELLED - INCLUDED IN EMERGENCY TELEPHONE DIRECTORY	08/20/92		
PB	PROC	ERP	ERP-200	0017	EMERGENCY DIRECTOR (ED)	03/27/01	PWE	
PB	PROC	ERP	ERP-200 APP 1	0003	EMERGENCY DIRECTOR CHECKLIST (MCR)	07/10/00	PWE	
PB	PROC	ERP	ERP-200 APP 2	0005	EMERGENCY DIRECTOR CHECKLIST (TSC)	03/30/01	PWE	
PB	PROC	ERP	ERP-200 APP 3	0004	EVENT NOTIFICATION FORM	07/10/00	PWE	
PB	PROC	ERP	ERP-200 APP 4	0004	STATION PUBLIC ADDRESS ANNOUNCEMENTS	07/10/00	PWE	
PB	PROC	ERP	ERP-200 APP 5	0004	PAR DEVELOPMENT AND ISSUANCE	04/03/01	PWE	
PB	PROC	ERP	ERP-200 APP 6	0001	DOSE ASSESSMENT DATA SHEET	07/10/00		
PB	PROC	ERP	ERP-200 APP 7	0000	TURNOVER/BRIEFING FORM	07/10/00	PWE	
PB	PROC	ERP	ERP-200 APP 8	0000	MINIMUM STAFFING POSITIONS NECESSARY TO ACTIVATE THE TSC	03/27/01	PWE	
PB	PROC	ERP	ERP-205	0010	EMERGENCY PREPAREDNESS COORDINATOR/TSC	03/27/01	PWE	

PROCEDURE INDEX REPORT:

FAC	DOC TYPE	PROC TYPE	PROCEDURE NUMBER	CURR REV NBR	TITLE	EFFECTIVE DATE	RESP GROUP	SYSTEM NBR
PB	PROC	ERP	ERP-206	0008	SUPPORT SERVICES GROUP	02/07/01	PWE	
PB	PROC	ERP	ERP-210	0000	TRIP TABLE COMMUNICATOR (TSC)	09/12/97	PWE	
PB	PROC	ERP	ERP-220	0006	OPERATIONS GROUP	10/05/95	PWE	
PB	PROC	ERP	ERP-230	0016	OPERATIONS SUPPORT CENTER (OSC) ACTIVATION	10/07/98	PWE	
PB	PROC	ERP	ERP-230 APP 1	0001	PERSONNEL EXPOSURE LOG OPERATIONS SUPPORT CENTER (OSC) CANCELLED - NO REPLACEMENT	11/28/95	PWE	
PB	PROC	ERP	ERP-250	0011	TECHNICAL SUPPORT CENTER (TSC) ACTIVATION CANCELLED - NO REPLACEMENT	10/14/93		
PB	PROC	ERP	ERP-300	0007	DOSE ASSESSMENT TEAM LEADER (DATL) CANCELLED - NO REPLACEMENT	09/23/94	PWE	
PB	PROC	ERP	ERP-301	0005	DOSE ASSESSMENT COORDINATOR (DAC)	04/03/01	PWE	
PB	PROC	ERP	ERP-305	0004	DOSE ASSESSMENT GROUP LEADER (DAGL) CANCELLED - NO REPLACEMENT	03/12/93		
PB	PROC	ERP	ERP-306	0000	LIMERICK RESPONSE FOR SHIFT DOSE ASSESSMENT PERSONNEL (SDAP)	06/30/00	PWE	
PB	PROC	ERP	ERP-310	0007	DOSE ASSESSMENT GROUP. CANCELLED - NO REPLACEMENT	09/23/94	PWE	
PB	PROC	ERP	ERP-315	0014	OPERATION OF THE DOSE ASSESSMENT COMPUTER	04/24/00	PWE	
PB	PROC	ERP	ERP-318	0001	LIQUID RELEASE DOSE CALCULATIONS AT DOWNSTREAM WATER INTAKE FACILITIES CANCELLED - REPLACED BY ERP-360	06/18/93		
PB	PROC	ERP	ERP-319	0001	LIQUID RELEASE DOSE CALCULATIONS FOR FISH INGESTION CANCELLED - REPLACED BY ERP-360	06/18/93		
PB	PROC	ERP	ERP-325	0005	SHIFT DOSE ASSESSMENT PERSONNEL	08/25/98	PWE	
PB	PROC	ERP	ERP-325 APP 1	0000	CANCELLED - REPLACED BY MESOREM PROGRAM	03/03/95	PWE	
PB	PROC	ERP	ERP-330	0009	FIELD SURVEY GROUP LEADER (FSGL) CANCELLED - NO REPLACEMENT	09/23/94	PWE	
PB	PROC	ERP	ERP-340	0006	FIELD SURVEY GROUP	03/19/97	PWE	
PB	PROC	ERP	ERP-340 APP 1	0005	FIELD SURVEY DATA SHEET	08/29/00	PWE	
PB	PROC	ERP	ERP-360	0000	RADIOACTIVE LIQUID RELEASE CANCELLED - REPLACED BY ERP-315	06/23/94		
PB	PROC	ERP	ERP-400	0006	CHEMISTRY TEAM LEADER (CTL)	01/20/00	PWE	
PB	PROC	ERP	ERP-410	0009	CHEMISTRY GROUP	04/30/98	PWE	
PB	PROC	ERP	ERP-410 APP 1	0000	CHEMISTRY SAMPLE CHECK-OFF LIST CANCELLED - REPLACED BY ERP-410	12/11/96	PWE	
PB	PROC	ERP	ERP-410 APP 2	0000	CHEMISTRY SAMPLE AND ANALYSIS LOG SHEET CANCELLED - REPLACED BY ERP-410	12/11/96	PWE	
PB	PROC	ERP	ERP-500	0010	SECURITY TEAM LEADER (STL)	04/24/00	PWE	
PB	PROC	ERP	ERP-510	0009	PERSONNEL ACCOUNTABILITY CANCELLED - NO REPLACEMENT	11/28/95	PWE	
PB	PROC	ERP	ERP-520	0005	SECURITY GROUP LEADERS	11/28/95	PWE	
PB	PROC	ERP	ERP-520 APP 1	0000	UNIT 1 PERSONNEL LOG CANCELLED - NO REPLACEMENT	11/28/95	PWE	
PB	PROC	ERP	ERP-600	0013	HEALTH PHYSICS TEAM LEADER (HPTL)	07/07/99	PWE	
PB	PROC	ERP	ERP-610	0004	FIRST AID/SEARCH AND RESCUE GROUP CANCELLED - NO REPLACEMENT	02/05/93		
PB	PROC	ERP	ERP-620	0012	HEALTH PHYSICS GROUP	10/13/00	PWE	
PB	PROC	ERP	ERP-620 APP 1	0000	HABITABILITY STATUS LOG SHEET	11/05/93	PWE	101
PB	PROC	ERP	ERP-620 APP 2	0000	ARM STATUS LOG	11/05/93	PWE	100
PB	PROC	ERP	ERP-620 APP 3	0002	HEALTH PHYSICS BRIEFING GUIDE	09/04/98	PWE	
PB	PROC	ERP	ERP-620 APP 4	0000	ACCESS BRIEFING GUIDE CANCELLED - NO REPLACEMENT	05/08/96	PWE	
PB	PROC	ERP	ERP-630	0003	DOSIMETRY, BIOASSAY, AND RESPIRATORY PROTECTION GROUP CANCELLED - NO REPLACEMENT	03/18/93		
PB	PROC	ERP	ERP-640	0006	VEHICLE AND EVACUEE CONTROL GROUP	05/28/97	PWE	
PB	PROC	ERP	ERP-640 APP 1	0000	CONTAMINATED VEHICLE SURVEY FORM CANCELLED - NO REPLACEMENT	05/28/97	PWE	
PB	PROC	ERP	ERP-640 APP 2	0000	UNCONTAMINATED VEHICLE FORM CANCELLED - NO REPLACEMENT	05/28/97	PWE	
PB	PROC	ERP	ERP-650	0006	TRANSPORT OF CONTAMINATED INJURY OFF-SITE	11/27/96	PWE	
PB	PROC	ERP	ERP-660	0007	ENTRY FOR EMERGENCY REPAIR AND OPERATIONS CANCELLED - REPLACED BY ERP-620	07/11/94		
PB	PROC	ERP	ERP-670	0004	EMERGENCY RADIATION EXPOSURE GUIDELINES AND CONTROLS	12/11/96	PWE	

PEACH BOTTOM ATOMIC POWER STATION
PROCEDURE INDEX REPORT:

FAC	DOC TYPE	PROC TYPE	PROCEDURE NUMBER	CURR REV NBR	TITLE	EFFECTIVE DATE	RESP GROUP	SYSTEM NBR
PB	PROC	ERP	ERP-680	0007	CONTROL OF THYROID BLOCKING POTASSIUM IODIDE (KI) TABLETS	09/22/00	PWE	
PB	PROC	ERP	ERP-680 APP 1	0001	POTASSIUM IODIDE WORKSHEET	02/20/97	PWE	
PB	PROC	ERP	ERP-680 APP 2	0000	POTASSIUM IODIDE CONSENT FORM	11/30/94	PWE	
PB	PROC	ERP	ERP-680 APP 3	0001	INSTRUCTION AND RECORD SHEET FOR PERSONS RECEIVING KI	02/20/97	PWE	
PB	PROC	ERP	ERP-680 APP 4	0001	KI AUTHORIZATION	02/20/97	PWE	
PB	PROC	ERP	ERP-700	0010	TECHNICAL SUPPORT TEAM	09/22/00	PWE	
PB	PROC	ERP	ERP-710	0008	TECHNICAL SUPPORT GROUP CANCELLED - REPLACED BY ERP-700	11/02/98	PWE	
PB	PROC	ERP	ERP-800	0006	OPERATIONS SUPPORT CENTER DIRECTOR (OSC DIRECTOR)	10/07/98	PWE	
PB	PROC	ERP	ERP-810	0011	MAINTENANCE TEAM	07/07/99	PWE	

** END OF REPORT **