

FLORIDA POWER CORPORATION

CRYSTAL RIVER UNIT 3

DOCKET NUMBER 50-302 / LICENSE NUMBER DPR-72

ATTACHMENT A

2000 Radioactive Effluent Release Report

RADIOACTIVE EFFLUENT

RELEASE REPORT

2000

FLORIDA POWER CORPORATION

CRYSTAL RIVER - UNIT 3

Facility Operating License No. DPR-72

Docket No. 50-302

Prepared By: Pete F. Ezell
Environmental Coordinator

Approved By: J. R. [Signature]
Superintendent Environmental and Chemistry

Date: 4/23/01

CONTENTS

Introduction.....	1
Tabular Data Summaries	
Gaseous Effluents - Quarters 1 & 2	2
Gaseous Effluents - Quarters 3 & 4	4
Liquid Effluents - Quarters 1 & 2.....	6
Liquid Effluents - Quarters 3 & 4.....	9
Radwaste Shipments.....	12
Unplanned Releases	13
Radioactive Waste Treatment Systems	13
Annual Land Use Census.....	13
Effluent Monitor Instrument Operability.....	13
ODCM & PCP Changes.....	13
Emergency Feed Pump 2.....	13
Appendix I Dose Summary	14

INTRODUCTION

This report is submitted as required by the Offsite Dose Calculation Manual, section 6.5.

The scope of this report includes:

- A summary of the quantities of radioactive liquid and gaseous effluents and solid waste released from the plant.
- Quarterly and annual dose summaries.
- A list and description of unplanned releases to unrestricted areas.
- A description of any changes to the:

Process Control Program (PCP), and
Offsite Dose Calculation Manual (ODCM).
- Significant changes to any radioactive waste treatment system.
- A list of new dose calculation location changes identified by the annual land-use census.
- Information relating to effluent monitors or required supporting instrumentation being inoperable for 30 or more days.

TABLE 1

EFFLUENT AND WASTE DISPOSAL REPORT - 2000

GASEOUS EFFLUENTS - SUMMATION OF ALL RELEASES

Unit	Quarter 1	Quarter 2	Est. Total Error %
------	--------------	--------------	-----------------------

A. Fission and activation gases

1. Total release	Ci	8.11E-01	4.24E+00	30
2. Average release rate for period	μ Ci/sec	1.03E-01	5.39E-01	
3. Percent of technical specification limit	%	7.40E-04	4.72E-03	

B. Iodines

1. Total Iodine-131	Ci	2.68E-06	0.00E+00	30
2. Average release rate for period	μ Ci/sec	3.41E-07	0.00E+00	
3. Percent of technical specification limit	%	2.99E-02	0.00E+00	

C. Particulates*

1. Particulates with half-lives > 8 days	Ci	1.58E-06	5.35E-08	30
2. Average release rate for period	μ Ci/sec	2.02E-07	6.81E-09	
3. Percent of technical specification limit	%	2.99E-02	1.14E-02	
4. Gross alpha radioactivity	Ci	0.00E+00	0.00E+00	

D. Tritium

1. Total release	Ci	2.22E+00	3.55E+00	30
2. Average release rate for period	μ Ci/sec	2.82E-01	4.51E-01	
3. Percent of technical specification limit	%	2.99E-02	1.14E-02	

* The sum of the particulates reported on this page may be less than the sum from Table 2, as Table 2 includes all particulates, while this table includes only those with half-lives greater than 8 days.

TABLE 2
EFFLUENT AND WASTE DISPOSAL REPORT - 2000
GASEOUS EFFLUENTS - GROUND LEVEL RELEASES

Nuclides Released	Unit	CONTINUOUS MODE		BATCH MODE	
		Quarter 1	Quarter 2	Quarter 1	Quarter 2

A. Fission gases

Argon-41	Ci				
Krypton-85	Ci				3.40E-01
Krypton-85m	Ci				
Krypton-87	Ci				
Krypton-88	Ci				
Xenon-131m	Ci				
Xenon-133	Ci	6.87E-01	1.31E+00	6.59E-02	1.73E+00
Xenon-133m	Ci				
Xenon-135	Ci	5.83E-02	6.99E-01		1.61E-01
Xenon-135m	Ci				
Xenon-138	Ci				
Total for period	Ci	7.45E-01	2.01E+00	6.59E-02	2.23E+00

B. Iodines

Iodine-131	Ci	2.68E-06			
Iodine-132	Ci				
Iodine-133	Ci	1.14E-06		1.28E-08	
Iodine-135	Ci				
Total for period	Ci	3.82E-06	0.00E+00	1.28E-08	0.00E+00

C. Particulates

Zinc-72	Ci	1.77E-07	3.16E-08		
Cobalt-57*	Ci				
Cobalt-60*	Ci				
Strontium-89*	Ci				
Strontium-90*	Ci				
Niobium-95m	Ci				
Technicium-99m	Ci				
Tellurium-132	Ci				
Cesium-134*	Ci				
Cesium-137*	Ci	3.87E-07		3.34E-09	
Cesium-138	Ci				
Barium-139	Ci				
Lanthanum-142	Ci				
Cerium-141*	Ci		5.35E-08		
Cerium-144*	Ci	1.19E-06			
Rhenium-188	Ci	1.26E-07			
Total for period	Ci	1.88E-06	8.51E-08	3.34E-09	0.00E+00

* > 8 day half-life

TABLE 3
EFFLUENT AND WASTE DISPOSAL REPORT - 2000
GASEOUS EFFLUENTS - SUMMATION OF ALL RELEASES

	Unit	Quarter 3	Quarter 4	Est. Total Error %
--	------	--------------	--------------	-----------------------

A. Fission and activation gases

1. Total release	Ci	1.84E+01	1.79E+01	30
2. Average release rate for period	$\mu\text{Ci/sec}$	2.31E+00	2.26E+00	
3. Percent of technical specification limit	%	1.85E-02	3.13E-02	

B. Iodines

1. Total Iodine-131	Ci	0.00E+00	0.00E+00	30
2. Average release rate for period	$\mu\text{Ci/sec}$	0.00E+00	0.00E+00	
3. Percent of technical specification limit	%	0.00E+00	0.00E+00	

C. Particulates*

1. Particulates with half-lives > 8 days	Ci	1.96E-07	0.00E+00	30
2. Average release rate for period	$\mu\text{Ci/sec}$	2.47E-08	0.00E+00	
3. Percent of technical specification limit	%	4.04E-02	0.00E+00	
4. Gross alpha radioactivity	Ci	0.00E+00	0.00E+00	

D. Tritium

1. Total release	Ci	1.26E+01	4.95E+00	30
2. Average release rate for period	$\mu\text{Ci/sec}$	1.59E+00	6.23E-01	
3. Percent of technical specification limit	%	4.04E-02	1.58E-02	

* The sum of the particulates reported on this page may be less than the sum from Table 4, as Table 4 includes all particulates, while this table includes only those with half-lives greater than 8 days.

TABLE 4
EFFLUENT AND WASTE DISPOSAL REPORT - 2000
GASEOUS EFFLUENTS - GROUND LEVEL RELEASES

Nuclides Released	Unit	CONTINUOUS MODE		BATCH MODE	
		Quarter 3	Quarter 4	Quarter 3	Quarter 4

A. Fission gases

Argon-41	Ci			1.40E-03	1.63E-03
Krypton-85	Ci			9.31E-02	
Krypton-85m	Ci		2.60E-01	1.64E-02	3.05E-04
Krypton-87	Ci	1.01E-02		4.86E-03	
Krypton-88	Ci			2.08E-02	
Xenon-131m	Ci			1.02E-02	
Xenon-133	Ci	2.45E+00	9.11E+00	1.30E+01	1.59E-01
Xenon-133m	Ci			1.02E-01	
Xenon-135	Ci	1.23E+00	8.41E+00	1.43E+00	1.13E-02
Xenon-135m	Ci				
Xenon-138	Ci				
Total for period	Ci	3.69E+00	1.78E+01	1.47E+01	1.72E-01

B. Iodines

Iodine-131	Ci				
Iodine-132	Ci				
Iodine-133	Ci				
Iodine-135	Ci				
Total for period	Ci	0.00E+00	0.00E+00	0.00E+00	0.00E+00

C. Particulates

Zinc-72	Ci				
Cobalt-58*	Ci				
Chromium-51*	Ci				
Strontium-89*	Ci				
Strontium-90*	Ci				
Niobium-95m	Ci				
Tin-113*	Ci	7.60E-08			
Indium-113m	Ci	1.09E-07			
Tellurium-132	Ci				
Cesium-137*	Ci	1.18E-07		1.79E-09	
Cesium-138	Ci				
Barium-139	Ci				
Lanthanum-142	Ci				
Cerium-141*	Ci				
Cerium-144*	Ci				
Rhenium-188	Ci				
Total for period	Ci	3.04E-07	0.00E+00	1.790E-09	0.00E+00

* > 8 day half-life

TABLE 5

EFFLUENT AND WASTE DISPOSAL REPORT - 2000

LIQUID EFFLUENTS - SUMMATION OF ALL RELEASES

	Unit	Quarter 1	Quarter 2	Est. Total Error %
--	------	--------------	--------------	-----------------------

A. Fission and activation products

1. Total release (not including tritium, gases, alpha)	Ci	4.22E-03	1.66E-02	25
2. Average diluted concentration during period	$\mu\text{Ci/ml}$	7.81E-12	2.94E-11	
3. Percent of applicable limit	%	1.20E-03	1.36E-03	

B. Tritium

1. Total release	Ci	9.45E+01	1.95E+02	30
2. Average diluted concentration during period	$\mu\text{Ci/ml}$	1.75E-07	3.45E-07	
3. Percent of applicable limit	%	1.68E-01	3.21E-01	

C. Dissolved and entrained gases

1. Total release	Ci	7.06E-03	3.35E-02	25
2. Average diluted concentration during period	$\mu\text{Ci/ml}$	1.31E-11	5.93E-11	
3. Percent of applicable limit	%	6.36E-04	2.76E-03	

D. Gross alpha radioactivity

1. Total release	Ci	0.00E+00	0.00E+00	30
------------------	----	----------	----------	----

E. Volume of waste released (prior to dilution)

1. Batch and continuous modes	Liters	6.28E+06	7.49E+06	10
-------------------------------	--------	----------	----------	----

F. Volume of dilution water used during period

1. Batch and continuous modes	Liters	5.40E+11	5.65E+11	10
-------------------------------	--------	----------	----------	----

TABLE 6
EFFLUENT AND WASTE DISPOSAL REPORT - 2000
LIQUID EFFLUENTS

Fission and activation products	Unit	CONTINUOUS MODE		BATCH MODE	
		Quarter 1	Quarter 2	Quarter 1	Quarter 2
Sodium-24	Ci			1.85E-06	2.23E-06
Chromium-51	Ci			6.42E-06	7.79E-04
Manganese-54	Ci			1.17E-05	6.55E-06
Manganese-56	Ci				
Iron-55	Ci			1.20E-04	5.69E-04
Iron-59	Ci				
Cobalt-57	Ci				
Cobalt-58	Ci			4.81E-04	1.16E-04
Cobalt-60	Ci			2.00E-04	9.41E-05
Zinc-72	Ci			6.08E-06	
Strontium-85	Ci			2.13E-06	
Strontium-89	Ci				
Strontium-90	Ci				
Yttrium-91m	Ci				1.46E-06
Yttrium-92	Ci				
Yttrium-93	Ci				
Niobium-95	Ci			3.12E-05	1.72E-05
Niobium-95m	Ci			8.82E-06	1.20E-05
Zirconium-95	Ci			5.68E-06	3.49E-06
Zirconium-97	Ci			1.58E-05	2.85E-05
Molybdenum-99	Ci				
Technetium-99m	Ci				9.69E-08
Technetium-101	Ci				
Ruthenium-103	Ci			6.97E-07	
Ruthenium-106	Ci			1.72E-05	
Silver-110m	Ci			2.65E-04	5.00E-04
Tin-113	Ci				2.38E-05
Indium-113m	Ci				4.04E-05
Antimony-122	Ci				
Antimony-124	Ci			1.53E-04	
Antimony-125	Ci			2.34E-03	1.43E-02
Tellurium-129	Ci				
Tellurium-132	Ci				4.06E-06
Iodine-131	Ci			1.36E-06	1.50E-05
Iodine-132	Ci				
Iodine-133	Ci			5.46E-06	2.99E-05
Cesium-134	Ci				3.02E-07
Cesium-137	Ci			1.13E-05	2.94E-05
Cesium-138	Ci				
Barium-139	Ci				
Barium-140	Ci				
Cerium-141	Ci			7.93E-06	
Cerium-143	Ci				5.74E-06
Cerium-144	Ci			9.90E-05	
Praseodymium-144	Ci			4.26E-04	
Neodymium-147	Ci			4.97E-06	7.47E-07
Total for period	Ci	0.00E+00	0.00E+00	4.22E-03	1.66E-02

TABLE 6 (CONTINUED)

EFFLUENT AND WASTE DISPOSAL REPORT - 2000

LIQUID EFFLUENTS

Dissolved and entrained gases	Unit	CONTINUOUS MODE		BATCH MODE	
		Quarter 1	Quarter 2	Quarter 1	Quarter 2
Argon-41	Ci				
Krypton-85	Ci			4.98E-04	
Krypton-85m	Ci				
Krypton-87	Ci				
Krypton-88	Ci				
Xenon-131m	Ci				6.13E-05
Xenon-133	Ci			5.68E-03	2.86E-02
Xenon-133m	Ci			9.86E-05	4.38E-04
Xenon-135	Ci			7.83E-04	4.40E-03
Xenon-135m	Ci				
Total for period	Ci	0.00E+00	0.00E+00	7.06E-03	3.35E-02

Tritium	Ci	0.00E+00	9.31E-02	9.45E+01	1.95E+02
---------	----	----------	----------	----------	----------

TABLE 7

EFFLUENT AND WASTE DISPOSAL REPORT - 2000

LIQUID EFFLUENTS - SUMMATION OF ALL RELEASES

Unit	Quarter 3	Quarter 4	Est. Total Error %
------	--------------	--------------	-----------------------

A. Fission and activation products

1. Total release (not including tritium, gases, alpha)	Ci	3.29E-03	1.33E-02	25
2. Average diluted concentration during period	μCi/ml	6.10E-12	2.28E-11	
3. Percent of applicable limit	%	1.03E-02	1.61E-03	

B. Tritium

1. Total release	Ci	2.89E+02	2.80E+01	30
2. Average diluted concentration during period	μCi/ml	5.36E-07	4.79E-08	
3. Percent of applicable limit	%	4.70E-01	4.78E-01	

C. Dissolved and entrained gases

1. Total release	Ci	1.63E-01	1.87E-01	25
2. Average diluted concentration during period	μCi/ml	3.00E-10	3.21E-10	
3. Percent of applicable limit	%	1.32E-02	1.60E-02	

D. Gross alpha radioactivity

1. Total release	Ci	0.00E+00	0.00E+00	30
------------------	----	----------	----------	----

E. Volume of waste released (prior to dilution)

1. Batch and continuous modes	Liters	1.33E+07	4.98E+06	10
-------------------------------	--------	----------	----------	----

F. Volume of dilution water used during period

1. Batch and continuous modes	Liters	5.39E+11	5.84E+11	10
-------------------------------	--------	----------	----------	----

TABLE 8
EFFLUENT AND WASTE DISPOSAL REPORT - 2000
LIQUID EFFLUENTS

Fission and activation products	Unit	CONTINUOUS MODE		BATCH MODE	
		Quarter 3	Quarter 4	Quarter 3	Quarter 4
Sodium-24	Ci				
Chromium-51	Ci				
Manganese-54	Ci			6.24E-06	2.06E-05
Manganese-56	Ci				
Iron-55	Ci			1.06E-03	1.02E-03
Iron-59	Ci				
Cobalt-57	Ci				
Cobalt-58	Ci			1.15E-04	2.14E-03
Cobalt-60	Ci			8.00E-05	3.17E-04
Zinc-69	Ci				1.25E-07
Zinc-72	Ci				
Strontium-85	Ci			7.47E-06	
Strontium-89	Ci				
Strontium-90	Ci				
Strontium-92	Ci				
Yttrium-91	Ci				
Yttrium-93	Ci				
Rubidium-88	Ci				
Niobium-95	Ci			1.50E-06	5.93E-05
Zirconium-95	Ci				4.66E-06
Zirconium-97	Ci			7.40E-05	1.43E-05
Molybdenum-99	Ci				
Technetium-99m	Ci				9.80E-05
Technetium-101	Ci			6.43E-06	
Ruthenium-106	Ci			1.61E-05	
Silver-110m	Ci			1.60E-03	4.38E-04
Tin-113	Ci				
Indium-113m	Ci				
Antimony-122	Ci			4.33E-06	
Antimony-124	Ci			1.23E-05	3.57E-04
Antimony-125	Ci			1.43E-04	2.76E-03
Tellurium-129	Ci				
Tellurium-132	Ci				
Iodine-131	Ci			5.01E-05	2.57E-03
Iodine-133	Ci			2.34E-05	2.30E-03
Iodine-135	Ci				1.74E-04
Cesium-134	Ci				
Cesium-136	Ci				
Cesium-137	Ci			1.95E-05	2.45E-05
Barium-133m	Ci			4.74E-05	
Barium-139	Ci			2.66E-05	
Lanthanum-140	Ci				1.02E-03
Cerium-144	Ci				
Praseodymium-144	Ci				
Tungsten-187	Ci				1.06E-05
Rhenium-188	Ci				
Total for period	Ci	0.00E+00	0.00E+00	3.29E-03	1.33E-02

TABLE 8 (CONTINUED)

EFFLUENT AND WASTE DISPOSAL REPORT - 2000

LIQUID EFFLUENTS

Dissolved and entrained gases	Unit	CONTINUOUS MODE		BATCH MODE	
		Quarter 3	Quarter 4	Quarter 3	Quarter 4
Argon-41	Ci				
Krypton-85	Ci			1.75E-03	
Krypton-85m	Ci			7.82E-05	2.32E-05
Krypton-87	Ci				
Krypton-88	Ci				
Xenon-131m	Ci			3.13E-04	
Xenon-133	Ci			1.39E-01	1.30E-01
Xenon-133m	Ci			3.18E-03	4.36E-03
Xenon-135	Ci			1.78E-02	5.31E-02
Xenon-135m	Ci				8.12E-05
Total for period	Ci	0.00E+00	0.00E+00	1.62E-01	1.88E-01

Tritium	Ci	1.14E-01	0.00E+00	2.89E+02	2.80E+02
---------	----	----------	----------	----------	----------

TABLE 9

EFFLUENT AND WASTE DISPOSAL REPORT - 2000

SOLID WASTE AND IRRADIATED FUEL SHIPMENTS

A. SOLID WASTE SHIPPED OFFSITE FOR PROCESSING OR BURIAL (Non-irradiated fuel)

1. Type of waste	Unit	12 month period	Est. Total Error %
a. Spent resins, filter sludges, evaporator bottoms, etc.	m3 Ci	9.41E+00 1.12E+01	25
b. Dry compressible waste, contaminated equipment, etc.	m3 Ci	3.89E+02 2.62E+00	25
c. Irradiated components, control rods, etc.	M3 Ci	3.62E+01 5.94E-02	25
d. Other (describe): Expended charcoal	M3 Ci	2.97E+01 1.46E-01	25
2. Estimate of major nuclide composition (by type of waste in %)*			
a.	Co-58 24.9 Fe-55 23.4 Co-60 13.3	Cs-137 12.1 Ni-63 9.2 Cs-134 4.6	C-14 2.6 Mn-54 2.1 H-3 1.8
b.	Ni-63 23.4 Co-58 19.9 Fe-55 15.8	Co-60 14.1 Cs-137 12.7 Nb-95 4.7	Ce-144 4.3
c.	Co-60 49.0 Fe-55 46.5 Ni-63 3.4		
d.	H-3 56.8 Cs-137 10.5 Co-60 10.0	Ce-144 8.7 Ni-63 6.9 Pu-241 6.8	

3. Solid Waste Disposition

Number of Shipments	Mode of Transportation	Destination
2	Exclusive use truck	Barnwell Waste Mngmt (SC)
1	Exclusive use truck	Chem-Nuclear (SC)
9	Exclusive use truck	Duratek (TN)

B. IRRADIATED FUEL SHIPMENTS (Disposition)

Number of Shipments	Mode of Transportation	Destination
0	N/A	N/A

* Curie values and principle radionuclides are estimates based on a combination of direct and indirect methods.

Unplanned Releases

There were no unplanned releases during 2000.

Radioactive Waste Treatment Systems

There were no significant changes to the radioactive waste treatment systems.

Annual Land Use Census

The August, 2000 land-use census did not identify any new dose calculation locations.

Effluent Monitor Instrument Operability

Required effluent monitor instrumentation was not out of service for more than 30 days during 2000.

ODCM & PCP Changes

The PCP was not revised during 2000.

The ODCM was revised 12/20/00. The affected pages are 31, 47, 76, 92, 140, and 148.

Emergency Feed Pump 2

Emergency Feed Pump 2 (EFP-2) overspeed testing is performed quarterly using steam from CR-3's steam generators. Due to a small primary to secondary leak, an evaluation was performed to estimate the quantity of radioactive material which was released during 2000 due to operation of this pump. The results of this evaluation are given below in units of Curies/year.

Xe-133	6.40E-08	I-131	3.12E-09	Cs-137	1.32E-10
Xe-135	8.40E-08	I-133	3.60E-08	H-3	2.00E-06

These values are not included in Tables 1 through 4.

2000 Appendix I Dose Summary

Maximum Hypothetical Individual

Liquid Effluent Dose Limits

Total Body: 1.5 mrem/quarter, 3 mrem/year
Any Organ: 5 mrem/quarter, 10 mrem/year

Liquid Effluent Dose Summary

	Quarter 1	Quarter 2	Quarter 3	Quarter 4	Annual Total
Total Body Dose (mrem)	3.58E-06	1.11E-05	4.20E-05	1.36E-05	7.03E-05
Maximum Organ Dose (mrem)	6.00E-05	6.79E-05	5.13E-04	8.04E-05	7.21E-04
Maximum Organ was GI					

Gaseous Effluent Dose Limits

Gamma Air Dose: 5 mrad/quarter, 10 mrad/year
Beta Air Dose: 10 mrad/quarter, 20 mrad/year

Any Organ: 7.5 mrem/quarter, 15 mrem/year

Gaseous Release Dose Summary

	Quarter 1	Quarter 2	Quarter 3	Quarter 4	Annual Total
Gamma Air Dose (mrad)	2.99E-05	2.16E-04	8.74E-04	1.57E-03	2.69E-03
Beta Air Dose (mrad)	7.40E-05	4.72E-04	1.85E-03	2.45E-03	4.85E-03
Total Body Dose (mrem)	5.38E-04	8.52E-04	3.03E-04	1.19E-03	5.61E-03
Maximum Organ Dose (mrem)	2.24E-04	8.52E-04	3.03E-03	1.19E-03	7.31E-03
Maximum Organ was Thyroid					