



RIVERSIDE
MEDICAL PHYSICS

FACSIMILE PAGE SHEET

To: Brian Parker

From: Harold Prussia, B.S., R.T.(R,QM)

Fax Number: 757-594-3134

Pages: 4

500 J. Clyde Morris Blvd
Newport News VA 23601
(757) 594-2757

Georgia Department of Natural Resources

4244 International Parkway, Suite 114, Atlanta, Georgia 30354
 Lenore C. Bennett, Commissioner
 Harold F. Rehms, Director
 Environmental Protection Division
 404/862-2875

RADIOACTIVE MATERIALS PROGRAM GEORGIA RADIOACTIVE MATERIALS LICENSE

Pursuant to the Georgia Radiation Control Act O.C.G.A. 31-13 (H.B. 947) 1990 and the Georgia Department of Natural Resources Rules and Regulations, designated Chapter 391-3-17, and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to transfer, receive, possess, and use the radioactive material(s) designated below; and to use such radioactive materials for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules and regulations of the Georgia Department of Natural Resources and orders issued by the Department, now or hereafter in effect, and to any condition specified below.

Page 1 of 5 Pages
 License Number GA 798-1
 Amendment Number .11

License (1. Name and 2. Address)

Northside Hospital - Cherokee, Inc.
 Post Office Box 906
 Canton, Georgia 30114

3. In accordance with application dated February 12, 1997, License Number GA 798-1 is amended in its entirety to read as follows:
4. Expiration Date: March 31, 2002
5. Telephone Number: (770) 720-5100

6. RADIOACTIVE MATERIAL (ELEMENT AND MASS NUMBER)	7. CHEMICAL AND/OR PHYSICAL FORM	8. MAXIMUM QUANTITY LICENSEE MAY POSSESS AT ANY ONE TIME
A. Any radioactive material authorized by (8) of Rule 391-3-17-.05	B. Any radiopharmaceutical authorized by (8) of Rule 391-3-17-.05	B. As needed
B. Any radioactive material authorized by (9) of Rule 391-3-17-.05 (excluding gases)	B. Any radiopharmaceutical authorized by (9) of Rule 391-3-17-.05 (excluding gases)	B. As needed

9. AUTHORIZED USE

- A. Uptake, dilution, or excretion studies as authorized by (8) of Rule 391-3-17-.05.
- B. Imaging and localization studies as authorized by (9) of Rule 391-3-17-.05.

Georgia Department of Natural Resources
Radioactive Materials License
Supplementary Sheet

Page 2 of 5 Pages
License Number GA 798-1
Amendment Number 11

CONDITIONS

10. Radioactive material shall be used at the licensee's facility located at 201 Hospital Road Canton, Georgia 30114.
11. The licensee shall comply with the provisions of Georgia Department of Natural Resources Rule 391-3-17-.03, "Standards for Protection Against Radiation. Amended.", Rule 391-3-17-.06, "Use of Radionuclides in the Healing Arts. Amended.", Rule 391-3-17-.06, "Transportation. Amended.", and Rule 391-3-17-.07, "Notice, Instructions and Reports to Workers: Inspections. Amended."
12. In accordance with DNR Board Policy adopted May 27, 1992, the fees associated with this license fee category A.2, are:
- | | | | |
|----------------------------|--------|------------------------|--------|
| Application Fee | \$710 | Renewal Fee | \$1000 |
| Amendment Fee | \$430 | Routine Inspection Fee | \$1000 |
| Non-routine Inspection Fee | \$1500 | Annual Fee | \$1200 |

Checks for the fees should be made payable to the Department of Natural Resources, Radioactive Materials Program, and mailed to the following address:

Radioactive Materials Fees
Post Office Box 101161
Atlanta, Georgia 30392

Mail license applications, amendment, and renewal requests the same day as the check to the following address:

Radioactive Materials Program
4244 International Parkway, Suite 114
Atlanta, Georgia 30354

Inspection fees are payable upon receipt of each invoice from the Department following inspections. Annual fees are billed by the Department at the beginning of each fiscal year.

13. The radiation safety officer in this program shall be Steven M. Irby, M.D.

Georgia Department of Natural Resources Radioactive Materials License Supplementary Sheet

Page 3 of 5 Pages
License Number GA 798-1
Amendment Number .11

Conditions (continued)

14. Radioactive material shall be used by or under the supervision of the following individuals as indicated:

Authorized User		Authorized Uses
A.	L. Austin Flint, MD	391-3-17-.05(8) and (9)
B.	Deborah J. Charles, MD	391-3-17-.05(8) and (9)
C.	Carlton B. Hudson, MD	391-3-17-.05(8) and (9)
D.	Steven M. Iby, MD	391-3-17-.05(8) and (9)
E.	James D. Darling, MD	391-3-17-.05(8) and (9)
F.	F. Gregory Curtin, MD	391-3-17-.05(8) and (9)
G.	Mark A. Beattie, MD	391-3-17-.05(8) and (9)

15. The licensee may receive, possess and use radioactive material for check, calibration, and reference sources as authorized by (7)(e) of Rule 391-3-17-.05.

16. Tests for leakage and/or contamination as required by (7)(f) of Rule 391-3-17-.05 shall be performed by persons specifically authorized by this Department, the U.S. Nuclear Regulatory Commission, or an Agreement State to perform such services.

17. Sealed sources containing radioactive material shall not be opened by the licensee.

18. The licensee shall not transfer possession and/or control of materials or products containing radioactive material as a contaminant except:

- By transfer of waste to an authorized recipient;
- By transfer to a specifically licensed recipient; or
- As provided otherwise by a specific condition of this license pursuant to the requirements of (12) of Rule 391-3-17-.03.

19. The licensee may use any device for performing dose calibrator linearity tests provided they follow the procedures set forth in the current manual and the device has been accepted by this Department, the U.S. Nuclear Regulatory Commission, or an Agreement State.

20. Except as otherwise specifically provided by this license, radioactive material to be administered to humans shall be procured from a supplier in accordance with 391-