

Exelon Nuclear
200 Exelon Way
Kennett Square, PA 19348

www.exeloncorp.com

10CFR50, Appendix E

May 31, 2001

Docket Nos. 50-277
50-278

License Nos. DPR-44
DPR-56

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, DC 20555

Subject: Peach Bottom Atomic Power Station Units 2 & 3
Emergency Response Procedure Revisions

Dear Sir/Madam:

Enclosed is the following procedure revision to the Emergency Response Procedure (ERP) for Peach Bottom Atomic Power Station (PBAPS), Units 2 and 3. This procedure is required to be submitted within thirty (30) days of its revision in accordance with 10CFR50, Appendix E, and 10CFR50.4.

- ERP-130, Revision 15, "Site Evacuation"

Also enclosed is a copy of a computer generated report index identifying the latest revisions of the PBAPS ERPs.

If you have any questions or require additional information, please do not hesitate to contact us.

Very truly yours,



James A. Hutton
Director - Licensing

Enclosures

cc: H. J. Miller, Administrator, Region I, USNRC (w/attachment 2 copies)
A. C. McMurtry, USNRC Senior Resident Inspector, PBAPS (w/attachment)

A045

ATTACHMENT 1

PEACH BOTTOM ATOMIC POWER STATION, UNITS 2 & 3

**Docket Nos. 50-277
50-278**

**License Nos. DPR-44
DPR-56**

EMERGENCY RESPONSE PROCEDURES

**ERP-130, "Site Evacuation"
Revision 15**

Effective Date: 6/1/01

ERP-130
Rev. 15
Page 1 of 7
MTJ/ldt

EXELON NUCLEAR
PEACH BOTTOM UNITS 2 AND 3
EMERGENCY RESPONSE PROCEDURE

ERP-130 SITE EVACUATION

1.0 RESPONSIBILITIES

- 1.1 The Emergency Director (ED) is responsible for directing the use of this procedure.
- 1.2 Control Room Licensed Operators are responsible for notifying plant personnel via the evacuation siren, public address system, and plant radio system.
- 1.3 All non-essential personnel are responsible for evacuating the site and proceeding to the designated off-site assembly area as directed.
- 1.4 Emergency response personnel are responsible for reporting to their assigned facilities.
- 1.5 The Security Team is responsible for accountability of personnel and access control during the evacuation.
- 1.6 Health Physics personnel, as assigned by the Health Physics Team Leader (HPTL), are responsible for establishing and operating the vehicle and evacuee monitoring and decontamination stations.

2.0 INITIAL ACTIONS

NOTE

ATTACHMENT TITLED, "SITE EVACUATION FLOW CHART", MAY BE USED AS A GUIDE FOR THE FOLLOWING ACTIONS.

2.1 The ED shall:

- 2.1.1 Designate an assembly area while taking into consideration radiological conditions, weather conditions and any other emergency conditions. (Suggested assembly areas are the North Sub Station if wind is from North through West OR Unit 1 if wind is from South through East) (refer to site evacuation map on the flow chart attachment).

- 2.1.2 Notify the on shift Health Physics Supervisor or the HPTL of impending site evacuation and location of the assembly area.
- 2.1.3 Notify the Supervisor - Nuclear Security or the Security Team Leader (STL) of impending site evacuation and location of the assembly area.
- 2.1.4 Direct a Control Room Licensed Operator to make the site evacuation announcement.
- 2.1.5 Complete attachment 2, "Site Evacuation Notification Form" and delegate notifications to Pennsylvania Emergency Management Agency (PEMA) and Maryland Emergency Management Agency (MEMA).

NOTE

STEPS IN 2.2 SHOULD BE COMPLETED IN QUICK SUCCESSION TO AVOID CONFUSING PLANT PERSONNEL.

- 2.2 The Control Room Licensed Operator, when directed by the ED, shall:
 - 2.2.1 Activate the Page Alert Tone and make the announcements over the **PLANT PUBLIC ADDRESS SYSTEM** twice, in a clear and distinct voice:

THIS (IS) (IS NOT) A DRILL.
THIS (IS) (IS NOT) A DRILL.
ATTENTION ALL PERSONNEL. THIS IS A SITE EVACUATION NOTIFICATION. ALL NON-ESSENTIAL PERSONNEL EVACUATE TO

(North Sub Station or Peach Bottom Unit 1)

ALL MEMBERS OF THE EMERGENCY RESPONSE ORGANIZATION REPORT TO YOUR EMERGENCY RESPONSE FACILITY.
THIS (IS) (IS NOT) A DRILL.
THIS (IS) (IS NOT) A DRILL.
 - 2.2.2 Sound EVACUATION ALARM.
 - 2.2.2.1 Rotate the "Evacuation Alarm/MIC Selector" switch to Position 6 (plant).
 - 2.2.2.2 Sound the evacuation siren by pulling the handle OUT to activate.
 - 2.2.2.3 Sound siren for approximately 20 seconds.
 - 2.2.2.4 Push the handle IN to de-activate the alarm for approximately 20 seconds.

- 2.2.2.5 PULL the handle OUT to re-activate the alarm for an additional 20 seconds.
- 2.2.2.6 Push switch #43 on Diesel Panel IN.
- 2.2.3 Repeat announcement over the **PLANT RADIO SYSTEM** (all channels known to be in use) twice, as stated above.
- 2.2.4 Announce event over the **POND PAGING SYSTEM** as follows:
 - 2.2.4.1 Rotate the "Evacuation Alarm/MIC Selector" switch #43 on the Diesel Generator Panel C26B while in the IN mode to Position 2 (microphone river speakers).
 - 2.2.4.2 Activate the microphone by pulling the handle OUT.
 - 2.2.4.3 Repeat the evacuation announcement twice over the **POND PAGING SYSTEM**.
 - 2.2.4.4 Push switch #43 on Diesel Generator Panel IN.
- 2.2.5 Repeat steps 2.2.1, 2.2.2, 2.2.3 and 2.2.4.
- 2.3 Plant personnel (except designated emergency response personnel) shall:
 - 2.3.1 Exit site through the Guardhouse according to instructions of Security personnel.
 - 2.3.2 Deposit security badge and dosimetry as directed.
 - 2.3.3 Follow routes to the off-site assembly area as directed by Security Team members.
 - 2.3.4 Follow instructions of Vehicle and Evacuee Control Group members upon arrival at the assembly area.
 - 2.3.5 Await further instructions on returning to the plant or proceeding home.
- 2.4 Emergency response personnel shall proceed to their designated emergency response facility and card-in or log-in.

3.0 CONTINUING ACTIONS

None

4.0 FINAL CONDITIONS

- 4.1 Emergency has been terminated and personnel are instructed by the ED or Shift Management to return to their normal duty station; or
- 4.2 Personnel and vehicles have been checked for contamination and are released.

5.0 ATTACHMENTS AND APPENDICES

- 5.1 Attachment 1, "Site Evacuation Flow Chart"
- 5.2 Attachment 2, "Site Evacuation Notification Form"

6.0 SUPPORTING INFORMATION

6.1 PURPOSE

To define the actions required to be performed during a site evacuation.

6.2 CRITERIA FOR USE

- 6.2.1 This procedure shall be implemented when in the judgement of Shift Management or the Emergency Director, the health and safety of on site personnel warrants a full site evacuation.
- 6.2.2 Shift Management or the Emergency Director may wish to direct a site evacuation if:
 - a. A Site Area Emergency or General Emergency has been declared,

OR
 - b. Conditions such as smoke, fire, uncontrolled toxic materials, or flooding preclude habitation of large portions of the site,

OR
 - c. Airborne radioactivity outside the plant, but within the security fence, is greater than 1 N9 uc/cc unidentified.

6.3 REFERENCES


- 6.3.1 Nuclear Emergency Plan

6.3.2 NUREG-0654 FEMA-REP-1, Rev. 1, "Criteria for Preparation and Evaluation of Radiological Emergency Response Plans and Preparedness in Support of Nuclear Power Plants"

6.4 COMMITMENT ANNOTATION

None

ATTACHMENT 1 SITE EVACUATION FLOW CHART



ATTACHMENT 2

SITE EVACUATION NOTIFICATION FORM

NOTE:

NOTIFY THE FOLLOWING TWO (2) AGENCIES OF A SITE EVACUATION.

1. Maryland Emergency Management Agency (MEMA) 9-1-410-517-3600 or
Emergency ext. 205, 8 a.m. to 5 p.m. or ext. 213 after 5 p.m.
2. Pennsylvania Emergency Management Agency (PEMA) 9-1-800-424-7362 or
Emergency ext. 216

☐ THIS IS A DRILL

☐ THIS IS NOT A DRILL

This is the Peach Bottom Atomic Power Station.

My name is _____

My phone number is (717) 456 - _____ or Emergency ext. _____

The Emergency Director has declared a Site Evacuation

at _____ on _____
(time) (date)

Reason for Site Evacuation:

Site personnel are evacuating to:

(North Sub Station OR Peach Bottom Unit 1)

There ☐ IS ☐ IS NOT a Radioactive Release in Progress.

NOTIFICATION COMPLETE:

MEMA _____
(Person notified) (Time) (Date)

PEMA _____
(Person notified) (Time) (Date)

ATTACHMENT 2

PEACH BOTTOM POWER STATION, UNITS 2 & 3

**Docket Nos. 50-277
50-278**

**License Nos. DPR-44
DPR-56**

EMERGENCY RESPONSE PROCEDURES

REPORT INDEX

PROCEDURE INDEX REPORT:

| FAC | DOC TYPE | PROC TYPE | PROCEDURE NUMBER | CURR REV NBR | TITLE | EFFECTIVE DATE | RESP GROUP | SYSTEM NBR |
|-----|----------|-----------|------------------|--------------|--|----------------|------------|------------|
| PB | PROC | ERP | ERP-C-1000 | 0005 | EMERGENCY OPERATIONS FACILITY (EOF) ACTIVATION/DEACTIVATION | 04/21/99 | PWE | |
| PB | PROC | ERP | ERP-C-1000-1 | 0003 | EOF ACTIVATION CHECKLIST | 03/30/01 | PWE | |
| PB | PROC | ERP | ERP-C-1000-2 | 0003 | EOF DEACTIVATION CHECKLIST | 04/21/99 | PWE | |
| PB | PROC | ERP | ERP-C-1000-3 | 0000 | EOF BUSINESS HOURS FIRST RESPONDER CHECKLIST | 04/21/99 | PWE | |
| PB | PROC | ERP | ERP-C-1000-4 | 0000 | EOF AFTER HOURS FIRST RESPONDER CHECKLIST | 04/21/99 | PWE | |
| PB | PROC | ERP | ERP-C-1100 | 0003 | EOF STAFF AUGMENTATION- CANCELLED - REPLACED BY ERP-C-1250 | 09/14/94 | PWE | |
| PB | PROC | ERP | ERP-C-1200 | 0010 | EMERGENCY RESPONSE MANAGER | 03/30/01 | PWE | |
| PB | PROC | ERP | ERP-C-1200-1 | 0000 | EMERGENCY RESPONSE MANAGER TURNOVER/BRIEFING FORM | 09/14/94 | PWE | |
| PB | PROC | ERP | ERP-C-1200-2 EXH | 0000 | PROTECTIVE ACTION RECOMMENDATION WORKSHEET CANCELLED REPLACED BY ERP-C-1200 | 10/24/95 | PWE | |
| PB | PROC | ERP | ERP-C-1200-3 | 0000 | ERM PAR DELIVERY CHECKLIST | 04/03/00 | PWE | |
| PB | PROC | ERP | ERP-C-1200-4 | 0000 | MINIMUM STAFFING POSITIONS NECESSARY TO ACTIVATE THE EOF | 03/30/01 | PWE | |
| PB | PROC | ERP | ERP-C-1210 | 0002 | ASSISTANT EMERGENCY RESPONSE MANAGER (AERM) CANCELLED - REPLACED BY ERP-C-1200 | 10/24/95 | PWE | |
| PB | PROC | ERP | ERP-C-1250 | 0003 | EMERGENCY PREPAREDNESS COORDINATOR/EOF | 11/02/98 | PWE | |
| PB | PROC | ERP | ERP-C-1250-1 | 0000 | EMERGENCY POWER INSTRUCTIONS | 09/14/94 | PWE | |
| PB | PROC | ERP | ERP-C-1250-2 | 0002 | EMERGENCY PREPAREDNESS COORDINATOR INSTRUCTIONS FOR ASPEN BACKUP NOTIFICATION SYSTEM | 05/11/01 | PWE | |
| PB | PROC | ERP | ERP-C-1250-3 | 0000 | EMERGENCY PREPAREDNESS COORDINATOR INSTRUCTIONS TO STOP STAFFING | 09/14/94 | PWE | |
| PB | PROC | ERP | ERP-C-1250-4 | 0000 | EMERGENCY PREPAREDNESS COORDINATOR INSTRUCTIONS FOR SYSTEM RESET | 09/14/94 | PWE | |
| PB | PROC | ERP | ERP-C-1300 | 0010 | EMERGENCY OPERATIONS FACILITY (EOF) DOSE ASSESSMENT TEAM LEADER | 08/31/00 | PWE | |
| PB | PROC | ERP | ERP-C-1300-1 | 0003 | DOSE ASSESSMENT TEAM LEADER INITIAL ACTIONS | 04/04/00 | PWE | |
| PB | PROC | ERP | ERP-C-1300-2 | 0000 | DOSE ASSESSMENT TURNOVER LIST | 09/23/94 | PWE | |
| PB | PROC | ERP | ERP-C-1300-3 | 0004 | PROTECTIVE ACTION RECOMMENDATION WORKSHEET | 03/30/01 | PWE | |
| PB | PROC | ERP | ERP-C-1300-4 | 0000 | OFFSITE SAMPLE ANALYSIS REQUESTS | 09/23/94 | PWE | |
| PB | PROC | ERP | ERP-C-1300-5 | 0001 | DETERMINATION OF PROTECTIVE ACTION RECOMMENDATIONS (PARS) | 11/02/98 | PWE | |
| PB | PROC | ERP | ERP-C-1300-6 | 0001 | DOSE ASSESSMENT GROUP INITIAL ACTIONS | 04/10/98 | PWE | |
| PB | PROC | ERP | ERP-C-1300-7 | 0000 | OBTAINING EPDS MET/RAD DATA | 03/26/97 | PWE | |
| PB | PROC | ERP | ERP-C-1300-8 | 0000 | USE OF MODE A/MODE B OF CDM | 03/26/97 | PWE | |
| PB | PROC | ERP | ERP-C-1300-9 | 0001 | OBTAINING MET DATA FROM NATIONAL WEATHER SERVICE | 09/12/97 | PWE | |
| PB | PROC | ERP | ERP-C-1310 | 0003 | EMERGENCY OPERATIONS FACILITY (EOF) DOSE ASSESSMENT GROUP - CANCELLED - REPLACED BY ERP-C-1300 | 03/26/97 | PWE | |
| PB | PROC | ERP | ERP-C-1310-1 | 0000 | DOSE ASSESSMENT GROUP LEADER INITIAL ACTIONS CANCELLED - REPLACED BY ERP-C-1300 | 03/26/97 | PWE | |
| PB | PROC | ERP | ERP-C-1310-2 | 0000 | OBTAINING MET DATA FROM NATIONAL WEATHER SERVICE CANCELLED - REPLACED BY ERP-C-1300 | 03/24/97 | PWE | |
| PB | PROC | ERP | ERP-C-1310-3 | 0000 | OBTAINING EPDS MET/RAD DATA - CANCELLED - NO REPLACED BY ERP-C-1300 | 03/26/97 | PWE | |
| PB | PROC | ERP | ERP-C-1310-4 | 0000 | USE OF MODE A/MODE B OF CDM CANCELLED - REPLACED BY ERP-C-1300 | 03/26/97 | PWE | |
| PB | PROC | ERP | ERP-C-1320 | 0007 | EMERGENCY OPERATIONS FACILITY (EOF) FIELD SURVEY GROUP LEADER | 08/31/00 | PWE | |
| PB | PROC | ERP | ERP-C-1320-1 | 0002 | FIELD SURVEY GROUP LEADER INITIAL ACTIONS | 04/10/98 | PWE | |
| PB | PROC | ERP | ERP-C-1320-2 | 0001 | FIELD SURVEY GROUP LEADER TURNOVER SHEET | 03/26/97 | PWE | |
| PB | PROC | ERP | ERP-C-1320-3 | 0002 | FIELD SURVEY GROUP LEADER DATA SHEET | 08/31/00 | PWE | |
| PB | PROC | ERP | ERP-C-1400 | 0004 | ENGINEERING SUPPORT TEAM | 11/02/98 | PWE | |
| PB | PROC | ERP | ERP-C-1400-1 | 0002 | ENGINEERING SUPPORT TEAM CHECKLIST | 11/02/98 | PWE | |
| PB | PROC | ERP | ERP-C-1410 | 0002 | CORE DAMAGE ASSESSMENT | 09/09/98 | PWE | |
| PB | PROC | ERP | ERP-C-1410-1 | 0000 | RADIOLOGICAL DATA | 09/14/94 | PWE | |
| PB | PROC | ERP | ERP-C-1410-2 | 0001 | HYDROGEN CONCENTRATION DATA | 09/09/98 | PWE | |
| PB | PROC | ERP | ERP-C-1410-3 | 0001 | CONTAINMENT RADIATION MONITOR DATA | 09/09/98 | PWE | |

PROCEDURE INDEX REPORT:

| FAC | DOC TYPE | PROC TYPE | PROCEDURE NUMBER | CURR REV NBR | TITLE | EFFECTIVE DATE | RESP GROUP | SYSTEM NBR |
|-----|----------|-----------|------------------|--------------|---|----------------|------------|------------|
| PB | PROC | ERP | ERP-C-1410-4 | 0000 | METAL WATER REACTION - CANCELLED NO REPLACEMENT | 09/09/98 | PWE | |
| PB | PROC | ERP | ERP-C-1410-5 | 0002 | PERCENT OF FUEL INVENTORY AIRBORNE IN THE CONTAINMENT VS. APPROXIMATE SOURCE AND DAMAGE ESTIMATE | 06/01/01 | PWE | |
| PB | PROC | ERP | ERP-C-1410-6 | 0001 | PROCEDURES FOR ESTIMATING FUEL DAMAGE BASED ON MEASURED I-131 AND XE-133 CONCENTRATIONS | 09/09/98 | PWE | |
| PB | PROC | ERP | ERP-C-1500 | 0006 | LOGISTICS SUPPORT TEAM | 04/14/00 | PWE | |
| PB | PROC | ERP | ERP-C-1500-1 | 0001 | MESSAGE AND INFORMATION INSTRUCTIONS | 10/24/95 | PWE | |
| PB | PROC | ERP | ERP-C-1500-2 | 0001 | HELICOPTER LANDING INFORMATION | 10/24/95 | PWE | |
| PB | PROC | ERP | ERP-C-1900 | 0004 | RECOVERY PHASE IMPLEMENTATION | 11/02/98 | PWE | |
| PB | PROC | ERP | ERP-C-1900-1 | 0000 | RECOVERY PHASE IMPLEMENTATION FLOW CHART | 06/28/93 | PWE | |
| PB | PROC | ERP | ERP-C-1900-2 | 0002 | PEACH BOTTOM ATOMIC POWER STATION RECOVERY ACCEPTANCE CHECKLIST | 04/02/98 | PWE | |
| PB | PROC | ERP | ERP-C-1900-3 | 0002 | LIMERICK GENERATING STATION RECOVERY ACCEPTANCE CHECKLIST | 04/02/98 | PWE | |
| PB | PROC | ERP | ERP-C-1900-4 | 0002 | RECOVERY PLAN OUTLINE | 04/02/98 | PWE | |
| PB | PROC | ERP | ERP-C-1900-5 | 0002 | ASSESSMENT CONSIDERATIONS | 12/28/99 | PWE | |
| PB | PROC | ERP | ERP-101 | 0022 | CLASSIFICATION OF EMERGENCIES | 08/15/00 | PWE | |
| PB | PROC | ERP | ERP-101 BASES | 0001 | PBAPS EAL TECHNICAL BASIS MANUAL TABLE OF CONTENTS | 03/30/01 | PWE | |
| PB | PROC | ERP | ERP-110 | 0013 | EMERGENCY NOTIFICATIONS | 05/11/01 | PWE | |
| PB | PROC | ERP | ERP-110 APP 1 | 0057 | EMERGENCY NOTIFICATION TELEPHONE LIST | 01/06/01 | PWE | |
| PB | PROC | ERP | ERP-110 APP 2 | 0024 | EMERGENCY CLASSIFICATION NOTIFICATION TELEPHONE LIST FOR A SITE EMERGENCY OR GENERAL EMERGENCY CANCELLED - REPLACED BY ERP-110 APPENDIX 1 | 07/21/93 | PWE | |
| PB | PROC | ERP | ERP-120 | 0002 | PARTIAL PLANT EVACUATION CANCELLED - REPLACED BY ERP-130 & GP-15 | 08/10/92 | PWE | |
| PB | PROC | ERP | ERP-130 | 0015 | SITE EVACUATION | 06/01/01 | PWE | |
| PB | PROC | ERP | ERP-140 | 0019 | EMERGENCY RESPONSE ORGANIZATION (ERO) CALL OUT | 03/04/99 | PWE | |
| PB | PROC | ERP | ERP-140 APP 1 | 0019 | AUTOMATED ERO ACTIVATION | 08/06/98 | PWE | |
| PB | PROC | ERP | ERP-140 APP 2 | 0022 | ASPEN EMERGENCY MESSAGE CANCELLED - REPLACED BY ERP-110 APP 1 | 08/06/98 | PWE | |
| PB | PROC | ERP | ERP-140 APP 3 | 0022 | DOSE ASSESSMENT TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2 | 08/20/92 | PWE | |
| PB | PROC | ERP | ERP-140 APP 4 | 0015 | CHEMISTRY SAMPLING & ANALYSIS TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2 | 08/20/92 | | |
| PB | PROC | ERP | ERP-140 APP 5 | 0014 | DAMAGE REPAIR TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2 | 08/20/92 | | |
| PB | PROC | ERP | ERP-140 APP 6 | 0013 | SECURITY TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2 | 08/20/92 | | |
| PB | PROC | ERP | ERP-140 APP 7 | 0017 | PERSONNEL SAFETY TEAM CANCELLED - REPLACED BY PIMS PRINTOUTS ISSUED MONTHLY PER RT/ERP-2 | 08/20/92 | | |
| PB | PROC | ERP | ERP-140 APP 8 | 0009 | COMPANY CONSULTANTS AND CONTRACTORS CANCELLED - INCLUDED IN EMERGENCY TELEPHONE DIRECTORY | 08/20/92 | | |
| PB | PROC | ERP | ERP-140 APP 9 | 0011 | NEARBY PUBLIC AND INDUSTRIAL USERS OF DOWNSTREAM WATER CANCELLED - INCLUDED IN EMERGENCY TELEPHONE DIRECTORY | 08/20/92 | | |
| PB | PROC | ERP | ERP-200 | 0017 | EMERGENCY DIRECTOR (ED) | 03/27/01 | PWE | |
| PB | PROC | ERP | ERP-200 APP 1 | 0004 | EMERGENCY DIRECTOR CHECKLIST (MCR) | 05/11/01 | PWE | |
| PB | PROC | ERP | ERP-200 APP 2 | 0005 | EMERGENCY DIRECTOR CHECKLIST (TSC) | 03/30/01 | PWE | |
| PB | PROC | ERP | ERP-200 APP 3 | 0004 | EVENT NOTIFICATION FORM | 07/10/00 | PWE | |
| PB | PROC | ERP | ERP-200 APP 4 | 0004 | STATION PUBLIC ADDRESS ANNOUNCEMENTS | 07/10/00 | PWE | |
| PB | PROC | ERP | ERP-200 APP 5 | 0005 | PAR DEVELOPMENT AND ISSUANCE | 04/25/01 | PWE | |
| PB | PROC | ERP | ERP-200 APP 6 | 0001 | DOSE ASSESSMENT DATA SHEET | 07/10/00 | | |
| PB | PROC | ERP | ERP-200 APP 7 | 0000 | TURNOVER/BRIEFING FORM | 07/10/00 | PWE | |
| PB | PROC | ERP | ERP-200 APP 8 | 0000 | MINIMUM STAFFING POSITIONS NECESSARY TO ACTIVATE THE TSC | 03/27/01 | PWE | |
| PB | PROC | ERP | ERP-205 | 0010 | EMERGENCY PREPAREDNESS COORDINATOR/TSC | 03/27/01 | PWE | |

PROCEDURE INDEX REPORT:

| FAC | DOC TYPE | PROC TYPE | PROCEDURE NUMBER | CURR REV NBR | TITLE | EFFECTIVE DATE | RESP GROUP | SYSTEM NBR |
|-----|----------|-----------|------------------|--------------|--|----------------|------------|------------|
| PB | PROC | ERP | ERP-206 | 0008 | SUPPORT SERVICES GROUP | 02/07/01 | PWE | |
| PB | PROC | ERP | ERP-210 | 0000 | TRIP TABLE COMMUNICATOR (TSC) | 09/12/97 | PWE | |
| PB | PROC | ERP | ERP-220 | 0006 | OPERATIONS GROUP | 10/05/95 | PWE | |
| PB | PROC | ERP | ERP-230 | 0016 | OPERATIONS SUPPORT CENTER (OSC) ACTIVATION | 10/07/98 | PWE | |
| PB | PROC | ERP | ERP-230 APP 1 | 0001 | PERSONNEL EXPOSURE LOG OPERATIONS SUPPORT CENTER (OSC) CANCELLED - NO REPLACEMENT | 11/28/95 | PWE | |
| PB | PROC | ERP | ERP-250 | 0011 | TECHNICAL SUPPORT CENTER (TSC) ACTIVATION CANCELLED - NO REPLACEMENT | 10/14/93 | | |
| PB | PROC | ERP | ERP-300 | 0007 | DOSE ASSESSMENT TEAM LEADER (DATL) CANCELLED - NO REPLACEMENT | 09/23/94 | PWE | |
| PB | PROC | ERP | ERP-301 | 0006 | DOSE ASSESSMENT COORDINATOR (DAC) | 04/25/01 | PWE | |
| PB | PROC | ERP | ERP-305 | 0004 | DOSE ASSESSMENT GROUP LEADER (DAGL) CANCELLED - NO REPLACEMENT | 03/12/93 | | |
| PB | PROC | ERP | ERP-306 | 0000 | LIMERICK RESPONSE FOR SHIFT DOSE ASSESSMENT PERSONNEL (SDAP) | 06/30/00 | PWE | |
| PB | PROC | ERP | ERP-310 | 0007 | DOSE ASSESSMENT GROUP CANCELLED - NO REPLACEMENT | 09/23/94 | PWE | |
| PB | PROC | ERP | ERP-315 | 0014 | OPERATION OF THE DOSE ASSESSMENT COMPUTER | 04/24/00 | PWE | |
| PB | PROC | ERP | ERP-318 | 0001 | LIQUID RELEASE DOSE CALCULATIONS AT DOWNSTREAM WATER INTAKE FACILITIES CANCELLED - REPLACED BY ERP-360 | 06/18/93 | | |
| PB | PROC | ERP | ERP-319 | 0001 | LIQUID RELEASE DOSE CALCULATIONS FOR FISH INGESTION CANCELLED - REPLACED BY ERP-360 | 06/18/93 | | |
| PB | PROC | ERP | ERP-325 | 0005 | SHIFT DOSE ASSESSMENT PERSONNEL | 08/25/98 | PWE | |
| PB | PROC | ERP | ERP-325 APP 1 | 0000 | CANCELLED - REPLACED BY MESOREM PROGRAM | 03/03/95 | PWE | |
| PB | PROC | ERP | ERP-330 | 0009 | FIELD SURVEY GROUP LEADER (FSGL) CANCELLED - NO REPLACEMENT | 09/23/94 | PWE | |
| PB | PROC | ERP | ERP-340 | 0006 | FIELD SURVEY GROUP | 03/19/97 | PWE | |
| PB | PROC | ERP | ERP-340 APP 1 | 0005 | FIELD SURVEY DATA SHEET | 08/29/00 | PWE | |
| PB | PROC | ERP | ERP-360 | 0000 | RADIOACTIVE LIQUID RELEASE CANCELLED - REPLACED BY ERP-315 | 06/23/94 | | |
| PB | PROC | ERP | ERP-400 | 0006 | CHEMISTRY TEAM LEADER (CTL) | 01/20/00 | PWE | |
| PB | PROC | ERP | ERP-410 | 0009 | CHEMISTRY GROUP | 04/30/98 | PWE | |
| PB | PROC | ERP | ERP-410 APP 1 | 0000 | CHEMISTRY SAMPLE CHECK-OFF LIST CANCELLED - REPLACED BY ERP-410 | 12/11/96 | PWE | |
| PB | PROC | ERP | ERP-410 APP 2 | 0000 | CHEMISTRY SAMPLE AND ANALYSIS LOG SHEET CANCELLED - REPLACED BY ERP-410 | 12/11/96 | PWE | |
| PB | PROC | ERP | ERP-500 | 0010 | SECURITY TEAM LEADER (STL) | 04/24/00 | PWE | |
| PB | PROC | ERP | ERP-510 | 0009 | PERSONNEL ACCOUNTABILITY CANCELLED - NO REPLACEMENT | 11/28/95 | PWE | |
| PB | PROC | ERP | ERP-520 | 0005 | SECURITY GROUP LEADERS | 11/28/95 | PWE | |
| PB | PROC | ERP | ERP-520 APP 1 | 0000 | UNIT 1 PERSONNEL LOG CANCELLED - NO REPLACEMENT | 11/28/95 | PWE | |
| PB | PROC | ERP | ERP-600 | 0013 | HEALTH PHYSICS TEAM LEADER (HPTL) | 07/07/99 | PWE | |
| PB | PROC | ERP | ERP-610 | 0004 | FIRST AID/SEARCH AND RESCUE GROUP CANCELLED - NO REPLACEMENT | 02/05/93 | | |
| PB | PROC | ERP | ERP-620 | 0012 | HEALTH PHYSICS GROUP | 10/13/00 | PWE | |
| PB | PROC | ERP | ERP-620 APP 1 | 0000 | HABITABILITY STATUS LOG SHEET | 11/05/93 | PWE | 101 |
| PB | PROC | ERP | ERP-620 APP 2 | 0000 | ARM STATUS LOG | 11/05/93 | PWE | 100 |
| PB | PROC | ERP | ERP-620 APP 3 | 0002 | HEALTH PHYSICS BRIEFING GUIDE | 09/04/98 | PWE | |
| PB | PROC | ERP | ERP-620 APP 4 | 0000 | ACCESS BRIEFING GUIDE CANCELLED - NO REPLACEMENT | 05/08/96 | PWE | |
| PB | PROC | ERP | ERP-630 | 0003 | DOSIMETRY, BIOASSAY, AND RESPIRATORY PROTECTION GROUP CANCELLED - NO REPLACEMENT | 03/18/93 | | |
| PB | PROC | ERP | ERP-640 | 0006 | VEHICLE AND EVACUEE CONTROL GROUP | 05/28/97 | PWE | |
| PB | PROC | ERP | ERP-640 APP 1 | 0000 | CONTAMINATED VEHICLE SURVEY FORM CANCELLED - NO REPLACEMENT | 05/28/97 | PWE | |
| PB | PROC | ERP | ERP-640 APP 2 | 0000 | UNCONTAMINATED VEHICLE FORM CANCELLED - NO REPLACEMENT | 05/28/97 | PWE | |
| PB | PROC | ERP | ERP-650 | 0006 | TRANSPORT OF CONTAMINATED INJURY OFF-SITE | 11/27/96 | PWE | |
| PB | PROC | ERP | ERP-660 | 0007 | ENTRY FOR EMERGENCY REPAIR AND OPERATIONS CANCELLED - REPLACED BY ERP-620 | 07/11/94 | | |
| PB | PROC | ERP | ERP-670 | 0004 | EMERGENCY RADIATION EXPOSURE GUIDELINES AND CONTROLS | 12/11/96 | PWE | |

PROCEDURE INDEX REPORT:

| FAC | DOC TYPE | PROC TYPE | PROCEDURE NUMBER | CURR REV NBR | TITLE | EFFECTIVE DATE | RESP GROUP | SYSTEM NBR |
|-----|-------------|--------------|------------------|--------------------|--|-------------------|---------------|---------------|
| PB | PROC | ERP | ERP-680 | | 0007 CONTROL OF THYROID BLOCKING POTASSIUM IODIDE (KI) TABLETS | 09/22/00 | PWE | |
| PB | PROC | ERP | ERP-680 APP 1 | | 0001 POTASSIUM IODIDE WORKSHEET | 02/20/97 | PWE | |
| PB | PROC | ERP | ERP-680 APP 2 | | 0000 POTASSIUM IODIDE CONSENT FORM | 11/30/94 | PWE | |
| PB | PROC | ERP | ERP-680 APP 3 | | 0001 INSTRUCTION AND RECORD SHEET FOR PERSONS RECEIVING KI | 02/20/97 | PWE | |
| PB | PROC | ERP | ERP-680 APP 4 | | 0001 KI AUTHORIZATION | 02/20/97 | PWE | |
| PB | PROC | ERP | ERP-700 | | 0010 TECHNICAL SUPPORT TEAM | 09/22/00 | PWE | |
| PB | PROC | ERP | ERP-710 | | 0008 TECHNICAL SUPPORT GROUP CANCELLED - REPLACED BY ERP-700 | 11/02/98 | PWE | |
| PB | PROC | ERP | ERP-800 | | 0006 OPERATIONS SUPPORT CENTER DIRECTOR (OSC DIRECTOR) | 10/07/98 | PWE | |
| PB | PROC | ERP | ERP-810 | | 0011 MAINTENANCE TEAM | 07/07/99 | PWE | |

** END OF REPORT **