

Dr. Pat C. Upson
Managing Director, Technical, Urenco
Deputy Chairman, LES Partnership
Urenco Limited
18 Oxford Road
Marlow Bucks
SL7 2NL
England

Dear Dr. Upson:

Thank you for your letter dated December 17, 2001, notifying me of your intent to submit a license to build and operate an enrichment facility in the United States. Based on this letter we have assigned Mr. Timothy Johnson as your point of contact. Mr. Johnson can be reached by phone on (301) 415-7299 or e-mail at TCJ @ NRC.gov.

We also strongly support your desire to hold pre-application meetings to discuss key policy and regulatory issues prior to your submission of your license application. A key issue to be discussed at these meetings is the recent changes to U.S. Nuclear Regulatory Commission's (NRC's) regulations contained in 10 CFR Part 70. In particular, the recently revised 10 CFR Part 70 contains requirements for conducting an integrated safety assessment that did not exist when the staff last reviewed an application for a gas centrifuge enrichment facility. Another key issue relates to potential changes in NRC's physical security requirements based on the top to bottom review of current requirements in the aftermath of the September 11, 2001, terrorist attacks.

The NRC is looking forward to working with you on this project and encourage you to contact Mr. Johnson to set up the first pre-application meeting.

Sincerely,

William D. Travers
Executive Director
for Operations

Dr. Pat C. Upson
Managing Director, Technical, Urenco
Deputy Chairman, LES Partnership
Urenco Limited
18 Oxford Road
Marlow Bucks
SL7 2NL
England

Dear Dr. Upson:

Thank you for your letter dated December 17, 2001, notifying me of your intent to submit a license to build and operate an enrichment facility in the United States. Based on this letter we have assigned Mr. Timothy Johnson as your point of contact. Mr. Johnson can be reached by phone on (301) 415-7299 or e-mail at TCJ @ NRC.gov.

We also strongly support your desire to hold pre-application meetings to discuss key policy and regulatory issues prior to your submission of your license application. A key issue to be discussed at these meetings is the recent changes to U.S. Nuclear Regulatory Commission's (NRC's) regulations contained in 10 CFR Part 70. In particular, the recently revised 10 CFR Part 70 contains requirements for conducting an integrated safety assessment that did not exist when the staff last reviewed an application for a gas centrifuge enrichment facility. Another key issue relates to potential changes in NRC's physical security requirements based on the top to bottom review of current requirements in the aftermath of the September 11, 2001, terrorist attacks.

The NRC is looking forward to working with you on this project and encourage you to contact Mr. Johnson to set up the first pre-application meeting.

Sincerely,

William D. Travers
Executive Director
for Operations

DISTRIBUTION: (G20010572)

ADAMS PUBLIC SPB r/f FCSS r/f-t/f NMSS Dir.Off r/f EDO r/f KCyr OGC
PNorry EDO SBurns OGC CPoland PTressler WTravers

ADAMS Package NO: **ML020040148** Upson Ltr: **ML020040222** EDO Ticket : **ML013600389**
DOCUMENT NAME: G:\SPB\HMA\Upsonltr.wpd *SEE PREVIOUS CONCURRENCE.

| | | | | | | | | | | |
|-------------|------------|--|-----------|--|-----------|--|-----------|--|----------|--|
| OFC | SPB* | | SPB* | | SPB* | | Tech Ed* | | SPB* | |
| NAME | HAswood:dw | | DAHoadley | | JGitter | | EKraus | | ELeeds | |
| DATE | 1/ 04 /02 | | 1/ 07 /02 | | 1/ 04 /02 | | 1/ 07 /02 | | 1/04 /02 | |

| | | | | | | | | |
|-------------|-----------|--|-----------|--|-------------|--|----------|--|
| OFC | FCSS* | | NMSS | | DEDMRS | | EDO | |
| NAME | MWeber | | MVirgilio | | CPaperiello | | WTravers | |
| DATE | 1/ 09 /02 | | 1/ /02 | | 1/ /02 | | 1/ /02 | |

OFFICIAL RECORD COPY