

January 9, 2002

Mr. Oliver D. Kingsley, President  
Exelon Nuclear  
Exelon Generating Company, LLC  
LaSalle Nuclear Power Station  
4300 Winfield Road  
Warrenville, IL 60555

SUBJECT: DELAY OF LASALLE SAFETY SYSTEM DESIGN AND PERFORMANCE  
CAPABILITY INSPECTION

Dear Mr. Kingsley:

This is in response to your letter dated January 4, 2002, requesting that NRC reschedule the LaSalle Safety System Design and Performance Capability inspection which is currently scheduled for April 29 through May 10, 2002. Your letter stated that the basis for this request was the Exelon Generation Company (EGC), LLC, decision to replace 100 percent of its LaSalle County Station, Unit 2, Safety Relief Valves in maintenance outage L2P01, currently scheduled for April 9 through 28, 2002. After review of the reasons for rescheduling the inspection, including NRC staffing capabilities and agreement by another licensee to take the time slot, we agree to defer the inspection. We will inform you of the revised date at a later time.

If you have questions regarding the NRC actions discussed above, please contact Mr. Ronald Gardner at 630-829-9751.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/NRC/ADAMS/index.html> (the Public Electronic Reading Room).

Sincerely,

**/RA/**

John A. Grobe, Director  
Division of Reactor Safety

Docket Nos. 50-373; 50-374  
License Nos. NPF-11; NPF-18

See Attached Distribution

Mr. Oliver D. Kingsley, President  
Exelon Nuclear  
Exelon Generating Company, LLC  
Quad Cities Nuclear Power Station  
4300 Winfield Road  
Warrenville, IL 60555

SUBJECT: DELAY OF LASALLE SAFETY SYSTEM DESIGN AND PERFORMANCE  
CAPABILITY INSPECTION

Dear Mr. Kingsley:

This is in response to your letter dated January 4, 2002, requesting that NRC reschedule the LaSalle Safety System Design and Performance Capability inspection which is currently scheduled for April 29 through May 10, 2002. Your letter stated that the basis for this request was the Exelon Generation Company (EGC), LLC, decision to replace 100 percent of its LaSalle County Station, Unit 2, Safety Relief Valves in maintenance outage L2P01, currently scheduled for April 9 through 28, 2002. After review of the reasons for rescheduling the inspection, including NRC staffing capabilities and agreement by another licensee to take the time slot, we agree to defer the inspection. We will inform you of the revised date at a later time.

If you have questions regarding the NRC actions discussed above, please contact Mr. Ronald Gardner at 630-829-9751.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/NRC/ADAMS/index.html> (the Public Electronic Reading Room).

Sincerely,

/RA/

John A. Grobe, Director  
Division of Reactor Safety

Docket Nos. 50-373; 50-374  
License Nos. NPF-11; NPF-18

See Attached Distribution

DOCUMENT NAME: C:\Program Files\Adobe\Acrobat 4.0\PDF Output\Las 010902DRS.wpd

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

|        |             |  |          |  |          |  |          |  |
|--------|-------------|--|----------|--|----------|--|----------|--|
| OFFICE | RIII        |  | RIII     |  | RIII     |  | RIII     |  |
| NAME   | RGardner:jb |  | AVegel   |  | BBurgess |  | JGrobe   |  |
| DATE   | 01/09/02    |  | 01/09/02 |  | 01/09/02 |  | 01/09/02 |  |

**OFFICIAL RECORD COPY**

cc: W. Bohlke, Senior Vice President, Nuclear Services  
C. Crane, Senior Vice President - Mid-West Regional  
J. Cotton, Senior Vice President - Operations Support  
J. Benjamin, Vice President - Licensing and Regulatory Affairs  
R. Hovey, Operations Vice President  
J. Skolds, Chief Operating Officer  
R. Krich, Director - Licensing  
R. Helfrich, Senior Counsel, Nuclear  
DCD - Licensing  
C. Pardee, Site Vice President  
M. Schiavoni, Station Manager  
W. Riffer, Regulatory Assurance Supervisor  
M. Aguilar, Assistant Attorney General  
Illinois Department of Nuclear Safety  
State Liaison Officer  
Chairman, Illinois Commerce Commission

cc: W. Bohlke, Senior Vice President, Nuclear Services  
C. Crane, Senior Vice President - Mid-West Regional  
J. Cotton, Senior Vice President - Operations Support  
J. Benjamin, Vice President - Licensing and Regulatory Affairs  
R. Hovey, Operations Vice President  
J. Skolds, Chief Operating Officer  
R. Krich, Director - Licensing  
R. Helfrich, Senior Counsel, Nuclear  
DCD - Licensing  
C. Pardee, Site Vice President  
M. Schiavoni, Station Manager  
W. Riffer, Regulatory Assurance Supervisor  
M. Aguilar, Assistant Attorney General  
Illinois Department of Nuclear Safety  
State Liaison Officer  
Chairman, Illinois Commerce Commission

ADAMS Distribution:

AJM  
DFT  
DMS6  
RidsNrrDipmlipb  
GEG  
HBC  
ERD  
DRPIII  
DRSIII  
PLB1  
JRK1