



Stephen A. Byrne
Senior Vice President, Nuclear Operations
803.345.4622

RECEIVED

702 JUN 22 AM 9:17

December 20, 2001
RC-01-0204

Rules and Directives

11/9/01

66 FR 56721

(19)

Chief, Rules and Directives Branch
Division of Administrative Services
Mailstop T 6 D 59
U. S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Gentlemen:

SUBJECT: VIRGIL C. SUMMER NUCLEAR STATION
DOCKET NO. 50-395
OPERATING LICENSE NO. NPF-12
COMMENTS ON THE DRAFT SUPPLEMENT TO THE FINAL
GENERIC ENVIRONMENTAL IMPACT STATEMENT ON
DECOMMISSIONING OF NUCLEAR FACILITIES

Reference: Draft Supplement 1 to NUREG-0586, "Final Generic Environmental
Impact Statement on Decommissioning of Nuclear Facilities"
November 9, 2001, Federal Register, 66-FR-56721

South Carolina Electric & Gas (SCE&G) company offers the following comments
on the above-mentioned document.

Page 3-24 mentions the containment ceiling being lowered to the top of the
pressurizer for a PWR under the ENTOMB2 option. Appendix E, page 9 lists this
action as optional. This action needs to clearly be listed as optional on pages
3-24, 3-25, and 3-31. SCE&G believes this action should be optional as listed in
Appendix E due to the extreme effort to lower the ceiling of a massive building
such as the reactor building and yet maintain it intact for entombment purposes.

Also, on page 3-24 "low density concrete grout" is mentioned. Grout is not
lightweight, but concrete can make use of lightweight large aggregate to lower
the weight per volume. Therefore, SCE&G recommends concrete be used in
place of grout on pages 3-24, 3-25, 3-31, and 3-33.

Template = ADM

E-RIDS = ADM-03
Add = M. Masnik (MTM2)

Nuclear Regulatory Commission
0-L-99-0290
RC-01-0204
Page 2 of 2

If you have any questions, please call Chris Crowley of my staff at (803) 345-4409.

Very truly yours,



Stephen A. Byrne

CAC/SAB/mb

c: N. O. Lorick
N. S. Carns
T. G. Eppink
R. J. White
L. A. Reyes
R. R. Assa
NRC Resident Inspector
K. M. Sutton
W. R. Higgins
RTS (0-L-99-0290 #4)
File (811.10)
DMS (RC-01-0204)