

DEC 17 2001  
LRN-01-0425



U. S. Nuclear Regulatory Commission  
Document Control Desk  
Washington, DC 20555

Gentlemen:

**MONTHLY OPERATING REPORT  
SALEM GENERATING STATION UNIT 1  
DOCKET NO. 50-272**

In compliance with Section 6.9, Reporting Requirements for the Salem Unit 1 Technical Specifications, the operating statistics for **November 2001** are being forwarded.

Sincerely,

A handwritten signature in black ink, appearing to read "D. F. Garchow", written in a cursive style.

D. F. Garchow  
Vice President - Operations

RAR  
Attachments

C Distribution

IE24  
Rec'd  
01/23/02

## INDEX

<u>SECTION</u>	<u>NUMBER OF PAGES</u>
Operating Data Report .....	1
Monthly Operating Summary .....	1

DOCKET NO.: 50-272  
 UNIT: Salem 1  
 DATE: 12/14/01  
 COMPLETED BY: F. Todd  
 TELEPHONE: (856) 339-1316

Reporting Period November 2001

### OPERATING DATA REPORT

Design Electrical Rating (MWe-Net)  
 Maximum Dependable Capacity (MWe-Net)

No. of hours reactor was critical  
 No. of hours generator was on line (service hours)  
 Unit reserve shutdown hours  
 Net Electrical Energy (MWH)

1130		
1096		
Month	Year-to-date	Cumulative
720	6475	133484
720	6372	128951
0	0	0
775164	6870348	130444323

### UNIT SHUTDOWNS

NO.	DATE	TYPE F=FORCED S=SCHEDULED	DURATION (HOURS)	REASON (1)	METHOD OF SHUTTING DOWN THE REACTOR (2)	CORRECTIVE ACTION/ COMMENT

(1) Reason

- A - Equipment Failure (Explain)
- B - Maintenance or Test
- C - Refueling
- D - Regulatory Restriction
- E - Operator Training/License Examination
- F - Administrative
- G - Operational Error (Explain)
- H - Other

(2) Method

- 1 - Manual
- 2 - Manual Trip/Scram
- 3 - Automatic Trip/Scram
- 4 - Continuation
- 5 - Other (Explain)

DOCKET NO.: 50-272  
UNIT: Salem 1  
DATE: 12/14/01  
COMPLETED BY: R. Ritzman  
TELEPHONE: (856) 339-1445

### **Summary Of Monthly Operating Experience**

- Salem 1 began the month at 100% power.
- On November 5, power was reduced to 78% due to solar magnetic disturbance (SMD) and returned to 100% on November 6.
- On November 11, power was reduced to 82% due to a scheduled line outage. Power was further reduced for scheduled work on the 11 Condensate pump. Power was returned to 100% on November 17.
- On November 24, power was reduced to 78% power due to solar magnetic disturbance (SMD) and returned to 100% later that day.
- Salem 1 remained at 100% for the balance of the month.
- At the end of the month, Salem 1 completed 45 days of consecutive on-line operation.