

REPLY TO
ATTENTION OF:

DEPARTMENT OF THE ARMY
US ARMY CHEMICAL SCHOOL
401 MANSCEN LOOP
FORT LEONARD WOOD, MISSOURI 65473-8026

Health Physics Office

26 March 2002

U. S. Nuclear Regulatory Commission, Region II
Ms. Orysia Masnyk Bailey
Division of Nuclear Materials Safety
Sam Nunn Atlanta Federal Building
61 Forsyth Street SW Suite 23T85
Atlanta, GA 30303-8931

Dear Ms Bailey:

Request that NRC Materials License number 01-02861-05, docket number 030-17584, be amended. Request that the area adjacent to building 3202 on Pelham range be approved as a storage area for shipping containers awaiting transport. The area is the Security Operational Test Site, located on Gate 5 road and is no longer in use. The area encompasses the parking lot of building 3202 and is located at approximately 33° 44.770' North by 85° 56.176' West. The exterior of the containers will be checked for contamination prior to being placed at this new site. After all containers have been removed from this new site a walking survey using a scintillation detector will be conducted.

If you have any questions or require clarification on any of the information above, contact Mr. John May at (573) 596-0131 extension 3-6224.

Sincerely,

A handwritten signature in black ink, reading "John W. May", is positioned above the typed name.

John W. May
Health Physics Manager