



**GE Nuclear Energy**

Nuclear Services  
175 Curtner Ave. M/C 747  
San Jose, CA 95125  
(408) 925-1913, Fax (408) 925-6710  
E-mail: george.stramback@gene.ge.com

MFN 02-022  
April 10, 2002

U.S. Nuclear Regulatory Commission  
Document Control Desk  
Washington, D.C. 20555-0001

Attention: Chief, Information Management Branch  
Program Management  
Policy Development and Analysis Staff

Subject: Request to Reschedule the Review of GE Proprietary Licensing Topical Report  
NEDC-33006P, "General Electric Boiling Water Reactor Maximum Extended  
Load Line Limit Analysis Plus," January 2002

This letter is to request that the NRC reschedule the review of the Reference 1 MELLLA+ LTR to commence with the submittal of the new Stability LTR.


In January of 2002, GE submitted the MELLLA+ LTR (Reference 1) to the NRC. The existing MELLLA+ LTR does not explicitly address stability. As stated in the Reference 1 letter, there are generic BWR stability issues that have not been resolved (Reference 2) and are currently being addressed. The stability issues are recognized as important to the implementation of MELLLA+. Therefore, the MELLLA+ LTR review should be rescheduled.

On March 27, 2002 GE met with the NRC to present a new GE proposed technical solution for stability (Reference 3); this technical solution would apply to MELLLA+. At the same meeting, GE presented a schedule for submittal of a new LTR to document the technical stability solution by June 2002. The MELLLA+ LTR will be revised to utilize this stability solution. Therefore, GE requests that the NRC reschedule the review of the Reference 1 MELLLA+ LTR to June 2002.

GE will schedule a kickoff meeting coincident with the submittal of the Stability LTR and the revision of the MELLLA+ LTR.

If you have any questions about the information provided here please contact PT Tran at (408) 925-3348, or myself.

Sincerely,



George Stramback  
Regulatory Services, Project Manager  
GE Nuclear Energy  
(408) 925-1913  
[george.stramback@gene.ge.com](mailto:george.stramback@gene.ge.com)

References:

1. MFN 02-003, Letter from Jim Klapproth (GE) to the NRC, *Submittal of GE Proprietary Licensing Topical Report NEDC-33006P, "General Electric Boiling Water Reactor Maximum Extended Load Line Limit Analysis Plus*, January 2002."
2. MFN 01-046, Letter from Jason Post to the NRC, *Stability Reload Licensing Calculation Using Generic DIVOM Curve*, August 31, 2001
3. MFN 02-018, Letter from George Stramback (GE) to the NRC, *GE Presentation Slides (Proprietary Information) Re: MELLLA+ Stability & ATWS Pressure with TRACG*, dated March 27, 2002.

cc: JE Donoghue – USNRC  
JF Klapproth  
I Nir  
PT Tran