

#### 4.6.2 LONG-TERM STORAGE ALTERNATIVES

Tables 4.6.2-1 through 4.6.2-6 present the maximum requirements for key environmental resources. The following paragraphs discuss the unique impacts related to each alternative evaluated.

**Table 4.6.2-1. Maximum Incremental Direct Employment Over No Action Generated During Operation at Each Candidate Site**

Site	Total Site Employment in 2005	Upgrade	Consolidation	Collocation
Hanford	14,586	252 <sup>a</sup>	443	572
NTS	3,800	NA	527 <sup>b</sup>	641 <sup>b</sup>
INEL	6,911	116 <sup>a</sup>	432	561
Pantex	3,559	90 <sup>c</sup>	509 <sup>b</sup>	601
ORR	18,010	111	<sup>d</sup>	566 <sup>e</sup>
SRS	16,562	30 <sup>f</sup>	485	614

<sup>a</sup> Upgrade with RFETS and LANL material.

<sup>b</sup> Construct new and modify existing facilities.

<sup>c</sup> Upgrade with RFETS and LANL materials. Actual number of employees during operation could be higher.

<sup>d</sup> Since HEU is currently stored at ORR, the Consolidation and Collocation Alternatives would be the same.

<sup>e</sup> Construct new Pu and HEU facilities.

<sup>f</sup> Workers would be supplied from existing workforce.

Note: NA=not applicable.

**Table 4.6.2-2. Maximum Annual Net Incremental Water Usage Over No Action During Operation at Each Candidate Site**

Site	Water Usage in 2005 (MLY)	Upgrade (MLY)	Consolidation (MLY)	Collocation (MLY)
Hanford	195	8.9 <sup>a</sup>	110	150
NTS	2,400	NA	130 <sup>b</sup>	190 <sup>b</sup>
INEL	7,570	22 <sup>a</sup>	66	87
Pantex	249	110 <sup>a</sup>	110 <sup>c</sup>	130
ORR	14,760	0.24	<sup>d</sup>	360 <sup>e</sup>
SRS	13,247	7.1 <sup>a</sup>	360	460

<sup>a</sup> Upgrade with RFETS and LANL material.

<sup>b</sup> Modify P-Tunnel.

<sup>c</sup> Construct new and modify existing facilities.

<sup>d</sup> Since HEU is currently stored at ORR, the Consolidation and Collocation Alternatives would be the same.

<sup>e</sup> Construct new Pu and HEU facilities.

Note: NA=not applicable.

**Table 4.6.2-3. Maximum Annual Net Incremental Volume of Solid Low-Level Waste Generated Over No Action During Operation at Each Candidate Site**

Site	Water Generation	Upgrade	Consolidation	Collocation
	in 2005 (m <sup>3</sup> )			
Hanford	3,390	89 <sup>a</sup>	1,260	1,300
NTS	15,000	NA	1,260	1,300
INEL	7,200	500 <sup>a</sup>	1,260	1,300
Pantex	32	1,260 <sup>a</sup>	1,260	1,300
ORR	7,320	3	<sup>b</sup>	1,300 <sup>c</sup>
SRS	16,400	0 <sup>a</sup>	1,220 <sup>d</sup>	1,260 <sup>d</sup>

<sup>a</sup> Upgrade with RFETS and LANL material.

<sup>b</sup> Since HEU is currently at ORR, the Consolidation and Collocation Alternatives would be the same.

<sup>c</sup> Construct new Pu and HEU facilities.

<sup>d</sup> Net waste from new facility and from phaseout of existing facility.

Note: NA=not applicable.

**Table 4.6.2-4. Maximum Annual Net Incremental Volume of Solid Transuranic Waste Generated Over No Action During Operation at Each Candidate Site**

Site	Water Generation	Upgrade	Consolidation	Collocation
	in 2005 (m <sup>3</sup> )			
Hanford	271	21 <sup>a</sup>	10	10
NTS	0	NA	10	10
INEL	3.5	2 <sup>a</sup>	10	10
Pantex	0	10 <sup>a</sup>	10	10
ORR	119	0	<sup>b</sup>	10
SRS	338	0	2 <sup>c</sup>	2 <sup>c</sup>

<sup>a</sup> Upgrade with RFETS and LANL material.

<sup>b</sup> Since HEU is currently stored at ORR, the Consolidation and Collocation Alternatives would be the same.

<sup>c</sup> Net waste from new facility and phaseout of existing facility.

Note: NA=not applicable.

**Table 4.6.2-5. Maximum Annual Net Incremental Volume of Solid Hazardous Waste Generated Over No Action During Operation at Each Candidate Site**

Site	Water Generation	Upgrade	Consolidation	Collocation
	in 2005 (m <sup>3</sup> )			
Hanford	560	4	2	2
NTS	212	NA	2	2
INEL	1,200	1	2	2
Pantex	31	2 <sup>a</sup>	2	2
ORR	26	0.8 <sup>b</sup>	<sup>c</sup>	2
SRS	15,100	0.8 <sup>a</sup>	2	2

<sup>a</sup> Upgrade with RFETS and LANL material.

<sup>b</sup> Solid hazardous material includes mixed low-level waste at ORR.

<sup>c</sup> Since HEU is currently stored at ORR, the Consolidation and Collocation Alternatives would be the same.

Note: NA=not applicable.

**Table 4.6.2–6. Maximum Latent Cancer Fatalities Over No Action for Maximally Exposed Individual for 50 Years From Normal Operation**

Site	Risk of Fatal			
	Cancer in 2005	Upgrade	Consolidation	Collocation
Hanford	$1.0 \times 10^{-8}$	$4.5 \times 10^{-11}$	$6.2 \times 10^{-11}$	$6.2 \times 10^{-11}$
NTS	$1.0 \times 10^{-7}$	NA	$1.4 \times 10^{-10}$	$1.4 \times 10^{-10}$
INEL	$4.4 \times 10^{-7}$	$1.3 \times 10^{-11}$	$4.0 \times 10^{-11}$	$4.0 \times 10^{-11}$
Pantex	$1.5 \times 10^{-9}$	$4.5 \times 10^{-13}$	$2.4 \times 10^{-10}$	$2.4 \times 10^{-10}$
ORR	$3.5 \times 10^{-8}$	$5.5 \times 10^{-13}$	<sup>a</sup>	$1.1 \times 10^{-9}$
SRS	$2.0 \times 10^{-5}$	$2.1 \times 10^{-10}$	$3.5 \times 10^{-10}$	$3.5 \times 10^{-10}$

<sup>a</sup> Since HEU is currently stored at ORR, the Consolidation and Collocation Alternatives would be the same.

Note: NA=not applicable.

#### 4.6.2.1 No Action

The No Action Alternative, which would continue existing storage practices, would have no or negligible impacts to land resources at all of the DOE sites under consideration. Land use would conform with existing land-use plans, policies, and controls, and the landscape character would remain compatible. The No Action Alternative would not affect site infrastructure and waste management facilities beyond the normal, scheduled maintenance, repair, and upgrades. Most of the DOE sites under consideration are operating at or below their respective site infrastructure and waste management capacities.

Air emissions from continuing operations would continue to affect local air quality, but the sites are expected to continue to comply with the ambient air quality standards and guidelines. Noise emissions from ongoing operations are consistent with the land-use categories and do not violate any existing local government noise standards. Geology and soils are not being affected by ongoing operations.

Biological resources and cultural and paleontological resources would experience no or negligible impacts from the No Action Alternative. Most industrial areas of the DOE sites have already been heavily disturbed, so existing storage practices are not causing any further disturbance of cultural and paleontological resources or terrestrial plant communities. Any wildlife still inhabiting the area, including any threatened and endangered or other special status species, have adjusted to the existing environment, and continuing operations are unlikely to have any additional impacts. Under the No Action Alternative, surplus fissile materials would stay in place, so there would be no impact from intersite transportation. Due to ongoing changes in workforce size, the No Action Alternative could continue to generate employment impacts to the local communities surrounding the DOE sites under consideration.

[Text deleted.]

Impacts to water resources at Pantex result from the continued local drawdown of the Ogallala Aquifer, one of the largest aquifers in the western United States. By 2005, changes in activities and improvements in operation that will reduce Pantex's contribution to this drawdown are expected to decrease drawdown by approximately 70 percent from current levels. Neither surface nor groundwater resources at the other DOE sites would be affected.

#### 4.6.2.2 Upgrade

The Upgrade Alternative does not apply to NTS, RFETS or LANL. The implementation of the Upgrade Alternative would have no or negligible additional impacts to land resources, biological resources, and waste management at any of the remaining DOE sites under consideration. [Text deleted.]

The Upgrade Alternative would have the potential for additional impacts to air quality at Hanford (both options), INEL, Pantex, and SRS, because air pollutant concentrations would increase during construction and operations. Projected emissions would be lower at ORR. At all sites, projected emissions for both criteria and hazardous pollutants would not exceed, and would comply with ambient air quality standards and NESHAPS during both construction and operations. Cultural and paleontological resources at candidate DOE sites could be affected wherever there is ground disturbance due to construction activities, except at Hanford under the modification of existing facilities option, and at Pantex, where construction would be within an area that was previously disturbed. Operation of facilities may have some effect on Native American resources at Hanford, INEL, and SRS. Soil resources would be affected at DOE sites under consideration wherever ground disturbance due to construction activities occurs. Implementation of the Upgrade Alternative would have no or negligible impacts to geologic resources.

[Text deleted.]

Because of the continued depletion of the Ogallala Aquifer, water resources would be affected at Pantex. Either Upgrade Alternative (with or without RFETS and LANL material) would require additional water for construction and operation. However, this additional use, factored in with the projected decrease under No Action, would result in an overall decrease in water use at Pantex. Surface and groundwater resources at the other DOE sites would be adequate to meet the additional water requirements for this alternative.

#### 4.6.2.3 Consolidation

Under this alternative, there could be a temporary decrease in level of service on one or more local roads at INEL during construction. [Text deleted.] Air quality could potentially be affected at all DOE sites by construction and operations activities that would increase emissions, especially  $PM_{10}$  and TSP. The sites are expected to comply with ambient air quality standards and guidelines. At all of the DOE sites under consideration, cultural and paleontological resources could be affected wherever there is ground disturbance due to construction activities. Additionally, some Native American resources may be affected by facility operations at Hanford, NTS, INEL, Pantex, and SRS.

[Text deleted.]

The Consolidation Alternative would generate potential impacts on the following: land use at NTS under the P-Tunnel modification option; soil resources at all DOE sites considered; water resources at Pantex (both options); biological resources at Hanford, NTS under the new facility construction option, INEL, Pantex (both options), and SRS; and waste management at all sites. Land resources at NTS under the P-Tunnel modification option could have impacts on weapons effects testing ability. [Text deleted.]

At all of the DOE sites under consideration, soil resources would be affected by ground disturbance associated with construction activities. Because of the continued depletion of the Ogallala Aquifer, water resources would be affected at Pantex. This alternative would require an additional 110 million l/yr (29.1 million gal/yr). However, this additional use, factored in with the projected decrease under No Action, would result in an overall decrease in water use of 57 percent by 2005. Surface and groundwater resources at the other DOE sites would not be affected by this alternative.

With the exception of NTS (under the P-Tunnel modification option) and Pantex, where no or negligible impacts would occur, biological resources would experience impacts under the Consolidation Alternative at all of the DOE sites. There would be habitat loss, and some reptiles and small mammals would not be expected to survive the ground disturbance associated with construction activities. In addition, the potential exists for impacts to either federally or State-listed threatened and endangered or special status species at Hanford, NTS (under the new facility construction option), INEL, and SRS. There could be impacts to playa wetlands at Pantex (both



options). Impacts to waste management would occur at NTS (both options) and INEL where construction of utility and process wastewater treatment systems for nonhazardous liquid wastes would be required. In addition, NTS would require new sanitary lagoons.

#### **4.6.2.4 Collocation**

Under the Collocation Alternative, the level of service on one or more local roads would increase during construction at INEL, Pantex, and ORR (all three options). [Text deleted.] The potential for impacts to air quality would occur at all of the DOE sites due to increased levels of PM<sub>10</sub> and TSP emissions from construction and operation activities. The sites are expected to comply with ambient air quality standards and guidelines. Cultural and paleontological resources at all candidate sites could potentially be affected wherever there is ground disturbance due to construction activities at all of the DOE sites under consideration. Operation could potentially affect Native American resources at all sites.

[Text deleted.]

The Collocation Alternative would cause impacts to the following: land resources at NTS (under the P-Tunnel modification option) and ORR (all three options); soil resources at all DOE sites; water resources at Pantex; biological resources at all DOE sites except Pantex; and waste management at Hanford, NTS (both options), and INEL. Land use at NTS under the P-Tunnel modification option could have impacts on weapons effects testing ability. [Text deleted.] At ORR, construction and operation of the proposed sites for all three options could result in visual impacts to Bear Creek Road and Route 95 sensitive viewpoints and could cause the VRM classifications to change from Class 4 to Class 5.

At all of the DOE sites under consideration, soil resources would be affected by ground disturbance associated with construction activities. Because of the continued depletion of the Ogallala Aquifer, water resources would be affected at Pantex. This alternative would require an additional 130 million l/yr (34.3 million gal/yr). However, this additional use, factored in with the projected decrease under No Action, would result in an overall decrease in water use of 55 percent by 2005. Surface and groundwater resources at the other DOE sites would not be affected by this alternative.

With the exception of NTS (under the P-Tunnel modification option) and Pantex, where no or negligible impacts would occur, biological resources at all of the DOE sites would experience impacts under the Collocation Alternative. There would be habitat loss, and some reptiles and small mammals would not be expected to survive the ground disturbance associated with construction activities. In addition, the potential exists for impacts to either federally or State-listed threatened and endangered or special status species at, Hanford, NTS (under the new facility construction option), INEL, ORR, and SRS. There could be impacts to wetlands and aquatic resources at Pantex and ORR (all three options) from sediment runoff during construction.

Implementation of this alternative would require construction of sanitary, utility, and process wastewater treatment systems to treat nonhazardous liquid wastes at Hanford and at NTS under the new facility construction option. Under the P-Tunnel modification option at NTS, expansion of the Area 12 sanitary wastewater treatment facility would be required to treat liquid nonhazardous waste. Construction of utility and process wastewater treatment systems to treat nonhazardous liquid wastes would be required at INEL.

#### **4.6.2.5 Subalternative Not Including Strategic Reserve and Weapons Research and Development Materials**

If the strategic reserve and weapons R&D materials are not included, the incremental impacts would remain the same for some resources because the building would be approximately the same (for example, land, geology, cultural). For other resources the change would be minimal because there would be a slight decrease if the strategic reserve is not included (for example, radiological releases to the public). Other impacts are proportional to the amount of material being stored.

#### **4.6.2.6 Phaseout**

For both the Consolidation and Collocation Alternatives, storage of existing Pu and HEU materials at various sites would be phased out. In addition, storage of existing Pu and HEU materials would be phased out at LANL and RFETS as a result of some of the Upgrade Alternatives. Phaseout would have no or negligible impacts for all environmental resource and issue areas except cultural resources at all DOE sites other than Pantex, and public and occupational health and safety at all DOE sites. The impacts of intersite transportation are addressed under the Consolidation and Collocation Alternatives. For all DOE sites, with the exception of Pantex, phaseout could potentially affect cultural resources if any of the structures eligible for NRHP listing are modified or are not maintained. Currently, none of the affected structures in Zone 4 at Pantex are considered eligible for NRHP listing. All of the regional economic areas surrounding the affected DOE sites would experience a loss in employment with phaseout. However, compared to the total employment in these areas, the loss of jobs would be small and would have no or negligible impacts.

[Text deleted.] Phaseout of existing Pu storage facilities would reduce the impacts from radiological and chemical releases and exposures to levels slightly below the No Action levels for normal operations. All workers involved in the transfer of the Pu would be monitored to ensure that their doses remain within acceptable levels. However, the radiological dose to onsite workers and the public would be within radiological limits. The health risk to the public and onsite workers would be within hazardous chemical regulatory levels. However, there would be a potential for accidents during the phaseout process from Pu handling, packaging, and transportation that could affect workers and the public. These potential accidents and their consequences have been included in the intersite transportation analysis. As mentioned in the No Action Alternative, only under unusual wind conditions at SRS would low income and minority populations have the potential to be disproportionately affected by an accidental release. Potential intersite transportation impacts related to all DOE sites could occur because of the increased risk of traffic accident fatalities.

For air quality, there could be some short-term impacts resulting from handling and shipping operations, but overall, the elimination of storage alternatives is not expected to result in any long-term impacts.

[Text deleted.]

#### **4.6.3 DISPOSITION ALTERNATIVES**

[Text deleted.]

Table 4.6.3-1 represents the incremental impacts to key environmental resources for the activities common to disposition alternatives. Table 4.6.3-2 represents the incremental impacts to the same resources for each individual disposition alternative.

**Table 4.6.3-1. Incremental Net Increase During Operation for Activities Common to Disposition Alternatives**

Resource	Pit Disassembly/ Conversion Facility	Pu Conversion Facility	MOX Fuel Fabrication
Land area used (ha)	12	28	81
Water usage (MLY)	94.6	80.5	56.8
Maximum direct employment	830	883	500
Risk of fatal cancer for MEI from lifetime operations	$7.6 \times 10^{-10}$ to $7.0 \times 10^{-8}$	$4.8 \times 10^{-10}$ to $4.6 \times 10^{-8}$	$1.8 \times 10^{-7}$ to $7.8 \times 10^{-10}$
Solid TRU waste (m <sup>3</sup> /yr)	67	278	306
Solid LLW (m <sup>3</sup> /yr)	102	1,743	153
Solid hazardous waste (m <sup>3</sup> /yr)	0.7	11	153
Spent nuclear fuel <sup>a</sup> (t/yr)	0	0	0

<sup>a</sup> Residual heavy metal content.

#### 4.6.3.1 Activities Common to Disposition Alternatives

Implementation of any of the disposition alternatives would require construction and operation of the pit disassembly/conversion facility or the Pu conversion facility, either at the same site or at two different sites. In addition, selection of any of the reactor alternatives would require construction of the MOX fuel fabrication facility, either collocated with the reactor or located at another site.

##### *Pit Disassembly/Conversion Facility*

Construction and operation of the pit disassembly facility would have no or negligible impacts to noise and geology at all of the DOE sites analyzed. The associated employment would generate minor socioeconomic benefits at all of the DOE sites.

Impacts to biological resources at each site are possible because of habitat loss associated with land disturbance. There is the potential for impacts to special status species at Hanford, to the desert tortoise at NTS, and playa wetlands at Pantex. At all of the DOE sites except ORR, cultural and paleontological resources could be affected wherever there is ground disturbance, especially in areas that have not been extensively surveyed. Operation may affect Native American resources at all sites except ORR. Waste management impacts could occur at Hanford, INEL, and SRS due to the increase in TRU waste shipments and onsite LLW disposal. A radioactive waste facility would be required at ORR, so potential impacts to waste management at ORR are possible. Impacts to waste management would occur at NTS and Pantex, where the pit disassembly/conversion facility would require construction of a radioactive waste management facility. Potential impacts from the pit disassembly/conversion facility to public and occupational health and safety exist from the radiological and hazardous chemical releases during normal operation. However, the annual radiological dose to onsite workers and the public would be within radiological limits. Similarly, the health risk to the public and onsite workers would be within hazardous chemical regulatory levels. As mentioned in the No Action Alternative discussion, only under unusual wind conditions at SRS would low income and minority populations have the potential to be disproportionately affected by accidental releases. Intersite transportation impacts related to all DOE sites could occur because of the increased risk of traffic accident fatalities.

Soil resources would be affected at all of the DOE sites under consideration due to ground disturbance associated with construction activities from the pit disassembly/conversion facility. Because this alternative would require an additional 946 million l/yr (25 million gal/yr) of water during operation, water resources would be affected at Pantex. Surface water and groundwater resources at the other DOE sites would be affected minimally by this alternative.

Table 4.6.3-2 Incremental Net Increase During Operation by Disposition Alternative<sup>a</sup>

Resource	Direct Disposition	Immobilized Disposition	Vitrification	Ceramic Immobilization	Electrometallurgical Treatment	5 Existing LWRs <sup>b,c</sup>	2 Partially Completed <sup>b</sup> LWRs	4 Evolutionary LWRs <sup>b</sup> (small)	2 Evolutionary LWRs <sup>b</sup> (Large)
Land area used (ha)	57	75.2	12	12	0	81	81	237	138
Water usage (MLY)	165.4	485.4	250	250	0	56.8	138,225	813-109,065	739-121,777
Maximum direct employment	342	1,180	768	860	83	700	1,775	2,500	2,160
Risk of fatal cancer for MEI from lifetime operations	$1.4 \times 10^{-14}$ to $4.7 \times 10^{-13}$	$9.7 \times 10^{-14}$ to $3.6 \times 10^{-12}$	$3.6 \times 10^{-11}$ to $1.3 \times 10^{-9}$	$6.0 \times 10^{-13}$ to $2.1 \times 10^{-11}$	$3.8 \times 10^{-9}$	$1.3 \times 10^{-7}$ to $2.3 \times 10^{-7c}$	$1.3 \times 10^{-5}$	$2.1 \times 10^{-7}$ to $2.4 \times 10^{-5}$	$2.9 \times 10^{-7}$ to $4.1 \times 10^{-5}$
Solid TRU waste (m <sup>3</sup> /yr)	0.2	151	99	99	6	306	306	306	306
Solid LLW (m <sup>3</sup> /yr)	5	29	14	14	55	153	267-1,427	1,233	1,153
Solid hazardous waste (m <sup>3</sup> /yr)	17	38	19	19	0.8	153	207	261	207
Spent nuclear fuel (t/yr) <sup>d</sup>	0	0	0	0	0	70	70	70.6	76.5

<sup>a</sup> Does not include activities common to all disposition alternatives (that is, the Pu conversion facility and the pit disassembly/conversion facility).

<sup>b</sup> Includes the MOX fuel fabrication facility and two to four reactors as indicated.

<sup>c</sup> For the existing LWR, the analysis assumes that two LEU reactor cores would be replaced with MOX cores. Between 3 and 5 reactors would be needed if the LEU core was only partially replaced with MOX fuel.

<sup>d</sup> Residual heavy metal content.

### ***Plutonium Conversion Facility***

The environmental impacts of constructing and operating the Pu conversion facility would be identical to those previously identified for the pit disassembly/conversion facility with the following exceptions. The employment associated with construction and operation would generate small socioeconomic benefits at all affected sites. At ORR, NTS, and Pantex, the Pu conversion facility would require construction of a radioactive waste management facility. At Pantex, water requirements for this alternative are slightly less than for the pit disassembly/conversion facility. Also, the annual radiological doses to the public would be slightly lower for the conversion facility than for the disassembly/conversion facility. The doses to onsite workers would be higher for the conversion facility, however, all doses to the public and to onsite workers would be within regulatory limits.

#### **4.6.3.2 Deep Borehole Category**

There are two deep borehole category alternatives: the Direct Disposition Alternative and the Immobilized Disposition Alternative. Both require drilling deep boreholes, 4 km (2.5 mi) or more in depth, into geologically stable rock below the water table. The borehole facility would be similar for both alternatives. No specific locations have been identified for the deep borehole facilities, therefore, environmental impacts are evaluated for a generic site. However, the public and occupational health and safety impacts include estimates using representative DOE sites for analysis purposes. The types and range of likely impacts have been identified, but site-specific impacts cannot be determined at this time. Requirements for both alternatives would be in addition to those presented for pit disassembly/conversion facility. The annual radiological doses to the public would be slightly lower for the conversion facility than for the disassembly/conversion facility. The doses to onsite workers would be higher for the conversion facility, however, all doses to the public and to onsite would be within regulatory limits.

##### **4.6.3.2.1 Direct Disposition**

Under the Direct Disposition Alternative, surplus Pu would be removed from storage, processed through the pit disassembly/conversion facility or the Pu conversion facility, packaged, and placed into a deep borehole. The environmental impacts of implementing this alternative would be the sum of impacts described previously for the pit disassembly/conversion facility and the Pu conversion facility, in addition to the impacts described below.

Infrastructure requirements could exceed current capacities. Air emissions, particularly PM<sub>10</sub> and TSP concentrations, would be expected to increase during the peak construction period. The potential exists for noise impacts from heavy construction equipment and increased traffic. Water resource requirements would increase during construction and operation, possibly affecting existing supplies, and surface water quality could be affected by discharge of wastewater. Geologic resources could be affected by restricted access, and soil disturbance would occur during construction. There would be a potential for biological resource impacts because of the loss of habitat and potential impacts to wetlands, aquatic resources, and special status species. Cultural resources could be affected whenever there is ground disturbance, especially in areas that have not been extensively surveyed. Operations may affect Native American resources. The associated employment would have a socioeconomic impact, and the level of service on local roadways could decline during construction.

Potential impacts from the Direct Disposition Alternative to public and occupational health and safety exist from the radiological and hazardous chemical releases during normal operations. However, the annual radiological dose to onsite workers and the public would be within radiological limits. The health risk to the public and onsite workers would be within hazardous chemical regulatory levels. Environmental justice impacts are possible if health and safety or environmental impacts disproportionately affect minority and low-income populations. Potential intersite transportation impacts related to the movement of materials to the deep borehole complex could occur primarily from nonradiological impacts (air pollution and highway accidents) as opposed to impacts from radiological releases.

Impacts to waste management would occur. Construction and operation of a deep borehole disposal facility for direct disposition would require the construction of waste management facilities. These would include facilities to treat and store generated TRU, low-level, hazardous, and nonhazardous wastes.

#### 4.6.3.2.2 *Immobilized Disposition*

Under this alternative, surplus Pu would be removed from storage, processed through the pit disassembly/conversion facility or the Pu conversion facility and the ceramic immobilization facility, packaged, and placed in a deep borehole. The environmental impacts of implementing this alternative are the sum of the impacts previously described for the pit disassembly/conversion facility and the Pu conversion facility, in addition to the impacts described below.

*Ceramic Immobilization Facility.* Construction of the ceramic immobilization facility would have potential impacts to land resources, site infrastructure, air quality and noise, and geology and soils. The usage of one or more local roadways would increase during construction at INEL, Pantex, and ORR, and could lead to a temporary decrease in the level of service.

Construction and operation of the ceramic immobilization facility would affect land resources at ORR and water resources at Pantex. For land use at ORR, construction and operation of the ceramic immobilization facility would lead to a reduction in visual quality at the Bear Creek Round and Route 95 sensitive viewpoints, resulting in a VRM classification change from Class 4 to Class 5. Because this alternative would require an additional drawdown of 320 million l/yr (84.5 million gal/yr) of water during operation, water resources would be affected at Pantex. Surface and groundwater resources at the other DOE sites would not be affected by this alternative. At NTS, Pantex, and ORR, construction of a radioactive waste management facility would be necessary.

The potential for impacts to biological resources at each site except SRS exists due to habitat loss associated with land disturbance during construction. At Hanford, Pantex, and ORR, there would also be potential impacts to special status species. At NTS, the desert tortoise and other threatened and endangered species could be affected by construction activities. Playa wetlands at Pantex may be affected. At ORR, the potential for wetlands displacement exists due to land disturbance during construction. Aquatic resources at Pantex and SRS could be affected. At any site where there is ground disturbance (all sites under consideration), cultural and paleontological resources could be affected. Operation may have some impact on Native American resources. There would be the potential for impacts to waste management because of an increase in TRU waste shipments for all sites, onsite LLW disposal at Hanford, INEL, ORR, NTS, and SRS, and an increase in the number of LLW shipments from Pantex to NTS. At all of the DOE sites under consideration, soil resources would be affected by ground disturbance associated with construction activities.

Public and occupational health and safety impacts could result from the radiological and hazardous chemical releases during normal operations. However, the annual radiological dose to onsite workers and the public would be within radiological limits. The health risk to the public and onsite workers would be within hazardous chemical regulatory levels. As mentioned in the No Action Alternative discussion, exposures to minority and low-income populations in an accident would be dependent upon the magnitude of release and wind direction at the time of the accident. Intersite transportation impacts related to all DOE sites could occur primarily from nonradiological impacts (air pollution and highway accidents) as opposed to impacts from radiological releases.

*Deep Borehole Complex.* The deep borehole facilities required for this alternative would be similar to those for the Direct Disposition Alternative, with minor exceptions in the receiving and storage facilities and an additional pellet-grout mixing facility and process waste management at the emplacing facilities. Thus, the environmental impacts would be similar to those described previously for the Direct Disposition Alternative.

### **4.6.3.3 Immobilization Category**

Under this category, surplus Pu would be immobilized to create a chemically stable form for emplacement in a HLW repository. The radiation level of the immobilized form would meet the Spent Fuel Standard, which would serve as a proliferation deterrent. There are three Immobilization Alternatives: Vitrification, Ceramic Immobilization, and Electrometallurgical Treatment. Requirements for all three would be in addition to those described previously for pit disassembly/conversion and Pu conversion.

#### **4.6.3.3.1 Vitrification**

Under the Vitrification Alternative, surplus Pu would be removed from storage, processed through the pit disassembly/conversion facility or the Pu conversion facility, packaged, and transported to the vitrification facility. The environmental impacts of implementing this alternative would be the sum of the impacts described previously for the pit disassembly/conversion facility and the Pu conversion facility, in addition to the impacts described below.

Construction and operation of the vitrification facility would impact land resources at ORR and water resources at Pantex. For land resources at ORR, construction and operation of the vitrification facility would lead to a reduction in visual quality at the Bear Creek Road and Route 95 sensitive viewpoints, resulting in a VRM classification change from Class 4 to Class 5. Because this alternative would require an additional drawdown of 250 million l/yr (66 million gal/yr) of water during operation, water resources would be affected at Pantex. Surface water and groundwater resources at other DOE sites would be affected minimally by this alternative.

Air quality impacts could occur at Pantex and SRS because pollutant concentrations would increase. The potential for impacts to biological resources exists at each site, except SRS, due to habitat loss associated with land disturbance during construction. There is also potential for impacts to special status species at Hanford, Pantex, and ORR; the desert tortoise at NTS; playa wetlands at Pantex; and wetlands and aquatic resources at ORR. At any site where there is ground disturbance (all sites under consideration), cultural and paleontological resources may be affected. Operation has the potential to affect Native American resources at all sites. Soil resources would be affected at all of the DOE sites under consideration by ground disturbance associated with construction activities.

Public and occupational health and safety impacts could result from the radiological and hazardous chemical releases during normal operations. However, the annual radiological dose to onsite workers and the public would be within radiological limits. The health risk to the public and onsite workers would be within hazardous chemical regulatory levels. As mentioned in the No Action Alternative discussion, exposures to minority and low-income populations in an accident is dependent upon the magnitude of release and wind direction at the time of the accident. Potential intersite transportation impacts related to all DOE sites could occur primarily from nonradiological impacts (air pollution and highway accidents) as opposed to impacts from radiological releases.

Waste management impacts could occur at Hanford, INEL, and SRS, because these sites may require expansion of their existing TRU waste management facilities and construction of sanitary, utility, and process wastewater treatment systems. Impacts to waste management would occur at NTS, Pantex, and ORR, because each site would require the construction of a radioactive waste facility. These three sites may also require the construction of sanitary, utility, and process wastewater treatment systems.

#### **4.6.3.3.2 Ceramic Immobilization**

Under the Ceramic Immobilization Alternative, surplus Pu would be removed from storage, processed through the pit disassembly/conversion facility or the Pu conversion facility, packaged, and transported to the ceramic immobilization facility. The environmental impacts of implementing this alternative would be the sum of the

impacts described previously for the pit disassembly/conversion facility and the Pu conversion facility, in addition to the impacts described below.

The environmental impacts of constructing and operating the ceramic immobilization facility would be identical to those identified in the preceding section for the vitrification facility, with the exception of public health and safety at all sites and air quality at Hanford, NTS, and INEL. The annual radiological doses to the public would be smaller whereas the dose to workers would be somewhat higher for the ceramic immobilization facility. Locating the ceramic immobilization facility at these sites could lead to high pollutant concentrations which would affect air quality.

#### **4.6.3.3 Electrometallurgical Treatment**

Under the Electrometallurgical Treatment Alternative, existing facilities at ANL-W at INEL are used as a basis for analysis. Such facilities would be modified to accommodate this added mission. Surplus Pu would be removed from storage, processed through the pit disassembly/conversion facility or the Pu conversion facility, packaged, and transported to the electrometallurgical treatment facility. The environmental impacts of implementing this alternative would be the sum of the impacts identified previously for the pit disassembly/conversion facility and the Pu conversion facility, in addition to the impacts described below.

Public and occupational health and safety, waste management, and intersite transportation would be the resources affected. Public and occupational health and safety impacts could result from the radiological and hazardous chemical releases under the Electrometallurgical Treatment Alternative. However, the annual radiological dose to onsite workers and the public would be within radiological limits. The health risk to the public and onsite workers would be within hazardous chemical regulatory levels. Waste management impacts would result if additional sanitary, utility, and process wastewater treatment systems are required. Potential intersite transportation impacts could occur at all DOE sites primarily from nonradiological impacts (air pollution and highway accidents) as opposed to impacts from radiological releases.

#### **4.6.3.4 Reactor Category**

Four disposition alternatives using reactor technologies would convert Pu to spent nuclear fuel by burning it in a reactor in the form of MOX fuel leading to disposition at a U.S. repository or within the Canadian spent fuel program. The four alternatives are existing LWR, partially completed LWR, evolutionary LWR, and CANDU reactor. Under the Reactor Category Alternatives, surplus Pu would be used as MOX fuel in domestic or Canadian reactors. The United States currently does not have a MOX fuel fabrication facility and does not engage in the commercial MOX fuel market, so a facility would have to be developed at a U.S. site. Under the Existing LWR Alternative, limited quantities of MOX fuel could be produced on an interim basis in existing European facilities using U.S. surplus Pu until a domestic facility is constructed.

##### **4.6.3.4.1 Mixed Oxide Fuel Fabrication Facility**

Each of the reactor alternatives would require the construction of a MOX fuel fabrication facility that may be collocated with the reactor or located at a separate site. The impacts are described below for DOE sites and a generic site.

Construction and operation of the MOX fuel fabrication facility would have no or negligible impacts to noise and geology at any of the DOE sites. There would be no or negligible impacts to these same environmental resources/issue areas at a generic site.

Because of the continued depletion of the Ogallala Aquifer, water resources would be affected at Pantex, where this alternative would require an additional drawdown of 56.8 million l/yr (15 million gal/yr). Surface and groundwater resources at the other DOE sites would be minimally affected by this alternative.



At all DOE sites, except Pantex, terrestrial resource impacts could result from habitat disturbance. Potential impacts to special status species during construction activities may occur at each DOE site. Playa wetlands at Pantex may be affected. At any site where there is ground disturbance (all DOE sites under consideration except ORR), especially in areas that have not been extensively surveyed, cultural and paleontological resources could be affected. Soil resources would be affected at all of the DOE sites under consideration due to ground disturbance associated with construction.

Potential impacts from the MOX fuel fabrication facility to public and occupational health and safety exist from the radiological and hazardous chemical releases during normal operations. However, the annual radiological dose to onsite workers and the public would be within radiological limits. The health risk to the public and onsite workers would be within hazardous chemical regulatory levels. As mentioned in the No Action Alternative discussion, exposures to minority and low-income populations in an accident would be dependent upon the magnitude of release and wind direction at the time of the accident. Potential intersite transportation impacts related to all DOE sites could occur, primarily from nonradiological impacts (air pollution and highway accidents) as opposed to impacts from radiological releases.

Impacts to these same environmental resources/issue areas could occur at a generic site: land resources, water resources, soil resources, biological resources, cultural resources, public and occupational health and safety, intersite transportation, and environmental justice.

Construction and operation of the MOX fuel fabrication facility would affect waste management at all of the DOE sites and the generic site. A TRU waste management facility would be required as part of the MOX fuel fabrication facility at NTS, Pantex, ORR, and the generic site. TRU waste management facilities at Hanford, INEL, and SRS would require expansion. All sites would require additional storage facilities where TRU waste would be staged until it is shipped.

#### **4.6.3.4.2      *Existing Light Water Reactor***

Under the Existing LWR Alternative, surplus Pu would be removed from storage, processed through the pit disassembly/conversion facility or the Pu conversion facility, and processed by the MOX fuel fabrication facility. The finished MOX fuel would be transported to three to five LWRs for use instead of conventional uranium reactor fuel. The environmental impacts of implementing this alternative would be the sum of the impacts previously described for the pit disassembly/conversion facility and the Pu conversion facility, the impacts of the MOX fuel fabrication facility, and the reactor impacts described below. The impacts described are for a single reactor. The Pu disposition action would require a minimum of three to five existing LWRs.

The use of an existing LWR would require the substitution of MOX fuel for LEU fuel. There would be no or negligible impacts for all environmental resources/issue areas except public and occupational radiological health and safety, waste management, and intersite transportation. Public and occupational health and safety impacts could result from the radiological releases during normal operations that would be due to the change in doses received when a uranium core is replaced with a MOX core. However, the annual radiological dose to onsite workers and the public would be within radiological limits. The potential for impacts exist for waste management, because an expansion of spent nuclear fuel storage at the site may be required. Intersite transportation impacts related to the transportation of MOX fuel could occur, primarily from nonradiological impacts (air pollution and highway accidents) as opposed to radiological releases.

#### **4.6.3.4.3      *Partially Completed Light Water Reactor***

Under the Partially Completed LWR Alternative, commercial LWRs on which construction has been halted would be completed to burn MOX fuel. The facility and operating characteristics of these units would be essentially the same as for the existing commercial LWRs discussed above. Because no specific site has been identified, impacts are analyzed for a representative site.

Under this alternative, surplus Pu would be removed from storage, processed through the pit disassembly/conversion facility or the Pu conversion facility, followed by the MOX fuel fabrication facility, and the finished MOX fuel transported to the completed LWRs for use instead of conventional LEU reactor fuel. The environmental impacts of implementing this alternative would be the sum of the impacts described previously for the pit disassembly/conversion facility and the Pu conversion facility, the impacts of the MOX fuel fabrication facility, and the impacts described below. The impacts described are for a single reactor. Since the Pu disposition action would require two partially completed LWRs, the requirements would be two times those identified if they are all at one site, or repeated at a second site if two separate geographical locations are chosen.

There would be potential impacts to biological resources, cultural and paleontological resources, soil resources, public and occupational health and safety, waste management, and intersite transportation. Local roads may experience an increase in usage during construction, leading to potential impacts to local transportation.

If ground disturbance is necessary for the completion of construction, both biological and cultural and paleontological resources may be affected. Operation may affect some Native American resources. Impacts to wetlands, aquatic resources, and threatened and endangered species may occur due to facility operations. Soil resources would be affected if ground disturbance is necessary for the completion of construction. Public and occupational health and safety impacts could result from the radiological and hazardous chemical releases under the Partially Completed LWR Alternative. However, the annual radiological dose to onsite workers and the public would be within radiological limits. The health risk to the public and onsite workers would be within hazardous chemical regulatory levels. Intersite transportation impacts related to the transportation of MOX fuel could occur because of the increased risk of traffic accident fatalities. Impacts to waste management could occur because of the introduction of spent nuclear fuel, LLW, and mixed LLW.

#### 4.6.3.4.4 *Evolutionary Light Water Reactor*

Under the Evolutionary LWR Alternative, the individual reactors would be improved versions of existing commercial nuclear power reactors using light water as a moderator and coolant. The fuel rods would consist of MOX fuel. There could be two design approaches: a large evolutionary LWR and a small evolutionary LWR.

Under this alternative, surplus Pu would be removed from storage, processed through the pit disassembly/conversion facility or the Pu conversion facility, and processed through the MOX fuel fabrication facility. The finished MOX fuel would be transported to the evolutionary LWRs for use instead of conventional LEU reactor fuel. Therefore, the environmental impacts of implementing this alternative would be the sum of the impacts described previously for the pit disassembly/conversion facility and the Pu conversion facility, the impacts of the MOX fuel fabrication facility, and the impacts described below.

The summary of impacts presented below is based on the conclusions reached for the construction and operation of either a large or small evolutionary LWR. However, the proposed Pu disposition action would require a minimum of two large evolutionary LWRs or four small evolutionary LWRs. Thus, the requirements of implementing this alternative would nominally be two to four times those described if the reactors were built at one site, or would be repeated at more than one site if the reactors were built at multiple locations. Since the Storage and Disposition PEIS is not intended to support a siting decision for the disposition alternatives, the precise configuration is unknown at this time.

Construction and operation of the evolutionary LWR could have site impacts on infrastructure, noise, and geology. With respect to air quality, any increase in pollutant concentrations would not exceed applicable standards. Local roads may experience a decline in the level of service during construction at INEL, Pantex, and ORR.

The potential exists for impacts to biological resources, soil resources, cultural and paleontological resources, and public and occupational health and safety at all DOE sites; waste management at Hanford and INEL; and

intersite transportation. Habitat loss during construction could impact wildlife, including special status species, at all sites. At NTS, the desert tortoise could be affected during construction. At Hanford, ORR, and SRS, the potential exists for impacts to sensitive plants from the salt drift from wet cooling towers and to aquatic resources from blowdown waters from the cooling systems into local streams and rivers. Wetlands at Pantex, ORR, and SRS may also be affected. At sites where there is ground disturbance (all sites under consideration), cultural and paleontological resources could be affected. Native American resources may be affected by facility operation. At all of the DOE sites under consideration, soil resources would be affected by ground disturbance associated with construction activities. Hanford and INEL require either major upgrades to existing sanitary, utility, and process wastewater treatment systems or construction of new facilities.

Public and occupational health and safety impacts could result from the radiological and hazardous chemical releases during normal operations at all DOE sites. However, the annual radiological dose to onsite workers and the public would be within radiological limits. The health risk to the public and onsite workers would be within hazardous chemical regulatory levels. Intersite transportation impacts related to all DOE sites could occur, primarily from nonradiological impacts (air pollution and highway accidents) as opposed to radiological releases.

Construction and operation of the evolutionary LWR would have impacts on land resources at ORR; water resources at Pantex; public health and safety at SRS; and waste management at NTS, Pantex, ORR, and SRS. Land resources at ORR would be affected because the proposed use of vacant land would change the VRM classification from Class 3 to Class 5, resulting in visual impacts to the Watts Bar Lake and adjacent area's sensitive viewpoints; and the proposed facility location would not be within the ORR site boundary, but rather on the adjacent TVA land. Because of the continued depletion of the Ogallala Aquifer, water resources would be affected at Pantex, where this alternative would require an additional drawdown of 341 million l/yr (90 million gal/yr). However, this additional use, factored in with the projected decrease under No Action, would result in an overall decrease in water use of 30 percent by 2005. Surface and groundwater resources at the other DOE sites would be minimally affected by this alternative.

At SRS, the radiological dose to the population living within 80 km (50 mi) of the site under normal operations is estimated at 110 person-rem per year and represents 0.049 percent of natural background exposure. As mentioned in the No Action Alternative discussion, exposures to minority and low-income populations surrounding SRS in an accident is dependent upon the magnitude of release and wind direction at the time of the accident.

For waste management, all sites would require the construction of storage facilities for spent nuclear fuel, and both ORR and SRS would require the construction of sanitary, utility, and process wastewater treatment systems. In addition, Pantex would require LLW facilities or additional LLW shipments, and major upgrades or new construction of sanitary, utility, and process wastewater treatment systems.

#### **4.6.3.4.5 Canadian Deuterium Uranium Reactor**

Under the CANDU Reactor Alternative, surplus Pu would be removed from storage, processed through the pit disassembly/conversion facility or Pu conversion facility, and processed through the MOX fuel fabrication facility. The finished fuel would be transported to the Ontario Hydro Nuclear Bruce-A Generating Station in Ontario, Canada.

Other than intersite transportation impacts, the environmental impacts within the United States of implementing this alternative would be limited to the sum of the impacts described above for the pit disassembly/conversion, Pu conversion facility, and the MOX fuel fabrication facility. Potential intersite transportation impacts related to the transportation of MOX fuel could occur because of the increased risk of traffic accident fatalities. All other impacts would occur in Canada.

[Text deleted.]

## 4.7 CUMULATIVE IMPACTS

### 4.7.1 METHODOLOGY

This section identifies the potential for cumulative impacts over the life of the program which could result from incremental impacts of proposed actions and alternatives identified previously, when added to other past, present, and reasonably foreseeable future actions regardless of what agency or person undertakes such actions.

The reference condition for cumulative effects is the No Action Alternative, which addresses the impacts of past, present, and ongoing programs. In particular, for alternatives that are proposed for DOE sites, the analysis focuses primarily on the potential for cumulative impacts at each candidate site where other programs or environmental management programs are reasonably anticipated.

The reasonably foreseeable future actions that may be implemented at some of the DOE sites under consideration in this PEIS include the following:

- *Storage and Disposition of Weapons-Usable Fissile Materials PEIS (Final)*
- *Final Environmental Impact Statement on a Proposed Nuclear Weapons Nonproliferation Policy Concerning Foreign Research Reactor Spent Nuclear Fuel (ROD issued)*
- *Disposition of Surplus Highly Enriched Uranium Final EIS (ROD issued)*
- *Department of Energy Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Restoration and Waste Management Programs Final Environmental Impact Statement (ROD issued)*
- *Stockpile Stewardship and Management PEIS (Final)*
- *Tritium Supply and Recycling PEIS (ROD issued)*
- *Waste Management PEIS (Draft)*

The following documents and associated actions were considered in assessing cumulative impacts, but were eliminated from further study because they do not contribute to cumulative impacts, they had impacts that were already included in the No Action Alternative, or they would be completed by the 2005 start date:

- *Defense Waste Processing Facility at the Savannah River Site EIS (ROD issued)*
- *Dual Axis Radiographic Hydrodynamic Test Facility EIS (ROD issued)*
- *Environmental Assessment for the Proposed Interim Storage of Enriched Uranium Above the Maximum Historical Storage Level at the Y-12 Plant, Oak Ridge, Tennessee (FONSI issued)*
- *Interim Management of Nuclear Materials at the Savannah River Site EIS (Final)*
- *Plutonium Finishing Plant EIS (ROD issued)*
- *Proposed Medical Isotope Production EIS (ROD issued)*
- *Environmental Impact Statement for the Nevada Test Site and Off-Site Locations in the State of Nevada (Final)*

- Savannah River Site Waste Management EIS (ROD issued)
- EIS for the Continued Operation of the Pantex Plant and Associated Storage of Nuclear Weapon Components (Final)
- Stabilization of Plutonium Solutions Stored in the F-Canyon Facility at the Savannah River Site EIS (ROD issued)

No other Federal, State, local, or private reasonably foreseeable actions were found that would contribute to cumulative impacts. When possible, planned projects before the 2005 No Action baseline have been incorporated into the No Action Alternative. The No Action Alternative takes into account existing site operations and includes the impacts resulting from planned changes to operations until the year 2005. Projects planned for beyond the 2005 No Action baseline are in such a preliminary stage as to make analysis speculative. Future tiered-NEPA documents would further analyze the impacts from other Federal, State, local, and private actions.

For the Storage Alternatives, the seven DOE programs and the eight DOE sites potentially affected are identified in Table 4.7.1-1. The cumulative impacts for long-term storage are discussed in Section 4.7.2. For the Disposition Alternatives, a generic analysis that is applicable to all DOE sites was developed. Since there are multiple combinations of alternatives that could be selected for the disposition program, a representative scenario was selected for the cumulative impacts analysis. The cumulative impacts for the disposition program are discussed in Section 4.7.3.

**Table 4.7.1-1. Reasonably Foreseeable Future Programs at Department of Energy Sites**

Program	NEPA Document Status	Hanford	NTS	INEL	Pantex	ORR	SRS	RFETS	LANL
Storage and Disposition	Final PEIS	X	X	X	X	X	X	X	X
Foreign Research Reactor Spent Nuclear Fuel	ROD issued			X			X		
HEU Disposition [Text deleted.]	ROD issued					X	X		
Spent Nuclear Fuel	ROD issued	X		X			X		
Stockpile Stewardship and Management	Final PEIS		X		X	X	X		X
Tritium Supply/Recycling	ROD issued						X		
Waste Management	Draft PEIS	X	X	X	X	X	X	X	X

## 4.7.2 STORAGE ALTERNATIVE CUMULATIVE IMPACTS

### 4.7.2.1 Hanford Site

#### 4.7.2.1.1 Land Resources

In addition to the storage alternatives, Hanford is being considered as a site for the two other DOE programs identified in Table 4.7.1-1. The total area of undisturbed land that could be affected by these programs during operation is 230 ha (570 acres), or less than 0.2 percent of the total land at Hanford. Site development would be performed in accordance with the land use plans in the *Hanford Site Development Plan*. Proposed development would also be compatible with the industrial use visual character of the developed areas of Hanford. Cumulatively, the actions would consume land, but would be consistent with the land-use plans and visual character of the site.

#### 4.7.2.1.2 Site Infrastructure

Some cumulative impacts are possible at Hanford resulting from implementation of any of the storage actions when added to the other two DOE programs identified in Table 4.7.1-1. The site infrastructure cumulative impacts at Hanford that would result from operation of the proposed projects are shown in Table 4.7.2.1.2-1. Hanford has adequate site availability to meet the resource requirements for all of the site infrastructure resources.

Table 4.7.2.1.2-1. Site Infrastructure Cumulative Operation Impacts at Hanford Site

Requirement	Electrical		Fuel	
	Energy (MWh/yr)	Peak Load (MWe)	Oil (l/yr)	Natural Gas (m <sup>3</sup> /yr)
No Action	345,500	58	9,334,800	21,039,531
Storage and Disposition <sup>a</sup>	92,000	18	38,000	0
Spent Nuclear Fuel	0	NA	0	0
Waste Management	NA	47	NA	NA
Cumulative Requirement	437,500	123	9,372,800	21,039,531
Site Availability	1,678,700	281	14,775,000	21,039,531

<sup>a</sup> Collocation Alternative.

Note: NA=data was not analyzed in the associated EIS.

Source: DOE 1995o; DOE 1995cc; Table 4.2.1.2-1.

#### 4.7.2.1.3 Air Quality and Noise

Cumulative impacts to air quality at Hanford include impacts from the No Action Alternative, the two DOE programs identified in Table 4.7.1-1, and the proposed facilities for each storage alternative. Concentrations are calculated for these emissions and are then compared to Federal and State regulations and guidelines to determine compliance.

Hanford is currently in compliance with the NAAQS as well as State regulations and guidelines. Air emissions attributable to the Storage Alternatives would increase concentrations of criteria pollutants. Potential cumulative impacts are presented in Table 4.7.2.1.3-1. The resulting concentrations from cumulative impacts would be in compliance with Federal and State regulations.

Cumulative noise impacts include contributions from existing and planned facilities plus proposed storage facilities at the site. Noise impacts may result both from onsite noise sources and from offsite sources such as traffic. Noise impacts on individuals from the storage facilities are expected to be small, resulting in little or no

**Table 4.7.2.1.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Hanford Site and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives**

Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> ( $\mu\text{g}/\text{m}^3$ )	No Action ( $\mu\text{g}/\text{m}^3$ )	Other Onsite Activities <sup>b</sup> ( $\mu\text{g}/\text{m}^3$ )	Upgrade ( $\mu\text{g}/\text{m}^3$ )	Consolidation ( $\mu\text{g}/\text{m}^3$ )	Collocation ( $\mu\text{g}/\text{m}^3$ )
<b>Criteria Pollutants</b>							
Carbon monoxide	8-hour	10,000 <sup>c</sup>	0.08	0	0.09	0.17	0.17
	1-hour	40,000 <sup>c</sup>	0.3	0	0.37	1.04	1.04
Lead	Calendar Quarter	1.5 <sup>c</sup>	<0.01	0	<0.01	<0.01	<0.01
	24-hour	0.5 <sup>d</sup>	<0.01	0	<0.01	<0.01	<0.01
Nitrogen dioxide	Annual	100 <sup>c</sup>	0.03	0.1	0.13	0.14	0.14
Ozone	1-hour	235 <sup>c</sup>	e	e	e	e	e
Particulate matter less than or equal to 10 micron in diameter	Annual	50 <sup>c</sup>	<0.01	0	<0.01	<0.01	<0.01
	24-hour	150 <sup>c</sup>	0.02	0	0.02	0.02	0.02
Sulfur dioxide	Annual	52 <sup>c</sup>	<0.01	1.6	1.61	1.61	1.61
	24-hour	260 <sup>c</sup>	<0.01	7.3	7.31	7.31	7.31
	3-hour	1,300 <sup>c</sup>	0.01	26	26.01	26.01	26.11
	1-hour	1,018 <sup>d</sup>	0.02	f	0.02	0.22	0.22
	1-hour	655 <sup>d,g</sup>	0.02	f	0.02	0.22	0.22
<b>Mandated by Washington</b>							
Total suspended particulates	Annual	60 <sup>d</sup>	<0.01	0	<0.01	<0.01	<0.01
	24-hour	150 <sup>d</sup>	0.02	0	0.02	0.02	0.02
Gaseous fluorides	30-day	0.8 <sup>d</sup>	h	0	h	h	h
	7-day	1.7 <sup>d</sup>	h	0	h	h	h
	24-hour	2.9 <sup>d</sup>	h	0	h	h	h
	12-hour	3.7 <sup>d</sup>	h	0	h	h	h

**Table 4.7.2.1.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Hanford Site and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives—Continued**

Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> ( $\mu\text{g}/\text{m}^3$ )	No Action ( $\mu\text{g}/\text{m}^3$ )	Other Onsite Activities <sup>b</sup> ( $\mu\text{g}/\text{m}^3$ )	Upgrade ( $\mu\text{g}/\text{m}^3$ )	Consolidation ( $\mu\text{g}/\text{m}^3$ )	Collocation ( $\mu\text{g}/\text{m}^3$ )
<b>Hazardous and Other Toxic Compounds</b>							
Ammonia	24-hour	100 <sup>d</sup>	<0.01	0	<0.01	<0.01	<0.01
Chlorine	24-hour	5 <sup>d</sup>	h	0	h	<0.01 <sup>i</sup>	<0.01 <sup>i</sup>
Hydrogen chloride	24-hour	7 <sup>d</sup>	h	0	h	<0.01 <sup>i</sup>	<0.01 <sup>i</sup>
Hydrazine	Annual	0.0002 <sup>d</sup>	h	0	h	<0.00001 <sup>i</sup>	<0.00001 <sup>i</sup>
Nitric acid	24-hour	17 <sup>d</sup>	h	0	h	<0.01 <sup>i</sup>	<0.01 <sup>i</sup>
Phosphoric acid	24-hour	3.3 <sup>d</sup>	h	0	h	<0.01 <sup>i</sup>	<0.01 <sup>i</sup>
Sulfuric acid	24-hour	3.3 <sup>d</sup>	h	0	h	<0.01 <sup>i</sup>	<0.01 <sup>i</sup>

<sup>a</sup> The more stringent of the Federal and State standard is presented if both exist for the averaging time.

<sup>b</sup> Other onsite activities include those associated with the Spent Nuclear Fuel and Waste Management Programs.

<sup>c</sup> Federal and State standard.

<sup>d</sup> State standard or guideline.

<sup>e</sup> Ozone as a criteria pollutant is not directly emitted or monitored by the site. See Section 4.1.3 for a discussion of ozone-related issues.

<sup>f</sup> Not reported.

<sup>g</sup> The standard is not to be exceeded more than twice in any 7 consecutive days.

<sup>h</sup> No sources of this pollutant have been identified.

<sup>i</sup> The concentration represents the alternative contribution and other onsite activities.

Source: 40 CFR 50; DOE 1995o; DOE 1995dd; HF 1995a:1; HF DOE 1996a; Table 4.2.1.3-1.



increase in noise levels at offsite areas. Little or no increase in cumulative noise impacts to individuals offsite is expected to occur.

#### 4.7.2.1.4 Water Resources

Table 4.7.2.1.4-1 shows the estimated cumulative water usage from the storage alternatives and the two other DOE programs identified in Table 4.7.1-1. The total cumulative water requirements for the site would be less than 1 percent of the Columbia River's average annual flow (3,360 m<sup>3</sup>/s [118,642 ft<sup>3</sup>/s]). The proposed storage Collocation Alternative would account for approximately 1 percent of the cumulative water usage. The additional withdrawals are minor in comparison with the average flow of the river and would not noticeably affect the local or regional water supply.

Table 4.7.2.1.4-2 summarizes the estimated cumulative wastewater that would be generated from the storage alternatives and the other two DOE programs. The wastewater from the Storage and Disposition Program would be recycled at newly constructed wastewater treatment facilities. [Text deleted.]

**Table 4.7.2.1.4-1. Cumulative Annual Water Usage at Hanford Site**

Program	Water Requirements (million l/yr)
No Action	13,706 <sup>a</sup>
Storage and Disposition	150 <sup>b,c</sup>
[Text deleted.]	
Spent Nuclear Fuel	0 <sup>d</sup>
Waste Management	503 <sup>a,d</sup>
Total annual cumulative water usage	14,359

<sup>a</sup> Includes both surface and groundwater usage (13,511 million l/yr from surface water and 195 million l/yr from groundwater).

<sup>b</sup> Data represents the maximum value for the comparative alternative scenario.

<sup>c</sup> Data represents the Collocation Alternative.

<sup>d</sup> No additional water resources are required.

Source: DOE 1995o; DOE 1995cc; DOE 1995dd; HF 1995a:1; Table 4.2.1.4-1.

**Table 4.7.2.1.4-2. Cumulative Annual Wastewater Discharge at Hanford Site**

Program	Nonhazardous Sanitary and Industrial Wastewater (million l/yr)
No Action	246
Storage and Disposition	0 <sup>a</sup>
[Text deleted.]	
Spent Nuclear Fuel	0 <sup>b</sup>
Waste Management	238 <sup>c,d</sup>
Total annual cumulative wastewater	484

<sup>a</sup> Wastewater would be recycled.

[Text deleted.]

<sup>b</sup> Because the ROD resulted in the movement of material away from Hanford, no additional wastewater discharge would result.

<sup>c</sup> Data represents the maximum value for the comparative alternative scenario.

<sup>d</sup> Based on preliminary data.

Source: DOE 1995o; DOE 1995cc; DOE 1995dd; HF 1995a:1; Table 4.2.1.4-1.

#### 4.7.2.1.5 Geology and Soils

Cumulative impacts to geologic and soil resources are expected to be minor as a result of the storage alternatives and the other DOE programs identified in Table 4.7.1-1. A total of 230 ha (570 acres) could be disturbed at the site. Soil erosion and storm water control measures would be used during construction to minimize erosion from the disturbed areas. No valuable geologic resources would be affected by any of the planned programs.

#### 4.7.2.1.6 Biological Resources

In addition to ongoing activities and the Storage Alternatives, Hanford is being considered for the two other DOE programs identified in Table 4.7.1-1. The total area of undisturbed land that could be affected by these programs is 230 ha (570 acres), or less than 0.2 percent of Hanford. Due to the lack of wetlands and aquatic resources on the site, cumulative impacts to these resources would not be expected. The cumulative loss of habitat could lead to additional impacts to special status species compared to those resulting from construction of a storage facility alone; however, the viability of site populations would not be expected to be jeopardized. Species that could be affected include several State-listed and candidate species such as the ferruginous hawk, loggerhead shrike, western burrowing owl, pygmy rabbit, western sage grouse, sage sparrow, and sage thrasher.

#### 4.7.2.1.7 Cultural and Paleontological Resources

The two other DOE programs identified in Table 4.7.1-1 may require ground-disturbing construction, facility modification, and changes in land access at Hanford. Construction at Hanford under these programs is primarily proposed for developed areas which have either been surveyed or are disturbed, and are therefore unlikely to contain cultural or paleontological resources. Prior to construction activity, specific surveys, evaluations, and Native American consultations would be conducted pursuant to NHPA, the *American Indian Religious Freedom Act*, and the *Native American Graves Protection and Repatriation Act*. Each of the Storage Alternatives would be located either within existing buildings or in areas that have already been disturbed. Thus, the cumulative impacts resulting from the storage alternatives, if any, are expected to be minimal.

#### 4.7.2.1.8 Socioeconomics

Cumulative impacts to Hanford's regional economy, population, housing, community services, and local transportation would be minor. Overall, adding the other DOE programs identified in Table 4.7.1-1 would confer economic benefits to the region through additional job creation and increased earnings. As shown in Table 4.7.2.1.8-1, the cumulative impact of the programs under consideration at Hanford is not expected to be significant because of the relatively small size of each program. The primary impact beyond providing some stimulus to the regional economy would be to increase traffic flow to and from the site. However, it is not expected that traffic congestion would be significantly increased if one or all of these programs were sited at Hanford.

**Table 4.7.2.1.8-1. Socioeconomic Cumulative Impacts at Hanford Site**

Program	Direct Employment <sup>a</sup>
Storage and Disposition <sup>b</sup>	572
Spent Nuclear Fuel	0
Waste Management	416
Total	988

<sup>a</sup> Operations.

<sup>b</sup> Collocation Alternative.

Source: DOE 1995o; DOE 1995cc; Section 4.2.1.8.

#### 4.7.2.1.9 Public and Occupational Health and Safety

**Radiological Impacts.** The maximum incremental radiological doses and resulting health effects for the storage alternative, the No Action Alternative, and other actions planned at Hanford are presented in Table 4.7.2.1.9–1. The impacts of these actions have not been summed because the exact locations of the facilities for planned actions may change. In addition, because each of these facilities is sited in a different location, the location of the MEI for each is also different. The MEIs have been selected to maximize the potential dose for a given facility. Since the MEI would have to be resident at more than one location simultaneously in order to receive the maximum dose from each facility, summing the doses would be misleading. The offsite population and total site workforce doses have not been summed because the population distribution and workforce totals as analyzed vary among the actions. [Text deleted.]

**Table 4.7.2.1.9–1. Estimated Average Annual Cumulative Radiological Doses and Resulting Health Effects to the Public and Workers From Normal Operation at Hanford Site**

Program	Maximally Exposed Individual Member of the Public		Offsite Population Within 80 km		Total Site Workforce	
	Total Dose (mrem)	Fatal Cancer Risk	Total Dose (person-rem)	Number of Fatal Cancers	Total Dose (person-rem)	Number of Fatal Cancers
No Action	$5.3 \times 10^{-3}$	$2.7 \times 10^{-9}$	1.6	$7.7 \times 10^{-4}$	250	0.10
Storage and Disposition <sup>a</sup>	$2.5 \times 10^{-6}$	$1.3 \times 10^{-12}$	$1.1 \times 10^{-4}$	$5.5 \times 10^{-8}$	25	0.010
[Text deleted.]						
Spent Nuclear Fuel	0.028	$1.4 \times 10^{-8}$	1.6	$8.0 \times 10^{-4}$	142	0.057
Waste Management	0.45	$2.2 \times 10^{-7}$	22	0.011	0.35	$1.4 \times 10^{-4}$

<sup>a</sup> The impacts from the collocation storage facility are presented since they encompass both Pu and HEU storage.

Source: DOE 1995o; DOE 1995cc; DOE 1995dd; Tables 4.2.1.9–1 and 4.2.1.9–2.

**Chemical Impacts.** For Hanford, the various NEPA documents use different but otherwise acceptable methodologies to assess the health effects from hazardous chemical exposure for proposed activities. These methodologies may have different indicators for determining the health impact (for example, hazard index, cancer risk, or chemical concentration in the environment). These different indicators prevent a uniform quantitative cumulative impact analysis for this site. However, as indicated in the health impact analysis sections in the NEPA documents for the proposed actions, the health effect from any proposed action at Hanford is predicted to contribute only slightly to the impacts from the baseline activity (No Action). The potential cumulative health impact from hazardous chemicals from implementation of the proposed activities would not exhibit a noticeable increase above the baseline, would be expected to fall within acceptable regulatory limits.

#### 4.7.2.1.10 Waste Management

Cumulative impacts to waste management at Hanford could arise from any of the reasonably foreseeable future actions as identified in Table 4.7.2.1.10–1. Waste management activities associated with the storage of Pu and HEU would have consistently smaller impacts than any future environmental restoration and waste management activities at Hanford. Thus, the overall impacts of Pu and HEU storage would not contribute significantly to cumulative impacts. The largest cumulative impacts at Hanford result from the Waste Management PEIS under alternatives where Hanford is selected as a centralized treatment, storage, and/or disposal site, such as the HLW Centralized Alternative, the LLW Centralized Alternative 5, and the Mixed LLW Centralized Alternative. As a result of the ROD from the *Department of Energy Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Program Final*

Table 4.7.2.1.10-1. Waste Management Cumulative Impacts at Hanford Site (2005)—Annual Volumes

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition <sup>b</sup> (m <sup>3</sup> )	Spent Nuclear Fuel <sup>c</sup> (m <sup>3</sup> )	Waste Management (m <sup>3</sup> )	Total (m <sup>3</sup> )
<b>Spent Fuel</b>	0	0	0	0	0
<b>High Level</b>					0
Liquid	0	0	0	Included in solid	19,935
Solid	0	0	0	19,935 <sup>d</sup>	
<b>Transuranic</b>					0.02
Liquid	0	0.02	Included in solid	Included in solid	1,009
Solid	271	10	53	675 <sup>e</sup>	
<b>Mixed Transuranic</b>					0
Liquid	0	0	Included in TRU	Included in TRU	102
Solid	98	4	Included in TRU	Included in TRU	
<b>Low-Level</b>					1,302
Liquid	0	2.1	1,300	Included in solid	74,700
Solid	3,390	1,300	407	69,600 <sup>f</sup>	
<b>Mixed Low-Level</b>					3,760
Liquid	3,760	0.2	Included in solid	Included in solid	11,230
Solid	1,505	66	0.46	9,655 <sup>g</sup>	
<b>Hazardous</b>					2
Liquid	Included in solid	2	Included in solid	Included in solid	1,068
Solid	560	2	2	504 <sup>h</sup>	
<b>Nonhazardous</b>					
(Sanitary)					560,000
Liquid	414,000	146,000	NA	NA	6,870
Solid	5,107	1,760	NA	NA	

Table 4.7.2.1.10-1. Waste Management Cumulative Impacts at Hanford Site (2005)—Annual Volumes—Continued

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition <sup>b</sup> (m <sup>3</sup> )	Spent Nuclear Fuel <sup>c</sup> (m <sup>3</sup> )	Waste Management (m <sup>3</sup> )	Total (m <sup>3</sup> )
<b>Nonhazardous (Other)</b>					
Liquid	Included in sanitary	Included in sanitary	NA	153,380 <sup>i</sup>	153,380
Solid	Included in sanitary	2,200 <sup>i</sup>	NA	NA	2,200

<sup>a</sup> No Action volumes are from Table 4.2.1.10-1.

<sup>b</sup> Collocation Alternative annual volume generated from operations, Table E.3.1.3-1.

[Text deleted.]

<sup>c</sup> The Department has decided to implement the preferred alternative, Regionalization by Fuel Type (Alternative 4a) identified in Volume 1 of the DOE Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs Final EIS. According to the amended ROD (61 FR 9441), existing Hanford production reactor spent nuclear fuel will remain at the Hanford Site. Data is from table 3-2, page 350, follow-on NEPA analysis, Management of Spent Nuclear Fuel from the K Basins at the Hanford Site, of Richland, Washington using preferred alternative (dry storage/passivation).

[Text deleted.]

<sup>d</sup> Under the HLW Centralized Alternative, 11,400 m<sup>3</sup> (8,500 canisters) of HLW shipments from INEL, 126,900 m<sup>3</sup> (4,572 canisters) from SRS, and 1,600 m<sup>3</sup> (300 canisters) from West Valley Demonstration Project would be transported to Hanford for storage. Hanford would have 258,800 m<sup>3</sup> (15,000 canisters) of HLW in storage. Annual volume derived by dividing total volume by 20. Acceptance of DOE-managed HLW at the geologic repository is delayed past 2015 (Draft Waste Management PEIS, Vol. I of IV, Table 9.1-1 Page 9-3; Table 9-3-6; Page 9-22).

<sup>e</sup> Under the TRU Waste Centralized Alternative, Hanford would treat 10 percent of the estimated inventory plus 20 year generation of RH-TRU from INEL and LANL (Draft Waste Management PEIS, Vol. I of IV, Table 8.1-1, Page 8-4).

<sup>f</sup> Under the LLW Centralized Alternative 5, Hanford would receive LLW from all sites. The volume was obtained by taking the estimated inventory at Hanford plus the estimated inventory and 20-year generation projection for offsite receipts and dividing by 20 to get annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 7.1-1, Page 7-3; Table 7.3-14, Page 7-28).

<sup>g</sup> Under the Mixed LLW Centralized Alternative, Hanford would receive mixed LLW from all sites. The volume was obtained by taking the annual estimate the estimated inventory at Hanford plus the estimated inventory and 20-year generation projection for offsite receipts and dividing by 20 to get annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 6.3-7, Page 6-24; Table 6.1-1, Pages 6-3 and 6-4).

<sup>h</sup> Under the Regionalized Alternative 1, Hanford would treat two-thirds of 50 percent of the received hazardous wastes from LLNL and send the other one-third to a commercial facility. One metric ton of hazardous waste is approximately 1 cubic meter in volume (Draft Waste Management PEIS, Vol. I of IV, Table 10.3-7, Page 10-20).

<sup>i</sup> Represents the total annual incremental wastewater over No Action for all alternatives. Annual volume estimated by assuming 365 days per year (Draft Waste Management PEIS, Vol. II, Tables II-5.1-16 [mixed LLW], page 5-18; II-5.2-12 [LLW], page 5-32; II-5.3-11 [TRU], page 5-45; II-5.4-8 [HLW], page 5-55; and II-5.5-10 [hazardous], page 5-67).

Note: NA=data was not analyzed in the associated EIS.

Source: 61 FR 9441; DOE 1995o; DOE 1995cc; DOE 1995dd; DOE 1996b; Table 4.2.1.10-1.

*Environmental Impact Statement*, Hanford will not receive spent nuclear fuel from domestic offsite sources, and thus would not contribute significantly to spent nuclear fuel cumulative impacts. However, additional waste volumes would be generated from the storage of existing inventories.

#### 4.7.2.2 Nevada Test Site

##### 4.7.2.2.1 Land Resources

In addition to the storage alternatives, NTS is under consideration for the siting of the two other DOE programs identified in Table 4.7.1-1. The total area of undisturbed land that could be affected by these programs during operation is 111 ha (276 acres), or less than 0.04 percent of the total land at NTS. The site development plans for the P-Tunnel alternative in Area 12 and the storage facilities in Area 6 do not conform with land use plans outlined in the *Nevada Test Site Development Plan*. However, all new development projects are in accordance with the land use plans outlined in the Expanded Use Alternative of the *Final Environmental Impact Statement for the Nevada Test Site and Off-Site Locations in the State of Nevada*. The proposed development would be compatible with the industrial use visual character of the developed areas of NTS. Cumulatively, the actions would consume land, but would be consistent with the land use plans and visual character of the site.

##### 4.7.2.2.2 Site Infrastructure

Some cumulative impacts are possible at NTS resulting from implementation of any of the storage actions when added to the other two DOE programs identified in Table 4.7.1-1. Currently, the United States is under a self-imposed nuclear testing moratorium. Should a decision be made to reinstate the underground test program, NTS would again restore all of the dormant infrastructure. Operational procedures across the site would also be affected if underground testing resumes, creating cumulative impacts upon the other programs. Table 4.7.2.2.2-1 shows the site infrastructure cumulative impacts that would result at NTS from operation of the proposed programs were they to be sited at NTS. The cumulative requirement for energy, peak load, oil, and natural gas would exceed the site availability at NTS. High voltage transmission lines, electrical distribution equipment, and oil storage tanks would be constructed to meet the new resource requirements. Oil-based utilities would be substituted for the natural gas utilities if needed.

**Table 4.7.2.2.2-1. Site Infrastructure Cumulative Operation Impacts at Nevada Test Site**

Requirement	Electrical		Fuel	
	Energy (MWh/yr)	Peak Load (MWe)	Oil (l/yr)	Natural Gas (m <sup>3</sup> /yr)
No Action	124,940	25	5,716,000	0
Storage and Disposition <sup>a</sup>	89,000	13	38,000	3,600,000
Stockpile Stewardship and Management	83,000	27	4,332,000	0
Waste Management	NA	11	NA	NA
Cumulative Requirement	296,940	76	10,086,000	3,600,000
Site Availability	176,844	45	5,716,000	0

<sup>a</sup> Collocation Alternative.

Note: NA=data was not analyzed in the associated EIS.

Source: DOE 1995cc; DOE 1996b; Table 4.2.2.2-1.

##### 4.7.2.2.3 Air Quality and Noise

Cumulative impacts to air quality at NTS include impacts from the No Action Alternative, the other two DOE programs identified in Table 4.7.1-1, and the proposed facilities for each alternative. Concentrations are calculated for these emissions and are then compared to Federal and State regulations and guidelines to determine compliance.

The NTS is currently in compliance with the NAAQS as well as State regulations and guidelines. Air emissions attributable to the storage alternatives would increase concentrations of criteria pollutants. Potential cumulative

impacts are presented in Table 4.7.2.2.3-1. The resulting concentrations from cumulative impacts would be in compliance with Federal and State regulations.

Cumulative noise impacts include contributions from existing and planned facilities plus proposed storage facilities at the site. Noise impacts may result both from onsite noise sources and from offsite sources such as traffic. Noise impacts on individuals from the storage facilities are expected to be small, resulting in little or no increase in noise levels at offsite areas. Little or no increase in cumulative noise impacts to individuals offsite is expected to occur.

#### 4.7.2.2.4 Water Resources

Table 4.7.2.2.4-1 summarizes the estimated cumulative water withdrawals for the storage alternatives and the two other DOE programs identified in Table 4.7.1-1. Water requirements during the operation of all the proposed projects would be obtained from groundwater resources. The cumulative water requirements for the site would be a 26-percent increase in the projected No Action usage and approximately 7.2 percent of the estimated minimum recharge rate. The proposed Collocation Alternative using the modify P-Tunnel option would account for approximately 6.4 percent of the cumulative water usage.

Because all wastewater generated during operations of the proposed facilities would be recycled, the amount of wastewater generated during construction was evaluated. Table 4.7.2.2.4-2 summarizes the estimated cumulative water discharges. The estimated cumulative wastewater discharge would be a 178-percent increase in the projected No Action discharge. The proposed collocation alternative using a new storage facility would account for approximately 5 percent of the total estimated cumulative wastewater. [Text deleted.]

**Table 4.7.2.2.4-1. Cumulative Annual Water Usage at Nevada Test Site**

Program	Water Requirements (million l/yr)
No Action	2,400 <sup>a</sup>
Storage and Disposition	190 <sup>b</sup>
Stockpile Stewardship and Management	250
Waste Management	147 <sup>c</sup>
Total annual cumulative water usage	2,987

<sup>a</sup> Data represents groundwater usage.

<sup>b</sup> Data represents the Collocation Alternative using the modify P-Tunnel option.

<sup>c</sup> Based on preliminary data.

Source: DOE 1995cc; DOE 1996b; NTS 1995a:1; Table 4.2.2.4-1.

**Table 4.7.2.2.4-2. Cumulative Annual Wastewater Discharge at Nevada Test Site**

Program	Nonhazardous Sanitary and Industrial Wastewater (million l/yr)
No Action	82.0
Storage and Disposition	11.8 <sup>a</sup>
Stockpile Stewardship and Management	72
Waste Management	61 <sup>b</sup>
Total annual cumulative wastewater	227

<sup>a</sup> Data represents the maximum value for the comparative scenario during construction of the Collocation Alternative using a new storage facility.

<sup>b</sup> Based on preliminary data.

Source: DOE 1995cc; DOE 1996b; NTS 1995a:1; Table 4.2.2.4-1.



**Table 4.7.2.2.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Nevada Test Site and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives**

Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> (µg/m <sup>3</sup> )	No Action (µg/m <sup>3</sup> )	Other Onsite Activities <sup>b</sup> (µg/m <sup>3</sup> )	Consolidation		Collocation	
					Modify P-Tunnel (µg/m <sup>3</sup> )	New Facility (µg/m <sup>3</sup> )	Modify P-Tunnel (µg/m <sup>3</sup> )	New Facility (µg/m <sup>3</sup> )
Criteria Pollutants								
Carbon monoxide	8-hour	10,000 <sup>c</sup>	2,290	0.80	2,291	2,291	2,291	2,291
Lead	1-hour	40,000 <sup>c</sup>	2,748	6.03	2,758	2,756	2,758	2,756
	Calendar Quarter	1.5 <sup>c</sup>	d	<0.01	d	d	d	d
Nitrogen dioxide	Annual	100 <sup>c</sup>	d	0.20	0.21 <sup>e</sup>	0.2 <sup>e</sup>	0.21 <sup>e</sup>	0.2 <sup>e</sup>
Ozone	1-hour	235 <sup>c</sup>	f	f	f	f	f	f
Particulate matter less than or equal to 10 microns in diameter	Annual	50 <sup>c</sup>	9.4	0	9.4	9.4	9.4	9.4
Sulfur dioxide	24-hour	150 <sup>c</sup>	106	0	106	106	106	106
	Annual	80 <sup>c</sup>	8.4	0	8.4	8.4	8.4	8.4
	24-hour	365 <sup>c</sup>	94.6	0.2	94.8	94.8	94.8	94.8
	3-hour	1,300 <sup>c</sup>	725	1.6	727	727	727	727
Mandated by Nevada								
Hydrogen sulfide	1-hour	112 <sup>g</sup>	d	0	d	d	d	d
Hazardous and Other Toxic Compounds								
Chlorine	8-hour	35.7 <sup>g</sup>	d	d	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>
Hydrogen chloride	8-hour	h	d	d	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>
Hydrazine	8-hour	3.1 <sup>g</sup>	d	d	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>
Nitric acid	8-hour	123.8 <sup>g</sup>	d	d	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>
Phosphoric acid	8-hour	23.8 <sup>g</sup>	d	d	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>
Sulfuric acid	8-hour	23.8 <sup>g</sup>	d	d	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>	<0.01 <sup>e</sup>

<sup>a</sup> The more stringent of the Federal and State standard is presented if both exist for the averaging time.

<sup>b</sup> Other onsite activities include those associated with the Stockpile Stewardship and Management and Waste Management programs.

<sup>c</sup> Federal and State standard.

<sup>d</sup> No sources of this pollutant have been identified.

<sup>e</sup> The concentration represents the alternative contribution and other onsite activities.

<sup>f</sup> Ozone, as a criteria pollutant, is not directly emitted nor monitored by the site. See Section 4.1.3 for a discussion of ozone-related issues.

<sup>g</sup> State standard or guideline.

<sup>h</sup> No State standard for indicated averaging time.

Source: 40 CFR 50; DOE 1995dd; DOE 1996b; NT DOE 1996a; NV DCNR 1992a; NV DCNR 1995a; Table 4.2.2.3-1.

#### 4.7.2.2.5 Geology and Soils

Cumulative impacts to geologic and soil resources are expected to be minor as a result of the storage alternatives and the other DOE programs identified in Table 4.7.1-1. A total of 111 ha (276 acres) could be disturbed at the site. Soil erosion and storm water control measures would be used during construction to minimize erosion from the disturbed areas. No valuable geologic resources would be affected by any of the planned programs.

#### 4.7.2.2.6 Biological Resources

In addition to ongoing activities and the Storage Alternatives, NTS is being considered for the two other programs identified in Table 4.7.1-1. A number of these facilities would be located to the south and west of Yucca Lake in Areas 5 and 6, although the collocated storage facility could alternatively be located at the P-Tunnel. The total area of undeveloped land used by new facilities would be 111 ha (276 acres), or less than 0.04 percent of NTS. Due to the lack of wetlands and aquatic resources at NTS, cumulative impacts to these resources would not be expected. To the extent that facilities were constructed within the southern portion of the site, cumulative impacts to the threatened desert tortoise could occur. Cumulative impacts to other special status species, such as the Beatley milkvetch, could also occur due to the additive effect of habitat loss.

#### 4.7.2.2.7 Cultural and Paleontological Resources

The two other DOE programs identified in Table 4.7.1-1 may require ground-disturbing construction, facility modification, and changes in land access and use at NTS. Much of the land potentially affected by construction has received some level of evaluation for cultural resources. Plant communities significant to Native Americans may be affected on Rainier Mesa and near the DAF. Prior to construction activity, specific surveys, evaluations, and Native American consultations would be conducted pursuant to NHPA, the *American Indian Religious Freedom Act*, and the *Native American Graves Protection and Repatriation Act*. Cumulative impacts resulting from the storage alternatives, if any, are expected to be minimal.

#### 4.7.2.2.8 Socioeconomics

Cumulative impacts on NTS's regional economy, population, housing, community services, and local transportation would be minor. Table 4.7.2.2.8-1 shows the socioeconomic cumulative impacts at NTS. The regional economy would improve without any burden on the housing market. The cumulative socioeconomic impact of the other two DOE programs is expected to be insignificant, due to the relatively small size of each program.

**Table 4.7.2.2.8-1. Socioeconomic Cumulative Impacts at Nevada Test Site**

Program	Direct Employment <sup>a</sup>
Storage and Disposition <sup>b</sup>	622
Stockpile Stewardship and Management	1,423
Waste Management	3,272
Total	5,317

<sup>a</sup> Operations.

<sup>b</sup> Collocation Alternative.

Source: DOE 1995cc; DOE 1996b; Section 4.2.2.8.

#### 4.7.2.2.9 Public and Occupational Health and Safety

**Radiological Impacts.** The maximum incremental radiological doses and resulting health effects for the Storage Alternative, the No Action Alternative, and other actions planned at NTS are presented in Table 4.7.2.2.9-1. Although these impacts could be added, it should be noted that the exact locations of the

**Table 4.7.2.2.9-1. Estimated Average Annual Cumulative Radiological Doses and Resulting Health Effects to the Public and Workers From Normal Operation at Nevada Test Site**

Program	Maximally Exposed Individual Member of the Public	Offsite Population Within 80 km		Total Site Workforce		
	Total Dose (mrem)	Fatal Cancer Risk	Total Dose (person-rem)	Number of Fatal Cancers	Total Dose (person-rem)	Number of Fatal Cancers
No Action	$4.2 \times 10^{-3}$	$2.1 \times 10^{-9}$	$3.7 \times 10^{-3}$	$1.9 \times 10^{-6}$	3	$1.2 \times 10^{-3}$
Storage and Disposition <sup>a</sup>	$5.6 \times 10^{-6}$	$2.8 \times 10^{-12}$	$1.7 \times 10^{-6}$	$8.5 \times 10^{-10}$	40	0.016
Stockpile Stewardship and Management	$3.5 \times 10^{-6}$	$1.8 \times 10^{-12}$	$3.1 \times 10^{-6}$	$1.6 \times 10^{-9}$	2.6	$1.0 \times 10^{-3}$
Waste Management	$7.8 \times 10^{-9}$	$3.9 \times 10^{-15}$	$3.0 \times 10^{-8}$	$1.5 \times 10^{-11}$	$8.4 \times 10^{-8}$	$3.4 \times 10^{-11}$
[Text deleted.]						

<sup>a</sup> The impacts from the collocation storage facility are presented since they encompass both Pu and HEU storage at P-Tunnel.  
[Text deleted.]

Source: DOE 1995cc; DOE 1995dd; DOE 1996b; NT DOE 1986b; Tables 4.2.2.9-1 and 4.2.2.9-2.

facilities for planned actions may change. In addition, because each of these facilities is sited in a different location, the location of the MEI for each is also different. The MEIs have been selected to maximize the potential dose for a given facility. Since the MEI would have to be resident at more than one location simultaneously in order to receive the maximum dose from each facility, summing the doses would be misleading. The offsite population and total site workforce doses have not been summed because the population distribution and workforce totals as analyzed vary among the actions. [Text deleted.]

**Chemical Impacts.** For NTS, the various NEPA documents use different but otherwise acceptable methodologies to assess the health effects from hazardous chemical exposure for proposed activities. These methodologies may have different indicators for determining the health impact (for example, hazard index, cancer risk, or chemical concentration in the environment). These different indicators prevent a uniform quantitative cumulative impact analysis for this site. However, as indicated in the health impact analysis sections in the NEPA documents for the proposed actions, the health effect from any proposed action at NTS is predicted to contribute only slightly to the impacts from the baseline activity (No Action). The potential cumulative health impact from hazardous chemicals from implementation of the proposed activities would not exhibit a noticeable increase above the baseline, would be expected to fall within acceptable regulatory limits.

#### 4.7.2.2.10 Waste Management

The actions and alternatives which could contribute to the cumulative impacts at NTS are listed in Table 4.7.2.2.10-1. The largest impact on radioactive waste management would result if NTS is selected as a regional treatment and disposal facility for mixed LLW and a central disposal facility for LLW as a result of the waste-type specific RODs developed from the Waste Management PEIS. The next smaller impact would result from the alternatives considered in this PEIS. NTS is also a candidate site for an Assembly/Disassembly facility and the National Ignition Facility from the Stockpile Stewardship and Management PEIS.

Table 4.7.2.2.10-1. Waste Management Cumulative Impacts at Nevada Test Site (2005)—Annual Volumes

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition <sup>b</sup> (m <sup>3</sup> )	Stockpile Stewardship and Management <sup>c</sup> (m <sup>3</sup> )	Waste Management (m <sup>3</sup> )	Total (m <sup>3</sup> )
<b>Spent Fuel</b>	0	0	0	0	0
<b>High Level</b>					
Liquid	0	0	0	0	0
Solid	0	0	0	0	0
<b>Transuranic</b>					
Liquid	0	0.02	0	Included in solid	0.02
Solid	0	10	0	30.5 <sup>d</sup>	40.5
<b>Mixed Transuranic</b>					
Liquid	0	0	0	Included in TRU	0
Solid	0	4	0	Included in TRU	4
<b>Low-Level</b>					
Liquid	Dependent on restoration activities	2.1	0.66	Included in solid	2.8
Solid	15,000	1,300	33	74,000 <sup>e</sup>	90,330
<b>Mixed Low-Level</b>					
Liquid	0	0.2	2	Included in solid	2.2
Solid	50	66	2	11,300 <sup>f</sup>	11,420
<b>Hazardous</b>					
Liquid	Included in solid	2	8	0	10
Solid	212	2	8	0	222
<b>Nonhazardous (Sanitary)</b>					
Liquid	Included in solid	189,000	70,900	NA	260,000
Solid	2,120	1,960	6,100	NA	10,180

Table 4.7.2.2.10-1. Waste Management Cumulative Impacts at Nevada Test Site (2005)—Annual Volumes—Continued

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition <sup>b</sup> (m <sup>3</sup> )	Stockpile Stewardship and Management <sup>c</sup> (m <sup>3</sup> )	Waste Management (m <sup>3</sup> )	Total (m <sup>3</sup> )
<b>Nonhazardous (Other)</b>					
Liquid	Included in sanitary	Included in sanitary	Included in sanitary	36,300 <sup>g</sup>	36,300
Solid	76,500	2,500 <sup>h</sup>	0	NA	79,000

<sup>a</sup> No Action volumes are from Table 4.2.2.10-2.

<sup>b</sup> Collocation Alternative using modification of P-Tunnel, Table E.3.1.3-2.

<sup>c</sup> Assembly/disassembly and National Ignition Facility alternatives.

<sup>d</sup> Represents the Decentralized Alternative in which NTS would treat and store its TRU waste onsite, and dispose of it at a Federal geologic repository. The number is the existing inventory divided by 20 from Table 8.1-1, page 8-4 of the Draft Waste Management PEIS (DOE/EIS-0200D).

<sup>e</sup> Represents the LLW Centralized Alternative 2 in which NTS would dispose of DOE LLW. The volume was obtained by taking the estimated inventory at NTS plus the estimated inventory and 20-year generation projection for offsite receipts and dividing by 20 to get annual estimate (Table 7.1-1, page 7-3 of the Draft Waste Management PEIS).

<sup>f</sup> Represents the mixed LLW Regionalized Alternative 3 in which NTS would ship its mixed LLW to INEL for treatment. NTS would then dispose of all DOE treated mixed LLW. The volume was obtained by taking the estimated inventory at NTS plus the estimated inventory and 20-year generation projection for offsite receipts and dividing by 20 to get annual estimate (Table 6.1-1, page 6-3 of the Draft Waste Management PEIS).

<sup>g</sup> Represents the total annual incremental wastewater for all alternatives (Draft Waste Management PEIS, Vol. II; Tables II-9.3-11 [TRU], page 9-42; II-9.2-11 [LLW], page 9-28; and II-9.1-14 [mixed LLW], page 9-15).

<sup>h</sup> Recyclable waste.

Note: NA=data was not analyzed in the associated EIS.

Source: DOE 1995cc; DOE 1995dd; DOE 1996b; Table 4.2.2.10-1.

### 4.7.2.3 Idaho National Engineering Laboratory

#### 4.7.2.3.1 Land Resources

In addition to the storage alternatives, INEL is being considered as a site for the three other DOE programs identified in Table 4.7.1-1. The total area of undisturbed land that could be affected by these programs during operation is 328 ha (812 acres), or less than 0.2 percent of the total land at INEL. Site development would be performed in accordance with the land-use plans in the *INEL Site Development Plan*. Proposed development would also be compatible with the industrial use visual character of the developed areas of INEL. Cumulatively, the actions would consume land, but would be consistent with the land-use plans and visual character of the site.

#### 4.7.2.3.2 Site Infrastructure

Some cumulative impacts are possible from siting the storage alternatives at INEL if facilities resulting from the three other DOE programs identified in Table 4.7.1-1 are also located at INEL. The site infrastructure cumulative impacts that would result at INEL from operation of all the proposed projects are shown in Table 4.7.2.3.2-1. INEL has adequate site availability for all of the site infrastructure resource requirements except for coal. Additional coal requirements would be satisfied using the current procurement practices at the site.

**Table 4.7.2.3.2-1. Site Infrastructure Cumulative Impacts at Idaho National Engineering Laboratory**

Requirement	Electrical		Fuel	
	Energy (MWh/yr)	Peak Load (MWe)	Oil (l/yr)	Coal (t/yr)
No Action	232,500	42	5,820,000	11,340
Storage and Disposition	58,000 <sup>a</sup>	10 <sup>a</sup>	140,000 <sup>b</sup>	14,000 <sup>a</sup>
Foreign Research Reactor	1,000	NA	NA	NA
Spent Nuclear Fuel				
Spent Nuclear Fuel	2,200	NA	330,000	NA
Waste Management	NA	15.8	NA	NA
Cumulative Requirement	293,700	67.8	6,290,000	25,340
Site Availability	394,200	124	16,000,000	11,340

<sup>a</sup> Collocation Alternative.

<sup>b</sup> Upgrade with All or Some RFETS and LANL Pu material alternative.

Note: NA=data was not analyzed in the associated EIS.

Source: DOE 1995j; DOE 1995cc; DOE 1996g; Table 4.2.3.2-1.

#### 4.7.2.3.3 Air Quality and Noise

Cumulative impacts to air quality at INEL include impacts from the No Action Alternative emissions, three other DOE programs identified in Table 4.7.1-1, and the proposed facilities for each alternative. Concentrations are calculated for these emissions and are then compared to Federal and State regulations and guidelines to determine compliance.

The INEL is currently in compliance with the NAAQS as well as State regulations and guidelines. Air emissions attributable to the storage alternatives would increase concentrations of criteria pollutants. Potential cumulative impacts are presented in Table 4.7.2.3.3-1. The resulting concentrations from cumulative impacts would be in compliance with Federal and State regulations.

Cumulative noise impacts include contributions from existing and planned facilities plus proposed storage facilities at the site. Noise impacts may result both from onsite noise sources and from offsite sources such as

**Table 4.7.2.3.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Idaho National Engineering Laboratory and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives**

Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> ( $\mu\text{g}/\text{m}^3$ )	No Action ( $\mu\text{g}/\text{m}^3$ )	Other Onsite Activities <sup>b</sup> ( $\mu\text{g}/\text{m}^3$ )	Upgrade ( $\mu\text{g}/\text{m}^3$ )	Consolidation ( $\mu\text{g}/\text{m}^3$ )	Collocation ( $\mu\text{g}/\text{m}^3$ )
<b>Criteria Pollutants</b>							
Carbon monoxide	8-hour	10,000 <sup>c</sup>	284	18	302.4	303.4	303.6
	1-hour	40,000 <sup>c</sup>	614	605	1220	1222	1223
Lead	Calendar Quarter	1.5 <sup>c</sup>	0.001	0.004	0.005	0.005	0.005
Nitrogen dioxide	Annual	100 <sup>c</sup>	4	7	11.02	11.73	11.91
Ozone	1-hour	235 <sup>c</sup>	d	d	d	d	d
Particulate matter less than or equal to 10 microns in diameter	Annual	50 <sup>c</sup>	5	0	5.01	5.05	5.06
Sulfur dioxide	24-hour	150 <sup>c</sup>	80	6	86.14	86.98	87.17
	Annual	80 <sup>c</sup>	6	0	6.01	7.25	7.53
	24-hour	365 <sup>c</sup>	135	2	137.3	160.5	165.7
	3-hour	1,300 <sup>c</sup>	579	12	592.2	693.3	716.2
<b>Mandated by Idaho</b>							
Total suspended particulate	Annual	60 <sup>e</sup>	5	0	5.1	5.05	5.06
	24-hour	150 <sup>e</sup>	80	6	86.4	86.98	87.17
<b>Hazardous and Other Toxic Compounds</b>							
Ammonia	Annual	180 <sup>f</sup>	6.0	0.0007	6.0	6.0	6.0
Chlorine	Annual	30 <sup>f</sup>	g	0	g	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>
Hydrogen chloride	Annual	7.5 <sup>f</sup>	0.98	0.092	1.07	1.07	1.07
Hydrazine	Annual	0.00034 <sup>f</sup>	0.000001	0	0.000001	0.000004	<0.000004
Mercury	Annual	1 <sup>f</sup>	0.042	0.0014	0.0434	0.0434	0.0434
Nitric acid	Annual	50 <sup>f</sup>	0.64	0.0013	0.6413	0.6413	0.6413

**Table 4.7.2.3.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Idaho National Engineering Laboratory and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives—Continued**

Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> ( $\mu\text{g}/\text{m}^3$ )	No Action ( $\mu\text{g}/\text{m}^3$ )	Other Onsite Activities <sup>b</sup> ( $\mu\text{g}/\text{m}^3$ )	Upgrade ( $\mu\text{g}/\text{m}^3$ )	Consolidation ( $\mu\text{g}/\text{m}^3$ )	Collocation ( $\mu\text{g}/\text{m}^3$ )
<b>Hazardous and Other Toxic Compounds (continued)</b>							
Phosphoric acid	Annual	10 <sup>f</sup>	g	0	g	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>
Sulfuric acid	Annual	10 <sup>f</sup>	g	0.00085	g	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>
Trivalent chromium	Annual	5 <sup>f</sup>	0.036	0.0004	0.03604	0.03604	0.03604

<sup>a</sup> The more stringent of the Federal and State standard is presented if both exist for the averaging time.

<sup>b</sup> Other onsite activities include those associated with the Foreign Research Reactor Spent Nuclear Fuel, Spent Nuclear Fuel Management and Waste Management programs.

<sup>c</sup> Federal and State standard.

<sup>d</sup> Ozone, as a criteria pollutant, is not directly emitted nor monitored by the site. See Section 4.1.3 for a discussion of ozone-related issues.

<sup>e</sup> State standard or guideline

<sup>f</sup> Acceptable air concentrations listed in Rules for the Control of Air Pollution in Idaho apply only to new (not existing) sources and are used here only as reference levels.

<sup>g</sup> No sources of this pollutant have been identified.

<sup>h</sup> The concentration represents the alternative contribution and other onsite activities.

Source: 40 CFR 50; DOE 1995j; DOE 1995dd; DOE 1996b; DOE 1996g; FDI 1996a:1; ID DHW 1995a; ID DHW 1995c; IN DOE 1996a; Table 4.2.3.3-1.



traffic. Noise impacts on individuals from the storage facilities are expected to be small, resulting in little or no increase in noise levels at offsite areas. Little or no increase in cumulative noise impacts to individuals offsite is expected to occur.

#### 4.7.2.3.4 Water Resources

Table 4.7.2.3.4-1 summarizes the estimated cumulative water usage for the storage alternatives and the three other DOE programs identified in Table 4.7.1-1. Water requirements during the operation of all the proposed projects would be obtained from groundwater resources. The cumulative water requirements for the site would be a 6-percent increase over the projected No Action water usage, or approximately 18.3 percent of the groundwater allotment. The operation of the Collocation Alternative would account for approximately 1.1 percent of the total annual cumulative water usage.

Because all wastewater could be recycled during operation, wastewater generated during construction would have the most impact. Table 4.7.2.3.4-2 summarizes the estimated volumes of cumulative wastewater discharged to ponds or recycled. The cumulative wastewater discharged would be a 27-percent increase in the projected discharge. Existing INEL treatment facilities could accommodate all the new cumulative process and wastewater streams.

**Table 4.7.2.3.4-1. Cumulative Annual Water Usage at Idaho National Engineering Laboratory**

Program	Water Requirements (million l/yr)
No Action	7,570 <sup>a</sup>
Storage and Disposition	87 <sup>b,c</sup>
Foreign Research Reactor Spent Nuclear Fuel	2.1 <sup>b</sup>
Spent Nuclear Fuel	49
Waste Management	353 <sup>b,d</sup>
Total annual cumulative water usage	8061.1

<sup>a</sup> Data represents groundwater usage.

<sup>b</sup> Data represents maximum value for the comparative scenario.

<sup>c</sup> Data represent the Collocation Alternative.

<sup>d</sup> Based on preliminary data.

Source: DOE 1995j; DOE 1995dd; DOE 1996g; INEL 1995a:1; Table 4.2.3.4-1.

**Table 4.7.2.3.4-2. Cumulative Annual Wastewater Discharge at Idaho National Engineering Laboratory**

Program	Nonhazardous Sanitary and Industrial Wastewater (million l/yr)
No Action	540
Storage and Disposition	12.8 <sup>a,b</sup>
Foreign Research Reactor Spent Nuclear Fuel	1.6 <sup>a</sup>
Spent Nuclear Fuel	49
Waste Management	85 <sup>a,c</sup>
Total annual cumulative wastewater	688.4

<sup>a</sup> Data represents the Collocation Alternative during construction.

<sup>b</sup> Data represents maximum value for the comparative scenario.

<sup>c</sup> Based on preliminary data.

Source: DOE 1995j; DOE 1995dd; DOE 1996g; INEL 1995a:1; Table 4.2.3.4-1.

#### 4.7.2.3.5 Geology and Soils

Cumulative impacts to geologic and soil resources are expected to be minor as a result of the storage alternatives and the other DOE programs identified in Table 4.7.1-1. A total of 328 ha (812 acres) could be disturbed at the site. Soil erosion and storm water control measures would be used during construction to minimize erosion from the disturbed areas. No valuable geologic resources would be affected by any of the planned programs.

#### 4.7.2.3.6 Biological Resources

In addition to ongoing activities and the storage alternatives, INEL is being considered for the three other DOE programs identified in Table 4.7.1-1. Although many of these facilities would be located within developed areas of the site, certain environmental restoration and waste management facilities and consolidated or collocated storage facilities would be constructed on undeveloped land. The total area of undeveloped land required would be 328 ha (812 acres), or less than 0.2 percent of INEL. Due to the general lack of wetlands and aquatic resources at INEL, and the fact that facilities would be constructed away from the Big Lost River, cumulative impacts to these resources would not be expected. The cumulative loss of habitat could lead to additional impacts to special status species compared to those resulting from construction of a storage facility alone; however, their status on INEL would not be expected to be jeopardized. Species that could be affected include several State-status species such as the pygmy rabbit, a number of bat species, and oxytheca.

#### 4.7.2.3.7 Cultural and Paleontological Resources

The three other DOE programs identified in Table 4.7.1-1 may require ground-disturbing construction, facility modification, and changes in land access and use at INEL. Construction at INEL under these programs is primarily proposed for developed areas which have either been surveyed or are disturbed and are therefore unlikely to contain cultural or paleontological resources. Prior to construction activity, specific surveys, evaluations, and Native American consultations would be conducted pursuant to NHPA, the *American Indian Religious Freedom Act*, and the *Native American Graves Protection and Repatriation Act*. Cumulative impacts resulting from the storage alternatives, if any, are expected to be minimal.

#### 4.7.2.3.8 Socioeconomics

Cumulative impacts on INEL's regional economy, population, housing, community services, and local transportation would be minor. Generally, the regional economy would improve without burdening the housing market, but new traffic could lead to congestion on local roads. Table 4.7.2.3.8-1 shows the other DOE programs that are being considered at INEL. Because each of these programs is relatively small, their cumulative socioeconomic impact would be minor. The primary impact will be to stimulate regional economic growth. If all of these programs were located at INEL, transportation congestion could result as well as the demand for new housing and other public services. However, housing construction trends indicate that this additional population could be accommodated without significant impacts to the housing market.

**Table 4.7.2.3.8-1. Socioeconomic Cumulative Impacts at Idaho National Engineering Laboratory**

Program	Direct Employment <sup>a</sup>
Storage and Disposition <sup>b</sup>	561
Foreign Research Reactor Spent Nuclear Fuel	30
Spent Nuclear Fuel	0
Waste Management	4,925
Total	5,516

<sup>a</sup> Operations.

<sup>b</sup> Collocation Alternative.

Source: DOE 1996g; DOE 1995j; DOE 1995cc; Section 4.2.3.8.

#### 4.7.2.3.9 Public and Occupational Health and Safety

**Radiological Impacts.** The maximum incremental radiological doses and resulting health effects for the storage alternative, the No Action Alternative and other actions planned at INEL, are presented Table 4.7.2.3.9-1. Although these impacts could be added, it should be noted that the exact locations of the facilities for planned actions may change. In addition, because each of these facilities is sited in a different location, the location of the MEI for each is also different. The MEIs have been selected to maximize the potential dose for a given facility. Since the MEI would have to be resident at more than one location simultaneously in order to receive the maximum dose from each facility, summing the doses would be misleading. The offsite population and total site workforce doses have not been summed because the population distribution and workforce totals as analyzed vary among the actions. [Text deleted.]

**Chemical Impacts.** For INEL, the various NEPA documents use different but otherwise acceptable methodologies to assess the health effects from hazardous chemical exposure for proposed activities. These methodologies may have different indicators for determining the health impact (for example, hazard index, cancer risk, or chemical concentration in the environment). These different indicators prevent a uniform quantitative cumulative impact analysis for this site. However, as indicated in the health impact analysis sections in the NEPA documents for the proposed actions, the health effect from any proposed action at INEL is predicted to contribute only slightly to the impacts from the baseline activity (No Action). The potential cumulative health impact from hazardous chemicals from implementation of the proposed activities would not exhibit a noticeable increase above the baseline, would be expected to fall within acceptable regulatory limits.

**Table 4.7.2.3.9-1. Estimated Average Annual Cumulative Radiological Doses and Resulting Health Effects to the Public and Workers From Normal Operation at Idaho National Engineering Laboratory**

Program	Maximally Exposed Individual Member of the Public		Offsite Population Within 80 km		Total Site Workforce	
	Total Dose (mrem)	Fatal Cancer Risk	Total Dose (person-rem)	Number of Fatal Cancers	Total Dose (person-rem)	Number of Fatal Cancers
No Action	0.018	$9.0 \times 10^{-9}$	2.4	$1.2 \times 10^{-3}$	220	0.088
Storage and Disposition <sup>a</sup>	$1.6 \times 10^{-6}$	$8.0 \times 10^{-13}$	$1.8 \times 10^{-5}$	$9.0 \times 10^{-9}$	25	0.010
Foreign Research Reactor Spent Nuclear Fuel	$5.6 \times 10^{-4}$	$2.8 \times 10^{-10}$	$4.5 \times 10^{-3}$	$2.3 \times 10^{-6}$	33	0.013
Spent Nuclear Fuel	$8.0 \times 10^{-3}$	$4.0 \times 10^{-9}$	0.19	$9.5 \times 10^{-5}$	5.4	$2.2 \times 10^{-3}$
Waste Management	1.0	$5.2 \times 10^{-7}$	8.4	$4.2 \times 10^{-3}$	2.5	$1.0 \times 10^{-3}$

<sup>a</sup> The impacts from the collocation storage facility are presented since they encompass both Pu and HEU storage.  
Source: DOE 1995j; DOE 1995dd; DOE 1996g; Tables 4.2.3.9-1 and 4.2.3.9-2.

#### 4.7.2.3.10 Waste Management

The actions and alternatives which could contribute to the cumulative impacts at INEL are listed in Table 4.7.2.3.10-1. The largest impact on radioactive waste management would result if INEL is selected as a regional treatment and disposal facility for LLW and mixed LLW or as a regional treatment facility for TRU waste as a result of the waste-type-specific RODs developed from the Waste Management PEIS. The next largest impact would result from the alternative considered in this PEIS for the Collocation Alternative for long-term storage analyzed for INEL. The *Department of Energy Programmatic Spent Nuclear Fuel and Idaho National Engineering Laboratory Environmental Restoration Waste Management Programs EIS* and the *Proposed Nuclear Weapons Nonproliferation Policy Concerning Foreign Research Reactor Spent Nuclear Fuel EIS* would have smaller impacts at INEL.

Table 4.7.2.3.10-1. Waste Management Cumulative Impacts at Idaho National Engineering Laboratory (2005)—Annual Volumes

Category	Foreign Research					Total (m <sup>3</sup> )
	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition <sup>b</sup> (m <sup>3</sup> )	Reactor Spent Nuclear Fuel <sup>c</sup> (m <sup>3</sup> )	Spent Nuclear Fuel Management <sup>d</sup> (m <sup>3</sup> )	Waste Management (m <sup>3</sup> )	
<b>Spent Fuel</b>	0	0	1.0 t	165 t	0	166 t
<b>High Level</b>						
Liquid	538	0	0	27	0	565
Solid	192	0	0	Included in liquid	0 <sup>e</sup>	192
<b>Transuranic</b>						
Liquid	0	0.02	0	32	Included in solid	32
Solid	3.5	10	0	Included in liquid	2,790 <sup>f</sup>	2,804
<b>Mixed Transuranic</b>						
Liquid	Included in TRU	0	0	Included in TRU	Included in TRU	0
Solid	Included in TRU	4	0	Included in TRU	Included in TRU	4
<b>Low-Level</b>						
Liquid	0	2.1	0	0	Included in solid	2.1
Solid	7,200	1,300	23	197	11,870 <sup>g</sup>	20,600
<b>Mixed Low-Level</b>						
Liquid	4	0.2	0	0	Included in solid	4.4
Solid	170	66	0	0	2,725 <sup>h</sup>	2,960
<b>Hazardous</b>						
Liquid	Included in solid	2	0	0	Included in solid	2
Solid	1,200	2	0	0	1,854 <sup>i</sup>	3,056
<b>Nonhazardous (Sanitary)</b>						
Liquid	Included in solid	86,800	1,990	0	NA	88,740
Solid	52,000	1,720	NA	0	NA	53,720

**Table 4.7.2.3.10-1. Waste Management Cumulative Impacts at Idaho National Engineering Laboratory (2005)—Annual Volumes—Continued**

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition <sup>b</sup> (m <sup>3</sup> )	Foreign Research		Waste Management (m <sup>3</sup> )	Total (m <sup>3</sup> )
			Reactor Spent Nuclear Fuel <sup>c</sup> (m <sup>3</sup> )	Spent Nuclear Fuel Management <sup>d</sup> (m <sup>3</sup> )		
Nonhazardous (Other)						
Liquid	0	Included in sanitary	Included in sanitary	601	68,170 <sup>j</sup>	68,800
Solid	Included in sanitary	2,100 <sup>k</sup>	NA	NA	NA	2,100

<sup>a</sup> No Action volumes from Table 4.2.3.10-1.

<sup>b</sup> Collocation Alternative.

<sup>c</sup> Alternative announced in Federal Register on May 17, 1996 (61 FR 25092).

<sup>d</sup> Also includes the site-specific environmental restoration and waste management analysis from Volume 2.

<sup>e</sup> Approximately 327 canisters (493 m<sup>3</sup>) per year starting 2014.

<sup>f</sup> Represents the estimated TRU waste to be treated to LDR standards at INEL as a result of the TRU Waste Regionalized Alternative 3. The volume was obtained by taking the estimated inventory at INEL and the estimated inventory and 20-year projected generation for the offsite receipts, and dividing by 20 to get an annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 8.1-1, page 8-4).

<sup>g</sup> Represents the estimated LLW to be treated and disposed of at INEL as a result of the LLW Regionalized Alternative 5. The volume was obtained by taking the estimated inventory at INEL and the estimated inventory and 20-year projected generation for the offsite receipts, and dividing by 20 to get an annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 7.1-1, page 7-3).

<sup>h</sup> Represents the estimated mixed LLW to be treated and disposed of at INEL as a result of the Mixed LLW Regionalized Alternative 4. The volume was obtained by taking the estimated inventory at INEL and the estimated inventory and 20-year projected generation for the offsite receipts, and dividing by 20 to get an annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 6.1-1, page 6-3).

<sup>i</sup> Represents the estimated hazardous wastes to be treated at INEL as a result of the hazardous waste Regionalized Alternative 2 (Draft Waste Management PEIS, Vol. I of IV, Table 10.3-7, page 10-20).

<sup>j</sup> Represents the incremental increase of wastewater over No Action all alternatives. Annual volume estimated by assuming 365 days per year (Draft Waste Management PEIS, Vol. II, Tables II-6.4-8 [HLW], page 6-55; II-6.3-11 [TRU], page 6-45; II-6.1-16 [mixed LLW], page 6-19; II-6.2-2 [LLW], page 6-32; and II-6.5-10 [hazardous], page 6-67).

<sup>k</sup> Recyclable wastes.

Note: NA=data was not analyzed in the associated EIS.

Source: 60 FR 28680; 61 FR 9441; 61 FR 25092; DOE 1995cc; DOE 1995dd; DOE 1996g; DOE 1996n; Table 4.2.3.10-1.

#### 4.7.2.4 Pantex Plant

##### 4.7.2.4.1 Land Resources

In addition to the storage alternatives, Pantex is being considered as a site for the two other DOE programs identified in Table 4.7.1-1. The total area of undisturbed land that could be affected by these programs during operation 97 ha (241 acres), or 6.5 percent of the government-owned land at Pantex. Site development would be performed in accordance with the land use plans in the *Pantex Site Development Plan*. Long-term storage alternatives which utilize recycled wastewater could require land disturbance and land acquisition for construction of a pipeline. Proposed development would be compatible with the industrial use visual character of the developed areas of Pantex. Cumulatively, the actions would consume land, but would be consistent with the land use plans and visual character of the site.

##### 4.7.2.4.2 Site Infrastructure

Some cumulative impacts are possible at Pantex resulting from siting the disposition and storage facilities, and facilities resulting from the other two DOE programs identified in Table 4.7.1-1. The site infrastructure cumulative impacts at Pantex that would result from operation of the proposed projects are shown in Table 4.7.2.4.2-1. Pantex has adequate site availability to meet the requirements for all of the site infrastructure resources except for peak load. Power transmission lines and electrical distribution equipment would be needed to meet the increased power demand.

**Table 4.7.2.4.2-1. Site Infrastructure Cumulative Operation Impacts at Pantex Plant**

Requirement	Electrical		Fuel	
	Energy (MWh/yr)	Peak Load (MWe)	Oil (l/yr)	Natural Gas (m3/yr)
No Action	46,266	10	795,166	7,200,000
Storage and Disposition <sup>a</sup>	58,000	10	38,000	5,200,000
Stockpile Stewardship and Management	0 <sup>b</sup>	1 <sup>c</sup>	0 <sup>b</sup>	0 <sup>b</sup>
Waste Management	NA	3.8	NA	NA
Cumulative Requirement	104,266	24.8	833,166	12,400,000
Site Availability	201,480	23	1,775,720	289,000,000

<sup>a</sup> Collocation Alternative.

<sup>b</sup> No Action Alternative.

<sup>c</sup> Downsize Weapons Assembly/Disassembly and High Explosive Fabrication Alternative.

Note: NA=data was not analyzed in the associated EIS.

Source: DOE 1995cc; DOE 1996b; Table 4.2.4.2-1.

##### 4.7.2.4.3 Air Quality and Noise

Cumulative impacts to air quality at Pantex include impacts from the No Action Alternative, the two other DOE programs identified in Table 4.7.1-1, and the proposed facilities for each storage alternative. Concentrations are calculated for these emissions and are then compared to Federal and State regulations and guidelines to determine compliance.

Pantex is currently in compliance with the NAAQS as well as State regulations and guidelines. Air emissions attributable to the storage alternatives would increase concentrations of criteria pollutants. Potential cumulative impacts are presented in Table 4.7.2.4.3-1. The resulting concentrations from cumulative impacts would be in compliance with Federal and State regulations.

**Table 4.7.2.4.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Pantex Plant and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives**

Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> (µg/m <sup>3</sup> )	No Action (µg/m <sup>3</sup> )	Other Onsite Activities <sup>b</sup> (µg/m <sup>3</sup> )	Upgrade Without RFETS or LANL Material (µg/m <sup>3</sup> )	Consolidation		
						Construct New and Modify Existing Zone 12 South Facilities (µg/m <sup>3</sup> )	New Facility (µg/m <sup>3</sup> )	Collocation (µg/m <sup>3</sup> )
Criteria Pollutants								
Carbon monoxide	8-hour	10,000 <sup>c</sup>	602	17.5	619.5	625.4	625.75	625.4
	1-hour	40,000 <sup>c</sup>	2,900	92.8	2,993	3,014	3,015	3,014
Lead	Calendar Quarter	1.5 <sup>c</sup>	0.09	d	0.09	0.09	0.09	0.09
Nitrogen dioxide	Annual	100 <sup>c</sup>	2.15	1.4	3.55	3.69	3.68	3.69
Ozone	1-hour	235 <sup>c</sup>	d	e	e	e	e	e
Particulate matter less than or equal to 10 microns in diameter	Annual	50 <sup>c</sup>	8.73	0.06	8.79	8.83	8.82	8.83
	24-hour	150 <sup>c</sup>	88.5	0.93	89.4	90.1	90.0	90.1
Sulfur dioxide	Annual	80 <sup>c</sup>	<0.01	0	<0.01	<0.01	<0.01	<0.01
	24-hour	365 <sup>c</sup>	<0.01	0	<0.01	0.05	0.04	0.05
	3-hour	1,300 <sup>c</sup>	<0.01	0	<0.01	0.26	0.24	0.26
	30-minute	1,045 <sup>e</sup>	<0.01	0	<0.01	0.69	0.65	0.69
Mandated by Texas								
Gaseous fluorides (as HF)	30-day	0.8 <sup>f</sup>	<0.75	0	<0.75	<0.75	<0.75	<0.75
	7-day	1.6 <sup>f</sup>	<0.75	0	<0.75	<0.75	<0.75	<0.75
	24-hour	2.9 <sup>f</sup>	0.75	0	0.75	0.75	0.75	0.75
	12-hour	3.7 <sup>f</sup>	1.05	0	1.05	1.05	1.05	1.05
	3-hour	4.9 <sup>f</sup>	4.21	0	4.21	4.21	4.21	4.21
Hydrogen sulfide	30-minute	111 <sup>f</sup>	d	0	d	d	d	d
Total suspended particulates	3-hour	200 <sup>f</sup>	g	0	d	3.62 <sup>h</sup>	3.23 <sup>h</sup>	3.77 <sup>h</sup>
	1-hour	400 <sup>f</sup>	g	0	d	9.75 <sup>h</sup>	8.71 <sup>h</sup>	10.15 <sup>h</sup>

**Table 4.7.2.4.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Pantex Plant and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives—Continued**

Regulations of Guidelines								
Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> (µg/m <sup>3</sup> )	No Action (µg/m <sup>3</sup> )	Other Onsite Activities <sup>b</sup> (µg/m <sup>3</sup> )	Upgrade Without RFETS or LANL Material (µg/m <sup>3</sup> )	Consolidation		
						Construct New and Modify Existing Zone 12 South Facilities (µg/m <sup>3</sup> )	New Facility (µg/m <sup>3</sup> )	Collocation (µg/m <sup>3</sup> )
Hazardous and Other Toxic Compounds								
Chlorine	Annual	1.5 <sup>f</sup>	d	0	d	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>
	30-minute	15 <sup>f</sup>	d	0	d	0.03 <sup>h</sup>	0.03 <sup>h</sup>	0.04 <sup>h</sup>
Hydrogen chloride	Annual	0.1 <sup>f</sup>	0.07	0	0.07	0.07	0.07	0.07
	30-minute	75 <sup>f</sup>	6.17	0	6.17	6.18	6.18	6.17
Hydrazine	Annual	0.013 <sup>f</sup>	d	0	d	<0.0001 <sup>h</sup>	<0.0001 <sup>h</sup>	<0.0001 <sup>h</sup>
	30-minute	0.13 <sup>f</sup>	d	0	d	0.01 <sup>h</sup>	<0.01 <sup>h</sup>	0.01 <sup>h</sup>
Nitric acid	Annual	5.2 <sup>f</sup>	d	0	d	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>
	30-minute	52 <sup>f</sup>	d	0	d	0.04 <sup>h</sup>	<0.04 <sup>h</sup>	0.76 <sup>h</sup>
Phosphoric acid	Annual	1 <sup>f</sup>	d	0	d	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>
	30-minute	10 <sup>f</sup>	d	0	d	0.01 <sup>h</sup>	0.01 <sup>h</sup>	0.01 <sup>h</sup>
Sulfuric acid	24-hour	15 <sup>f</sup>	d	0	d	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>	<0.01 <sup>h</sup>
	1-hour	50 <sup>f</sup>	d	0	d	0.01 <sup>h</sup>	0.01 <sup>h</sup>	0.01 <sup>h</sup>

<sup>a</sup> The more stringent of the Federal and State standard is presented if both exist for the averaging time.

<sup>b</sup> Other onsite activities include those associated with the Stockpile Stewardship and Management and Waste Management programs.

<sup>c</sup> Federal and State standards.

<sup>d</sup> No sources of this pollutant have been identified.

<sup>e</sup> Ozone, as a criteria pollutant, is not directly emitted nor monitored by the site. See Section 4.1.3 for a discussion of ozone-related activities.

<sup>f</sup> State standard or guideline.

<sup>g</sup> Data not available from source document.

<sup>h</sup> The concentration represents the alternative contribution and other onsite activities.

Note: 1-hour predicted concentrations were used for 30-minute standard. Concentrations are based on site contribution and do not include the contribution from non-facility sources.

Source: 40 CFR 50; DOE 1995dd; DOE 1996b; PX DOE 1995a:1; PX DOE 1996a; TX NRCC 1992a; Table 4.2.4.3-1.



Cumulative noise impacts include contributions from existing and planned facilities plus proposed storage facilities at the site. Noise impacts may result both from onsite noise sources and from offsite sources such as traffic. Noise impacts on individuals from the storage facilities are expected to be small, resulting in little or no increase in noise levels at offsite areas. Little or no increase in cumulative noise impacts to individuals offsite is expected to occur.

#### **4.7.2.4.4      *Water Resources***

Table 4.7.2.4.4-1 summarizes the estimated cumulative water requirements for the storage alternatives and the two other DOE programs identified in Table 4.7.1-1. Water requirements during the operation of all the proposed projects would be obtained from groundwater resources or if feasible, from the city of Amarillo Hollywood Road Wastewater Treatment Plant. The cumulative water requirements for the site would be a 66-percent increase in the projected No Action usage or approximately 22 percent of the capacity of the groundwater wells at Pantex (1,900 million l/yr [502 million gal/yr]). The total annual site cumulative withdrawal would be approximately 50 percent less than what is currently being withdrawn from the aquifer for use at Pantex (836 million l/yr [221 million gal/yr]). Withdrawing 414 million l/yr (109 million gal/yr) at Pantex would result in drawdowns of approximately 3.9 cm/yr (1.5 in/yr). These additional groundwater withdrawals would add to the existing decline in water levels of the Ogallala Aquifer. To alleviate some of the affects from pumping groundwater from the Ogallala Aquifer, the City of Amarillo is considering supplying treated wastewater to Pantex from the Hollywood Road Wastewater Treatment Plant for industrial use. However, details have not been determined.

Table 4.7.2.4.4-2 summarizes the estimated cumulative wastewater discharge to ponds or available for recycling. Total estimated cumulative wastewater discharge (169.2 million l/yr [44.7 million gal/yr]) would be a 20-percent increase in the projected discharge. Existing Pantex treatment facilities could accommodate all the new cumulative process and wastewater streams.

#### **4.7.2.4.5      *Geology and Soils***

Cumulative impacts to geologic and soil resources are expected to be minor as a result of the storage alternatives and the other DOE programs identified in Table 4.7.1-1. A total of 97 ha (241 acres) of the available land at Pantex could be disturbed at the site. Soil erosion and storm water control measures would be used during construction to minimize erosion from the disturbed areas. No valuable geologic resources would be affected by any of the planned programs.

#### **4.7.2.4.6      *Biological Resources***

In addition to ongoing activities and the Storage Alternatives, the Pantex site is being considered for the two other DOE programs identified in Table 4.7.1-1. Some facilities associated with these two programs would largely be within developed areas of the site. Cumulative impacts to terrestrial resources or threatened and endangered species would be minimal. The total area of land used by new facilities would represent about 97 ha (241 acres). Wastewater discharge from the various alternatives could lead to cumulative impacts to site playas. These could include increases in the area of permanent water and possible changes in vegetative composition.

#### **4.7.2.4.7      *Cultural and Paleontological Resources***

The other two DOE programs identified in Table 4.7.1-1 may require ground-disturbing construction, facility modification, and changes in land access and use at Pantex. To date, no known archaeological, Native American, or paleontological resources exist within the areas selected for construction at Pantex, but some of the areas have not been systematically surveyed. Prior to construction activity, specific surveys, evaluations, and Native American consultations would be conducted pursuant to NHPA, the *American Indian Religious Freedom Act*, and the *Native American Graves Protection and Repatriation Act*. Cumulative impacts resulting from the storage alternatives, if any, are expected to be minimal.

**Table 4.7.2.4.4-1. Cumulative Annual Water Usage at Pantex Plant**

<b>Program</b>	<b>Water Requirements (million l/yr)</b>
No Action	249
Storage and Disposition	130 <sup>a,b</sup>
Stockpile Stewardship and Management	0 <sup>c</sup>
Waste Management	35 <sup>a</sup>
Total annual cumulative water usage	414

<sup>a</sup> Data represents the maximum value for the comparative scenario.

<sup>b</sup> Data represents the Collocation Alternative.

<sup>c</sup> No additional water usage would result from this program.

Source: DOE 1995dd; DOE 1996b; PX 1995a:1; Table 4.2.4.4-1.

**Table 4.7.2.4.4-2. Cumulative Annual Wastewater Discharge at Pantex Plant**

<b>Program</b>	<b>Nonhazardous Sanitary and Industrial Wastewater (million l/yr)</b>
No Action	141
Storage and Disposition	12.2 <sup>a,b</sup>
Stockpile Stewardship and Management	0 <sup>c</sup>
Waste Management	16 <sup>a</sup>
Total annual cumulative water usage	169.2

<sup>a</sup> Data represents the maximum value for the comparative scenario.

<sup>b</sup> Data represents the Collocation Alternative.

<sup>c</sup> No additional wastewater discharge would result from this program.

Source: DOE 1995dd; DOE 1996b; PX 1995a:1; PX MH 1994a; Table 4.2.4.4-1.

[Text deleted.]

#### **4.7.2.4.8 Socioeconomics**

Cumulative impacts on Pantex's regional economy, population, housing, community services and local transportation would be minor. As shown in Table 4.7.2.4.8-1, the regional economy would improve without any burden on the housing market. The cumulative impact shown in Table 4.7.2.4.8-1 would be minor because of the relatively small size of the programs.

**Table 4.7.2.4.8-1. Socioeconomic Cumulative Impacts at Pantex Plant**

<b>Program</b>	<b>Direct Employment<sup>a</sup></b>
Storage and Disposition <sup>b</sup>	1,176
Stockpile Stewardship and Management	280
Waste Management	654
Total	2,110

<sup>a</sup> Operations.

<sup>b</sup> Collocation Alternative.

Source: DOE 1995cc; DOE 1996b; Section 4.2.4.8.

#### 4.7.2.4.9 Public and Occupational Health and Safety

**Radiological Impacts.** The maximum incremental radiological doses and resulting health effects for the storage alternative, the No Action Alternative, and other actions planned at Pantex, are presented in Table 4.7.2.4.9-1. Although these impacts could be added, it should be noted that the exact locations of the facilities for planned actions may change. In addition, because each of these facilities is sited in a different location, the location of the MEI for each is also different. The MEIs have been selected to maximize the potential dose for a given facility. Since the MEI would have to be resident at more than one location simultaneously in order to receive the maximum dose from each facility, summing the doses would be misleading. The offsite population and total site workforce doses have not been summed because the population distribution and workforce totals as analyzed vary among the actions. [Text deleted.]

**Chemical Impacts.** For Pantex, the various NEPA documents use different but otherwise acceptable methodologies to assess the health effects from hazardous chemical exposure for proposed activities. These methodologies may have different indicators for determining the health impact (for example, hazard index, cancer risk, or chemical concentration in the environment). These different indicators prevent a uniform quantitative cumulative impact analysis for this site. However, as indicated in the health impact analysis sections in the NEPA documents for the proposed actions, the health effect from any proposed action at Pantex is predicted to contribute only slightly to the impacts from the baseline activity (No Action). The potential cumulative health impact from hazardous chemicals from implementation of the proposed activities would not exhibit a noticeable increase above the baseline, would be expected to fall within acceptable regulatory limits.

**Table 4.7.2.4.9-1. Estimated Average Annual Cumulative Radiological Doses and Resulting Health Effects to the Public and Workers From Normal Operation at Pantex Plant**

Program	Maximally Exposed Individual Member of the Public		Offsite Population Within 80 km		Total Site Workforce	
	Total Dose	Fatal Cancer Risk	Total Dose	Number of Fatal Cancers	Total Dose	Number of Fatal Cancers
	(mrem)		(person-rem)		(person-rem)	
No Action	$6.1 \times 10^{-5}$	$3.1 \times 10^{-11}$	$2.8 \times 10^{-4}$	$1.4 \times 10^{-7}$	14	$5.6 \times 10^{-3}$
Storage and Disposition <sup>a</sup>	$9.6 \times 10^{-6}$	$4.8 \times 10^{-12}$	$5.3 \times 10^{-5}$	$2.9 \times 10^{-8}$	25	0.010
Stockpile Stewardship and Management	$4.0 \times 10^{-5}$	$2.0 \times 10^{-11}$	$4.0 \times 10^{-4}$	$2.0 \times 10^{-7}$	-7.7	$-3.1 \times 10^{-3}$
Waste Management	$5.9 \times 10^{-4}$	$2.9 \times 10^{-10}$	$6.9 \times 10^{-3}$	$3.5 \times 10^{-6}$	$6.9 \times 10^{-4}$	$2.8 \times 10^{-7}$

<sup>a</sup> The impacts from the collocation storage facility are presented since they encompass both Pu and HEU storage.

Source: DOE 1995cc; DOE 1995dd; DOE 1996b; Tables 4.2.4.9-1 and 4.2.4.9-2.

#### 4.7.2.4.10 Waste Management

In addition to the storage alternatives, the other DOE programs listed in Table 4.7.1-1 would contribute to cumulative impacts at Pantex as shown in Table 4.7.2.4.10-1. The largest impact on waste management would result if the LLW Regionalized Alternative 2 and the mixed LLW Regionalized Alternative 1 were selected as the preferred alternative in the Waste Management PEIS. The Collocation Storage Alternative from this PEIS would contribute the next largest impact on waste management at Pantex.

Table 4.7.2.4.10-1. Waste Management Cumulative Impacts at Pantex Plant (2005)—Annual Volumes

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Stockpile Stewardship Storage and Disposition and Management			Total (m <sup>3</sup> )
		PEIS <sup>b</sup> (m <sup>3</sup> )	PEIS (m <sup>3</sup> )	Waste Management PEIS (m <sup>3</sup> )	
<b>Transuranic</b>					
Liquid	None	0.02	0 <sup>c</sup>	0	0.02
Solid	None	10	0 <sup>c</sup>	0	10
<b>Mixed Transuranic</b>					
Liquid	None	0	0 <sup>c</sup>	0	0
Solid	None	4	0 <sup>c</sup>	0	4
<b>Low-Level</b>					
Liquid	8	2.1	0 <sup>c</sup>	Included in solid	10
Solid	32	1,300	0 <sup>c</sup>	1,700 <sup>d</sup>	3,032
<b>Mixed Low-Level</b>					
Liquid	4	0.2	0 <sup>c</sup>	Included in solid	4
Solid	46	66	0 <sup>c</sup>	7 <sup>e</sup>	119
<b>Hazardous</b>					
Liquid	2	2	0 <sup>c</sup>	0	4
Solid	31	2	0 <sup>c</sup>	0 <sup>f</sup>	33
<b>Nonhazardous (Sanitary)</b>					
Liquid	141,000	129,500	7,060 <sup>g</sup>	NA	277,600
Solid	339	1,840	18 <sup>g</sup>	NA	2,197

Table 4.7.2.4.10-1. Waste Management Cumulative Impacts at Pantex Plant (2005)—Annual Volumes—Continued

Category	Stockpile Stewardship				Total (m <sup>3</sup> )
	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition	and Management	Waste Management	
		PEIS <sup>b</sup> (m <sup>3</sup> )	PEIS (m <sup>3</sup> )	PEIS (m <sup>3</sup> )	
Nonhazardous (Other)					
Liquid	Included in sanitary	Included in sanitary	Included in sanitary	12,700 <sup>h</sup>	12,700
Solid	Included in sanitary	2,300 <sup>i</sup>	Included in sanitary	Included in sanitary	2,300

<sup>a</sup> No Action volumes are from Table 4.2.4.10-1.

<sup>b</sup> Collocation Storage Alternative (New Pu and HEU Storage Facility).

<sup>c</sup> No Action Alternative.

<sup>d</sup> Represents LLW Regionalized Alternative 2 in which Pantex would treat and dispose of its own LLW onsite. The volume was obtained by taking the estimated inventory and dividing by 20 to get annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 7.1-1, page 7-3).

<sup>e</sup> Represents mixed LLW Decentralized Alternative or Regionalized Alternative 1. Pantex would treat and dispose of its own mixed LLW onsite. The volume was obtained by taking the estimated inventory and dividing by 20 to get annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 6.1-1, page 6-3).

<sup>f</sup> No Action or Decentralized Alternative.

<sup>g</sup> Downsize Assembly/Disassembly and HE fabrication alternative.

<sup>h</sup> Represents the total annual incremental wastewater over No Action for all alternatives. Annual volume estimated by assuming 365 days per year (Draft Waste Management PEIS, Vol. II, Tables II-12.1-14 [mixed LLW], page 12-15; and II-12.2-12 [LLW], page 12-29).

<sup>i</sup> Recyclable wastes.

Source: DOE 1995cc; DOE 1995dd; DOE 1996b; PX 1995a:2, PX DOE 1995e; Table 4.2.4.10-1.

#### 4.7.2.5 Oak Ridge Reservation

##### 4.7.2.5.1 Land Resources

ORR is a potential site for the storage alternatives and for the three other DOE programs identified in Table 4.7.1-1. The total area of undisturbed land that could be affected by these programs during operation is 154 ha (382 acres), or less than 1 percent of the total land at ORR. Cumulative impacts are possible to NERP lands at ORR due to encroachment of the new development projects. A portion of the consolidated storage facility could be constructed on land designated for waste management in the *ORR Site Development and Facilities Utilization Plan*. Proposed development could affect visual resources near Route 95 and Bear Creek Road by changing the current VRM class 4 to a class 5.

##### 4.7.2.5.2 Site Infrastructure

Some cumulative impacts are possible at ORR resulting from implementation of the storage alternatives, ongoing activities, and the three other DOE programs identified in Table 4.7.1-1. In addition, environmental restoration activities at ORR are expected to continue for 30 years and therefore will coincide with the construction and operation of the proposed disposition facilities as well as many of the other DOE programs. Table 4.7.2.5.2-1 shows the site infrastructure cumulative impacts that would result from operation of the proposed programs were they to be sited at ORR. The cumulative requirements for oil and coal exceed the ORR site availability. Oil storage tanks and coal handling facilities would need to be constructed to meet the new resource requirements.

**Table 4.7.2.5.2-1. Site Infrastructure Cumulative Operation Impacts at Oak Ridge Reservation**

Requirement	Electrical		Fuel		
	Energy (MWh/yr)	Peak Load (MWe)	Oil (l/yr)	Natural Gas (m <sup>3</sup> /yr)	Coal (t/yr)
No Action	726,000	110	379,000	95,000,000	16,300
Storage and Disposition	60,260 <sup>a</sup>	10 <sup>a</sup>	50,000 <sup>b</sup>	949 <sup>a</sup>	5,973 <sup>b</sup>
HEU Disposition	5,000	2	56,800	0	363
Stockpile Stewardship and Management <sup>c</sup>	0	0	0	0	0
Waste Management	NA	88.6	NA	NA	NA
Cumulative	791,260	210.6	485,800	95,000,949	22,636
Requirement					
Site Availability	13,880,000	2,100	416,000	250,760,000	16,300

<sup>a</sup> Collocation Alternative (New Pu Storage Facility and Modify Y-12).

<sup>b</sup> Collocation Alternative (New Pu and HEU Storage Facilities).

<sup>c</sup> No Action data is used because the rest of the alternatives in the Stockpile Stewardship and Management PEIS would result in downsizing.

Note: NA=data was not analyzed in the associated EIS.

Source: DOE 1995cc; DOE 1996b; DOE 1996m; Table 4.2.5.2-1.

##### 4.7.2.5.3 Air Quality and Noise

Cumulative impacts to air quality at ORR include impacts from No Action Alternative, the three other DOE programs identified in Table 4.7.1-1, and the proposed facilities for each storage alternative. Concentrations are calculated for these emissions and are then compared to Federal and State regulations and guidelines to determine compliance.

The ORR is currently in compliance with the NAAQS as well as state regulations and guidelines. Air emissions attributable to the storage alternatives would increase concentrations of criteria pollutants. Potential cumulative impacts are presented in Table 4.7.2.5.3–1. The resulting concentrations from cumulative impacts would be in compliance with Federal and State regulations.

Cumulative noise impacts include contributions from existing and planned facilities plus proposed storage facilities at the site. Noise impacts may result both from onsite noise sources and from offsite sources such as traffic. Noise impacts on individuals from the storage facilities are expected to be small, resulting in little or no increase in noise levels at offsite areas. Little or no increase in cumulative noise impacts to individuals offsite is expected to occur.

#### 4.7.2.5.4 Water Resources

Table 4.7.2.5.4–1 summarizes the estimated cumulative water requirements for the storage alternatives and the three other DOE programs identified in Table 4.7.1–1. Water requirements during the operation of all the proposed projects would be obtained from the Clinch River. The cumulative water requirements for the site would be 0.3 percent of the Clinch River's average flow (135 m<sup>3</sup>/s [4,763 ft<sup>3</sup>/s]). The Collocation Alternative would account for approximately 2.4 percent of the cumulative usage. The additional withdrawals are minor in comparison to the average flow of the river and would not noticeably affect the local or regional water supply.

**Table 4.7.2.5.4–1. Cumulative Annual Water Usage at Oak Ridge Reservation**

Program	Water Requirements (million l/yr)
No Action	14,760 <sup>a</sup>
Storage and Disposition	360 <sup>b</sup>
HEU Disposition	19 <sup>c,d</sup>
Stockpile Stewardship and Management	0 <sup>e</sup>
Waste Management	814.5 <sup>c</sup>
Total annual cumulative water usage	15,954

<sup>a</sup> Data include both groundwater and surface water.

<sup>b</sup> Number is based on the Collocation Alternative.

<sup>c</sup> Data represents the maximum value for the comparative alternative scenario.

<sup>d</sup> Based on preliminary data.

<sup>e</sup> The Stockpile Stewardship and Management alternatives would require no additional water.

Source: DOE 1995cc; DOE 1995dd; DOE 1996b; DOE 1996m; Table 4.2.5.4–1.

Table 4.7.2.5.4–2 summarizes the estimated cumulative water discharge to the Clinch River via Bear Creek, McCoy Branch, Rogers Quarry, and East Fork Poplar Creek. The cumulative wastewater discharge would be a 75-percent increase in the average Bear Creek flow near Y–12 (0.11 m<sup>3</sup>/s [3.9 ft<sup>3</sup>/s]), 5.5 percent of the average flow at East Fork Poplar Creek (1.5 m<sup>3</sup>/s [53 ft<sup>3</sup>/s]) and 0.06 percent of the average flow of the Clinch River (132 m<sup>3</sup>/s [4,647 ft<sup>3</sup>/s]). The Collocation Alternative would account for 7 percent of the total annual cumulative wastewater discharge. The expected total cumulative wastewater discharge to the tributaries would continue to meet limits and reporting requirements. Existing ORR treatment facilities could accommodate all the new cumulative process and wastewater streams.

[Text deleted.]

#### 4.7.2.5.5 Geology and Soils

Cumulative impacts to geologic and soil resources are expected to be minor as a result of the storage alternatives and the other DOE programs identified in Table 4.7.1–1. A total of 154 ha (382 acres) could be disturbed at the

**Table 4.7.2.5.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Oak Ridge Reservation and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives**

Regulations or Guidelines—No Action and Storage Facilities								
Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> (µg/m <sup>3</sup> )	No Action (µg/m <sup>3</sup> )	Other Onsite Activities <sup>b</sup> (µg/m <sup>3</sup> )	Upgrade (µg/m <sup>3</sup> )	Collocation		
						New Pu Storage Facility Only (µg/m <sup>3</sup> )	New Pu Storage Facility and Modify Y-12 (µg/m <sup>3</sup> )	New Pu and HEU Storage Facilities (µg/m <sup>3</sup> )
Criteria Pollutants								
Carbon monoxide	8-hour	10,000 <sup>c</sup>	5	11.5	16.5	16.58	16.57	16.59
	1-hour	40,000 <sup>c</sup>	11	62.4	73.4	73.56	73.55	73.58
Lead	Calendar Quarter	1.5 <sup>c</sup>	0.05	<0.01	<0.06	<0.06	<0.06	<0.06
Nitrogen dioxide	Annual	100 <sup>c</sup>	3	1.93	4.93	4.93	4.99	5.0
Ozone	1-hour	235 <sup>c</sup>	d	d	d	d	d	d
Particulate matter less than or equal to 10 microns in diameter	Annual	50 <sup>c</sup>	1	10.03	11.03	11.03	11.03	11.04
	24-hour	150 <sup>c</sup>	2	30.37	32.37	32.42	32.42	32.42
Sulfur dioxide	Annual	80 <sup>c</sup>	2	48.11	50.11	50.21	50.21	50.23
	24-hour	365 <sup>c</sup>	32	237.5	269.5	270.6	270.5	270.8
	3-hour	1,300 <sup>c</sup>	80	902	982	986.2	986.0	986.9
Mandated by Tennessee								
Total suspended particulates	24-hour	150 <sup>e</sup>	2	80.16	82.16	82.21	82.20	82.21
Gaseous fluorides (as HF)	30-day	1.2 <sup>e</sup>	0.2	0	0.2	0.2	0.2	0.2
	7-day	1.6 <sup>e</sup>	0.3	0	0.3	0.3	0.3	0.3
	24-hour	2.9 <sup>e</sup>	0.6 <sup>f</sup>	0	0.6 <sup>f</sup>	0.6 <sup>f</sup>	0.6 <sup>f</sup>	0.6 <sup>f</sup>
	12-hour	3.7 <sup>e</sup>	0.6 <sup>f</sup>	0	0.6 <sup>f</sup>	0.6 <sup>f</sup>	0.6 <sup>f</sup>	0.6 <sup>f</sup>
	8-hour	250 <sup>e</sup>	0.6	0	0.6	0.6	0.6	0.6



**Table 4.7.2.5.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Oak Ridge Reservation and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives—Continued**

Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> (µg/m <sup>3</sup> )	No Action (µg/m <sup>3</sup> )	Other Onsite Activities <sup>b</sup> (µg/m <sup>3</sup> )	Upgrade (µg/m <sup>3</sup> )	Collocation		
						New Pu Storage Facility Only (µg/m <sup>3</sup> )	New Pu Storage Facility and Modify Y-12 (µg/m <sup>3</sup> )	New Pu and HEU Storage Facilities (µg/m <sup>3</sup> )
Hazardous and Other Toxic Compounds								
Chlorine	8-hour	150 <sup>e</sup>	4.1	0	4.1	4.1	4.1	4.1
Hydrogen chloride	8-hour	750 <sup>e</sup>	57	0	57	57	57	57
Hydrazine	8-hour	1.3 <sup>e</sup>	g	0	g	g	g	<0.01 <sup>h</sup>
Mercury	8-hour	5 <sup>e</sup>	0.06 <sup>i</sup>	0	0.06 <sup>i</sup>	0.06 <sup>i</sup>	0.06 <sup>i</sup>	0.06 <sup>i</sup>
Nitric acid	8-hour	j	78	0	78	78	78	78
Phosphoric acid	8-hour	j	g	0	g	g	g	<0.01 <sup>h</sup>
Sulfuric acid	8-hour	j	20	0	20	20	20	20

<sup>a</sup> The more stringent of the Federal and State standard is presented if both exist for the averaging time.

<sup>b</sup> Other onsite activities include those associated with HEU Disposition, Stockpile Stewardship and Management, and Waste Management programs.

<sup>c</sup> Federal and State standard.

<sup>d</sup> Ozone, as a criteria pollutant, is not directly emitted nor monitored by the site. See section 4.1.3 for a discussion of ozone-related issues.

<sup>e</sup> State standard or guideline.

<sup>f</sup> 8-hour concentration was used.

<sup>g</sup> No sources of this pollutant have been identified.

<sup>h</sup> The concentration represents the alternative contribution and other onsite activities.

<sup>i</sup> Annual average (monitored value).

<sup>j</sup> No State standard for indicated averaging time.

Note: Concentrations are based on site contribution and do not include the contribution from non-facility sources.

Source: 40 CFR 50; DOE 1995w; DOE 1995dd; DOE 1996b; DOE 1996m; OR DOE 1993a; OR LMES 1996i; OR MMES 1996a; TN DEC 1994a; TN DHE 1991a; Table 4.2.5.3-1.

Table 4.7.2.5.4-2. Cumulative Annual Wastewater Discharge at Oak Ridge Reservation

Program	Nonhazardous Sanitary and Industrial Wastewater (million l/yr)
No Action	2,277 <sup>a</sup>
Storage and Disposition	172 <sup>b,c</sup>
HEU Disposition	18.7 <sup>b</sup>
Stockpile Stewardship and Management	0 <sup>d</sup>
Waste Management	101.9 <sup>b</sup>
Total annual cumulative wastewater	2,569.6

<sup>a</sup> These data include nonhazardous sanitary and nonhazardous wastewater discharges.

<sup>b</sup> Data are based on the highest treated volumes from the alternatives scenario.

[Text deleted.]

<sup>c</sup> Number is based on the Collocation Alternative.

<sup>d</sup> The Stockpile Stewardship and Management alternatives at ORR include the downsizing or the phaseout of the secondary and fabrication mission. No additional wastewater discharge is to be expected.

Source: DOE 1995cc; DOE 1995dd; DOE 1996b; DOE 1996m; Table 4.2.5.4-1.

site. Soil erosion and storm water control measures would be used during construction to minimize erosion from the disturbed areas. No valuable geologic resources would be affected by any of the planned programs.

#### 4.7.2.5.6 Biological Resources

In addition to ongoing activities and the Storage Alternatives, ORR is being considered for the three other DOE programs identified in Table 4.7.1-1. While some of these programs would be located within existing structures or developed areas of ORR, others would be constructed at undisturbed sites. The total area of undeveloped land would be 154 ha (382 acres), or about 1 percent of the total ORR area. Discharges from the proposed facilities would be directed to Bear Creek, East Fork Popular Creek, and the Clinch River, thus increasing the possibility of cumulative impacts to wetlands and aquatic resources associated with these water bodies. Cumulative impacts to Bear Creek could also increase the potential to affect the Tennessee dace (State-deemed in need of management). The cumulative loss of habitat could lead to additional impacts to special status species compared to those resulting from construction of a storage facility along; however, their status on ORR would not be expected to be jeopardized. Species that could be affected include a number of State-protected plant species such as the pink lady's-slippers, fen orchid, tubercled rein-orchid, American ginseng, purple fringeless orchid, Canada lily, and golden seal.

#### 4.7.2.5.7 Cultural and Paleontological Resources

The three other DOE programs identified in Table 4.7.1-1 may require ground-disturbing construction, facility modification, and changes in land access and use at ORR. New construction is proposed for currently undeveloped land within ORR. Some of the undeveloped land has been surveyed. Archaeological sites have been identified on this land and they could be affected by proposed disposition alternatives. [Text deleted.] Prior to construction activity, specific surveys, evaluations, and Native American consultations would be conducted pursuant to NHPA, the *American Indian Religious Freedom Act*, and the *Native American Graves Protection and Repatriation Act*.

New construction and building modification would also occur within Y-12 under several DOE programs. This area is unlikely to contain archaeological, Native American, and paleontological resources because it is developed and disturbed. Y-12 does, however, contain a proposed historic district and many of the facilities are potentially NRHP-eligible. Extensive building modification and new facility construction could compromise the historic integrity of the area. Work would be done in consultation with the Tennessee SHPO and the Advisory Council on Historic Preservation. Cumulative impacts to cultural resources are possible at ORR

because it contains known NRHP-eligible facilities that may be impacted by the storage alternatives as well as other reasonably foreseeable future actions.

#### 4.7.2.5.8 Socioeconomics

Cumulative impacts on ORR's regional economy, population, housing, community services, and local transportation would be minor. Generally, the regional economy would improve without burdening the housing market, but new traffic could cause congestion on local roads. Because each of the other three DOE programs identified in Table 4.7.2.5.8-1 is relatively small, their cumulative socioeconomic impact is expected to be minor. The primary impact will be to stimulate regional economic growth. If all of these programs were located at ORR, transportation congestion and the demand for new housing and other public services could increase. However, housing construction trends indicate that this additional population could be accommodated without significant impacts to the housing industry.

**Table 4.7.2.5.8-1. Socioeconomic Cumulative Impacts at Oak Ridge Reservation**

Program	Direct Employment <sup>a</sup>
Storage and Disposition <sup>b</sup>	566
HEU Disposition	125
Stockpile Stewardship and Management	-805
Waste Management	3,581
Total	3,467

<sup>a</sup> Operations.

<sup>b</sup> Collocation Alternative.

Source: DOE 1995cc; DOE 1996b; DOE 1996m; Section 4.2.5.8.

#### 4.7.2.5.9 Public and Occupational Health and Safety

**Radiological Impacts.** The maximum incremental radiological doses and resulting health effects for the storage alternative, the No Action Alternative, and other actions planned at ORR, are presented in Table 4.7.2.5.9-1. Although these impacts could be added, it should be noted that the exact locations of the facilities for planned actions may change. In addition, because each of these facilities is sited in a different location, the location of the MEI for each is also different. The MEIs have been selected to maximize the potential dose for a given facility. Since the MEI would have to be resident at more than one location simultaneously in order to receive the maximum dose from each facility, summing the doses would be misleading. The offsite population and total site workforce doses have not been summed because the population distribution and workforce totals as analyzed vary among the actions. [Text deleted.]

**Chemical Impacts.** For ORR, the various NEPA documents use different but otherwise acceptable methodologies to assess the health effects from hazardous chemical exposure for proposed activities. These methodologies may have different indicators for determining the health impact (for example, hazard index, cancer risk, or chemical concentration in the environment). These different indicators prevent a uniform quantitative cumulative impact analysis for this site. However, as indicated in the health impact analysis sections in the NEPA documents for the proposed actions, the health effect from any proposed action at ORR is predicted to contribute only slightly to the impacts from the baseline activity (No Action). The potential cumulative health impact from hazardous chemicals from implementation of the proposed activities would not exhibit a noticeable increase above the baseline, would be expected to fall within acceptable regulatory limits.

**Table 4.7.2.5.9-1. Estimated Average Annual Cumulative Radiological Doses and Resulting Health Effects to the Public and Workers From Normal Operation at Oak Ridge Reservation**

Program	Maximally Exposed Individual Member of the Public		Offsite Population Within 80 km		Workers	
	Total Dose (mrem)	Fatal Cancer Risk	Total Dose (person-rem)	Number of Fatal Cancers	Total Dose (person-rem)	Number of Fatal Cancers
No Action	3.2	$1.6 \times 10^{-6}$	34	0.017	44	0.018
Storage and Disposition <sup>a</sup>	$4.5 \times 10^{-5}$	$2.3 \times 10^{-11}$	$8.7 \times 10^{-4}$	$4.4 \times 10^{-7}$	25	0.010
HEU Disposition	$3.9 \times 10^{-2}$	$2.0 \times 10^{-8}$	0.16	$8.0 \times 10^{-5}$	11.3	$4.5 \times 10^{-3}$
Stockpile Stewardship and Management	0.20	$1.0 \times 10^{-7}$	0.60	$3.0 \times 10^{-4}$	-1.8	$-7.2 \times 10^{-4}$
[Text deleted.]						
Waste Management	0.58	$2.9 \times 10^{-7}$	19	$9.4 \times 10^{-3}$	0.45	$1.8 \times 10^{-4}$

<sup>a</sup> The impacts from the collocation storage facility are presented since they encompass both Pu and HEU storage.

Source: DOE 1995cc; DOE 1995dd; DOE 1996b; DOE 1996m; Tables 4.2.5.9-1 and 4.2.5.9-2.

#### 4.7.2.5.10 Waste Management

Cumulative impacts to waste management at ORR could arise from the activities associated with ongoing activities, the storage alternatives, and the other three DOE programs identified in Table 4.7.1-1. Table 4.7.2.5.10-1 summarizes the estimated cumulative waste amounts. The largest cumulative impacts at ORR resulting from DOE's Waste Management Program would be if ORR were selected as a regional treatment and disposal site for LLW and a regional treatment and disposal site for mixed LLW. It is expected that waste management activities associated with the storage of Pu and HEU would have consistently smaller impacts than any future environmental restoration and waste management activities at ORR, and that the overall impact of Pu and HEU storage would not contribute significantly to cumulative impacts, except for TRU waste.

As part of the Stockpile Stewardship and Management PEIS, a downsize and consolidation alternative for the secondary fabrication mission is being considered. This alternative would decrease the generation of all categories of waste at ORR; therefore, the No Action Alternative would have the greatest negative impact on waste management at ORR.

Table 4.7.2.5.10-1. Waste Management Cumulative Impacts at Oak Ridge Reservation (2005)—Annual Volumes

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition (m <sup>3</sup> )	HEU Disposition (m <sup>3</sup> )	Stockpile Stewardship and Management <sup>b</sup> (m <sup>3</sup> )	Waste Management (m <sup>3</sup> )	Total (m <sup>3</sup> )
<b>Spent Fuel</b>	0	0	0	0	0	0
<b>High Level</b>						
Liquid	0	0	0	0	0	0
Solid	0	0	0	0	0	0
<b>Transuranic</b>						
Liquid	0	0.02 <sup>c</sup>	0	0	Included in solid	0.02
Solid	119	10 <sup>c</sup>	0	0	99 <sup>d</sup>	227
<b>Mixed Transuranic</b>						
Liquid	0	0 <sup>c</sup>	0	0	Included in TRU	0
Solid	0	4 <sup>c</sup>	0	0	Included in TRU	4
<b>Low-Level</b>						
Liquid	2,970	2 <sup>e</sup>	280 <sup>f</sup>	0	Included in solid	3,250
Solid	7,320	1,300 <sup>c</sup>	545 <sup>f</sup>	0	16,200 <sup>g</sup>	25,400
<b>Mixed Low-Level</b>						
Liquid	87,600	0.2 <sup>c</sup>	46 <sup>h</sup>	0	Included in solid	87,700
Solid	432	66 <sup>e</sup>	0	0	3,540 <sup>i</sup>	4,040
<b>Hazardous</b>						
Liquid	6,460	2 <sup>c</sup>	88 <sup>h</sup>	0	Included in solid	6,550
Solid	26	2 <sup>c</sup>	0	0	1,120 <sup>j</sup>	1,150
<b>Nonhazardous (Sanitary)</b>						
Liquid	550,000	171,840 <sup>c</sup>	18,000 <sup>h</sup>	0	NA	739,000
Solid	53,100	1,720 <sup>c</sup>	410 <sup>h</sup>	0	NA	55,200

Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS

**Table 4.7.2.5.10-1. Waste Management Cumulative Impacts at Oak Ridge Reservation (2005)—Annual Volumes—Continued**

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition (m <sup>3</sup> )	HEU Disposition (m <sup>3</sup> )	Stockpile Stewardship and Management <sup>b</sup> (m <sup>3</sup> )	Waste Management (m <sup>3</sup> )	Total (m <sup>3</sup> )
<b>Nonhazardous (Other)</b>						
Liquid	650,000	0.8 <sup>g</sup>	773 <sup>h</sup>	0	64,800 <sup>k</sup>	716,000
Solid	321	2,200 <sup>c</sup>	410 <sup>g,h</sup>	0	NA	2,930

<sup>a</sup> No Action volumes are from Table 4.2.5.10-1.

<sup>b</sup> No Action Alternative.

<sup>c</sup> Collocation Alternative (New Pu and HEU Storage Facility).

<sup>d</sup> Represents TRU Waste Decentralized Alternative in which ORR would treat its own newly generated and existing inventory of TRU waste. The volume was obtained by taking the current inventory divided by 20 to get annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 8.1-1, page 8-4).

<sup>e</sup> Collocation Alternative (New Pu Storage Facility and Upgrade Y-12).

<sup>f</sup> Represents blending HEU to LEU as metal.

<sup>g</sup> Represents LLW Regionalized Alternative 5 in which ORR would treat and dispose of onsite and offsite LLW. The volume was obtained by taking the estimated inventory at ORR plus the inventory and 20-year generation projection for offsite receipts and dividing by 20 to get annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 7.1-1, page 7-3).

<sup>h</sup> Represents blending HEU to 4 percent LEU as UNH.

<sup>i</sup> Represents mixed LLW Regionalized Alternative 4 in which ORR would treat and dispose of onsite and offsite mixed LLW. The volume was obtained by taking the estimated inventory at ORR plus the estimated inventory and 20-year generation for offsite receipts and dividing by 20 to get annual estimate (Draft Waste Management PEI Vol. I of IV, Table 6.1-1, page 6-3).

<sup>j</sup> Represents the estimated hazardous waste to be treated at ORR as a result of hazardous waste Regionalized Alternative 2 (Draft Waste Management PEIS, Vol. I of IV, Table 10.3-7, page 10-20).

<sup>k</sup> Represents the total incremental annual wastewater over No Action for all alternatives. Annual volume was obtained by assuming 365 days per year (Draft Waste Management PEIS, Vol. II, Tables II-10.3-11 [TRU], page 10-45; II-10.1-15 [mixed LLW], page 10-17; II-10.2-12 [LLW], page 10-33; and II-10.5-10 [hazardous], page 10-58).

Note: NA=data was not analyzed in the associated PEIS.

Source: DOE 1995cc; DOE 1995dd; DOE 1996b; DOE 1996m; Table 4.2.5.10-1.

#### 4.7.2.6 Savannah River Site

##### 4.7.2.6.1 Land Resources

In addition to the storage alternatives, SRS is being considered as a site for the six other DOE programs identified in Table 4.7.1-1. The total area of undisturbed land that could be affected by these programs during operation is 223 ha (550 acres), or less than 0.3 percent of the total land at SRS. Site development would be performed in accordance with the land-use plans in the SRS Site Development Plan. Proposed development would also be compatible with the industrial use visual character of the developed areas of SRS. Cumulatively, the actions would consume land but would be consistent with the land use plans and visual character of the site.

##### 4.7.2.6.2 Site Infrastructure

Some cumulative impacts are possible at SRS resulting from implementation of the storage alternatives and the other six DOE programs identified in Table 4.7.1-1. The site infrastructure cumulative impacts that would result at SRS from operation of all of the proposed alternatives are shown in Table 4.7.2.6.2-1. The cumulative requirements for energy, peak load, oil, and coal would exceed the site availability at SRS. Transmission lines, electrical distribution equipment, and oil storage tanks would need to be constructed to satisfy the new resource requirements. Additional coal requirements would be satisfied using existing procurement practices.

**Table 4.7.2.6.2-1. Site Infrastructure Cumulative Operation Impacts at Savannah River Site**

Requirement	Electrical		Fuel	
	Energy (MWh/yr)	Peak Load (MWe)	Oil (l/yr)	Coal (t)
No Action	794,000	116	28,390,500	221,352
Storage and Disposition <sup>a</sup>	76,000	13	47,000	4,800
Foreign Research Reactor Spent Nuclear Fuel	1,500	NA	NA	NA
HEU Disposition	5,000	NA	56,800	360
Spent Nuclear Fuel	24,400	NA	0	0
Stockpile Stewardship and Management	9,700	1.6	28,400	1,090
Tritium Supply/Recycling	3,740,000	550	13,200	0
Waste Management	NA	13.7	NA	NA
Cumulative Requirement	4,790,600	694.3	32,135,900	227,602
Site Availability	1,672,000	330	28,390,500	221,352

<sup>a</sup> Collocation Alternative.

Note: NA=data was not analyzed in the associated EIS.

Source: DOE 1995i; DOE 1995p; DOE 1995cc; DOE 1996b; DOE 1996g; DOE 1996m; Table 4.2.6.2-1.

##### 4.7.2.6.3 Air Quality and Noise

Cumulative impacts to air quality at SRS include impacts from the No Action Alternative, the other seven DOE programs identified in Table 4.7.1-1, and the proposed facilities for each alternative. Concentrations are calculated for these emissions and are then compared to Federal and State regulations and guidelines to determine compliance.

The SRS is currently in compliance with the NAAQS as well as State regulations and guidelines. Air emissions attributable to the storage alternatives would increase concentrations of criteria pollutants. Potential cumulative impacts are presented in Table 4.7.2.6.3-1. The resulting concentrations from cumulative impacts would be in compliance with Federal and State regulations.

**Table 4.7.2.6.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Savannah River Site and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives**

Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> ( $\mu\text{g}/\text{m}^3$ )	No Action ( $\mu\text{g}/\text{m}^3$ )	Other Onsite Activities <sup>b</sup> ( $\mu\text{g}/\text{m}^3$ )	Upgrade <sup>c</sup> ( $\mu\text{g}/\text{m}^3$ )	Consolidation ( $\mu\text{g}/\text{m}^3$ )	Collocation ( $\mu\text{g}/\text{m}^3$ )
<b>Criteria Pollutants</b>							
Carbon monoxide	8-hour	10,000 <sup>d</sup>	22	41.88	64.05	66.03	66.28
	1-hour	40,000 <sup>d</sup>	171	107.1	278.9	288.2	289.4
Lead	Calendar Quarter	1.5 <sup>d</sup>	0.0004	0.00003	0.00043	0.00043	0.00043
	Annual	100 <sup>d</sup>	5.7	3.53	9.33	10.15	10.31
Nitrogen dioxide			e	e	e	e	e
Ozone	1-hour	235 <sup>d</sup>					
Particulate matter less than or equal to 10 microns in diameter	Annual	50 <sup>d</sup>	3	1.125	4.135	4.185	4.195
	24-hour	150 <sup>d</sup>	50.6	5.68	56.43	57.51	57.72
Sulfur dioxide	Annual	80 <sup>d</sup>	14.5	0.386	15.18	16.34	16.67
	24-hour	365 <sup>d</sup>	196	19.09	220.7	243.1	249.6
	3-hour	1,300 <sup>d</sup>	823	112.2	971.9	1116	1158
<b>Mandated by South Carolina</b>							
Total suspended particulates (TSP)	Annual	75 <sup>f</sup>	12.6	2.065	14.68	14.73	14.74
Gaseous fluorides (as HF)	30-day	0.8 <sup>f</sup>	0.09	0.019	0.109	0.109	0.109
	7-day	1.6 <sup>f</sup>	0.39	0.067	0.457	0.457	0.457
	24-hour	2.9 <sup>f</sup>	1.04	0.175	1.215	1.215	1.215
	12-hour	3.7 <sup>f</sup>	1.99	0.327	2.317	2.317	2.317



**Table 4.7.2.6.3-1. Estimated Cumulative Operational Concentrations of Pollutants at Savannah River Site and Comparison With Most Stringent Regulations or Guidelines—No Action and Storage Alternatives—Continued**

Pollutant	Averaging Time	Most Stringent Regulations or Guidelines <sup>a</sup> ( $\mu\text{g}/\text{m}^3$ )	No Action ( $\mu\text{g}/\text{m}^3$ )	Other Onsite Activities <sup>b</sup> ( $\mu\text{g}/\text{m}^3$ )	Upgrade <sup>c</sup> ( $\mu\text{g}/\text{m}^3$ )	Consolidation ( $\mu\text{g}/\text{m}^3$ )	Collocation ( $\mu\text{g}/\text{m}^3$ )
<b>Hazardous and Other Toxic Compounds</b>							
Benzene	24-hour	150 <sup>d</sup>	31.71	0.001	31.71	31.71	31.71
Chlorine	24-hour	75 <sup>f</sup>	7.63	0	7.63	7.63 <sup>g</sup>	7.63
Hydrogen chloride	24-hour	175 <sup>f</sup>	<sup>h</sup>	0	<sup>h</sup>	<0.01 <sup>g</sup>	<0.01 <sup>g</sup>
Hydrazine	24-hour	0.5 <sup>f</sup>	<sup>h</sup>	0	<sup>h</sup>	<0.01 <sup>g</sup>	<0.01 <sup>g</sup>
Nitric acid	24-hour	125 <sup>f</sup>	50.96	4.76	55.72	55.72	55.77
Phosphoric acid	24-hour	25 <sup>f</sup>	0.462	0	0.462	0.462	0.462
Sulfuric acid	24-hour	10 <sup>f</sup>	<sup>h</sup>	0	<sup>h</sup>	<0.01 <sup>g</sup>	<0.01 <sup>g</sup>

<sup>a</sup> The more stringent of the Federal and State standard is presented if both exist for the averaging period.

<sup>b</sup> Other onsite activities include those associated with the Foreign Research Reactor Spent Nuclear Fuel, HEU Disposition, Interim Management of Nuclear Materials, Spent Nuclear Fuel Management, Stockpile Stewardship and Management, Tritium Supply/Recycling, and Waste Management Programs.

<sup>c</sup> Applies to the New F-Area Facility option.

<sup>d</sup> Federal and State standards.

<sup>e</sup> Ozone, as a criteria pollutant, is not directly emitted nor monitored by the site. See Section 4.1.3 for a discussion of ozone-related issues.

<sup>f</sup> State standard or guideline.

<sup>g</sup> The concentration represents the alternative contribution and other onsite activities.

<sup>h</sup> No sources of this pollutant have been identified.

Note: Concentrations are based on site contribution and do not include the contribution from non-facility sources.

Source: 40 CFR 50; DOE 1995p; DOE 1996b; DOE 1996g; SC DHEC 1991a; SC DHEC 1992b; SR DOE 1994a; SR DOE 1994e; SR DOE 1995b; SR DOE 1995e; WSRC 1994e; Table 4.2.6.3-1.

Cumulative noise impacts include contributions from existing and planned facilities plus proposed storage facilities at the site. Noise impacts may result both from onsite noise sources and from offsite sources, such as traffic. Noise impacts on individuals from the storage facilities are expected to be small, resulting in little or no increase in noise levels at offsite areas. Little or no increase in cumulative noise impacts to individuals offsite is expected to occur.

#### 4.7.2.6.4 Water Resources

Table 4.7.2.6.4-1 summarizes the estimated cumulative annual water requirements for the storage alternatives and the six other DOE programs identified in Table 4.7.1-1. Water requirements during operation of all the proposed projects would be obtained from existing or new well fields at SRS and from the Savannah River. The cumulative water requirements for the site would be a 4-percent increase over projected No Action water usage. Suitable groundwater from the deep aquifers at the site is abundant and aquifer depletion is not a problem. The proposed Collocation Alternative would account for 0.3 percent of the total cumulative water usage.

Table 4.7.2.6.4-2 summarizes the estimated treated wastewater discharge to the Savannah River. The cumulative wastewater discharge to the river would be 0.02 percent of the average Savannah River flow ( $283 \text{ m}^3/\text{s}$  [ $9,994 \text{ ft}^3/\text{s}$ ]), and 0.04 percent of the Savannah River minimum flow ( $152 \text{ m}^3/\text{s}$  [ $5,368 \text{ ft}^3/\text{s}$ ]). The proposed Collocation Alternative would account for approximately 17 percent of the total annual cumulative wastewater discharge. The expected total cumulative wastewater discharge to the tributaries would continue to meet NPDES limits and reporting requirements. Existing SRS treatment facilities could accommodate all the new cumulative processes and wastewater streams if a new facility is built for tritium supply and recycling operations as planned.

[Text deleted.]

Table 4.7.2.6.4-1. Cumulative Annual Water Usage at Savannah River Site

Program	Water Requirement (million l/yr)
No Action	140,247 <sup>a</sup>
Storage and Disposition	460 <sup>b</sup>
Foreign Research Reactor Spent Nuclear Fuel	1.9
HEU Disposition	2.1
[Text deleted.]	
Spent Nuclear Fuel	49
Stockpile Stewardship and Management	46
Tritium Supply and Recycling	4,735
Waste Management	325 <sup>c</sup>
Total annual cumulative water usage	145,883.1

<sup>a</sup> Includes both groundwater and surface water usage (13,247 million l/yr from groundwater and 127,000 million l/yr from surface water).

<sup>b</sup> Collocation Alternative.

[Text deleted.]

<sup>c</sup> Based on preliminary data.

[Text deleted.]

Source: DOE 1995i; DOE 1995p; DOE 1995cc; DOE 1995dd; DOE 1996b; DOE 1996g; DOE 1996m; SR DOE 1994b; SR DOE 1995b; SRS 1995a:1; Table 4.2.6.4-1.

**Table 4.7.2.6.4-2. Cumulative Annual Wastewater Discharge at Savannah River Site**

Program	Nonhazardous Sanitary and Industrial Wastewater (million l/yr)
No Action	700
Storage and Disposition	215
Foreign Research Reactor Spent Nuclear Fuel	1.6
HEU Disposition	18.7
[Text deleted.]	
Spent Nuclear Fuel	49
Stockpile Stewardship and Management	46
Tritium Supply and Recycling	143
Waste Management	83 <sup>a</sup>
Total annual cumulative wastewater	1,256.3

<sup>a</sup> Based on the highest treated volumes from the alternative scenarios.

[Text deleted.]

Source: DOE 1995i; DOE 1995p; DOE 1995cc; DOE 1995dd; DOE 1996b; DOE 1996g; DOE 1996m; SR DOE 1994b; SR DOE 1995b; SRS 1995a:1; Table 4.2.6.4-1.

#### 4.7.2.6.5 Geology and Soils

Cumulative impacts to geologic and soil resources are expected to be minor as a result of the storage alternatives and the other DOE programs identified in Table 4.7.1-1. A total of 223 ha (550 acres) could be disturbed at the site. Soil erosion and storm water control measures would be used during construction to minimize erosion from the disturbed areas. No valuable geologic resources would be affected by any of the planned programs.

#### 4.7.2.6.6 Biological Resources

In addition to ongoing activities and the Storage Alternatives, SRS is being considered for the other DOE programs identified in Table 4.7.1-1. While a number of these would be located within existing structures or developed areas of SRS, others would be constructed at undisturbed sites. The total area of undeveloped land used by new facilities would be 223 ha (550 acres), or about 0.3 percent of the total SRS area. Discharges from the proposed facilities would be directed to a number of site waterbodies, thus increasing the possibility of cumulative impacts to wetlands and aquatic resources in these waterbodies. The cumulative loss of habitat could lead to additional impacts to special status species compared to those resulting from construction of a storage facility alone; however, their status on SRS would not be expected to be jeopardized. Species that could be affected include green-fringed orchid, nailwort, beak-rush, [text deleted], Florida false loosestrife, Cooper's hawk, and eastern tiger salamander. Red-cockaded woodpeckers colonies are located far enough from the sites that they would not be affected by the facilities.

#### 4.7.2.6.7 Cultural and Paleontological Resources

The six other DOE programs identified in Table 4.7.1-1 may require ground-disturbing construction, facility modification, and changes in land access and use at SRS. New construction is proposed for some currently undeveloped land within SRS under both the Tritium Supply and Recycling and Storage and Disposition programs. Portions of this undeveloped land have been surveyed and contain NRHP-eligible resources which may be affected by construction. Building modification is also proposed under several programs. Facilities at SRS have not been reviewed for NRHP-eligibility, but many may be eligible based on their association with the Cold War. Specific surveys, evaluations, and Native American consultations would be conducted pursuant to NHPA, the *American Indian Religious Freedom Act*, and the *Native American Graves Protection and*

*Repatriation Act.* There is potential for moderate cumulative impacts to cultural resources at SRS based on the presence of sites and facilities that have been or are likely to be determined eligible for listing on the NRHP.

#### 4.7.2.6.8 Socioeconomics

Cumulative impacts on SRS's regional economy, population, housing, community services, and local transportation would be minor. Generally, the regional economy would improve without burdening the housing market, but new traffic could cause congestion on local roads. Because each of the other six DOE programs identified in Table 4.7.2.6.8-1 is relatively small, their cumulative socioeconomic impact is expected to be minor. The primary impact will be to stimulate regional economic growth. If all of these programs were located at SRS, transportation congestion and the demand for new housing and other public services could increase. However, housing construction trends indicate that this additional population could be accommodated without significant impacts to the housing market.

**Table 4.7.2.6.8-1. Socioeconomic Cumulative Impacts at Savannah River Site**

Program	Direct Employment <sup>a</sup>
Storage and Disposition <sup>b</sup>	614
Foreign Research Reactor Spent Nuclear Fuel	30
HEU Disposition	125
Spent Nuclear Fuel	0
Stockpile Stewardship and Management	810
Tritium Supply/Recycling	600
Waste Management	5,670
Total	7,849

<sup>a</sup> Operations.

<sup>b</sup> Collocation Alternative.

Source: DOE 1995i; DOE 1995p; DOE 1995cc; DOE 1996b; DOE 1996g; DOE 1996m; Section 4.2.6.8.

#### 4.7.2.6.9 Public and Occupational Health and Safety

**Radiological Impacts.** The maximum incremental radiological doses and resulting health effects for the storage alternative, the No Action Alternative and other actions planned at SRS, are presented in Table 4.7.2.6.9-1. Although these impacts could be added, it should be noted that the exact locations of the facilities for planned actions may change. In addition, because each of these facilities is sited in a different location, the location of the MEI for each is also different. The MEIs have been selected to maximize the potential dose for a given facility. Since the MEI would have to be resident at more than one location simultaneously in order to receive the maximum dose from each facility, summing the doses would be misleading. The offsite population and total site workforce doses have not been summed because the population distribution and workforce totals as analyzed vary among the actions. [Text deleted.]

**Chemical Impacts.** For SRS, the various NEPA documents use different but otherwise acceptable methodologies to assess the health effects from hazardous chemical exposure for proposed activities. These methodologies may have different indicators for determining the health impact (for example, hazard index, cancer risk, or chemical concentration in the environment). These different indicators prevent a uniform quantitative cumulative impact analysis for this site. However, as indicated in the health impact analysis sections in the NEPA documents for the proposed actions, the health effect from any proposed action at SRS is predicted to contribute only slightly to the impacts from the baseline activity (No Action). The potential cumulative health impact from hazardous chemicals from implementation of the proposed activities would not exhibit a noticeable increase above the baseline, would be expected to fall within acceptable regulatory limits.

**Table 4.7.2.6.9-1. Estimated Average Annual Cumulative Radiological Doses and Resulting Health Effects to the Public and Workers From Normal Operation at Savannah River Site**

Program	Maximally Exposed Member of the Public	Offsite Population Within 80 km		Total Site Workforce		
	Total Dose (mrem)	Fatal Cancer Risk	Total Dose (person-rem)	Number of Fatal Cancers	Total Dose (person-rem)	Number of Fatal Cancers
No Action	0.79	$4.0 \times 10^{-7}$	44	0.022	259	0.090
Storage and Disposition <sup>a</sup>	$1.4 \times 10^{-5}$	$7.0 \times 10^{-12}$	$8.8 \times 10^{-4}$	$4.4 \times 10^{-7}$	25	0.010
Foreign Research Reactor Spent Nuclear Fuel	$1.8 \times 10^{-4}$	$9.0 \times 10^{-11}$	0.010	$5.3 \times 10^{-6}$	32	0.013
HEU Disposition	$2.5 \times 10^{-3}$	$1.3 \times 10^{-9}$	0.16	$8.0 \times 10^{-5}$	11.3	$4.5 \times 10^{-3}$
[Text deleted.]						
Spent Nuclear Fuel	0.50	$2.5 \times 10^{-7}$	18.4	$9.2 \times 10^{-3}$	76	0.034
Stockpile Stewardship and Management	$1.0 \times 10^{-5}$	$5.0 \times 10^{-12}$	$5.9 \times 10^{-4}$	$3.0 \times 10^{-7}$	156	0.062
Tritium Supply and Recycling <sup>b</sup>	2.5	$1.2 \times 10^{-6}$	210	0.11	42	0.017
Waste Management	0.033	$1.7 \times 10^{-8}$	1.5	$7.5 \times 10^{-4}$	81	0.032
[Text deleted.]						

<sup>a</sup> The impacts from the collocation storage facility are presented since they encompass both Pu and HEU storage.

<sup>b</sup> Accelerator Production of Tritium Alternative.

Source: DOE 1995i; DOE 1995p; DOE 1995cc; DOE 1995dd; DOE 1996b; DOE 1996g; DOE 1996m; Tables 4.2.6.9-1 and 4.2.6.9-2.

#### 4.7.2.6.10 Waste Management

Cumulative impacts to waste management at SRS could arise from any of the reasonably foreseeable future actions as identified in Table 4.7.2.6.10-1. The largest potential contribution to cumulative impacts would result from the Waste Management PEIS if SRS were selected as a regional site for HLW storage, TRU waste treatment and storage, and mixed LLW and LLW treatment and disposal site. The Collocation Alternative for the Storage and Disposition PEIS would contribute to the cumulative impacts for LLW.

Table 4.7.2.6.10-1. Waste Management Cumulative Impacts at Savannah River Site (2005)—Annual Volumes

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition <sup>b</sup> (m <sup>3</sup> )	Foreign Research Reactor Spent Nuclear Fuel (m <sup>3</sup> )	HEU EIS <sup>c</sup> (m <sup>3</sup> )	Spent Nuclear Fuel Management (m <sup>3</sup> )	Stockpile Stewardship and Management <sup>d</sup> (m <sup>3</sup> )	Tritium Supply and Recycling (m <sup>3</sup> )	Waste Management (m <sup>3</sup> )	Total (m <sup>3</sup> )
<b>Spent Fuel</b>	0	0	1.4 t	0	0.4 t	0	0	0	2 t
<b>High Level</b>									
Liquid	126	0	0	0	0	0	0	0	126
Solid	3,525	0	0	0	0	0	0	533 <sup>e</sup>	4,060
<b>Transuranic</b>									
Liquid	0	0.02	0	0	0	28	0	Included in solid	28
Solid	338	2	0	0	20	129	0	445 <sup>f</sup>	934
<b>Mixed Transuranic</b>									
Liquid	0	0	0	0	0	0	0	Included in TRU	0
Solid	Included in TRU	4	0	0	0	11	0	Included in TRU	15
<b>Low-Level</b>									
Liquid	74,000	2.1	0	22	0	80	0	Included in solid	74,100
Solid	16,400	1,260	673	76	400	88	416	26,835 <sup>g</sup>	46,150
<b>Mixed Low-Level</b>									
Liquid	1,330	0.2	NA	46	0	0	0	0	1,380
Solid	7,970	66	NA	0	0	0	5	340 <sup>h</sup>	8,110
<b>Hazardous</b>									
Liquid	1,260	2	NA	88	NA	0.5	0	Included in solid	1,350
Solid	15,100	2	NA	0	NA	0	2	151 <sup>i</sup>	15,300
<b>Nonhazardous (Sanitary)</b>									
Liquid	703,000	195,780	NA	18,800	NA	46,200	925,076	NA	1,870,000
Solid	61,200	18 <sup>j</sup>	NA	410	NA	1,450	917	NA	64,000

Table 4.7.2.6.10-1. Waste Management Cumulative Impacts at Savannah River Site (2005)—Annual Volumes—Continued

Category	No Action <sup>a</sup> (m <sup>3</sup> )	Storage and Disposition <sup>b</sup> (m <sup>3</sup> )	Foreign Research Reactor Spent Nuclear Fuel (m <sup>3</sup> )	HEU EIS <sup>c</sup> (m <sup>3</sup> )	Spent Nuclear Fuel Management (m <sup>3</sup> )	Stockpile Stewardship and Management <sup>d</sup> (m <sup>3</sup> )	Tritium Supply and Recycling (m <sup>3</sup> )	Waste Management (m <sup>3</sup> )	Total (m <sup>3</sup> )
<b>Nonhazardous (Other)</b>									
Liquid	Included in sanitary	Included in sanitary	38,450	Included in sanitary	NA	Included in sanitary	Included in sanitary	35,417 <sup>k</sup>	74,600
Solid	Included in sanitary	2,300 <sup>l</sup>	NA	410 <sup>l</sup>	NA	1,450 <sup>l</sup>	0	NA	4,160

<sup>a</sup> No Action volumes from Table 4.6.2.10-1.

<sup>b</sup> Collocation Alternative (New Pu and HEU Storage Facility).

<sup>c</sup> Blending HEU to 4 percent LEU as UNH.

<sup>d</sup> Pit Fabrication Alternative.

<sup>e</sup> Represents HLW Regionalized Alternative 1, in which SRS would receive a total of 300 canisters from West Valley Demonstration Project for storage awaiting availability of geologic repository. Receipt of 100 canisters per year was assumed (Draft Waste Management PEIS, Vol I of IV, Table 9.1-1, page 9-3).

<sup>f</sup> Represents TRU waste Regionalized Alternatives 2 and 3, in which SRS would treat its TRU waste and contact-handled TRU waste from several other facilities. The volume was obtained by taking the estimated inventory at SRS plus the estimated inventory and 20-year generation projection for offsite facilities and dividing by 20 to get an annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 8.1-1, page 8-4).

<sup>g</sup> Represents LLW Regionalized Alternatives 6 and 7, in which SRS disposes of wastes, its LLW, and LLW from several other facilities. The volume was obtained by taking the estimated inventory at SRS plus the estimated inventory and 20-year generation projection for offsite facilities and dividing by 20 to get an annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 7.1-1, page 7-3).

<sup>h</sup> Represents mixed LLW Regionalized Alternative 2, in which SRS treats and disposes of its mixed LLW and mixed LLW from several other facilities. The volume was obtained by taking the estimated inventory at SRS plus the estimated inventory and 20-year generation projection for offsite facilities and dividing by 20 to get an annual estimate (Draft Waste Management PEIS, Vol. I of IV, Table 6.1-1, page 6-3).

<sup>i</sup> Represents hazardous waste Regionalized Alternative 1, in which SRS would treat onsite approximately 55 percent of its hazardous waste with the remainder going to commercial facilities. One metric ton of hazardous waste is approximately 1 cubic meter in volume (Draft Waste Management PEIS, Vol. I of IV, Table 10.3-7, page 10-20).

<sup>j</sup> Upgrade with RFETS and LANL material Alternative.

<sup>k</sup> Represents the total incremental wastewater over No Action for all alternatives. Annual volume estimated by assuming 365 days per year (Draft Waste Management PEIS, Vol II, Tables II-16.4-8 [HLW], page 16-55; II-16.3-11 [TRU], page 16-45; II-16.2-12 [LLW], page 16-32; II-16.1-16 [mixed LLW], page 16-18; and II-16.5-10 [hazardous], page 16-67).

<sup>l</sup> Recyclable wastes.

Note: NA=data was not analyzed in the associated PEIS.

Source: 60 FR 28680; 60 FR 63878; 60 FR 65300; 61 FR 9441; 61 FR 25092; DOE 1995i; DOE 1995p; DOE 1995cc; DOE 1995dd; DOE 1996b; DOE 1996g; DOE 1996m; SR DOE 1995b; SR DOE 1995c; SR DOE 1995e; Table 4.2.6.10-1.

#### **4.7.2.7 Rocky Flats Environmental Technology Site**

##### **4.7.2.7.1 Land Resources**

Since no new construction would be needed for any of the storage alternatives, there would be no cumulative impacts to land resources. In the case of phaseout, future use of the facility would be consistent with the land use plans outlined in site development plans.

##### **4.7.2.7.2 Site Infrastructure**

Since no storage alternatives would be implemented at RFETS, no major site infrastructure enhancements are anticipated, and there would not be any obvious cumulative impacts. Table 4.2.7.2-1 shows that all site infrastructure categories reported still have sufficient reserve capacity to support ongoing missions.

##### **4.7.2.7.3 Air Quality and Noise**

Operations at the RFETS are currently in compliance with the NAAQS as well as State regulations and guidelines. Air emissions attributable to the interim storage and phaseout of Pu would not increase concentrations of criteria pollutants. The cumulative impacts are the same as No Action concentrations except for increases in SO<sub>2</sub> concentrations resulting from waste management activities and are in compliance with Federal and State regulations (DOE 1995dd:14-9,14-24,14-38).

Cumulative noise impacts include contributions from existing and planned facilities including the storage facilities at the site. Noise impacts may result both from onsite noise sources and from offsite sources such as traffic. Noise impacts on individuals from the storage facilities are expected to be small, resulting in little or no increase in noise levels at offsite areas. No increase in cumulative noise impacts to offsite individuals is expected to occur.

##### **4.7.2.7.4 Water Resources**

Since no additional water would be needed for any of the storage alternatives, the storage program would not contribute to cumulative impacts for water resources at RFETS. There may be a decrease in water usage and wastewater generation as a result of the phaseout alternative. The benefits as a result of the phaseout alternative are expected to be negligible.

[Text deleted.]

##### **4.7.2.7.5 Geology and Soils**

Since no ground disturbing activities would be needed for any of the storage alternatives, there would not be cumulative impacts to geology and soils.

##### **4.7.2.7.6 Biological Resources**

Since no facility construction would be needed to accommodate any of the storage options, there would be no cumulative impacts to biological resources at the site.

##### **4.7.2.7.7 Cultural and Paleontological Resources**

Some cumulative impacts are possible at RFETS as a result of alternatives in the Waste Management PEIS. In the case of the phaseout alternative for the storage program, additional impacts could result if potentially NRHP-eligible structures were modified for other uses.



#### 4.7.2.7.8 Socioeconomics

The cumulative impacts resulting from the Storage Alternatives at RFETS on the regional economy, population, housing, community services, and local transportation would be minor. In addition to the proposed phaseout of the storage mission, the only other DOE action being considered for RFETS is the Waste Management program. As shown in Table 4.7.2.7.8-1, employment generated by the Waste Management program would offset some of the job losses resulting from phaseout of the storage mission. However, the combined impact of these two actions would be to reduce the workforce from the No Action level. The cumulative impact on the regional economy and ROI housing market and community services would be minor. Any transportation congestion that may exist on roads leading to the site would be reduced slightly due to fewer site workers.

**Table 4.7.2.7.8-1. Socioeconomic Cumulative Impacts at Rocky Flats Environmental Technology Site**

Program	Direct Employment <sup>a</sup>
Storage and Disposition <sup>b</sup>	-2,129
Waste Management	1,344
Total	-785

<sup>a</sup> Operations.

<sup>b</sup> Phaseout Alternative.

Source: DOE 1995cc; Section 4.2.7.8.

#### 4.7.2.7.9 Public and Occupational Health and Safety

No additional radiological or chemical impacts are expected as a result of the storage alternatives at RFETS. Therefore, the contribution to cumulative impacts from the storage alternatives are the same as the No Action impacts shown in Section 4.2.7.9.

#### 4.7.2.7.10 Waste Management

No additional waste would be generated as a result of the No Action or phaseout alternatives at RFETS. Therefore, the storage alternatives would not contribute to cumulative impacts.

#### **4.7.2.8 Los Alamos National Laboratory**

##### **4.7.2.8.1 Land Resources**

Since none of the alternatives would require additional ground disturbance, the storage alternatives would not contribute to cumulative impacts that may result from the two other DOE programs identified in Table 4.7.1-1. In the case of phaseout, any future use of the facility would be consistent with the land uses outlined in site development plans.

##### **4.7.2.8.2 Site Infrastructure**

Some cumulative impacts are possible at LANL from the implementation of the two other DOE programs identified in Table 4.7.1-1. However, since none of the storage alternatives would require facility construction or modification, the cumulative impacts would not be affected by this program.

##### **4.7.2.8.3 Air Quality and Noise**

Operations at LANL are currently in compliance with NAAQS and State regulations and guidelines. Air emissions attributable to the No Action and phaseout alternatives would not increase concentrations of criteria pollutants. The contribution to cumulative impacts from the storage alternatives are the same as the No Action concentrations shown in Section 4.2.8.3.

Cumulative noise impacts include contributions from existing and planned facilities including the storage facilities at the site. Noise impacts may result both from onsite noise sources and offsite sources such as traffic. Noise impacts on individuals from the storage alternatives are expected to be small, resulting in little or no increase in noise levels at offsite areas. No increase in cumulative noise impacts is expected to occur as a result of the storage alternatives.

##### **4.7.2.8.4 Water Resources**

Since no additional water would be needed for any of the storage alternatives, the storage program would not contribute to cumulative impacts for water resources at LANL. There may be a decrease in water usage and wastewater generation as a result of the phaseout alternative. The benefits to water resources as a result of the phaseout alternative are expected to be negligible.

##### **4.7.2.8.5 Geology and Soils**

Since no ground disturbing activities would be needed for any of the storage alternatives, there would be no contribution to cumulative impacts for geology and soils at LANL.

##### **4.7.2.8.6 Biological Resources**

Since no ground disturbing activities would be needed for any of the storage alternatives, there would be no contribution to cumulative impacts for biological resources at LANL.

##### **4.7.2.8.7 Cultural and Paleontological Resources**

Some cumulative impacts are possible at LANL as a result of the two DOE programs identified in Table 4.7.1-1. In the case of the phaseout alternative for the storage program, additional impacts could result if potentially NRHP-eligible structures were modified for other uses.

**4.7.2.8.8      *Socioeconomics***

The storage alternatives would result in no loss of jobs at LANL. In the case of phaseout, workers currently employed in the P-storage area would be relocated to other areas. Therefore, the storage alternatives would not contribute to cumulative impacts that may result from other DOE programs.

**4.7.2.8.9      *Public and Occupational Health and Safety***

No additional radiological or chemical impacts are expected as a result of the storage alternatives at LANL. Therefore, the contribution to cumulative impacts from the storage alternatives are the same as the No Action impacts shown in Section 4.2.8.9.

**4.7.2.8.10     *Waste Management***

No additional waste would be generated as a result of the No Action or phaseout alternatives at LANL. Therefore, the storage alternatives would not contribute to cumulative impacts that may result from the two other DOE programs identified in Table 4.7.1-1.

### 4.7.3 DISPOSITION ALTERNATIVES CUMULATIVE IMPACTS

Implementation of the various proposed disposition alternatives may result in incremental cumulative impacts in addition to the long-term storage cumulative impacts identified in Section 4.7.2. The impacts identified in this section are additive to the cumulative impacts identified in the long-term storage cumulative impact analysis.

A site-specific cumulative impact analysis was not performed for the disposition alternatives, because only representative or generic sites were considered. Instead, a generic cumulative impact analysis that is applicable to all DOE sites was developed for the disposition alternatives. Future tiered NEPA documents will provide detailed site-specific cumulative impact analyses.

Since there are multiple combinations of disposition operations and facilities that could be selected, a representative scenario was used for the disposition cumulative impact analysis. This scenario includes all of the common activities that would be needed for all of the disposition alternatives (pit disassembly/conversion and Pu conversion facilities), the common activity that would be required for the reactor alternatives (MOX fuel fabrication facility), and the immobilization alternative that would generally have the largest impacts (ceramic immobilization facility). For consistency, all analyses assume use of the ceramic immobilization technology. The scenario conservatively assumes that all four of the facilities would be constructed and operated concurrently at the same DOE site. The following sections describe the impacts from the disposition scenario for each resource area.

#### 4.7.3.1 Land Resources

The contribution to land-use cumulative impacts from the disposition scenario is shown in Table 4.7.3.1-1. The construction of all four of the disposition scenario facilities at the same site would disturb up to 191 ha (474 acres) of land during construction, of which up to 133 ha (330 acres) would be used during operations. If all four of the facilities were located at the same site, there would likely be a reduced area of disturbed land due to the sharing of land resources. In addition, optimal use of existing buildings and facilities would occur where possible. The site chosen for the disposition scenario would likely have adequate land area to accommodate the facilities. If the site development is not in conformance with existing land-use plans, it may be possible for land-use plans, policies, and controls to be revised. The use of special status lands and prime farmland could be affected. It is anticipated that the new facilities would be relatively visually unobtrusive to adjacent lands.

*Table 4.7.3.1-1. Contribution to Land-Use Cumulative Impacts From the Disposition Scenario*

Area of Disturbance (ha)	Pit Disassembly/ Conversion	Pu Conversion	MOX Fuel Fabrication	Ceramic Immobilization	Total Impact
Construction	14	36	121	20	191
Operation	12	28	81	12	133

Source: Section 4.3.1.1; Section 4.3.2.1; Section 4.3.4.2.1; Section 4.3.5.1.1.

#### 4.7.3.2 Site Infrastructure

The contribution to site infrastructure cumulative impacts from the disposition scenario is shown in Table 4.7.3.2-1. The additional resource requirements could require new transmission lines, oil storage tanks, and gas transfer pipelines. Additional fuel oil and natural gas requirements would probably be available using the current procurement practices at the site. If the natural gas requirement is not available, oil-based utilities could substitute. Construction and operation of these facilities would require the construction of transportation links to existing road and rail networks.

**Table 4.7.3.2-1. Contribution to Site Infrastructure Cumulative Impacts From the Disposition Scenario<sup>a</sup>**

Utility	Pit Disassembly/ Conversion	Pu Conversion	MOX Fuel Fabrication	Ceramic Immobilization	Total Impact
Electrical Energy (MWh/yr)	20,000	21,000	13,000	25,000	79,000
Peak Load (MWe)	5	5	5	3	18
Oil (l/yr)	28,000	39,750	20,000	190,000	277,750
Natural gas (m <sup>3</sup> /yr)	3,398,000	4,361,000	2,350,000	3,500,000	13,609,000

<sup>a</sup> Operations only.

Source: Section 4.3.1.2; Section 4.3.2.2; Section 4.3.4.2.2; Section 4.3.5.1.2.

### 4.7.3.3 Air Quality and Noise

The construction and operation of the disposition scenario facilities would result in the emission of some air pollutants at each of the sites. The modeling needed to determine the concentrations of the pollutants is highly site-specific. The concentrations would vary depending on the ambient conditions of each of the sites. Air pollutant emission sources include exhaust from vehicles, emissions from facility processes, boiler and generator emissions, and fugitive dusts from land clearing and site preparation. Concentrations of criteria and toxic/hazardous pollutants during construction and operation of the facilities may not be in compliance with Federal, State, and local regulations and guidelines.

### 4.7.3.4 Water Resources

The contribution to water resource cumulative impacts from the disposition scenario is shown in Table 4.7.3.4-1. The disposition scenario facilities would obtain raw water from surface or groundwater sources that currently support the site. Most of the DOE sites analyzed would have adequate water supply to support the proposed projects. Wastewater would be treated using existing treatment, monitoring, and discharge systems. New wastewater treatment systems would be constructed if the current systems do not have adequate capacity.

**Table 4.7.3.4-1. Contribution to Water Resource Cumulative Impacts From the Disposition Scenario<sup>a</sup>**

Water Resource Requirement (million l/yr)	Pit Disassembly/ Conversion	Pu Conversion	MOX Fuel Fabrication	Ceramic Immobilization	Total Impact
Total water requirement	94.6	80.5	56.8	250	481.9
Total wastewater discharge	85.2	15	43.5	98	241.7

<sup>a</sup> Operations only.

Source: Section 4.3.1.4; Section 4.3.2.4; Section 4.3.4.2.4; Section 4.3.5.1.4.

### 4.7.3.5 Geology and Soils

Construction of the disposition scenario facilities would involve disturbing up to 191 ha (474 acres) of land. The ground disturbing activities would lead to a temporary increase in the erosion potential of the exposed soils. The disposition scenario facilities are not expected to restrict access to potential geologic resources.

### 4.7.3.6 Biological Resources

Construction and operation of the disposition scenario facilities could result in the direct disturbance of terrestrial resources, wetlands, and threatened and endangered species. Construction of the disposition scenario facilities would involve disturbing up to 191 ha (474 acres) of land. Less mobile animals within the project area, such as amphibians, reptiles, and small mammals, would not be expected to survive. Construction activities and

noise would cause larger mammals and birds to move to similar habitat nearby. Nests and young animals living within the project area would not be expected to survive. Surrounding areas could be indirectly affected by erosion and sedimentation. The use of existing buildings and previously disturbed areas would reduce impacts.

#### 4.7.3.7 Cultural and Paleontological Resources

The construction and operation of the disposition scenario facilities could affect cultural and paleontological resources. Construction of the facilities could disturb up to 191 ha (474 acres) of land. Cultural and paleontological resources could be affected by ground disturbance, building modification, visual intrusion, audio intrusion, disruption of historic and/or environmental setting, reduced access to traditional use areas, unauthorized artifact collecting, and vandalism. Construction and operation of the facilities could affect Native American and buried paleontological materials.

#### 4.7.3.8 Socioeconomics

The contribution to socioeconomic cumulative impacts from the disposition scenario is shown in Table 4.7.3.8-1. Constructing and operating the disposition scenario facilities would generate employment and income increases in the region. In-migrating workers may be needed to fill specialized positions during construction and operation. Housing units, in excess of existing vacancies, may be required during construction and operation of the facilities. Operation of the facilities would result in an increased demand for community services at the selected site. There may be an increase in congestion on local roads as a result of new traffic from construction and operation workers. Generally, the impacts from the new facilities would be minor relative to the size of the regional population and economy.

**Table 4.7.3.8-1. Contribution to Socioeconomic Cumulative Impacts From the Disposition Scenario**

Labor Category	Pit Disassembly/ Conversion	Pu Conversion	MOX Fuel Fabrication	Ceramic Immobilization	Total Impact
Direct construction workers	125	358	475	1,000	1,958
Direct operational workers	830	883	500	860	3,073

Source: Section 4.3.1.8; Section 4.3.2.8; Section 4.3.4.2.8; Section 4.3.5.1.8.

#### 4.7.3.9 Public and Occupational Health and Safety

The contribution to public and occupational health and safety cumulative impacts are shown in Table 4.7.3.9-1. During normal operations of the disposition scenario facilities, there would be both radiological and chemical releases to the environment and direct in-plant exposures. However, concentrations are expected to be within regulated exposure limits.

#### 4.7.3.10 Waste Management

The contribution to waste management cumulative impacts from the disposition cumulative impacts is shown in Table 4.7.3.10-1. Existing treatment systems would be used for the wastestreams from the disposition scenario facilities. If capacity or appropriate treatment technology is not available, new treatment facilities would be built to handle the waste from the new facilities.

**Table 4.7.3.9-1. Contribution to Public and Occupational Health and Safety Cumulative Impacts  
From the Disposition Scenario<sup>a</sup>**

Receptor	Pit Disassembly/ Conversion	Pu Conversion	MOX Fuel Fabrication	Ceramic Immobilization
<b>Maximally Exposed</b>				
<b>Individual Member of the Public</b>				
Annual dose (mrem/yr)	$1.5 \times 10^{-3}$ to $1.4 \times 10^{-2}$	$9.5 \times 10^{-5}$ to $9.2 \times 10^{-3}$	$8.8 \times 10^{-5}$ to 0.015	$1.2 \times 10^{-7}$ to $4.2 \times 10^{-6}$
Fatal cancer risk <sup>b</sup>	$7.6 \times 10^{-10}$ to $7.0 \times 10^{-8}$	$4.8 \times 10^{-10}$ to $4.6 \times 10^{-8}$	$7.8 \times 10^{-10}$ to $1.8 \times 10^{-7}$	$6.0 \times 10^{-13}$ to $2.1 \times 10^{-11}$
<b>Public Within 80 km</b>				
Annual dose (person-rem/yr)	$2.9 \times 10^{-4}$ to 0.12	$1.9 \times 10^{-4}$ to 0.074	$1.4 \times 10^{-4}$ to 0.14	$1.7 \times 10^{-7}$ to $6.7 \times 10^{-5}$
Fatal cancers <sup>b</sup>	$1.5 \times 10^{-6}$ to $6.0 \times 10^{-4}$	$9.5 \times 10^{-7}$ to $3.7 \times 10^{-4}$	$1.2 \times 10^{-6}$ to $1.2 \times 10^{-3}$	$8.5 \times 10^{-10}$ to $3.4 \times 10^{-7}$
<b>Involved Worker</b>				
Annual dose (mrem/yr)	200	233	250	279
Fatal cancer risk <sup>b</sup>	$8.0 \times 10^{-4}$	$9.3 \times 10^{-4}$	$2.3 \times 10^{-3}$	$1.1 \times 10^{-3}$
<b>Total Involved Workforce</b>				
Annual dose (mrem/yr)	83	133	31	120
Fatal cancers <sup>b</sup>	0.34	0.53	0.29	0.46
<b>Hazardous Chemical Impacts</b>				
<b>Maximally Exposed</b>				
<b>Individual of the Public</b>				
Hazard index	$4.0 \times 10^{-6}$ to $1.5 \times 10^{-4}$	$7.9 \times 10^{-6}$ to $1.7 \times 10^{-4}$	$4.9 \times 10^{-6}$ to $1.9 \times 10^{-4}$	$3.9 \times 10^{-4}$ to $1.5 \times 10^{-2}$
Cancer risk <sup>b</sup>	0	$4.7 \times 10^{-9}$ to $1.9 \times 10^{-7}$	0	0
<b>Site Worker</b>				
Hazard index	$2.6 \times 10^{-4}$ to $5.3 \times 10^{-4}$	$8.0 \times 10^{-4}$ to $1.7 \times 10^{-3}$	$8.2 \times 10^{-4}$ to $1.7 \times 10^{-3}$	$8.3 \times 10^{-2}$ to 0.17
Cancer risk <sup>b</sup>	0	$7.2 \times 10^{-6}$ to $1.5 \times 10^{-5}$	0	0

<sup>a</sup> During normal operations.

<sup>b</sup> Over the operational life.

Note: The impacts projected in this table are for 50t for either immobilization or reactor burning. The pit disassembly/conversion, Pu conversion, and ceramic immobilization impacts are for 10 years and the MOX fuel fabrication impacts are for 17 years.

Source: Section 4.3.1.9; Section 4.3.2.9; Section 4.3.4.2.9; Section 4.3.5.1.9.

Table 4.7.3.10-1. Contribution to Waste Management Cumulative Impacts From the Disposition Scenario<sup>a</sup>

Waste Category	Pit Disassembly/ Conversion (m <sup>3</sup> /yr)	Pu Conversion (m <sup>3</sup> /yr)	MOX Fuel Fabrication (m <sup>3</sup> /yr)	Ceramic Immobilization (m <sup>3</sup> /yr)	Total Impact (m <sup>3</sup> /yr)
<b>Transuranic</b>					
Liquid	0	3.2	0	75	78.2
Solid	67	278	306	99	750
<b>Mixed Transuranic</b>					
Liquid	0	0	0	0	0
Solid	4	191	4	0.7	200
<b>Low-Level</b>					
Liquid	4	56	4	7	70
Solid	102	1,743	153	14	2,012
<b>Mixed Low-Level</b>					
Liquid	0.4	0.04	0.8	0	1
Solid	1.7	191	38	0.15	231
<b>Hazardous</b>					
Liquid	2	2	4	38	46
Solid	0.7	11	153	19	184
<b>Nonhazardous (Sanitary)</b>					
Liquid	85,200	15,000	43,300	34,000	177,500
Solid	100	2,060	76	920	3,160
<b>Nonhazardous (Other)</b>					
Liquid	Included in sanitary	56	227	170,000	170,300
Solid	3	0	84 <sup>b</sup>	15	102

<sup>a</sup> Operations only.<sup>b</sup> Includes recyclable waste.

Source: Section 4.3.1.10; Section 4.3.2.10; Section 4.3.4.2.10; Section 4.3.5.1.10.



#### **4.8 UNAVOIDABLE ADVERSE ENVIRONMENTAL IMPACTS**

Siting, construction, and operation of facilities for both the long-term storage and disposition of weapons-usable fissile materials at Hanford, NTS, INEL, Pantex, ORR, and SRS, and for disposition facilities evaluated at generic sites would result in some unavoidable environmental impacts. The impact assessment conducted in this PEIS has identified potential impacts, along with mitigation measures that could be implemented to minimize them. The impacts that would remain following mitigation actions are unavoidable; the potential impacts of all alternatives at all sites are discussed below.

##### **Land**

At each of the long-term storage analysis sites, up to 87 ha (215 acres) of land would be required during operation of the collocated storage facilities, including necessary supporting infrastructure and access roads. This requirement would represent a maximum of about 2 percent of the total land of any site. Construction and operation of some long-term storage facility alternatives at ORR and SRS would change the VRM classification from Class 4 to Class 5. This change would affect some key viewpoints with high sensitivity levels at ORR.

Under the disposition alternatives, up to 57 ha (141 acres) of land would be required during operation of the deep borehole disposition complex, with necessary supporting infrastructure and access roads. If sited at a generic location, additional land area for a 1.6-km (1-mi) buffer zone could be required. At least 142 ha (350 acres) of land area would be required to operate the evolutionary LWR facilities (for one reactor unit only), including necessary supporting infrastructure and access roads. The potential facility location for the evolutionary LWR at ORR is not within the site boundary. The evolutionary LWR would change the VRM classification of several analyses sites from Class 3 or 4 to Class 5. Other potential actions would change the VRM classification of several analyses sites from Class 4 to Class 5. Cooling towers and other large stacks associated with the disposition facilities would impact visual resources through their physical structure and vapor plumes, which would be visible during certain atmospheric conditions. Construction and operation of some disposition alternatives at ORR would affect key viewpoints with high sensitivity levels.

##### **Site Infrastructure**

There would be minor unavoidable impacts anticipated for site infrastructure for long-term storage or disposition activities.

##### **Air Quality and Noise**

Air pollutant concentrations would increase slightly or remain the same during construction and operation for long-term storage and disposition activities; however, during construction and operation the sites are expected to be in compliance with Federal, State, and local ambient air quality regulations or standards.

##### **Water**

Under the storage alternatives, the maximum amount of groundwater withdrawn would be approximately 190 million 1/yr (50.2 million gal/yr) at NTS for the modify P-Tunnel option of the Collocation Alternative. This would represent a 7.9-percent increase over the projected No Action water use, representing 0.5 percent of the minimum estimated recharge.

Under the disposition alternatives, the maximum amount of groundwater withdrawn would be approximately 341 million 1/yr (90 million gal/yr) at NTS, INEL, Pantex, and SRS for the evolutionary LWR. At Pantex, the amount of water withdrawal would result in minor drawdowns of the Ogallala Aquifer in the area. Total site groundwater withdrawal would be less than what is currently being withdrawn from the Ogallala Aquifer for industrial use at Pantex.

## Geology and Soils

For long-term storage and disposition alternatives, soil erosion resulting from wind and stormwater runoff in disturbed areas would occur.

## Biological

For long-term storage and disposition alternatives, federally listed threatened or endangered species, such as the desert tortoise and bald eagle, could be affected directly or by disruptions to foraging, breeding, and nesting habits during construction and operation of facilities. Several candidate or State-listed animal species and special status plant species could also be affected at different sites. While such disruptions may be unavoidable, appropriate measures could be implemented and monitored to ensure that any impacts would not be irreversible. Construction of new facilities would have some unavoidable impacts on animal populations. Larger animals and birds would move to similar habitats nearby if the habitats could sustain them, while less mobile animals within the disturbed areas, such as amphibians, reptiles, and small mammals, would not be expected to survive.

Clearing and grading operations could result in the direct loss of wetlands, although proper placement of the facility within the overall site would eliminate or reduce the potential for such loss. Where direct loss is unavoidable, mitigation measures would be developed.

## Cultural Resources

Some NRHP-eligible prehistoric and historic resources may exist within the area to be disturbed at any potential long-term storage or disposition site. The appropriate SHPO and the Advisory Council on Historic Preservation would be consulted to minimize unavoidable impacts. Native American resources could be unavoidably affected by land disturbance, audio or visual intrusions on Native American sacred sites, or by reduced access to traditional use areas, or theft or vandalism. DOE would consult with the affected tribes to minimize any impacts. Paleontological resources could exist within acreage disturbed during construction of facilities. Construction activities would be monitored by a paleontologist to minimize any impacts to scientifically important paleontological materials.

## Socioeconomics

Construction and operation of the long-term storage and disposition facilities at some sites could lead to increases in regional population, which would have an impact on the surrounding jurisdictions. For some alternatives, the additional population would increase the demand for community services including education, public safety, and health care. However, at none of the sites analyzed would the increase in demand exceed the capacity of the affected communities to provide these services. Implementing these proposed alternatives would increase traffic on the roads leading into some of the sites analyzed. The resulting increases in traffic congestion and accidents would be unavoidable and could require upgrading the affected roads to accommodate increase traffic and minimize accidents.

## Public Safety and Health

During the normal operation of any of the storage facilities, there would be radiological releases to the environment and to workers. The largest increase in radiation dose to the MEI from annual storage operations would result from the collocated storage facilities at ORR. The dose to the MEI would be  $4.5 \times 10^{-5}$  mrem/yr and the associated risk of fatal cancer from the 50 year period of storage operations would be  $1.1 \times 10^{-9}$ . This same new facility operating at ORR would also result in the largest increase in dose to the population within 80 km (50 mi) of any site from annual storage operations. The dose to the ORR populations would be  $8.7 \times 10^{-4}$  person-rem/yr; in 50 years of storage operations,  $2.2 \times 10^{-5}$  excess fatal cancers could occur in this population. The largest increase in dose to the involved workforce from annual new storage operations would

result from operation of the modified FMEF Pu storage facility at Hanford. The dose to this workforce would be 52 person-rem/yr; in 50 years of storage operations, one fatal cancer could occur in the workforce.

Hazardous and toxic chemicals would be present during construction and operation of the long-term storage facilities. Worker exposure to these chemicals would be unavoidable. The HI from the facility to the MEI for collocation at Pantex would be  $2.0 \times 10^{-4}$  and for collocation at ORR the cancer risk would be  $1.6 \times 10^{-7}$ . The HI from the facility to the onsite worker for collocation at INEL would be  $1.9 \times 10^{-3}$  and for modifying the P-Tunnel for consolidation or collocation at NTS the cancer risk would be  $6.4 \times 10^{-6}$ .

During the normal operation of any of the disposition facilities, there could also be radiological releases to the environment and to workers. The largest increase in radiation dose to the MEI from annual disposition operations would result from the operation of the evolutionary LWR at ORR. The dose to the MEI from a single evolutionary LWR would be 4.9 mrem/yr, and the associated risk of fatal cancer from the projected 17-year period of reactor operation would be  $4.1 \times 10^{-5}$ . The largest increase in dose to the population within 80 km (50 mi) of any site from annual disposition operations would be 32 person-rem from operation of a large evolutionary LWR at SRS; in the 17-year operational period, 0.27 excess fatal cancers could occur in this population from total site operations. The largest increase in annual dose to the workers from disposition operations would result from operation of the partially completed LWR. The dose to the involved workforce would be 380 person-rem/yr; in the projected 17-year period of operation of this reactor, 2.5 excess fatal cancers could result in the workforce.

Hazardous and toxic chemicals would be present during construction and operation of the disposition facilities. Worker exposure to these chemicals would be unavoidable. The HI from the ceramic immobilization facility to the MEI for the Ceramic Immobilization Alternative at Pantex and ORR would be  $1.5 \times 10^{-2}$  and the cancer risk for the Pu conversion facility at ORR would be  $1.9 \times 10^{-7}$ . The HI from the deep borehole complex to the onsite worker for the Direct Disposition Alternative would be 0.29 and the cancer risk for the Pu conversion facility at ORR would be  $1.5 \times 10^{-5}$ .

### **Waste Management**

Construction and operation of long-term storage facilities would affect existing waste management activities by increasing the generation of TRU, low-level, mixed, hazardous, and nonhazardous wastes. Increased hazardous wastes would require additional shipments to RCRA-permitted treatment and disposal facilities. Increased TRU waste would require new or expanded above-grade storage facilities and additional shipments to WIPP (depending on decisions made in the ROD associated with the supplemental EIS being prepared for the continued phased development of WIPP for disposal of TRU waste). The increased LLW for the Consolidation or Collocation Alternatives could require additional engineered trenches or vaults at some candidate sites. Generation of additional nonhazardous wastes could require the expansion of existing or construction of new liquid and solid waste treatment facilities, or could reduce the lifetimes of existing solid waste landfills.

Construction and operation of disposition facilities would affect existing waste management activities by increasing or initiating the generation of spent nuclear fuel for the reactor alternatives, and increasing the generation of TRU, low-level, mixed, hazardous, and nonhazardous wastes for all disposition facilities with the exception of the existing LWR site. The deep borehole complex would require the construction of waste treatment and storage facilities. Construction of new or expansion of existing spent fuel storage facilities would be required at all sites for the reactor alternatives. Increased TRU waste would require new or expanded radwaste treatment facilities and above-grade storage facilities at some sites. Additional shipments to WIPP (depending on decisions made in the ROD associated with the supplemental EIS being prepared for the continued phased development of WIPP for disposal of TRU waste) would be required at all sites. Increased LLW would require additional LLW shipments from Pantex to NTS (assuming Pantex would continue the current practice of shipping LLW to NTS) and could require additional engineered trenches or vaults at some candidate sites. Increased mixed waste could require expansion of treatment capability developed at each of the

sites as reflected in the individual site treatment plans which were developed to comply with the *Federal Facility Compliance Act*. Additional or expanded RCRA-permitted staging or storage areas would be required at the generic MOX facility and some of the representative sites. Construction of new or expansion of existing sanitary, utility, and process wastewater treatment systems would be required for alternatives where the increase waste stream volumes exceed the capacity. For those sites that would discharge to a publicly-owned treatment works, such as the partially completed LWR, expansion of pretreatment systems may be required. Generation of additional solid nonhazardous wastes could reduce the expected lifetimes of current solid waste landfills.

### Transportation

Existing facilities would be used for continued storage, which is the baseline case to which the transportation impacts for other alternatives is compared. Under No Action for storage and disposition, there would be no transportation of materials, and thus no transportation risks incurred. For storage, the maximum total potential fatalities from the transportation of Pu and HEU would be 1.070 for the Collocation Alternative at Hanford. For disposition, the maximum total potential fatalities from the transportation of surplus Pu would be 5.65 for the Existing LWR, Partially Completed LWR, and Evolutionary LWR Alternatives.

#### 4.9 AVOIDED ENVIRONMENTAL IMPACTS AND IMPACTS ON URANIUM INDUSTRIES

This section discusses the potential avoided environmental impacts from the reactor alternatives for disposition, which have not been addressed in previous sections. Avoided environmental impacts of using MOX fuel instead of traditional uranium fuel in LWR power plants are discussed in Section 4.9.1. The potential impacts from the reactor alternatives on the uranium mining and nuclear fuel cycle industries are analyzed in Section 4.9.1.4. Section 4.9.2 discusses the avoided environmental impacts of using MOX fuel in LWR power plants instead of fossil fuel power plants in the generation of electricity.

The analysis presented in this section is based on the assumption that all of surplus Pu would be used as MOX fuel. For the Preferred Alternative, as a result of implementing a multiple technology disposition strategy, for analysis purposes, approximately 70 percent of the surplus Pu would be fabricated into MOX fuel and used in existing reactors. Subsequently, the avoided environmental impacts from the Preferred Alternative would be 70 percent of the respective avoided impacts presented in this section.

Potential avoided health impacts due to the use of MOX fuel in the CANDU reactors are not presented. Avoided health impacts beyond the U.S. borders are not required to be analyzed. If the CANDU reactors were selected as part of a multilateral agreement among Russia, Canada, and the United States, subsequent tiered NEPA review would be conducted.

##### 4.9.1 USE OF MIXED OXIDE FUEL INSTEAD OF TRADITIONAL LOW-ENRICHED URANIUM FUEL IN NUCLEAR POWER PLANTS

For the Preferred Alternative, surplus Pu would be converted to MOX fuel for use in existing commercial nuclear power plants. In this alternative, part of the current nuclear fuel cycle in the existing commercial nuclear power plants would be replaced. In the United States, the uranium nuclear fuel cycle for commercial nuclear power plants is normally considered to begin with mining uranium ore and end with the disposal of the final radioactive wastes. The typical uranium fuel cycle for LWRs without spent fuel reprocessing in the United States is illustrated in Table 4.9.1-1. The MOX fuel cycle steps for proposed reactor alternatives are also listed in Table 4.9.1-1 for comparison. The pit disassembly/conversion process would replace the current uranium fuel cycle steps from uranium ore mining through uranium enrichment (steps 1 through 4 in Table 4.9.1-1). The nuclear fuel fabrication and burning in reactors would also be slightly different.

*Table 4.9.1-1. Comparison of Uranium Fuel and Mixed Oxide Fuel Cycles*

Step	Uranium Fuel Cycle	MOX Fuel Cycle
1	Uranium mining	Pit disassembly/conversion
2	Uranium milling	NA
3	Uranium conversion	NA
4	Uranium enrichment	NA
5	Uranium preparation and uranium fuel element fabrication	Uranium preparation and MOX fuel element fabrication
6	Nuclear power plants fueling-burning in the reactor	Nuclear power plants fueling-burning in the reactor
7	Spent fuel storage	Spent fuel storage

Note: NA=not applicable.

This section discusses the avoided environmental impacts of using the MOX fuel in existing LWRs. For the Existing LWR Alternative, the avoided environmental impacts would be due to the substitution of the MOX fuel for LEU (UO<sub>2</sub>) fuel in LWRs. The existing LWRs are already in operation, and substitution of MOX fuel for uranium fuel may avoid some human health and environmental impacts.

#### 4.9.1.1 Avoided Radiological Human Health Impacts

In the LWR uranium fuel cycle, contributors to the potential impacts on human health and the environment include uranium mining, uranium milling, and uranium conversion (from triuranic octaoxide [ $U_3O_8$ ] to uranium hexafluoride [ $UF_6$ ]). The other nuclear fuel cycle processes (enrichment plants, fuel fabrication plants) have considerably lower radioactive emissions than previous steps of the fuel cycle (mining, milling, and conversion). A summary of the atmospheric emissions of radioactive materials from the uranium fuel cycle and the MOX fuel cycle is shown in Table 4.9.1.1-1. Radioactive materials released into any liquid effluent are considerably less than the atmospheric emission and are not addressed.

By replacing the current uranium fuel cycle with MOX fuel, the uranium mining, milling, conversion, and enrichment are eliminated. As a result, the potential impacts to human health and the environment in the uranium fuel cycle process are reduced. Although the pit disassembly/conversion and MOX fuel fabrication processes create other impacts to the workers and public, the magnitude of these impacts are smaller than those of the uranium mining, milling, and conversion processes. Tables 4.9.1.1-2 and 4.9.1.1-3 compare the potential radiological impacts to the public and involved workers respectively, between the current fuel cycle process and the proposed MOX fuel cycle in existing LWRs.

For the general public within 80 km (50 mi), the expected latent cancer fatalities (LCFs) per year of operation would be  $2.1 \times 10^{-2}$  to  $3.4 \times 10^{-2}$  for the current uranium fuel cycle process and  $2.7 \times 10^{-5}$  to  $1.4 \times 10^{-2}$  for the proposed MOX fuel cycle burning in the two full MOX core existing LWRs. The avoided LCFs to the public then are 0.020 per year due to the substitution of MOX fuel for uranium fuel in LWRs. The total avoided LCFs for the public over the lifetime of the project (17 years) then would be 0.34, which represents the lower bounds of avoided health impact. For the Existing LWR Alternative, it would need three to five reactors that operate with the partial MOX core over their operating lifetime, which is equivalent to the two full core LWRs. Also the Preferred Alternative would dispose of the 70 percent of the surplus Pu in the existing reactors. Therefore, for the Preferred Alternative, the avoided impacts would be 0.24 LCFs for the general public.

For the involved workers, the expected LCFs per year of operation are 0.92 to 1.3 for the current uranium fuel cycle and 0.21 to 0.55 for the proposed MOX fuel cycle in existing LWRs. The avoided LCFs for the involved workers then are 0.75 per year due to the substitution of MOX fuel for uranium fuel in LWRs. The total avoided LCFs to the involved workers over the lifetime of the project (17 years) then are about 13. The Existing LWR Alternative would need three to five reactors that operate with the partial MOX core over their operating lifetime, which is equivalent to the two full core LWRs. For the Existing LWR Alternative, for analysis purposes, 70 percent of the surplus Pu was assumed to be used in existing LWRs. Therefore, for the Existing LWR Alternative, the avoided impacts would be 9.1 latent cancer fatalities for the involved workers.

[Text deleted.]

#### 4.9.1.2 Avoided Air Quality Impacts

Ambient air quality can be affected by emissions of pollutants from the current fuel cycle process and the proposed Pu disposition facilities. The pollutants from the current fuel cycle come from the uranium mining, milling, conversion, and enrichment processes. The pollutant emissions are also from the fossil-fuel power plant that supply the electric power for the current uranium fuel cycle, mainly the uranium enrichment process. By replacing the current fuel cycle with MOX fuel, the uranium fuel enrichment process is eliminated. Thus, the fossil-fuel power that supplies the electric power to the uranium enrichment facility would not be needed. Table 4.9.1.2-1 compares the pollutant air emissions between proposed processes from Pit disassembly/conversion through MOX fuel fabrication and the fossil fuel power plant that supplies the electric power for the current uranium fuel cycle. The comparison shows that pollutant emissions from the current fuel cycle are higher than the potential emissions from the proposed MOX fuel fabrication process.

Table 4.9.1.1-1. Comparison of Radionuclide Atmosphere Emissions

Source	Principal Radionuclide	Emission Rate <sup>a</sup> (Ci/yr)	
		Current Fuel Cycle <sup>b</sup>	MOX Fuel Cycle
Uranium mines	Rn-222	1,200	NA
Uranium mills and mill tailing	Pb-210	$1.3 \times 10^{-2}$	NA
	Po-210	$1.3 \times 10^{-2}$	NA
	Rn-222	752	NA
	Ra-226	$1.3 \times 10^{-2}$	NA
	Th-230	$1.4 \times 10^{-2}$	NA
	U-234	$2.6 \times 10^{-2}$	NA
	U-238	$2.6 \times 10^{-2}$	NA
Uranium conversion	Ra-226	$1.7 \times 10^{-6}$	NA
	Rn-222	0.23	NA
	Th-234	$2.1 \times 10^{-3}$	NA
	Pa-234m	$2.1 \times 10^{-3}$	NA
	Th-230	$2.4 \times 10^{-5}$	NA
	U-234	$2.1 \times 10^{-3}$	NA
	U-235	$5.1 \times 10^{-5}$	NA
	U-238	$2.1 \times 10^{-3}$	NA
	Tc-99	$1.7 \times 10^{-3}$	NA
	U-234	$5.0 \times 10^{-3}$	NA
Uranium enrichment	U-235	$2.2 \times 10^{-4}$	NA
	U-236	$9.2 \times 10^{-6}$	NA
	U-238	$5.0 \times 10^{-3}$	NA
	Pu-238	NA	$4.2 \times 10^{-7}$
	Pu-239	NA	$4.3 \times 10^{-5}$
Pit disassembly/conversion	Pu-240	NA	$1.0 \times 10^{-5}$
	Pu-241	NA	$3.2 \times 10^{-5}$
	Pu-242	NA	$2.9 \times 10^{-10}$
	Am-241	NA	$1.7 \times 10^{-5}$
	U-232	NA	$1.3 \times 10^{-7}$
	U-234	$2.1 \times 10^{-4}$	$3.2 \times 10^{-8}$
	U-235	$7.1 \times 10^{-6}$	$6.2 \times 10^{-10}$
	U-236	$1.1 \times 10^{-5}$	NA
	U-238	$2.7 \times 10^{-5}$	$4.8 \times 10^{-8}$
	Pu-238	NA	$7.9 \times 10^{-7}$
Fuel fabrication	Pu-239	NA	$2.9 \times 10^{-5}$
	Pu-240	NA	$7.6 \times 10^{-6}$
	Pu-241	NA	$2.7 \times 10^{-5}$
	Pu-242	NA	$1.1 \times 10^{-9}$
	Am-241	NA	$1.4 \times 10^{-7}$

Table 4.9.1.1-1. Comparison of Radionuclide Atmosphere Emissions—Continued

Source	Principal Radionuclide	Emission Rate <sup>a</sup> (Ci/yr)	
		Current Fuel Cycle <sup>b</sup>	MOX Fuel Cycle
Fuel fabrication (continued)	Th-231	$7.1 \times 10^{-6}$	NA
	Th-234	$2.7 \times 10^{-5}$	NA
	Pa-234	$2.7 \times 10^{-5}$	NA

<sup>a</sup> The emissions are based on the assumption that two full MOX core equivalent large LWRs (about 2.0 GWe) are needed for Pu disposition. For the Existing LWR Alternative, it would need three to five existing LWRs. These three to five LWRs would operate with the partial or full MOX core over their operating lifetime, which is equivalent to the two full MOX core LWRs. For the Existing LWR Alternative, for analysis purposes, 70 percent of the surplus Pu was assumed to be used in existing LWRs. As a result, the campaign length would be reduced. However, since the comparison in this table is based on the annual emissions, it is independent of the number of years of operation for the Pu disposition.

<sup>b</sup> The radionuclide emissions given are for the model facilities. The emissions are adjusted according to the 2.0-GWe power output for two large LWRs (EPA 1979a; TTI 1996c).

Note: NA=not applicable.

Source: EPA 1979a; Table M.2.3.1-2.

Table 4.9.1.1-2. Comparison of Potential Radiological Human Health Impacts to the General Public

Fuel Cycle Process	Current Fuel Cycle <sup>a</sup>	MOX Fuel Cycle <sup>a</sup>
Uranium mining (LCF/yr)	$1.2 \times 10^{-2}$	NA
Uranium milling (LCF/yr)	$8.0 \times 10^{-3}$	NA
Uranium conversion (LCF/yr)	$4.6 \times 10^{-4}$	NA
Pit disassembly/conversion <sup>b</sup> (LCF/yr)	NA	$1.5 \times 10^{-7}$ - $6.0 \times 10^{-5}$
Fuel fabrication <sup>c</sup> (LCF/yr)	$2.0 \times 10^{-5}$	$7.1 \times 10^{-8}$ - $2.4 \times 10^{-5}$
Fuel burning in LWRs <sup>d</sup> (LCF/yr)	$2.0 \times 10^{-5}$ - $2.4 \times 10^{-3}$	$2.2 \times 10^{-5}$ - $2.0 \times 10^{-3}$
Total (LCF/yr)	$2.1 \times 10^{-2}$ - $2.3 \times 10^{-2}$	$2.7 \times 10^{-5}$ - $2.1 \times 10^{-3}$
Total (LCF/campaign <sup>e</sup> )	0.36-0.39	0.00037-0.036

<sup>a</sup> Ranges of human health impacts in represent the health effects from different sites analyzed in the PEIS. No data for uranium enrichment are presented because of its minimal contribution to health impacts compared to other fuel cycle steps.

<sup>b</sup> See Table 4.3.1.9-1.

<sup>c</sup> See Table 4.3.5.1.9-1 for MOX Fuel Cycle. The LCFs for the current fuel cycle are adjusted for 2 large LWRs for consistency with risk estimators used in this PEIS (EPA 1979a; TTI 1996c).

<sup>d</sup> See Table 4.3.5.2.9-1.

<sup>e</sup> The impacts in this table are based on the assumption that two full core-equivalent large LWRs (about 2.0 GWe) are needed for Pu disposition in 17 years for all surplus Pu. For the Existing LWR Alternative, it would need three to five existing LWRs. These three to five LWRs would operate with the partial MOX core over their operating lifetime, which is equivalent to the two full-core LWRs. For the Existing LWR Alternative, for analysis purposes, 70 percent of the surplus Pu was assumed to be used in existing LWRs. As a result, the campaign length would be reduced.

Note: NA=not applicable.



**Table 4.9.1.1-3. Comparison of Potential Radiological Human Health Impacts to Workers**

Fuel Cycle Process	Current Fuel Cycle <sup>a</sup>	MOX Fuel Cycle <sup>a</sup>
Uranium mining (LCF/yr)	0.38	NA
Uranium milling (LCF/yr)	0.30	NA
Uranium conversion (LCF/yr)	0.0018	NA
Pit disassembly/conversion <sup>b</sup> (LCF/yr)	NA	0.034
Fuel fabrication <sup>c</sup> (LCF/yr)	0.10	0.012
Fuel burning in LWRs <sup>d</sup> (LCF/yr)	0.14-0.48	0.14-0.48
Total (LCF/yr)	0.92-1.3	0.19-0.53
Total (LCF/campaign) <sup>e</sup>	16-22	3.2-8.9

<sup>a</sup> Ranges of human health impacts represent the health effects from different sites analyzed in the PEIS. No data for uranium enrichment are presented because of its minimal contribution to health impacts compared to other fuel cycle stops.

<sup>b</sup> See Table 4.3.1.9-2.

<sup>c</sup> See Table 4.3.5.1.9-2 for MOX Fuel Cycle. The LCFs for the current fuel cycle are adjusted for 2 large LWRs for consistency with risk estimators used in this PEIS (NRC 1987d; TTI 1996c).

<sup>d</sup> See Table 4.3.5.2.9-2.

<sup>e</sup> The impacts in this table are based on the assumption that two full core-equivalent large LWRs (about 2.0 GWe) are needed for Pu disposition in 17 years for all surplus Pu. For the Existing LWR Alternative, it would need three to five existing LWRs. These three to five LWRs would operate with the partial MOX core over their operating lifetime, which is equivalent to the two full-core LWRs. For the Existing LWR Alternative, for analysis purposes, 70 percent of the surplus Pu was assumed to be used in existing LWRs. As a result, the campaign length would be reduced.

Note: NA=not applicable.

**Table 4.9.1.2-1. Comparison of Potential Emission Rates of Criteria Pollutants**

Pollutant	Current Fuel Cycle <sup>a</sup> (kg/yr)	MOX Fuel Cycle <sup>b</sup> (kg/yr)
Carbon monoxide (CO)	59,000	NA
Nitrogen dioxide (NO <sub>2</sub> )	2,400,000	NA
Ozone (O <sub>3</sub> )	NA	NA
Particulate matter (PM <sub>10</sub> )	2,300,000	NA
Sulfur dioxide (SO <sub>2</sub> )	8,800,000	NA
Total suspended particulate (TSP)	NA	NA
Volatile organic compounds (VOC)	NA	2,500

<sup>a</sup> The emissions from a supporting coal power plant are derived from the NRC regulations (10 CFR 51 Table S-3). The original numbers in the NRC document are for 1-GWe LWRs. The numbers shown in the table are adjusted for 2-GWe LWRs.

<sup>b</sup> Emissions from the MOX fuel cycle are the sum of the emissions from pit disassembly/conversion and MOX fuel fabrication. See Tables F.1.3-4 and F.1.3-6. The MOX fuel burning in existing LWRs would not cause incremental pollutant air emissions over the current uranium fuel cycle. See Table F.1.3-12.

Note: NA=not available.

#### 4.9.1.3 Other Avoided Environmental Impacts

In addition to reducing potential radiological human health and air quality impacts, fabricating the surplus weapons-usable Pu into MOX fuel for use in existing LWRs would cause other positive environmental impacts. The following positive impacts can be qualitatively stated:

- *Land Resources.* Reduced land disturbance from mining operations.
- *Water Resources.* Reduced impacts to water quality are expected since no mining and mill tailing would be produced, which allows surface runoff or leaching (mine drainage) to occur.

- **Waste Generation.** The total wastes generated by the MOX fueling process (including the pit disassembly/conversion, MOX fuel fabrication, and MOX fuel burning in existing LWRs) would be less than the total wastes generated by the uranium mining, milling, conversion, enrichment, fuel fabrication, and  $\text{UO}_2$  fuel burning in existing LWRs.

#### 4.9.1.4 Impacts on Uranium Mining and Nuclear Fuel Cycle Industries

Among the disposition alternatives evaluated in the PEIS, only the reactor alternatives (which would use MOX fuel instead of uranium fuel) could potentially affect the domestic nuclear fuel cycle industry. However, of the four reactor options evaluated in the PEIS (that is, using CANDU reactors, completing a partially built LWR, constructing a new evolutionary LWR, and use of existing LWRs), only using MOX fuel in the existing domestic LWR alternative would likely have any impact on the domestic nuclear fuel cycle industry. By using MOX fuel instead of fuel derived solely from LEU, this reactor alternative could potentially displace some demand for uranium feed products and services.

The CANDU Alternative would have no impact on U.S. uranium and nuclear fuel industries, because Canadian firms currently supply all of the nuclear fuel services and products required by that country's nuclear reactors. Canadian nuclear fuel is derived from Canadian uranium and is converted and fabricated by Canadian companies (CANDU reactors do not require enrichment services). Therefore, the only potential economic impacts would be to Canadian firms rather than U.S. producers. Producing MOX fuel would require significant quantities of depleted uranium, which comprises 97 to 98 percent of MOX feed material. However, the large DOE surplus inventory of depleted uranium would assure that this demand could be easily accommodated.<sup>3</sup>

The construction of an evolutionary LWR or the partially completed LWR could have some impact on the nuclear fuel cycle industries, although the magnitude of the impact would be highly uncertain. The impact from adding a new nuclear reactor as a source of electricity to the national power grid would depend on several factors, including whether:

- The new evolutionary LWR would be supplying power to meet new demand for electricity or supplanting supply from an existing reactor.
- The MOX-fueled plant would otherwise have been a uranium-fueled plant.

If the new power plant were to supplant existing commercial electricity supply from LWRs conventional uranium fuel, then it is possible that uranium demand could decrease. However, this scenario would be unlikely, because during the life cycle of any plant that would be brought on line, many of the currently operating nuclear power plants are expected to be retired. In fact, the EIA projects that between 1994 and 2015, nuclear power generation capacity will decline by 32 percent due to plant retirement. Furthermore, no new reactors are expected to come online before 2015. Electricity demand growth during this period is expected to be met through the construction of new fossil fuel plants, cogeneration, increased energy efficiency, and demand management. Therefore, it is unlikely that the construction of an evolutionary LWR or the completion of a partially built LWR would alter future demand for uranium, uranium enrichment services, or fuel fabrication from the No Action alternative.

The use of MOX fuel in existing domestic nuclear power plants would likely affect the demand for nuclear fuel services. Under this alternative, MOX fuel would be substituted for uranium fuel. If 2 to 3 t (2.2 to 3.3 tons) of Pu (93-percent enriched) per year were converted to MOX fuel and employed in nuclear reactors, approximately 730 to 1,100 t (805 to 1,213 tons) of  $\text{U}_3\text{O}_8$  would be displaced per year. Because projections indicate that U.S. production of uranium fuel would only supply about 20 percent of domestic needs during the plant's life cycle (2004-2029), much of the impact projected on uranium fuel production would be borne by foreign producers.

<sup>3</sup> DOE is currently developing an EIS for the management of depleted  $\text{UF}_6$

Based on current market shares, the MOX fuel could displace from 145 to 218 t/yr (160 to 240 tons/yr) of U.S. uranium oxide production. This compares to EIA projections that domestic uranium oxide production will reach approximately 4,000 t (4,409 tons) in 2005. Although the actual impacts would depend on the state of the uranium market during the nuclear power plant's lifetime, the use of MOX fuel should not have a significant impact on domestic production.

The impacts on uranium conversion, enrichment, and fabrication services would be similar to the impacts on the uranium mining and milling industries. The MOX fuel could displace a small percentage of these services, but the actual impacts are likely to be small. For example, the uranium conversion sector has recently experienced a much stronger market with large price increases over the past few years. This sector is projected to operate at almost full capacity into the foreseeable future. The impacts on the fabrication industry would likewise be small. The throughput rate of 51 to 73 t (56 to 80 tons) of heavy metal per year (depending on the type of reactor used), would represent less than one percent of current U.S. capacity.

It should be noted that the potential impacts described above would occur over the same timeframe as other DOE actions projected to affect the domestic uranium mining and nuclear fuel cycle industries. As, discussed in the HEU Final EIS, the disposition of U.S. surplus HEU and the purchase of Russian surplus HEU are projected to create only small and temporary economic impacts on the domestic uranium mining nuclear fuel cycle industries. Similarly, the sale of surplus natural and LEU currently stored at DOE's gaseous diffusion plants in Piketon, OH and Paducah, KY is expected to have minimal impact on these industries because of the small quantities and the protections provided by the *United States Enrichment Corporation Privatization Act* (DOE 1996s:4-33-4-36). The incremental impacts of using MOX fuel would be small, as would the cumulative impacts of these actions.

#### 4.9.2 USE OF NUCLEAR POWER PLANTS INSTEAD OF FOSSIL FUEL POWER PLANTS

For the proposed Partially Completed and Evolutionary LWR Alternatives, the surplus Pu would be converted to MOX fuel for use in these power plants. Completing or building such nuclear power plants would create net environmental impact over existing conditions. The incremental environmental impacts from the Partially Completed LWR Alternative and the Evolutionary LWR Alternative have been analyzed and presented in Sections 4.3.5.3 and 4.3.5.4, respectively. This section discusses the potential avoided environmental impacts from these two alternatives.

According to the energy consumption projection for the next two decades, 252 gigawatts of new generating capacity will be needed between 1994 and 2015 to satisfy electricity demand and to replace retiring units (EIA 1996a:28). According to the same projection, new power plant constructions will be dominated by coal-fired and natural gas-fired power plants. Although the goal of all alternatives in the Pu disposition program is to dispose of the surplus weapon-usable Pu, the Partially Completed and Evolutionary LWR alternatives do generate electricity. If these alternatives are selected, the required new capacity for the coal-fired or natural gas-fired power plants could be reduced by the same capacity as the partially completed or evolutionary LWR using MOX fuel.

Comparing the coal-fired or natural gas-fired power plants, partially completed or evolutionary LWRs may have positive and negative impacts to the environment. Complete comparisons of the environmental impacts between the proposed partially completed or evolutionary LWRs and the coal-fired or natural gas-fired power plants are beyond the scope of this PEIS. The primary potential avoided impact for these alternatives is the impacts to ambient air quality in the area surrounding the facilities.

Ambient air quality can be affected by emissions of criteria pollutants from the coal-fired and natural gas-fired power plants, and the proposed Pu disposition facilities. More pollutant emissions from a facility poses more environmental impact. Table 4.9.2-1 compares the pollutant air emissions between the MOX fueling process using the partially completed LWR and the fossil fuel power plant that supplies the same amount of the electric power. The MOX fueling process using the Partially Completed LWR Alternative includes pit disassembly/conversion, MOX fuel fabrication, and MOX fuel burning. The comparison shows that almost all criteria pollutant emissions from the coal-fired power plants are much higher than the potential emissions from the proposed partially completed LWR with MOX fuel. Comparing the gas fired power plants, some of pollutants are emitted more from the proposed partially completed LWR using MOX fuel and some pollutants are emitted less. This comparison shows that the impact to the ambient air quality would be reduced if the surplus weapons-usable Pu is utilized as MOX fuel in the partially completed LWR to replace new construction of coal-fired power plants. However, it cannot be concluded that using MOX fuel in partially completed LWRs results in a positive environmental impact over the natural gas-fired power plants.<sup>4</sup>

Table 4.9.2-2 compares the pollutant air emissions between the proposed MOX fueling process using evolutionary LWRs and the fossil fuel power plant that supplies the same amount of the electric power. The MOX fueling process using the evolutionary LWR alternative includes pit disassembly/conversion, MOX fuel fabrication, and MOX fuel burning. The comparison shows that almost all criteria pollutant emissions from the coal-fired power plants are much higher than the potential emissions from evolutionary LWRs using MOX fuel. Comparing the gas-fired power plants, some pollutants are emitted more from evolutionary LWRs with MOX fuel and some pollutants are emitted less. This comparison shows that the impact to the ambient air quality would be reduced if the surplus weapons-usable Pu is utilized as fuel in the evolutionary LWRs to replace new construction of the coal and natural gas power plants.

<sup>4</sup> Use of the partially completed LWR or evolutionary LWR would create additional spent nuclear fuel.

**Table 4.9.2-1. Comparison of Potential Emission Rates of Criteria Pollutants Between the Mixed Oxide Fuel Cycle Using Partially Completed Light Water Reactors and Conventional Power Plants**

Pollutant	Coal Fired Plant <sup>a</sup> (kg/yr)	Natural Gas Fired Plant <sup>b</sup> (kg/yr)	MOX Fueled Nuclear Plant <sup>c</sup> (kg/yr)
Carbon monoxide	2,800,000	NA	81.6
Nitrogen dioxide	42,000,000	2,000,000	228,000
Ozone	NA	NA	NA
Particulate matter less than or equal to 10 microns in diameter	2,200,000	NA	17,500
Sulfur dioxide	42,000,000	24,000	171,000
Total suspended particulate	2,200,000	NA	17,500
Volatile organic compounds	NA	12,000 <sup>d</sup>	2,500

<sup>a</sup> The original numbers in the NRC document are for a 1-GWe LWR (NRC 1987d: Table 17). The numbers shown in the table are adjusted for 2-GWe LWRs.

<sup>b</sup> The natural gas boiler is assumed to be the "controlled-flue gas recirculation" utility type, which has lowest air emissions listed in the EPA report (EPA 1995a).

<sup>c</sup> Emissions from the MOX fuel cycle are the sum of the emissions from the pit disassembly/conversion, MOX fuel fabrication, and the MOX fuel burning in the partially completed LWRs. See Tables F.1.3-4, F.1.3-6, and F.1.3-13.

<sup>d</sup> Organic compounds from the natural gas-fired power plant include methane that comprises 17 percent of organic compounds (EPA 1995a). The VOC value presented here assumes that methane is the only VOC among the organic compounds from the gas fire emissions.

Note: NA=not available.

**Table 4.9.2-2. Comparison of Potential Emission Rates of Criteria Pollutants Between the Mixed Oxide Fuel Cycle Using Evolutionary Light Water Reactors and Conventional Power Plants**

Pollutant	Coal Fired Plant <sup>a</sup> (kg/yr)	Natural Gas Fired Plant <sup>b</sup> (kg/yr)	MOX Fueled Nuclear Plant <sup>c</sup> (kg/yr)
Carbon monoxide	2,800,000	NA	90
Nitrogen dioxide	42,000,000	2,000,000	5,260
Ozone	NA	NA	NA
Particulate matter less than or equal to 10 microns in diameter	2,200,000	NA	NA
Sulfur dioxide	42,000,000	24,000	900
Total suspended particulate	2,200,000	NA	NA
Volatile organic compounds	NA	12,000 <sup>d</sup>	2,500

<sup>a</sup> The original numbers in the NRC document are for a 1-GWe LWR (NRC 1987d, Table 17). The numbers shown in the table are adjusted for 2-GWe LWRs.

<sup>b</sup> The natural gas boiler is assumed to be the "controlled-flue gas recirculation" utility type, which has lowest air emissions listed in the EPA report (EPA 1995a).

<sup>c</sup> Emissions from the MOX fuel cycle are the sum of the emissions from the pit disassembly/conversion, MOX fuel fabrication, and the MOX fuel burning in the evolutionary LWRs. See Tables F.1.3-4, F.1.3-6, and F.1.3-14.

<sup>d</sup> Organic compounds from the natural gas-fired power plant include methane that comprises 17 percent of organic compounds (EPA 1995a). The VOC value presented here assumes that methane is the only VOC among the organic compounds from the gas fire emissions.

Note: NA=not available.

## 4.10

**RELATIONSHIP BETWEEN SHORT-TERM USES OF ENVIRONMENT AND THE MAINTENANCE AND ENHANCEMENT OF LONG-TERM PRODUCTIVITY**

The use of land on any of the six candidate DOE sites being considered for storage and disposition facilities (Hanford, NTS, INEL, Pantex, ORR, and SRS) would enhance the long-term productivity on each site. In light of current reductions in the nuclear weapons stockpile, the lack of new weapons development or production, the moratorium on nuclear testing, and concerns about safety and reliability in the aging stockpile, DOE's Preferred Alternative is to, over time, phase out the RFETS existing storage facility, upgrade the Pantex, ORR, and SRS storage facilities for Pu and HEU storage, and to continue to use existing facilities at Hanford, INEL, and LANL. The reduction of Pu stockpile meets the U.S. nonproliferation policy. In addition, DOE proposes to modify existing or build new disposition facilities that will enhance the long-term use of the selected sites. The Preferred Alternative for disposition is a combination of using pit disassembly/conversion, Pu conversion, MOX fuel fabrication, and immobilization facilities.

Most storage and disposition alternatives would require the use of additional land. Such usage would remove this land from other beneficial uses. Disposal of solid nonhazardous waste generated from facilities construction and operations would require additional land at onsite sanitary landfills. Solid nonhazardous waste generated from these facilities would continuously require additional land at a sanitary landfill site that would be unavailable for other uses in the long term. LLW would require additional space for onsite storage and waste processing and would involve the commitment of associated land, transportation, processing facilities, and other disposal resources. Creation of land disposal facilities allows the site to be productive for the long-term by protecting the overall environment and complying with Federal and State environmental requirements.

Losses of terrestrial and aquatic species and habitats from natural productivity to accommodate new facilities and temporary disturbances required during construction are possible. Land clearing and construction activities resulting in large numbers of personnel and equipment moving about an area would disperse wildlife and temporarily eliminate habitats. Although some destruction would be inevitable during and after construction, these losses would be minimized by careful site selection, including environmental reviews at the site-specific level. In addition, short-term disturbances of previously undisturbed biological habitats from the construction of new facilities could cause long-term reductions in the biological productivity of an area. These long-term effects could occur, for example, at facilities located in arid areas of the western United States such as Hanford, NTS, and INEL, where biological communities recover very slowly from disturbances. Threatened and endangered species would have minimal impacts from the Preferred Alternative.<sup>5</sup>

---

<sup>5</sup> The range of the threatened desert tortoise lies in the southern third of NTS. Construction and operation of new facilities associated with the storage and disposition facilities have the potential to impact the federally listed threatened desert tortoise. Measures designed to avoid impacts to the desert tortoise from previous projects at NTS have been implemented with mitigation measures developed in consultation with USFWS.

#### **4.11 IRREVERSIBLE AND IRRETRIEVABLE COMMITMENTS OF RESOURCES**

This section describes the major irreversible and irretrievable commitments of resources that can be identified at this programmatic level of analysis. A commitment of resources is irreversible when its primary or secondary impacts limit the future options for a resource. An irretrievable commitment refers to the use or consumption of resources that would be neither renewable nor recoverable for later use by future generations.

The programmatic decisions resulting from this PEIS will commit the resources required for the new construction and renovation of storage and disposition facilities at various locations. This section discusses three major resource categories that would be committed irreversibly or irretrievably to the proposed actions: land, materials, and energy.

**Land.** Land that is currently occupied by or designated for storage or reactor-related disposition facilities could ultimately be returned to open space if buildings, roads, and other structures were removed, areas were cleaned up, and the land revegetated. Alternatively, some of the facilities could be modified for use in other DOE programs. Therefore, commitment of this land is not necessarily irreversible. However, land rendered unfit for other purposes, such as that set aside for radiological, hazardous and chemical waste disposal facilities or deep borehole emplacement, represents an irreversible commitment because wastes in below-ground disposal areas could not be completely removed nor could the site be feasibly used for any other purposes following closure of disposal or storage facilities. This land would be perpetually unusable because the substrata would not be suitable for potentially intrusive activities such as mining, utilities, or building foundations. However, the surface area appearance and biological habitat lost during construction and operation of the facilities could be restored to a large extent.

**Materials.** The irreversible and irretrievable commitment of material resources during the entire life-cycle of storage and disposition includes construction materials that could not be recovered or recycled, materials rendered radioactive that could not be decontaminated, and materials consumed or reduced to unrecoverable forms of waste. Where construction is necessary, materials required could include wood, concrete, sand, gravel, plastics, steel, aluminum, and other metals. Construction resources that could not be recovered and recycled with present technology would be irretrievably lost. However, none of these identified construction resources is in short supply, and all would be readily available in the vicinity of the candidate and representative sites.

Materials committed to the manufacture of new equipment that could not be recycled at the end of the project's useful lifetime would be irretrievable. Operating supplies, miscellaneous chemicals, and gases consumed during the operation of long-term storage and disposition facilities, while irretrievable, would not constitute a permanent drain on local resources or involve any material in critically short supply in the United States. Materials consumed or reduced to unrecoverable forms of waste, such as uranium, would also be irretrievably lost. Resources could be recycled. Plans to recover and recycle as much of these valuable, depletable resources as would be practical would depend on the need. Each resource would be individually considered at the time a recovery decision was required. The spent fuel generated by the reactor alternative would not be processed so as to recycle the LEU or Pu.

**Energy.** The irretrievable commitment of energy resources during construction and operations of the long-term storage and disposition facilities would include the consumption of fossil fuels used to generate heat and electricity for the sites. Energy would also be expended in the form of diesel fuel, gasoline, and oil for construction equipment and transportation vehicles. The energy required to operate the long-term storage and disposition facilities, quantified in the site infrastructure sections previously presented in this chapter, would be irretrievable.

Any decision to dispose of Pu represents an irretrievable commitment of a potential energy source. To protect against proliferation, all disposition alternatives are irreversible and the Pu is lost forever as a fuel resource.

**4.12****ENERGY REQUIREMENTS AND CONSERVATION POTENTIAL OF THE VARIOUS ALTERNATIVES AND MITIGATION MEASURES**

The proposed long-term storage and disposition alternatives would result in increased energy demands at the affected site or sites during the construction and operation phases. The anticipated energy requirements of all the alternatives would be within the supply capacities of the power grid that would serve its candidate or representative site. Fuel requirements would exceed the current site availability during operation at NTS, Pantex, ORR, and SRS for several of the alternatives, but can be accommodated through normal contractual means. For the Preferred Alternative, additional oil needed at SRS would be required and could be obtained through normal contractual means. Since Hanford, NTS, INEL, and SRS do not use natural gas, the facilities would have to be redesigned to burn fuel oil. Energy requirements would be subject to established conservation practices at the affected site.





## Chapter 5

### References

#### ORDERS AND REGULATIONS

- 10 CFR 20            Nuclear Regulatory Commission (NRC), "Energy: Standards for Protection Against Radiation," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, January 1, 1995.
- 10 CFR 50            NRC, "Energy: Domestic Licensing of Production and Utilization Facilities," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, January 1, 1995.
- 10 CFR 51            NRC, "Energy: Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, January 1, 1995.
- 10 CFR 60            NRC, "Energy: Disposal of High-Level Radioactive Wastes in Geologic Repositories," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, January 1, 1995.
- 10 CFR 61            NRC, "Energy: Licensing Requirements for Land Disposal of Radioactive Waste," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, January 1, 1995.
- 10 CFR 100           NRC, "Energy: Reactor Site Criteria," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, January 1, 1995.
- 10 CFR 835           U.S. Department of Energy (DOE), "Energy: Occupational Radiation Protection," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, July 1, 1995.
- 29 CFR 1910          Occupational Safety and Health Administration Labor, "Flammable and Combustible Liquids," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, July 1, 1995.
- 33 CFR 328           Corps of Engineers, "Definition of Waters of the United States," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, July 1, 1995.

- 36 CFR 60 National Park Service, "National Register of Historic Places," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, July 1, 1995.
- 40 CFR 50 Environmental Protection Agency (EPA), "Protection of the Environment: National Primary and Secondary Ambient Air Quality Standards," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 40 CFR 51 EPA, "Requirements for Preparation, Adoption, and Submittal of Implementation Plans," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 40 CFR 52 EPA, "Protection of the Environment: Approval and Promulgation of Implementation Plans—Prevention of Significant Deterioration of Air Quality," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 40 CFR 61 EPA, "Protection of the Environment: National Emission Standards for Hazardous Air Pollutants," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 40 CFR 81 EPA, "Protection of the Environment: Designation of Areas for Air Quality Planning Purposes," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 40 CFR 93 The Bureau of National Affairs, "Determining Conformity of Federal Actions to State or Federal Implementation Plans," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised August 7, 1995.
- 40 CFR 141 EPA, "Protection of the Environment: National Primary Drinking Water Regulations," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 40 CFR 143 EPA, "Protection of the Environment: National Secondary Drinking Water Regulations," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 40 CFR 190 EPA, "Protection of the Environment: Environmental Radiation Protection Standards for Nuclear Power Operations," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.

- 40 CFR 268 EPA, "Protection of the Environment: Land Disposal Restrictions," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 40 CFR 300 EPA, "Protection of the Environment: National Oil and Hazardous Substances Pollution Contingency Plan--Remedial Investigation/Feasibility Study and Selection of Remedy," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 40 CFR 503 EPA, "Protection of Environment: Standards for the Use or Disposal of Sewage Sludge," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised July 1, 1995.
- 49 CFR 173 U.S. Department of Transportation (DOT), "Shippers--General Requirements for Shipments and Packagings," *Code of Federal Regulations*, Office of the Federal Register, National Archives and Records Administration, U.S. Government Printing Office, Washington, DC, Revised October 1, 1995.
- 50 CFR 17.11 U.S. Fish and Wildlife Service (FWS), "Endangered and Threatened Wildlife and Plants--Endangered and Threatened Wildlife," *Code of Federal Regulations*, Fish and Wildlife Service, U.S. Department of the Interior, Washington, DC, October 31, 1995.
- 50 CFR 17.12 FWS, "Endangered and Threatened Wildlife and Plants--Endangered and Threatened Plants," *Code of Federal Regulations*, Fish and Wildlife Service, U.S. Department of the Interior, Washington, DC, October 31, 1995.
- 55 FR 22627 EPA, "Land Disposal Restrictions for Third Third Scheduled Wastes," *Federal Register*, Vol. 55, No. 106, Final Rule, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, June 1, 1990.
- 56 FR 33050 EPA, "National Primary Drinking Water Regulations; Radionuclides," *Federal Register*, Vol. 56, No. 138, Notice of Proposed Rulemaking, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, July 18, 1991.
- 58 FR 16268 DOE, "Radiation Protection of the Public and the Environment," *Federal Register*, Vol. 58, No. 56, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, March 25, 1993.
- [Text deleted.]
- 59 FR 50757 Office of Environmental Justice, "Small Grants Program; Solicitation Notice for Fiscal Year (FY) 1995 Environmental Justice Small Grants to Community Based/Grassroots Organizations and Tribal Governments," *Federal Register*, Vol. 59, No. 192, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, October 5, 1994.
- [Text deleted.]

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- 60 FR 17344 DOE, "Long-Term Storage and Disposition of Weapons-Usable Fissile Materials," *Federal Register*, Vol. 60, No. 65, Notice of Intent, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, April 5, 1995.
- 60 FR 28680 DOE, "Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs," *Federal Register*, Vol. 60, No. 105, Record of Decision, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, June 1, 1995.
- 60 FR 29914 FWS, "Endangered and Threatened Wildlife and Plants; Determination of Critical Habitat for the Mexican Spotted Owl," *Federal Register*, Vol. 60, No. 108, Final Rule, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, June 6, 1995.
- [Text deleted.]
- 60 FR 63878 DOE, "Record of Decision: Tritium Supply and Recycling Programmatic Environmental Impact Statement," *Federal Register*, Vol. 60, No. 238, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, December 12, 1995.
- 60 FR 65300 DOE, "Savannah River Operations Office; Interim Management of Nuclear Materials at Savannah River Site," *Federal Register*, Vol. 60, No. 243, Record of Decision and Notice of Preferred Alternatives, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, December 19, 1995.
- 61 FR 7596 FWS, "Endangered and Threatened Wildlife and Plants; Review of Plant and Animal Taxa that are Candidates for Listing as Endangered or Threatened Species," *Federal Register*, Vol. 61, No. 40, Notice of Review, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, February 28, 1996.
- 61 FR 9441 DOE, "Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs," *Federal Register*, Vol. 61, No. 47, Amendment to Record of Decision, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, March 8, 1996.
- 61 FR 9443 DOE, "Storage and Disposition of Weapons-Usable Fissile Materials Draft Programmatic Environmental Impact Statement," *Federal Register*, Vol. 61, No. 47, Notice of Availability, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, March 8, 1996.
- 61 FR 22038 DOE, "Storage and Disposition of Weapons-Usable Fissile Materials Draft Programmatic Environmental Impact Statement," *Federal Register*, Vol. 61, No. 93, Notice of Extension of Public Comment Period, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, May 13, 1996.
- 61 FR 25092 DOE, "Record of Decision for the Final Environmental Impact Statement on a Proposed Nuclear Weapons Nonproliferation Policy Concerning Foreign Research Reactor Spent Nuclear Fuel," *Federal Register*, Vol. 61, No. 97, U.S. Government Printing Office, Superintendent of Documents, Washington, DC, May 17, 1996.

- DOE Order 5400.5 DOE, "Radiation Protection of the Public and the Environment," Office of Environment, Safety and Health, Washington, DC, January 7, 1993.

**GENERAL**

- ACGIH nda American Conference of Governmental Industrial Hygienists, *1992-1993 Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices*, Cincinnati, OH, 2nd Printing, n.d.
- AEC 1968a Casarett, A.P., *Radiation Biology*, prepared under the direction of the American Institute of Biological Science for the Division of Technical Information United States Atomic Energy Commission, Prentice Hall, Inc., Englewood Cliffs, NJ, 1968.
- AEH 1981a Polednak, A.P., "Mortality Among Welders, Including a Group Exposed to Nickel Oxides," *Archives of Environmental Health*, Vol. 36, pp 235-241, 1981.
- [Text deleted.]
- AEH 1987a Archer, V.E., "Association of Nuclear Fallout with Leukemia in the United States," *Archives of Environmental Health*, Vol. 42, No. 5, pp 263-271, September/October 1987.
- [Text deleted.]
- AHA 1995a American Hospital Association, *The AHA Guide to the Health Care Field*, Chicago, IL, 1995-1996 Edition, 1995.
- AJE 1987b Crump, K.S., T. Ng, and R.G. Cuddihy, "Cancer Incidence Patterns in the Denver Metropolitan Area in Relation to the Rocky Flats Plant," *American Journal of Epidemiology*, Vol. 126, No. 1, pp 127-135, The Johns Hopkins University School of Hygiene and Public Health, Baltimore, MD, 1987.
- AJE 1987c Machado, S.G., C.E. Land, and F.W. McKay, "Cancer Mortality and Radioactive Fallout in Southwestern Utah," *American Journal of Epidemiology*, Vol. 125, No. 1, pp 44-61, The Johns Hopkins University School of Hygiene and Public Health, Baltimore, MD, 1987.
- AJE 1987d Wilkinson, G.S., G.L. Tietjen, L.D. Wiggs, W.A. Galke, J.F. Acquavella, M. Reyes, G.L. Voelz, and R.J. Waxweiler, "Mortality Among Plutonium and Other Radiation Workers at a Plutonium Weapons Facility," *American Journal of Epidemiology*, Vol. 125, No. 2, pp 231-250, The Johns Hopkins University School of Hygiene and Public Health, Baltimore, MD, 1987.
- [Text deleted.]
- AJE 1988a Sever, L.E. et al., "A Case-Control Study of Congenital Malformations and Occupational Exposure to Low-Level Ionizing Radiation," pp 226-242. Sever, L.E. et al., "The Prevalence at Birth of Congenital Malformations in Communities Near the Hanford Site," pp 243-254. Checkoway, H. et al., "Radiation Doses and Cause-Specific Mortality Among Workers at a Nuclear Materials Fabrication Plant,"

pp 255-266. *American Journal of Epidemiology*, Center for Environmental Health at the Centers for Disease Control, Atlanta, GA, 1988.

[Text deleted.]

AJE 1990a                      Gilbert, E.S., S.A. Fry, L.D. Wiggs, G.L. Voelz, D.L. Cragle, and G.R. Petersen, "Methods for Analyzing Combined Data from Studies of Workers Exposed to Low Doses of Radiation," *American Journal of Epidemiology*, Vol. 131, pp 917-927, 1990.

AJIM 1988a                      Carpenter, A.V., W.D. Flanders, E.L. Frome, W.G. Tankersley, and S.A. Fry, "Chemical Exposures and Central Nervous System Cancers: A Case-Control Study Among Workers at Two Nuclear Facilities," *American Journal of Industrial Medicine*, Vol. 13, pp 351-362, Alan R. Liss, Inc., 1988.

AJIM 1988b                      Cragle, D.L., R.W. McLain, J.R. Qualters, J.L.S. Hickey, G.S. Wilkinson, W.G. Tankersley, and C.C. Lushbaugh, "Mortality Among Workers at a Nuclear Fuels Production Facility," *American Journal of Industrial Medicine*, Vol. 14, pp 379-401, Alan R. Liss, Inc., 1988.

[Text deleted.]

AJIM 1993a                      Kneale, G.W. and A.M. Stewart, "Reanalysis of Hanford Data: 1944-1986 Deaths," *American Journal of Industrial Medicine*, Vol 23, pp 371-389, Wiley-Liss, Inc., 1993.

AJIM 1996a                      Loomis, D.P. and S.H. Wolf, "Mortality of Workers at a Nuclear Materials Production Plant at Oak Ridge, Tennessee, 1947-1990," *American Journal of Industrial Medicine*, Vol. 29, pp 131-141, 1996.

AJM 1974a                      Rallison, M.L., B.M. Dobyns, F.R. Keating, J.E. Rall, and F.H. Tyler, "Thyroid Disease in Children," *American Journal of Medicine*, Vol. 56, pp 457-463, 1974.

AJPH 1971a                      Weiss, E.S., M.L. Rallison, W.T. London, and G.D.C. Thompson, "Thyroid Nodularity in Southwestern Utah School Children Exposed to Fallout Radiation," *American Journal Public Health*, pp 241-249, 1971.

AJPH 1987a                      Carpenter, A.V., W.D. Flanders, E.L. Frome, P. Cole, and S.A. Fry, "Brain Cancer and Nonoccupational Risk Factors: A Case-Control Study Among Workers at Two Nuclear Facilities," *American Journal of Public Health*, Vol. 77, No. 9, pp 1180-1182, September 1987.

Almanac 1993a                      *Information Please Almanac Atlas and Yearbook-1993*, Houghton Mifflin Company, Boston, MA, 46th Edition, 1993.

[Text deleted.]

AMA 1995a                      Randolph, L., B. Seidman, and T. Pasko, *Physician Characteristics and Distribution in the U.S.*, Department of Data Survey and Planning, Division of Survey and Data Resources, Milwaukee, WI, 1995-1996 Edition, 1995.

- Ambio 1981a Johnson, C.J., "Cancer Incidence in an Area Contaminated with Radionuclides Near a Nuclear Installation," *Ambio*, Vol. 10, No. 4, pp 176-182, 1981.
- AN 1988a Albers, J.W. et al., "Neurological Abnormalities Associated with Remote Occupational Elemental Mercury Exposure," *Annals of Neurology*, Vol. 24, pp 651-659, 1988.
- ANL 1994a:1 Elliot, T.J., "Partnership in Participation for our Nation's Communities: Environmental Justice at the Department of Energy Meeting and Workshop," Argonne National Laboratory, October 1994.
- ANL 1995c Argonne National Laboratory (ANL), *A Cultural Resources Inventory of the Manzano Storage Area, Kirtland AFB, Bernalillo County, New Mexico*, prepared for the 377th ABW/EM, Kirtland Air Force Base, Albuquerque, NM, July 31, 1995.
- ANL 1996a:1 Haben, M., "Worker Dose (Storage Vault) Data," PEIS request for information provided by Argonne National Laboratory-West, Idaho Falls, ID, November 20, 1996.
- AOEH 1992a Cragle, D.L., S.M. Wells, and W.G. Tankersley, "An Occupational Morbidity Study of a Population Potentially Exposed to Epoxy Resins, Hardeners and Solvents," *Applied Occupational and Environmental Hygiene*, Vol. 7, pp 826-834, 1992.
- APCA 1986a Schulman, L.L. and S.R. Hanna, "Evaluation of Downwash Modifications to the Industrial Source Complex Model," *Journal of the Air Pollution Control Association*, Vol. 36, No. 3, pp 258-264, March 1986.
- APHA 1988a Wiggs, L.D., C.A. Weber, and E.T. Lee, "Suicide Mortality Among Female Nuclear Industry Workers," Abstract in Proceedings presented at the 116th Annual Meeting of the American Public Health Association and Related Organizations, Technology and Health Problems and Promise, Boston, MA, November 13-17, 1988.
- Army 1986a Department of the Army, *Explosives and Demolitions*, FM 5-25, Headquarters, Washington, DC, March 1986.
- [Text deleted.]
- BJIM 1981a Kneale, G.W., T.F. Mancuso, and A.M. Stewart, "Hanford Radiation Study III: A Cohort Study of the Cancer Risks from Radiation to Workers at Hanford (1944-77 Deaths) by the Method of Regression Models in Life-Tables," *British Journal of Industrial Medicine*, Vol. 38, pp 156-166, 1981.
- BJIM 1985a Checkoway, H., R.M. Mathew, C.M. Shy, J.E. Watson, Jr., W.G. Tankersley, S.H. Wolf, J.C. Smith, and S.A. Fry, "Radiation, Work Experience, and Cause Specific Mortality Among Workers at an Energy Research Laboratory," *British Journal of Industrial Medicine*, Vol. 42, pp 525-533, 1985.
- BMJ 1990a Gardner, M.A. et al., "Results of a Case-control Study of Leukemia and Lymphoma Among Young People Near Sellafield Nuclear Plant in West Cumbria," *British Medical Journal*, Vol. 300, pp 423-434, 1990.



*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- BW 1995b:1 Olson, A., "Data Gathering," PEIS request for information provided by U.S. Nuclear Regulatory Commission Licensing Representative, Babcock & Wilcox, Lynchburg, VA, 1995.
- BW NRC 1976a NRC, *Environmental Impact Appraisal Babcock & Wilcox Commercial Nuclear Fuel Fabrication Plant Lynchburg, Virginia, Docket No. 70-1201 Related to Renewal of Special Nuclear Materials License No. SNM-1168*, NR-FM-005, prepared by Division of Fuel Cycle and Material Safety, U.S. Nuclear Regulatory Commission, Washington, DC, February 1976.
- BW NRC 1983b NRC, *Environmental Impact Appraisal for Renewal of Special Nuclear Material License No. SNM-1168, Docket No. 70-1201, Babcock & Wilcox Company, Commercial Nuclear Fuel Plant*, NUREG-0987, U.S. Nuclear Regulatory Commission, Office of Nuclear Material Safety and Safeguards, Washington, DC, May 1983.
- CE 1989a Combustion Engineering, *Application for Renewal of Special Nuclear Material License No. SNM-33 (NRC Docket No. 70-36)*, Hematite Nuclear Fuel Manufacturing Facility, Hematite, MO, November 22, 1989.
- Census 1982a Bureau of the Census, *General Housing Characteristics, 1980 Census of Housing*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, July 1982.
- Census 1982c Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—South Carolina*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- Census 1982d Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—Tennessee*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- Census 1982e Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—Illinois*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- Census 1982f Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—Missouri*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- Census 1982i Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—Idaho*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- Census 1982j Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—Georgia*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- Census 1982m Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—Arizona*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.

- Census 1982o Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—New Mexico*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- Census 1982q Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—Alabama*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- Census 1982r Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—Washington*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- Census 1982s Bureau of the Census, *1980 Census of Population and Housing Summary of Population and Housing Characteristics—Colorado*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1982.
- [Text deleted.]
- Census 1983b Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics—South Carolina*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1983.
- Census 1983c Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics—Georgia*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1983.
- Census 1983f Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics—Arizona*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1983.
- Census 1983g Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics—New Mexico*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1983.
- Census 1983h Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics—Idaho*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1983.
- Census 1983j Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics—Alabama*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1983.
- Census 1983k Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics—Washington*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1983.

Census 1983m      Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics-Illinois*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1983.

| [Text deleted.]

Census 1983q      Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics-Tennessee*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1983.

| [Text deleted.]

Census 1983u      Bureau of the Census, *1980 Census of Population Characteristics of the Population General Social and Economic Characteristics-Colorado*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, September 1983.

Census 1991a      Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics-Georgia*, 1990 CPH-1-12, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.

Census 1991b      Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics-South Carolina*, 1990 CPH-1-42, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.

Census 1991c      Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics-Tennessee*, 1990 CPH-1-44, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.

Census 1991d      Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics-Washington*, 1990 CPH-1-49, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.

Census 1991f      Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics-Missouri*, 1990 CPH-1-27, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.

Census 1991g      Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics-Nevada*, 1990 CPH-1-30, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.

| Census 1991h      Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics-New Mexico*, 1990 CPH-1-33, U.S. Department of

- Commerce, Economics and Statistics Administration, Washington, DC, August 1991.
- Census 1991k Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics—Colorado*, 1990 CPH-1-7, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.
- Census 1991m Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics—Texas*, 1990 CPH-1-45, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.
- Census 1991n Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics—Idaho*, 1990 CPH-1-14, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.
- Census 1991p Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics—Alabama*, 1990 CPH-1-1, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.
- Census 1991q Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics—Arizona*, 1990 CPH-1-3, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.
- Census 1991r Bureau of the Census, *1990 Census of Population and Housing Summary Population and Housing Characteristics—Illinois*, 1990 CPH-1-15, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1991.
- Census 1992b Bureau of the Census, *1990 Census of Population General Population Characteristics—New Mexico*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, 1992.
- [Text deleted.]
- Census 1993b Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Tennessee*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, September 1993.
- Census 1993c Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—South Carolina*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, September 1993.
- Census 1993e Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Georgia*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, September 1993.

Census 1993f      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Arizona*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, September 1993.

| [Text deleted.]

Census 1993k      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Washington*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1993.

Census 1993m      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—New Mexico*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1993.

Census 1993n      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Idaho*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1993.

Census 1993o      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Wyoming*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1993.

Census 1993p      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Alabama*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1993.

| [Text deleted.]

Census 1993s      Bureau of the Census, "1990 Census of Population and Housing Summary Tape File," (Data Base), U.S. Department of Commerce, Washington, DC, 1993.

Census 1993t      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Kansas*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1993.

Census 1993u      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Nebraska*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1993.

Census 1993v      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Colorado*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1993.

Census 1993w      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Texas*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, August 1993.

Census 1993y      Bureau of the Census, *1990 Census of Population Social and Economic Characteristics—Nevada*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, September 1993.

- Census 1993z Bureau of the Census, *1990 Census of Population Social and Economic Characteristics-Utah*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, September 1993.
- Census 1994o Bureau of the Census, *County and City Data Book 1994*, U.S. Department of Commerce, Economics and Statistics Administration, Washington, DC, 12th Edition, August 1994.
- Census 1995a Bureau of Census, *July 1, 1990 to July 1, 1994 Population Estimates for Counties*, PPL-30, Population Estimates Branch, Washington, DC, Revised, September 28, 1995.
- CEQ 1996a Council on Environmental Quality, *Guidance for Addressing Environmental Justice under the National Environmental Policy Act*, Executive Office of the President, Washington, DC, April 15, 1996.
- CFFF 1995a:1 Williams, R., "Facility Description," PEIS request for information provided by Columbia Fuel Fabrication Facility, Columbia, SC, May 11, 1995.
- [Text deleted.]
- CO DIS 1994a Colorado Demography Information Section, "Population Projections for Colorado Regions and Counties, 1990-2000, 2000-2010, and 2010-2020," prepared by the Colorado Division of Local Government, Denver, CO, December 1994.
- CO DPHE 1994a Colorado Air Quality Control Commission, *Ambient Air Standards for the State of Colorado*, 1994.
- CO NHP 1994a Colorado Natural Heritage Program, "List of Colorado Plant and Animal Species of Special Concern," 1994.
- [Text deleted.]
- DHHS 1992a Technical Resources, Inc., *Sixth Annual Report on Carcinogens Summary-1991*, prepared under Contract N01 ES 3 5025, Rockville, MD, for the National Institute of Environmental Sciences, Research Triangle Park, NC, 1992.
- [Text deleted.]
- DOC 1994j Campbell, P.R., *Population Projections for States, by Age, Sex, Race and Hispanic Origin: 1993-2020*, P2S-1111, Economics and Statistics Administration, U.S. Department of Commerce, Washington, DC, March 1994.
- [Text deleted.]
- DOC 1995a Bureau of Economic Analysis (BEA), "REIS - Regional Economic Information System 1969-1993 (CD-ROM)," Economics and Statistics Administration, Regional Economic Measurement Division, U.S. Department of Commerce, Washington, DC, May 1995.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

- DOC 1996a BEA, *BEA Regional Projections to 2045, Volume 1: States*, Projections Branch Regional Economic Analysis Division, U.S. Department of Commerce, Washington DC, June 1996.
- DOC 1996b BEA, *BEA Regional Projections to 2045, Volume 3: BEA Economic Areas*, Projections Branch, Regional Economic Analysis Division, U.S. Department of Commerce, Washington, DC, June 1996.
- DOD 1993a U.S. Army and Space Strategic Defense Command, *Final Theater Missile Defense Programmatic Life-Cycle Environmental Impact Statement*, Ballistic Missile Defense Organization, Department of Defense, The Pentagon, Washington, DC, September 1993.
- DOE 1985a DOE, *Department of Energy National Environmental Research Parks*, DOE/ER-0246, U.S. Department of Energy, Office of Energy Research, Office of Health & Environmental Research, Ecological Research Division, Washington, DC, August 1985.
- DOE 1985b Robinette, C.D., S. Jablon, and T.L. Preston, *Mortality of Nuclear Weapons Test Participants*, DOE/EV/01577, work performed under Contract DE-AI08-78EV01577 by Medical Follow-up Agency, Commission on Life Sciences, National Research Council, Washington, DC, May 1985.
- [Text deleted.]
- DOE 1991c DOE, *Draft Environmental Impact Statement for the Siting, Construction, and Operation of New Production Reactor Capacity*, DOE/EIS-0144D, Volume 2: Sections 1-6, U.S. Department of Energy, Office of New Production Reactors, Washington, DC, April 1991.
- [Text deleted.]
- DOE 1991h Oak Ridge National Laboratory (ORNL), *Integrated Data Base for 1991: U.S. Spent Fuel and Radioactive Waste Inventories, Projections, and Characteristics*, DOE/RW-0006, prepared under Contract DE-AC05-84OR21400 for the U.S. Department of Energy, Office of Civilian Radioactive Waste Management, Office of Environmental Restoration and Waste Management, Washington, DC, Revision 7, October 1991.
- DOE 1991j DOE, *A Report by the Nuclear Weapons Complex Reconfiguration Site Evaluation Panel*, Predecisional, U.S. Department of Energy Field Office, San Francisco, CA, October 1991.
- DOE 1991n DOE, *Draft Mission Plan Amendment*, DOE/RW-0316P, U.S. Department of Energy, Office of Civilian Waste Management, Washington, DC, September 1991.
- DOE 1991s DOE, *Environmental Assessment of the Risks of the Taiwan Research Reactor Spent Fuel Project*, DOE/EA-0515, U.S. Department of Energy, Washington, DC, June 1991.
- DOE 1992e DOE, *Environmental and Other Evaluations of Alternatives for Siting, Constructing, and Operating New Production Reactor Capacity*, DOE/NP-0014, Volume 1:

Section 1-10, U.S. Department of Energy, Office of New Production Reactors, Washington, DC, September 1992.

- DOE 1992f ORNL, *Integrated Data Base for 1992: U.S. Spent Fuel and Radioactive Waste Inventories, Projections, and Characteristics*, DOE/RW-0006, prepared under Contract DE-AC05-84OR21400 for the U.S. Department of Energy, Office of Civilian Radioactive Waste Management, Office of Environmental Restoration and Waste Management, Washington, DC, Revision 8, October 1992.
- DOE 1992h DOE, *Environmental and Other Evaluations of Alternatives for Siting, Constructing, and Operating New Production Reactor Capacity*, DOE/NP-0014, Volume 2: Appendices A-G, U.S. Department of Energy, Office of New Production Reactors, Washington, DC, September 1992.
- DOE 1992o:3 DOE, "Hazardous Materials Shipments for Selected Sites--Times and Distance," computer printout, information provided by U.S. Department of Energy, Albuquerque Field Office, Transportation Safeguards Division, Transportation Management Branch, Oak Ridge, TN, March 23, 1992.
- DOE 1992t DOE, *Radiological Control Manual*, U.S. Department of Energy, Assistant Secretary for Environment, Safety, and Health, Washington, DC, June 1992.
- DOE 1993a DOE, *U.S. Department of Energy Interim Mixed Waste Inventory Report: Waste Streams, Treatment Capacities and Technologies*, DOE/NBM-1100, Volume 1, U.S. Department of Energy, Washington, DC, April 1993.
- DOE 1993b DOE, *U.S. Department of Energy Interim Mixed Waste Inventory Report: Waste Streams, Treatment Capacities and Technologies*, DOE/NBM-1100, Volume 2, U.S. Department of Energy, Washington, DC, April 1993.
- [Text deleted.]
- DOE 1993e DOE, *U.S. Department of Energy Environmental Restoration and Waste Management Five-Year Plan, Fiscal Years 1994-1998*, DOE/S-00097P Vol.1, Volume 1, U.S. Department of Energy, Washington, DC, January 1993.
- [Text deleted.]
- DOE 1993h DOE, *U.S. Department of Energy Interim Mixed Waste Inventory Report: Waste Streams, Treatment Capacities and Technologies*, DOE/NBM-1100, Volume 5, U.S. Department of Energy, Washington, DC, April 1993.
- DOE 1993j DOE, *Nonnuclear Consolidation Environmental Assessment*, Nuclear Weapons Complex Reconfiguration Program, DOE/EA-0792, Volume I, U.S. Department of Energy, Office of Defense Programs, Deputy Assistant Secretary for Weapons Complex Reconfiguration, Washington, DC, June 1993.
- DOE 1993n:7 DOE, "Compilation of Doses to Workers at DOE Facilities in 1992," U.S. Department of Energy, Washington, DC, 1993.
- [Text deleted.]



*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

DOE 1993r DOE, *Spent Fuel Working Group Report on Inventory and Storage of the Department's Spent Nuclear Fuel and other Reactor Irradiated Nuclear Materials and their Environmental, Safety and Health Vulnerabilities*, Volume I, U.S. Department of Energy, Washington, DC, November 1993.

DOE 1993s DOE, *Spent Fuel Working Group Report on Inventory and Storage of the Department's Spent Nuclear Fuel and other Reactor Irradiated Nuclear Materials and their Environmental, Safety and Health Vulnerabilities*, Volume II, U.S. Department of Energy, Washington, DC, November 1993.

| [Text deleted.]

DOE 1993x DOE, *Environmental Assessment of the Import of Russian Plutonium-238*, DOE/EA-0841, U.S. Department of Energy, Office of Nuclear Energy, Washington, DC, June 1993.

| DOE 1993ff DOE, "Transporting and Safeguarding Special Nuclear Material," *DOE News*, Fact Sheet, U.S. Department of Energy, Albuquerque Operations Office, Transportation Safeguard Division, Albuquerque, NM, June 1993.

DOE 1994c ORNL, *Integrated Data Base for 1993: U.S. Spent Fuel and Radioactive Waste Inventories, Projections, and Characteristics*, DOE/RW-0006, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory for the U.S. Department of Energy, Office of Civilian Radioactive Waste Management, Office of Environmental Restoration and Waste Management, Washington, DC, Revision 9, March 1994.

DOE 1994d ORNL, *Integrated Data Base Report-1993: U.S. Spent Nuclear Fuel and Radioactive Waste Inventories, Projections, and Characteristics*, DOE/RW-0006, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory for the U.S. Department of Energy, Office of Civilian Radioactive Waste Management, Office of Environmental Management, Washington, DC, Revision 10, December 1994.

| [Text deleted.]

DOE 1994k ICF Incorporated, "Final Phase II Mixed Waste Inventory Report," (Data Base), prepared by ICF Incorporated, Arlington, VA, for the U.S. Department of Energy, Federal Facility Compliance, Task Force, Office of Waste Management, Environmental Management, Washington, DC, May 14, 1994.

| [Text deleted.]

DOE 1994n Martin Marietta Energy Systems (MMES), "Waste Management Information System," (Data Base), prepared under Contract DE-AC05-84OR21400 Hazardous Waste Remedial Action Program for the U.S. Department of Energy, Oak Ridge Reservation, Oak Ridge, TN, Version 2.0, March 1994.

DOE 1994s Kelly, D.L., *User's Guide for Shipping Type B Quantities of Radioactive and Fissile Material, Including Plutonium, in DOT-6M Specification Packaging Configurations*, DOE/RL-94-68, UC-722, prepared by U.S. Department of Energy,

- Richland, WA, for the U.S. Department of Energy, Transportation Management Division, Office of Environmental Management, Washington, DC, September 1994.
- DOE 1994u DOE, *Department of Energy National Environmental Research Parks*, DOE/ER-0615P, U.S. Department of Energy, Office of Energy Research, Washington, DC, July 1994.
- DOE 1994v DOE, *Comparative Study of Waste Isolation Pilot Plant (WIPP) Transportation Alternatives*, DOE/WIPP 93-058, U.S. Department of Energy, Washington, DC, February 1994.
- DOE 1995a:6 Dreyfus, D.A., "INFORMATION ONLY: Initiation of National Environmental Policy Act requirements for the Potential Repository at Yucca Mountain, Nevada," PEIS request for information provided by Director, Office of Civilian Radioactive Waste Management, U.S. Department of Energy, Washington, DC, June 22, 1995.
- DOE 1995c DOE, "Availability of European MOX Fabrication Capacity for Disposition of United States' Surplus Weapons-Usable Plutonium," MD-3 Study, U.S. Department of Energy, Washington, DC, September 1995.
- [Text deleted.]
- DOE 1995f DOE, *Data Report on Advanced Light Water Reactor Tritium Supply Plant to Support the Programmatic Environmental Impact Statement for Tritium Supply and Recycling*, U.S. Department of Energy, Office of Reconfiguration, Washington, DC, October 1995.
- DOE 1995h Dixon, A.L., "Shipment Mobility/Accountability Collection System," (Data Base), Science Applications International Corporation, Oak Ridge, TN, for the U.S. Department of Energy (EM-561), Washington, DC, 1995.
- DOE 1995i DOE, *Final Programmatic Environmental Impact Statement for Tritium Supply and Recycling*, DOE/EIS-0161, Volume 1, U.S. Department of Energy, Office of Reconfiguration, Washington, DC, October 1995.
- DOE 1995j DOE, *Department of Energy Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs Final Environmental Impact Statement*, DOE/EIS-0203-F, Volume 1 Appendix B, Idaho National Engineering Laboratory Spent Nuclear Fuel Management Program, U.S. Department of Energy, Office of Environmental Management, Idaho Operations Office, Idaho Falls, ID, April 1995.
- [Text deleted.]
- DOE 1995m DOE, *Summary Report of the Screening Process to Determine Reasonable Alternatives for Long-Term Storage and Disposition of Weapons-Usable Fissile Materials to be Carried Forward for Detailed Study Under the National Environmental Policy Act and Detailed Technical, Economic and NonProliferation Analysis*, DOE/MD-0002, U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, March 29, 1995.

DOE 1995o      DOE, *Department of Energy Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs Final Environmental Impact Statement*, DOE/EIS-0203-F, Volume 1 Appendix A, Hanford Site Spent Nuclear Fuel Management Program, U.S. Department of Energy, Office of Environmental Management, Idaho Operations Office, Idaho Falls, ID, April 1995.

DOE 1995p      DOE, *Department of Energy Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs Final Environmental Impact Statement*, DOE/EIS-0203-F, Volume 1 Appendix C, Savannah River Site Spent Nuclear Fuel Management Program, U.S. Department of Energy, Office of Environmental Management, Idaho Operations Office, Idaho Falls, ID, April 1995.

| [Text deleted.]

DOE 1995v      DOE, *Department of Energy Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs Final Environmental Impact Statement*, DOE/EIS-0203-F, Volume 2 Part A, U.S. Department of Energy, Office of Environmental Management, Idaho Operations Office, Idaho Falls, ID, April 1995.

DOE 1995w      DOE, *Department of Energy Programmatic Spent Nuclear Fuel Management and Idaho National Engineering Laboratory Environmental Restoration and Waste Management Programs Final Environmental Impact Statement*, DOE/EIS-0203-F, Volume 1 Appendix F, Nevada Test Site and Oak Ridge Reservation Spent Nuclear Fuel Management Programs, U.S. Department of Energy, Office of Environmental Management, Idaho Operations Office, Idaho Falls, ID, April 1995.

DOE 1995bb      Gildea, P.D. and D.J. Giersch, *Methods for Shipping Cesium Chloride Capsules*, TPT-015, A Transportation and Packaging Technologies Paper (T&PT), prepared by Sandia National Laboratories, Albuquerque, NM, and Livermore, CA, and Oak Ridge National Laboratory, Oak Ridge, TN, for the U.S. Department of Energy, Fissile Material Disposition Project, Washington, DC, Revision 0, April 1995.

DOE 1995cc      DOE, *Draft Waste Management Programmatic Environmental Impact Statement for Managing Treatment, Storage, and Disposal of Radioactive and Hazardous Waste*, DOE/EIS-0200-D, Volume I of IV, U.S. Department of Energy, Office of Environmental Management, Washington, DC, August 1995.

DOE 1995dd      DOE, *Draft Waste Management Programmatic Environmental Impact Statement for Managing Treatment, Storage, and Disposal of Radioactive and Hazardous Waste*, DOE/EIS-0200-D, Volume II of IV, U.S. Department of Energy, Office of Environmental Management, Washington, DC, August 1995.

| [Text deleted.]

DOE 1995gg      DOE, "1995 National Mixed Waste Inventory Report," (Data Base), U.S. Department of Energy, Office of Waste Management and Office of Environmental Restoration, Washington, DC, November 8, 1995.

- DOE 1995hh DOE, *Dual Axis Radiographic Hydrodynamic Test Facility Final Environmental Impact Statement*, DOE/EIS-0228, Volume 1: Chapter 1-6 and Appendixes A-K, U.S. Department of Energy, Albuquerque Operations Office, Los Alamos Area Office, Albuquerque, NM, August 1995.
- DOE 1995kk ORNL, *Integrated Data Base Report-1994: U.S. Spent Nuclear Fuel and Radioactive Waste Inventories, Projections, and Characteristics*, DOE/RW-0006, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory for the U.S. Department of Energy, Office of Civilian Radioactive Waste Management, Office of Environmental Management, Washington, DC, Revision 11, September 1995.
- DOE 1995mm Fluor Daniel, Inc., *Beyond Design Basis Accident Analysis*, prepared for the U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, Revision A, August 1995.
- DOE 1996b DOE, *Final Programmatic Environmental Impact Statement for Stockpile Stewardship and Management*, DOE/EIS-0236, Volume 1 of 4, U.S. Department of Energy, Washington, DC, September 1996.
- DOE 1996c DOE, "Openness Press Conference Fact Sheets-Highly Enriched Uranium Excess to National Security Needs Locations and Forms," U.S. Department of Energy, Washington, DC, February 6, 1996.
- DOE 1996d TRW Environmental Safety Systems Inc., *Report on Evaluation of Plutonium Waste Forms For Repository Disposal*, prepared under Contract DE-AC01-91RW00134 for the U.S. Department of Energy, Office of Civilian Radioactive Waste Management, Washington, DC, Revision 1, March 29, 1996.
- DOE 1996e Fluor Daniel, Inc., *Data Report to Support the Programmatic Environmental Impact Statement for the Consolidated Special Nuclear Material Storage Plant*, U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, Revision D, January 1996.
- DOE 1996f Fluor Daniel, Inc., *Data Report to Support the Programmatic Environmental Impact Statement for the Collocated Highly Enriched Uranium/Special Nuclear Material Storage Plant*, U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, Revision D, January 1996.
- DOE 1996g DOE, *Final Environmental Impact Statement on a Proposed Nuclear Weapons Nonproliferation Policy Concerning Foreign Research Reactor Spent Nuclear Fuel*, DOE/EIS-0218F, Volume 1, U.S. Department of Energy, Assistant Secretary for Environmental Management, Washington, DC, February 1996.
- DOE 1996m DOE, *Disposition of Surplus Highly Enriched Uranium Final Environmental Impact Statement*, DOE/EIS-0240, U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, June 1996.
- DOE 1996n DOE, *Final Environmental Impact Statement on a Proposed Nuclear Weapons Nonproliferation Policy Concerning Foreign Research Reactor Spent Nuclear Fuel*, DOE/EIS-0218F, Volume 2, U.S. Department of Energy, Assistant Secretary for Environmental Management, Washington, DC, February 1996.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

- p DOE 1996o DOE,
- Technical Summary Report For Surplus Weapons-Usable Plutonium Disposition*
- , DOE/MD-0003, U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, Revision 1, October 31, 1996.
p DOE 1996p DOE,
- Plutonium: The First 50 Years—United States Plutonium Production, Acquisition and Utilization From 1944-1994*
- , prepared by the U.S. Department of Energy, Washington, DC, February 1996.
p DOE 1996r DOE,
- Technical Summary Report For Long-Term Storage of Weapons-Usable Fissile Materials*
- , DOE/MD-0004, U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, Revision 1, November 1996.
p DOE 1996s DOE,
- Environmental Assessment DOE Sale of Surplus Natural and Low Enriched Uranium*
- , DOE/EA-1172, Draft, Office of Nuclear Energy, Science and Technology, U.S. Department of Energy, Washington, DC, August 1996.
p [Text deleted.]
p DOJ 1995a Federal Bureau of Investigation,
- Crime in the United States, 1994—Uniform Crime Reports*
- , U.S. Department of Justice, Washington, DC, November 19, 1995.
p DOL 1991a Bureau of Labor Statistics,
- Local Area Unemployment Statistics Annual Averages for 1990*
- , U.S. Department of Labor, Washington, DC, 1991.
p [Text deleted.]
p DOL 1995a Bureau of Labor Statistics,
- Local Area Unemployment Statistics Annual Averages for 1994*
- , U.S. Department of Labor, Washington, DC, May 18, 1995.
p DOT 1975a DOT, "S.S.C.V. Seawitch Container Fire Experience Report," U.S. Department of Transportation, Washington, DC, December 17, 1975.
p DOT 1992a DOT,
- Airport Activity Statistics of Certificated Route Air Carriers - 12 Months Ending December 31, 1992*
- , AD-A269042, U.S. Department of Transportation, Federal Aviation Administration, Research and Special Programs Administration, Washington, DC, December 1992.
p ED 1982a Johnson, C.J., "Environmental and Health Effects of the Nuclear Industry and Nuclear Weapons: A Current Evaluation,"
- Ecology of Disease*
- , Vol. 1, (2/3), pp 135-152, Pergamon Press Ltd., Great Britain, 1982.
p EIA 1996a Energy Information Administration,
- Annual Energy Outlook 1996 with Projections to 2015*
- , DOE/EIA-0383(96), Office of Integrated Analysis and Forecasting, U.S. Department of Energy, Washington, DC, January 1996.
p EPA 1974a EPA,
- Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety*
- , 550/9-74-004, Office of Noise Abatement and Control, U.S. Environmental Protection Agency, Washington, DC, March 1974.

- EPA 1979a EPA, *Radiological Impact Caused by Emissions of Radionuclides into Air in the United States*, EPA 520/7-79-006, Preliminary Report, Office of Radiation Programs (ANR-460), U.S. Environmental Protection Agency, Washington, DC, August 1979.
- EPA 1981a Bowers, J.F. and A.J. Anderson, *An Evaluation Study for the Industrial Source Complex (ISC) Dispersion Model*, EPA-450/4-81-002, prepared under Contract 68-02-3323 Work Assignment No. 5 by H.E. Cramer Company, Inc., University of Utah Research Park, Salt Lake City, UT, for the U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Source Receptor Analysis Branch, Research Triangle Park, NC, January 1981.
- EPA 1981b Bogen, K.T. and A.S. Goldin, *Population Exposure to External Natural Radiation Background in the United States*, ORP/SEPD-80-12, Surveillance and Emergency Preparedness Division, Office of Radiation Programs (ANR-461), U.S. Environmental Protection Agency, Washington, DC, April 1981.
- EPA 1982a Bowers, J.F., A.J. Anderson, and W.R. Hargraves, *Tests of the Industrial Source Complex (ISC) Dispersion Model at the Armco Middletown, Ohio Steel Mill*, EPA-450/4-82-006, prepared under EPA Contract 68-02-3323 Work Assignment No. 8, by H.E. Cramer Company, Inc., University of Utah Research Park, Salt Lake City, UT, for the Source Receptor Analysis Branch, U.S. Environmental Protection Agency, Research Triangle Park, NC, February 1982.
- EPA 1993a EPA, *Drinking Water Regulations and Health Advisories*, Office of Water, U.S. Environmental Protection Agency, Washington, DC, May 1993.
- EPA 1993c EPA, "Integrated Risk Information System (IRIS)," (Data Base), Office of Water, U.S. Environmental Protection Agency, Washington, DC, 1993.
- EPA 1994b EPA, *Health Effects Assessment Summary Tables FY-1994 Annual*, EPA 540/R-94/020, Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, DC, March 1994.
- [Text deleted.]
- EPA 1995a EPA, *Compilation of Air Pollutant Emission Factors*, AP-42, Volume 1: Stationary Point and the Area Sources, Office of Air Quality Planning and Standards, Office of Air and Radiation, U.S. Environmental Protection Agency, Research Triangle Park, NC, Fifth Edition, January 1995.
- Epidemiology 1995a Dupree, E.A., J.P. Watkins, J.N. Ingle, P.W. Wallace, C.M. West, and W.G. Tankersley, "Lung Cancer Risk and Uranium Dust Exposure in Four Uranium Processing Operations," *Epidemiology*, Vol. 6, pp 370-375, 1995.
- EPRI 1983a TRC-Environmental Consultants, Inc., *Overview, Results, and Conclusions for the EPRI Plume Model Validation and Development Project: Plains Site*, EPRI EA-3074, Project 1616-1, Final Report, East Hartford, CT, prepared for Electric Power Research Institute, Palo Alto, CA, May 1983.
- EPRI 1985a TRC-Environmental Consultants, Inc., *Summary of Results and Conclusions for the EPRI Plume Model Validation and Development Project: Moderately Complex*

*Terrain Site*, EPRI-EA-3755, Research Project 1616-1, prepared for Electric Power Research Institute, Palo Alto, CA, May 1985.

EPRI 1988a TRC-Environmental Consultants, Inc., *Urban Power Plant Plume Studies*, EPRI-EA-5463, Research Project 2736-1, prepared for Electric Power Research Institute, Palo Alto, CA, January 1988.

ER 1980a Polednak, A.P., "Mortality Among Men Occupationally Exposed to Phosgene in 1943-1945," *Environmental Research*, Vol. 22, pp 357-367, Academic Press, Inc., 1980.

ER 1981a Stebbings, Jr., J.H. and G.L. Voelz, "Morbidity and Mortality in Los Alamos County, New Mexico," *Environmental Research*, Vol. 25, pp 86-105, Academic Press, Inc., 1981.

[Text deleted.]

FAA 1996a:1 Trembley, N., "FAA Traffic Control Tower Information," Office of Aviation Policy Plans and Management Analysis, APO-110, Amarillo, TX, May 14, 1996.

FDI 1996a:1 Spencer, B., "PEIS Data for the 3 Alternative Storage Upgrades at Hanford and ANL-W," PEIS request for information provided by Fluor Daniel, Inc., Irvine, CA, July 26, 1996.

FWS 1979a Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe, *Classification of Wetlands and Deepwater Habitats of the United States*, FWS/OBS-79/31, Biological Report, Fish and Wildlife Service, U.S. Department of the Interior, Washington, DC, December 1979.

FWS 1995a FWS, "Listed Species Under Fish and Wildlife Service Jurisdiction by State/Territory as of 03/31/95," (Data Base), U.S. Fish and Wildlife Service, Division of Endangered Species, U.S. Department of the Interior, Washington, DC, 1995.

[Text deleted.]

GE 1989a GE Nuclear Energy, *Environmental Report Nuclear Fuel & Components Manufacturing, Wilmington, North Carolina*, Wilmington, NC, May 1989.

GE 1989b GE Nuclear Energy, *License Renewal Application*, USNRC Materials License SNM-1097, Docket No. 70-1113, Wilmington, NC, May 22, 1989.

GE 1989c GE Nuclear Energy, *Decommissioning and Closure Plan*, NRC License SNM-1097 Docket No. 70-1113, Nuclear Fuel & Components Manufacturing, Wilmington, NC, May 1, 1989.

GE 1995a:1 Foleck, R.H.D., "Facility Description," PEIS request for information provided by Sr. Licensing Specialist, Fuels and Facility Licensing, General Electric Company, GE Nuclear Energy, Wilmington, NC, March 1995.

GE nda General Electric, *Advanced BWR (ABWR) Standard Safety Analysis Report*, 23A6100 Revision 4, n.d.

- GE NRC 1984a NRC, *Environmental Impact Appraisal for Renewal of Special Nuclear Material License No. SNM-1097, Docket No. 70-1113, General Electric Company, Wilmington Manufacturing Department*, NUREG-1078, U.S. Nuclear Regulatory Commission, Office of Nuclear Material Safety and Safeguards, Washington, DC, June 1984.
- HF 1991a:1 Budgich, R., "Historical and Future Hanford Site Employment," PEIS request for information provided by Operations Office, Plans and Budgets Division, Program Budget Branch, U.S. Department of Energy, Richland, WA, November 1991.
- HF 1992a:1 Westinghouse Hanford Company (WHC) "Hunting on the Hanford Site," PEIS request for information provided by Richland, WA, 1992.
- HF 1992a:2 Dauble, D. "Fishing on the Hanford Site," PEIS request for information provided by Westinghouse Hanford Company, Richland, WA, 1992.
- HF 1993a:1 Sandberg, D., "No Action Data Package," PEIS request for information provided by Strategic Planning and Systems Integration, Westinghouse Hanford Company, Richland, WA, October 8, 1993.
- [Text deleted.]
- HF 1995a:1 Sandberg, D., "No Action, Upgrade, Phaseout," PEIS request for information provided by Westinghouse Hanford Company, Richland, WA, 1995.
- HF 1995a:2 Sandberg, D., "Emissions Update for the Hanford Site," PEIS request for information provided by Westinghouse Hanford Company, Richland, WA, December 22, 1995.
- HF 1996a:1 Sandberg, D., "Disturbed Land Area at Potential Consolidation/Collocation Alternatives at the Hanford Site," PEIS request for information provided by Westinghouse Hanford Company, Richland, WA, July 1996.
- HF 1996a:2 Sandberg, D., "Hanford Data Acquisition Plan (DAP) Response," PEIS request for information provided by Westinghouse Hanford Company, Richland, WA, May 16, 1996.
- HF County 1996a:1 Thompson, K., "Barge Transportation from the Pacific Ocean for the Hanford Site," PEIS request for information provided by County Government, Port of Benton, WA, May 21, 1996.
- HF DOE 1990e Rinne, C.A., R.H. Curry, J.W. Hagan, S.W. Seiller, D.J. Sommer, and E.F. Yancey *Hanford Site Development Plan*, DOE/RL-89-15, prepared by Westinghouse Hanford Company and Pacific Northwest Laboratory for the U.S. Department of Energy, Richland Operations Office, Richland, WA, January 1990.
- [Text deleted.]
- HF DOE 1992b Hanford Future Site Uses Working Group, *The Future for Hanford: Uses and Cleanup*, Final Report, project funded by the U.S. Department of Energy, the U.S. Environmental Protection Agency, and the State of Washington, December 1992.



- HF DOE 1993a DOE, *Environmental Restoration and Waste Management Fiscal Year 1993 Site-Specific Plan for the Richland Field Office*, DOE/RL-92-27, UC-600, Draft, U.S. Department of Energy, Richland, WA, January 1993.
- HF DOE 1993c Hathaway, H.B., K.S. Daly, C.A. Rinne, and S.W. Seiler, *Hanford Site Development Plan*, DOE/RL-93-19, prepared by Westinghouse Hanford Company, Site Planning, for the U.S. Department of Energy, Richland Operations Office, Richland, WA, May 1993.
- HF DOE 1994a DOE, *Hanford Strategic Plan*, RL-D94-048, U.S. Department of Energy, Richland Operations Office, Richland, WA, September 1994.
- [Text deleted.]
- HF DOE 1995d Black, D.G., *1995 Report on Hanford Site Land Disposal Restrictions for Mixed Waste*, DOE/RL-95-15, UC-630, U.S. Department of Energy, Richland, WA, April 1995.
- HF DOE 1995e:1 Sandberg, D., "Estimated Impacts from Storage of 10 t of Rocky Flats Plutonium at the Hanford Site," PEIS request for information provided by Westinghouse Hanford Company, Richland, WA, October 1, 1995.
- HF DOE 1995g DOE, *Final Environmental Impact Statement Safe Interim Storage of Hanford Tank Wastes*, Volume 1 of 2, DOE/EIS-0212, prepared by the Washington State Department of Ecology, Nuclear Waste Program, Lacey, WA, and the U.S. Department of Energy, Richland Operations Office, Richland, WA, October 1995.
- HF DOE 1996a Sandberg, D.E., J.A. Teal, R.C. Hoyt, R.E. Barker, T.J. Venetz, and T.L. Waldo, *Hanford Site Data for the Weapons Complex Reconfiguration Programmatic Environmental Impact Statement*, DOE/RL-93-0100, U.S. Department of Energy, Richland, WA, Revision 0, February 1996.
- HF FHCRC 1995a Fred Hutchinson Cancer Research Center, "Hanford Thyroid Disease Study Pilot Study Final Report," Seattle, WA, January 24, 1995.
- [Text deleted.]
- HF MMES 1993a MMES, "Treatment, Storage, Disposal Unit Capability Report-Richland Site," Waste Management Information System Data Base, Hazardous Waste Remedial Actions Program, Oak Ridge, TN, 1993.
- HF NPS 1994a National Park Service, *Hanford Reach of the Columbia River Comprehensive River Conservation Study and Environmental Impact Statement*, Volume 1, Final, Pacific Northwest Regional Office, Seattle, WA, June 1994.
- HF PNL 1978a Emery, R.M. and M.C. McShane, *Comparative Ecology of Nuclear Waste Ponds and Streams on the Hanford Site*, PNL-2499, UC-70, prepared under Contract EY-76-C-06-1830 by Pacific Northwest Laboratory, Richland, WA, for the U.S. Department of Energy, Washington, DC, October 1978.
- HF PNL 1983a Stone, W.A., J.M. Thorp, O.P. Gifford, and D.J. Hoitink, *Climatological Summary for the Hanford Area*, prepared under Contract DE-AC06-76PLO1830 by Pacific

- Northwest Laboratory, Richland, WA, for the U.S. Department of Energy, Washington, DC, June 1983.
- HF PNL 1984a      Watson, E.C. et al., *Environmental Characterization of Two Potential Locations at Hanford for a New Production Reactor*, PNL-5275, UC-11, prepared under Contract DE-AC06-76RLO1830 by Pacific Northwest Laboratory, Richland, WA, for the U.S. Department of Energy, Washington, DC, September 1984.
- HF PNL 1991a      Cushing, C.E. (Editor), *Characterization of the Hanford Site and Environs*, PNL-7668, UC-630, prepared under Contract DE-AC06-76RLO1830 by Pacific Northwest Laboratory, Richland, WA, for the U.S. Department of Energy, Washington, DC, March 1991.
- HF PNL 1992a      Woodruff, R.K., R.W. Hanf, and R.E. Lundgren (Editors), *Hanford Site Environmental Report -1991*, PNL-8148, UC-602, prepared under Contract DE-AC06-76RLO1830 by Pacific Northwest Laboratory, Richland, WA, for the U.S. Department of Energy, Washington, DC, June 1992.
- HF PNL 1994a      Cushing, C.E. (Editor), *Hanford Site National Environmental Policy Act (NEPA) Characterization*, PNL-6415, UC-600, prepared under Contract DE-AC06-76RLO1830 by Pacific Northwest Laboratory, Richland, WA, for the U.S. Department of Energy, Washington, DC, Revision 6, August 1994.
- HF PNL 1994b      Dirkes, R.L., R.W. Hanf, R.K. Woodruff, and R.E. Lundgren (Editors), *Hanford Site Environmental Report-1993*, PNL-9823, UC-602, prepared under Contract DE-AC06-76RLO1830 by Pacific Northwest Laboratory, Richland, WA, for the U.S. Department of Energy, Washington, DC, June 1994.
- HF PNL 1994c      Dresel, P.E., S.P. Luttrell, J.C. Evans, W.D. Webber, P.D. Thorne, M.A. Chamness, B.M. Gillespie, B.E. Opitz, J.T. Rieger, and J.K. Merz, *Hanford Site Ground-Water Monitoring for 1993*, PNL-10082, UC-402, 403, prepared under Contract DE-AC06-76RLO1830 by Pacific Northwest Laboratory, Richland, WA, for the U.S. Department of Energy, Washington, DC, September 1994.
- [Text deleted.]
- HF WHC 1992a      Sackschewsky, M.R., D.S. Landeen, G.I. Baird, W.H. Rickard, and J.L. Downs, *Vascular Plants of the Hanford Site*, WHC-EP-0554, UC-702, prepared under Contract DE-AC06-87RL10930 by Westinghouse Hanford Company, University of Texas, and Pacific Northwest Laboratory, Richland, WA, for the U.S. Department of Energy, Office of Environmental Restoration and Waste Management, Washington, DC, July 1992.
- HF WHC 1995c      WHC, *1993 Annual Report on Waste Generation and Waste Minimization Progress as Required by DOE Order 5400.1*, Standard Data Report, prepared by Westinghouse Hanford Company for the U.S. Department of Energy, Richland Operations Office, Richland, WA, January 17, 1995.
- HF WHC 1996a      WHC, *Waste Retrieval Project*, Volume II Book 1, prepared by Tank Waste Remediation System Cost Engineering/Estimating Team, U.S. Department of Energy, Hanford Site, Richland, WA, Revision 0, March 1996.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- HF WPPSS 1983a Rice, D.G., *Archeological Investigations at Washington Public Power Supply System Nuclear Plants on the Hanford Reservation, Washington*, Washington Public Power Supply System, Richland, WA, 1983.
- HNUS 1996a Halliburton NUS Corporation, *Health Risk Data for Storage and Disposition of Weapons-Usable Fissile Materials Final Programmatic Environmental Impact Statement*, Gaithersburg, MD, prepared for the U.S. Department of Energy, Office of Fissile Materials (MD-4), Washington, DC, October 1996.
- HP 1977a Mancuso, T.F., A. Stewart, and G. Kneale, "Radiation Exposures of Hanford Workers Dying from Cancer and Other Causes," *Health Physics*, Vol. 33, pp 369-385, Pergamon Press, November 1977.
- HP 1978a Sanders, B.S., "Low-Level Radiation and Cancer Deaths," *Health Physics*, Vol. 34, pp 521-538, Pergamon Press Ltd., June 1978.
- HP 1978b Anderson, T.W., "Radiation Exposures of Hanford Workers: A Critique of the Mancuso, Stewart and Kneale Report," *Health Physics*, Vol. 35, pp 743-750, Pergamon Press Ltd., July 1978.
- HP 1979a Hutchison, G.B., B. MacMahon, S. Jablon, and C.E. Land, "Review of Report by Mancuso, Stewart and Kneale of Radiation Exposure of Hanford Workers," *Health Physics*, Vol. 37, pp 207-220, Pergamon Press Ltd., August 1979.
- [Text deleted.]
- HP 1983b Voelz, G.L., G.S. Wilkinson, J.F. Acquavella, G.L. Tietjen, R.N. Brackbill, M. Reyes, and L.D. Wiggs, "An Update of Epidemiologic Studies of Plutonium Workers," *Health Physics*, Vol. 44, Supplement No. 1, pp 493-503, Pergamon Press Ltd., 1983.
- HP 1983c Acquavella, J.F., G. Wilkinson, G. Tietjen, C. Key, J. Stebbings, and G. Voelz, "A Melanoma Case Control Study at the Los Alamos National Laboratory," *Health Physics*, Vol. 45, No. 3, pp 587-592, Pergamon Press Ltd., September 1983.
- HP 1985a Acquavella, J.F., L.D. Wiggs, R.J. Waxweiler, D.G. MacDonell, G.L. Tietjen, and G.S. Wilkinson, "Mortality Among Workers at the Pantex Weapons Facility," *Health Physics*, Vol 48, No. 6, pp 735-746, Pergamon Press Ltd., 1985.
- [Text deleted.]
- HP 1987a Tietjen, G.L., "Plutonium and Lung Cancer," *Health Physics*, Vol. 52, No. 5, pp 625-628, Pergamon Journals Ltd., May 1987.
- HP 1989a Gilbert, E.S., G.R. Petersen, and J.A. Buchanan, "Mortality of Workers at the Hanford Site: 1945-1981," *Health Physics*, Vol. 56, No. 1, pp 11-25, Pergamon Press plc, January 1989.
- [Text deleted.]
- HP 1990c Rallison, M.L., T.M. Lotz, M. Bishop, W. Divine, K. Haywood, J.L. Lyon, and W. Stevens, "Cohort Study of Thyroid Disease Near the Nevada Test Site: A

- Preliminary Report," *Health Physics*, Vol. 59, No. 5, pp 739-746, Pergamon Press plc, November 1990.
- HP 1991a Voelz, G.L. and J.N.P. Lawrence, "A 42-y Medical Follow-Up of Manhattan Project Plutonium Workers," *Health Physics*, Vol. 61, No. 2, pp 181-190, Pergamon Press plc, August 1991.
- HP 1993a Gilbert, E.S., E. Omohundro, J.A. Buchanan, and N.A. Holter, "Mortality of Workers at the Hanford Site: 1945-1986," *Health Physics*, Vol. 64, No. 6, pp 577-590, 1993.
- [Text deleted.]
- HP 1994a Wiggs, L.D., E.R. Johnson, C.A. Cox-DeVore, and G.L. Voelz, "Mortality Through 1990 Among White Male Workers at the Los Alamos National Laboratory: Considering Exposures to Plutonium and External Ionizing Radiation," *Health Physics*, Vol. 67, No. 6, pp 577-588, 1994.
- HP 1995a Till, J.E., S.L. Simon, R. Kerber, et al., "The Utah Thyroid Cohort Study: Analysis of the Dosimetry Results," *Health Physics*, Vol. 68, pp 472-483, 1995.
- [Text deleted.]
- IAEA 1978a Kneale, G.W., A. Stewart, and T.F. Mancuso, "Reanalysis of Data Relating to the Hanford Study of the Cancer Risks of Radiation Workers," Volume 1, pp 387-412, proceedings of the IAEA symposium on late biological effects of ionizing radiation, Vienna, Austria, March 13-17, 1978.
- IAEA 1987a Gonzales, A., J.D. Pierce, and D.R. Stenberg, *Packaging and Transportation of Radioactive Materials (PATRAM '86)*, IAEA-SM-286-114P, Volume 2, Sandia National Laboratories, Albuquerque, NM, and Southwest Engineering Associates, El Paso, TX for International Atomic Energy Agency, Vienna, 1987.
- IARC 1984a Cragle, D.L., D.R. Hollis, T.H. Newport, and C.M. Shy, "A Retrospective Cohort Mortality Study Among Workers Occupationally Exposed to Metallic Nickel Powder at the Oak Ridge Gaseous Diffusion Plant," *Nickel in the Human Environment*, IARC Scientific Publications No. 53, Oxford University Press, New York, 1984.
- ICBO 1994a *Uniform Building Code*<sup>TM</sup>, Whittier, CA, copyright ©1994. Reproduced from the 1994 edition with the permission of the publisher, the International Conference of Building Officials.
- ICRP 1991a Smith, H. (Editor), *1990 Recommendations of the International Commission on Radiological Protection*, Annals of the ICRP, ICRP Publication 60, published for The International Commission on Radiological Protection by Pergamon Press, NY, 1991.
- ICSSC 1985a Hays, W.W., *An Introduction to Technical Issues in the Evaluation of Seismic Hazards for Earthquake-Resistant Design*, Open-File Report 85-371, ICSSC TR-6, prepared for use by Interagency Committee on Seismic Safety in Construction, U.S. Department of the Interior, U.S. Geological Survey, Reston, VA, 1985.

ID DFG 1994a	Idaho Department of Fish and Game, Conservation Data Center, Nongame and Endangered Wildlife Program, Boise, ID, Second Edition, 1994.
ID DHW 1991a	Wick, J.M. and F.R. Dixon, <i>Review of Clark County Cancer Data: Morbidity (1978-1987) Mortality (1950-1989)</i> , Division of Health, Idaho Department of Health and Welfare, Boise, ID, May 1991.
ID DHW 1991b	Wick, J.M. and F.R. Dixon, <i>Review of Minidoka County Cancer Data: Morbidity (1978-1987) Mortality (1950-1989)</i> , Division of Health, Idaho Department of Health and Welfare, Boise, ID, May 1991.
ID DHW 1992a	Idaho Department of Health and Welfare, "Idaho State Water Quality Standards and Wastewater Treatment Requirements," Title 1, Chapter 2, IDAPA 16.01.0200, (CD-ROM Data Base), Boise, ID, December 1992.
ID DHW 1993a	Idaho Department of Health and Welfare, "Review of Idaho National Engineering Laboratory Dose Models and the Idaho National Engineering Laboratory Historical Dose Evaluation," report of the Dose Evaluation Review and Assessment (DERA) Advisory Panel, Boise, ID, 1993.
ID DHW 1995a	Idaho Department of Health and Welfare, "585-Toxic Air Pollutants Non-Carcinogenic Increments," <i>Rules for the Control of Air Pollution in Idaho</i> , IDAPA 16, Title 01, Chapter 01, Boise, ID, May 30, 1995.
ID DHW 1995b	Idaho Department of Health and Welfare, "586-Toxic Air Pollutants Carcinogenic Increments," <i>Rules for the Control of Air Pollution in Idaho</i> , IDAPA 16, Title 01, Chapter 01, Boise, ID, May 30, 1995.
ID DHW 1995c	Idaho Department of Health and Welfare, "577-Ambient Air Quality Standards for Specific Air Pollutants," <i>Rules for the Control of Air Pollution in Idaho</i> , IDAPA 16, Title 01, Chapter 01, Boise, ID, May 30, 1995.
ID DOT 1995a:1	Gillespie, C. and B. Brown, "Current and Planned Projects for the Next 1 to 2 Years Which Could Affect Access to Idaho National Engineering Laboratory," PEIS request for information provided by Idaho Department of Transportation, Districts 5 and 6, April 27, 1995.
IN ANL 1995a	ANL-West, <i>Fuel Cycle Facility Final Safety Analysis Report</i> , Doc. No. F0000-0018-AK, 1993, Idaho Falls, ID, Revision 0, May 1, 1995.
IN City 1995a:1	Gilcrest, Mr., "Idaho Falls Comprehensive Plan Update," PEIS request for information provided by City of Idaho Falls, ID, November 28, 1995.
IN DOE 1978a	Markham, O.D. (Editor), <i>Ecological Studies on the Idaho National Engineering Laboratory Site 1978 Progress Report</i> , IDO-12087, Environmental Sciences Branch, Radiological and Environmental Sciences Laboratory, U.S. Department of Energy, Idaho Falls, ID, December 1978.
IN DOE 1980a	Strehlow, M.A., <i>EPA PSD Permit and State of Idaho Permit to Construct Applications for the U.S. Department of Energy Idaho National Engineering Laboratory Chemical Process Plant Coal-Fired Steam Generation Facility</i> , prepared by

Environmental Control Engineer, Kaiser Engineers, Inc., Oakland, CA, for the U.S. Department of Energy, Idaho Operations Office, Idaho Falls, ID, December 1980.

- IN DOE 1984a Cholewa, A.F. and D.M. Henderson, *A Survey and Assessment of the Rare Vascular Plants of the Idaho National Engineering Laboratory*, DOE/ID-12100, University of Idaho Herbarium, Department of Biological Sciences, University of Idaho, published by Radiological and Environmental Sciences Laboratory, U.S. Department of Energy, Idaho Falls, ID, July 1984.
- IN DOE 1986a EG&G Idaho, Inc., *Site Characteristics Idaho National Engineering Laboratory*, prepared for the U.S. Department of Energy, Idaho Operations Office, Idaho Falls, ID, March 1986.
- IN DOE 1988h Engineering-Science, *Permit Application for State of Idaho Permit to Construct Including PSD Analysis for Fuel Processing Restoration Project*, Report No. DOE/ID/12235-50, prepared under Contract DE-AC07-82ID12235, Job No. 6333-4, Pasadena, CA, for the U.S. Department of Energy, Idaho Operations Office, Idaho Falls, ID, Revision 1, April 1988.
- IN DOE 1989b Clawson, K.L., G.E. Start, and N.R. Ricks (Editors), *Climatology of the Idaho National Engineering Laboratory*, DOE/ID-12118, prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Environmental Research Laboratories, Air Resources Laboratory, Field Research Division, Idaho Falls, ID, for the U.S. Department of Energy, Idaho Operations Office, 2nd Edition, December 1989.
- IN DOE 1990b Abbott, M.L., J.M. Brooks, and K.L. Martin, *NPR Environmental Impacts at the INEL: Air Quality, Cooling Towers, and Noise*, NPRD-90-059, prepared under Contract DE-AC07-76ID01570 by EG&G Idaho, Inc., Idaho Falls, ID, for the U.S. Department of Energy, Idaho Operations Office, November 1990.
- IN DOE 1991b DOE, *Proposal for Locating the Nuclear Weapons Complex Reconfiguration Site at the Idaho National Engineering Laboratory*, DOE/ID-10341, submitted by the U.S. Department of Energy, Idaho Operations Office, Idaho Falls, ID, to the U.S. Department of Energy, Washington, DC, June 3, 1991.
- [Text deleted.]
- IN DOE 1992g Smith, L.D., C.L. Jacobson, and J.R. Cunningham, *Idaho National Engineering Laboratory Landlord Site Development Plan*, DOE/ID-10390, prepared under DOE Idaho Field Office Contract DE-AC07-76ID01570 for the U.S. Department of Energy, Idaho Operations Office, Idaho Falls, ID, July 1992.
- IN DOE 1993a Hart, M., T.D. Steele, and C.J. Hemphill, *Environmental Restoration and Waste Management Site-Specific Plan (SSP) for Fiscal Year 1993 (FY93)*, DOE/ID-10253 (FY 93), Advance Sciences, Inc., EG&G Idaho, Inc., and the U.S. Department of Energy, Idaho Field Office, March 1993.
- [Text deleted.]
- IN DOE 1994c Mitchell, R.G., *The Idaho National Engineering Laboratory Site Environmental Report for Calendar Year 1993*, DOE/ID-12082(93), Foundation-002, prepared

under Contract DE-AC97-94ID13268 by Idaho National Engineering Laboratory, Environmental Science and Research Foundation, Idaho Falls, ID, July 1994.

- IN DOE 1994d Idaho National Engineering Laboratory (INEL), *Idaho National Engineering Laboratory Site Development Plan*, DOE/ID-10390(94), prepared under DOE Idaho Operations Office Contract DE-AC07-76ID01570 for the U.S. Department of Energy, Washington, DC, Revision 1, September 1994.
- IN DOE 1995d INEL, *Idaho National Engineering Laboratory Proposed Site Treatment Plan*, DOE/ID-10493, prepared under Operations Office Contracts DE-AC07-94ID13223 and DE-AC07-91ID12919 for the U.S. Department of Energy, Assistant Secretary for Environmental Management, Washington, DC, March 30, 1995.
- IN DOE 1995e National Institute for Occupational Safety and Health (NIOSH), Energy Research, "Retrospective Mortality Study of Workers at the Idaho National Engineering Laboratory (INEL)." As cited in *DOE/HHS Quarterly Report, FY 1995, Quarter 2, January 1, 1995 - March 31, 1995*, Quarter 2, p 36, 1995.
- IN DOE 1995f Mitchell, R.G., D.Peterson, and D.L. Hoff, *Idaho National Engineering Laboratory Site Environmental Report for Calendar Year 1994*, DOE/ID-12082(94), ESRF-009, prepared under Contract DE-AC07-94ID13268 by the Environmental Science and Research Foundation and the U.S. Department of Energy, Idaho Operations Office, Idaho Falls, ID, for the U.S. Department of Energy, Idaho Operations Office, July 1995.
- IN DOE 1996a DOE, *Data Report to Support the Programmatic Environmental Impact Statement for the Argonne National Laboratory-West Plutonium Storage Upgrade Plant*, U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, Revision C, January 1996.
- IN DOE 1996b:1 Robinson, J.M., "DOE-ID Employee County Residence," PEIS request for information provided by Labor Development, U.S. Department of Energy, Idaho Operations Office, Idaho Falls, ID, May 30, 1996.
- IN DOE 1996c DOE, *Environmental Assessment Electrometallurgical Treatment Research and Demonstration Project in the Fuel Conditioning Facility at Argonne National Laboratory-West*, DOE/EA-1148, U.S. Department of Energy, Office of Nuclear Energy, Science and Technology, Washington, DC, May 15, 1996.
- [Text deleted.]
- IN EG&G nda Thorne, D.J. and S. Maheras, *New Production Reactor Pathways at the INEL*, U.S. Department of Energy, Washington, DC, n.d.
- [Text deleted.]
- IN USGS 1988a Pittman, J.R., R.G. Jensen, and P.R. Fischer, *Hydrologic Conditions at the Idaho National Engineering Laboratory 1982 to 1985*, Water-Resources Investigations Report 89-4008, prepared by U.S. Geological Survey, U.S. Department of the Interior, Idaho Falls, ID in cooperation with the U.S. Department of Energy, Washington, DC, December 1988.

- IN USGS 1995a U.S. Geological Survey (USGS), "Surface Water Quality Monitoring Data for the Big Lost River," PEIS request for information provided by Idaho U.S. Geological Survey, Idaho Falls, ID, 1995.
- [Text deleted.]
- INEL 1991a:6 INEL, "Historical Idaho National Engineering Laboratory and Idaho Chemical Processing Plant Employment," PEIS request for information provided by Idaho National Engineering Laboratory, Idaho Falls, ID, 1991.
- INEL 1992a:2 Reynolds, T., "Hunting on the Idaho National Engineering Laboratory Site," PEIS request for information provided by Idaho National Engineering Laboratory, Idaho Falls, ID, September 15, 1992.
- INEL 1992a:4 Moore, K., "Terrestrial and Aquatic Resources at the Idaho National Engineering Laboratory," PEIS request for information provided by Idaho National Engineering Laboratory, Idaho Falls, ID, February 5, 1992.
- [Text deleted.]
- INEL 1993a:5 INEL, "No Action Data Package," PEIS request for information provided by Idaho National Engineering Laboratory, Idaho Falls, ID, October 1, 1993.
- INEL 1995a:1 INEL and ANL-West, "No Action, Upgrade, Phaseout," PEIS request for information provided by Idaho National Engineering Laboratory and Argonne National Engineering Laboratory-West, Idaho Falls, ID, 1995.
- JAMA 1975a Rallison, M.L., B.M. Dobyns, F.R. Keating, J.E. Rall, and F.H. Tyler, "Thyroid Nodularity in Children," *Journal of the American Medical Association*, Vol. 233, pp 1069-1072, 1975.
- JAMA 1980a Caldwell, G.G., D.B. Kelley, and C.W. Heath, Jr., "Leukemia Among Participants in Military Maneuvers at a Nuclear Bomb Test—A Preliminary Report," *Journal of the American Medical Association*, Vol. 244, No. 14, pp 1575-1578, October 3, 1980.
- JAMA 1983a Caldwell, G.G., D.B. Kelley, M. Zack, H. Falk, and C.W. Heath, Jr., "Mortality and Cancer Frequency Among Military Nuclear Test (Smoky) Participants, 1957 through 1979," *Journal of the American Medical Association*, Vol. 250, No. 5, pp 620-624, August 5, 1983.
- JAMA 1984a Caldwell, G.G., D.B. Kelley, C.W. Heath, Jr., and M. Zack, "Polycythemia Vera Among Participants of a Nuclear Weapons Test," *Journal of the American Medical Association*, Vol. 252, No. 5, pp 662-664, August 3, 1984.
- JAMA 1984b Johnson, C.J., "Cancer Incidence in an Area of Radioactive Fallout Downwind from the Nevada Test Site," *Journal of the American Medical Association*, Vol. 251, No. 2, pp 230-236, January 13, 1984.
- JAMA 1991a Wing, S. et al., "Mortality Among Workers at Oak Ridge National Laboratory—Evidence of Radiation Effects in Follow-up Through 1984," pp 1397-1402. Jablon, S. et al., "Cancer in Populations Living Near Nuclear Facilities—A Survey of Mortality Nationwide and Incidence in Two States,"



pp 1403-1408. *Journal of the American Medical Association*, Vol. 265, No. 11, March 20, 1991.

- JAMA 1993a Kerber, R.A., J.E. Till, S.L. Simon, J.L. Lyon, D.C. Thomas, S. Preston-Martin, M.L. Rallison, R.D. Lloyd, and W. Stevens, "A Cohort Study of Thyroid Disease in Relation to Fallout From Nuclear Weapons Testing," *Journal of the American Medical Association*, Vol. 270, No. 17, pp 2076-2082, November 3, 1993.
- JAMA 1994a Dworkin, H.J., "Nuclear Weapons Testing Fallout and Thyroid Disease," Letter to the Editor, *Journal of the American Medical Association*, Vol. 271, No. 11, pp 825-826, March 16, 1994.
- [Text deleted.]
- JOM 1979a Hadjimichael, C.C., A.M. Ostfeld, D.A. D'Atri, et al., "A Long-Term Mortality Study of Workers Occupationally Exposed to Metallic Nickel at the Oak Ridge Gaseous Diffusion Plant," *Journal of Occupational Medicine*, Vol. 21, pp 799-806, 1979.
- JOM 1981a Polednak, A.P. and E.L. Frome, "Mortality Among Men Employed Between 1943 and 1947 at a Uranium-Processing Plant," *Journal of Occupational Medicine*, Vol. 23, No. 3, pp 169-178, March 1981.
- JOM 1984a Cragle, D.L., D.R. Hollis, J.R. Qualters, W.G. Tankersley, and S.A. Fry, "A Mortality Study of Men Exposed to Elemental Mercury," *Journal of Occupational Medicine*, Vol. 26, No. 11, pp 817-821, November 1984.
- JOM 1984b Reyes, M., G.S. Wilkinson, G. Tietjen, G.L. Voelz, J.F. Acquavella, and R. Bistline, "Brain Tumors at a Nuclear Facility," *Journal of Occupational Medicine*, Vol. 26, No. 10, pp 721-724, October 1984.
- JOM 1987a Carpenter, A.V., W.D. Flanders, E.L. Frome, D.J. Crawford-Brown, and S.A. Fry, "CNS Cancers and Radiation Exposure: A Case-Control Study Among Workers at Two Nuclear Facilities," *Journal of Occupational Medicine*, Vol. 29, No. 7, pp 601-604, July 1987.
- KAFB 1993a Los Alamos Technical Associates, Inc., *Phase I Environmental Baseline Survey Manzano Weapons Storage Area*, prepared for the Research Facilities Engineering Division, Phillips Laboratory, Kirtland Air Force Base, Albuquerque, NM, August 1993.
- KAFB 1995a Kirtland Air Force Base, *The Economic Resource Impact Statement, Fiscal Year 1994*, Office of Program Integration, Comptroller Division, 377th Air Base Wing, AFMC, Albuquerque, NM, 1995.
- LA BLM 1990a USGS, "Surface Management Status Los Alamos, New Mexico, 1:100 000-Scale Metric Topographic Map," 30x60 quadrangle, Edited and published by the Bureau of Land Management, 1990.
- LA DOE 1979a DOE, *Final Environmental Impact Statement Los Alamos Scientific Laboratory Site Los Alamos, New Mexico*, DOE/EIS-0018, UC-2, 11, U.S. Department of Energy, Washington, DC, December 1979.

- LA DOE 1995a:1 Montoya, K. "Public Bus Service at Los Alamos National Laboratory," PEIS request for information provided by Community Relations, Los Alamos National Laboratory, Los Alamos, NM, August 2, 1995.
- LA USDA 1987c U.S. Department of Agriculture (USDA), *Santa Fe National Forest Plan*, Forest Service, South Western Region, Santa Fe National Forest, Santa Fe, NM, July 1987.
- LA USDA 1990a USDA, "New Mexico State and Federal Natural Resource Recreation Map," Forest Service, Army Corps of Engineers, Interior Bureau of Land Management, Fish and Wildlife Service, National Park Service and State of New Mexico Departments of Game and Fish, Parks and Recreation, and Tourism and Travel Division, 1990.
- LA Wiggs 1987a Wiggs, L.D., "Mortality Among Females Employed by the Los Alamos National Laboratory: An Epidemiologic Investigation," Doctoral dissertation, University of Oklahoma, 1987.
- Lancet 1981a Austin, D.F., P.J. Reynolds, M.A. Snyder, M.W. Biggs, and H.A. Stubbs, "Malignant Melanoma Among Employees of Lawrence Livermore National Laboratory," *The Lancet*, Vol. 2, pp 712-716, 1981.
- Lancet 1982a Acquavella, J.F., G.S. Wilkinson, G.L. Tietjen, C.R. Key, and G.L. Voelz, "Malignant Melanoma Incidence at the Los Alamos National Laboratory," *The Lancet*, pp 883-884, April 17, 1982.
- Lange 1967a Lange, N.A. (Editor), *Handbook of Chemistry*, McGraw-Hill Book Company, Revised Tenth Edition, 1967.
- LANL 1978a Nyhan, J.W., L.W. Hacker, T.E. Calhoun, and D.L. Young, *Soil Survey of Los Alamos County, New Mexico*, LA-6779-MS, UC-11, Informal Report, prepared under Contract W-7405-ENG-36 by the U.S. Department of Agriculture, Soil Conservation Service, Albuquerque and Silver City, NM, the U.S. Department of Agriculture, Forest Service, Tulelake, CA, and the Los Alamos Scientific Laboratory of the University of California, Los Alamos, NM, June 1978.
- LANL 1984a Purtymun, W.D., *Hydrologic Characteristics of the Main Aquifer in the Los Alamos Area: Development of Ground Water Supplies*, LA-9957-MS, UC-11, prepared under Contract W-7405-ENG-36 by Los Alamos National Laboratory, Los Alamos, NM, January 1984.
- LANL 1985a Voelz, G.L., G.S. Wilkinson, J.W. Healy, J.F. McInroy, and G.L. Tietjen, "Mortality Study of Los Alamos Workers with Higher Exposures to Plutonium," LA-UR-83-85, Los Alamos National Laboratory, Los Alamos, NM, 1985.
- LANL 1987a Los Alamos National Laboratory (LANL), "Maps Area 3, Technical Sites, Los Alamos and White Rock, Los Alamos," *Visitor's Guide, Los Alamos National Laboratory*, Los Alamos, NM, 1987.
- LANL 1987b Bauerschmiat, S., *Environmental Surveillance at Los Alamos During 1986*, LA-10992-ENV, UC-41, Halliburton NUF, Environmental Corporation, Gaithersburg, MD, for the Los Alamos National Laboratory, Los Alamos, NM, April 1987.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

LANL 1987c	Gardner, J.N., L. House, et al., <i>Seismic Hazards Investigations at Los Alamos National Laboratory, 1984 to 1985</i> , LA-11072-MS, UC-11, Los Alamos National Laboratory, Los Alamos, NM, October 1987.
LANL 1990a	LANL, <i>1989 Waste Management Site Plan</i> , Los Alamos National Laboratory, Los Alamos, NM, March 1990.
LANL 1990b	LANL, <i>1990 Site Development Plan Technical Site Information</i> , LA-CP-90-405, produced by Facilities Engineering Division Planning Group, ENG-2 ICF Kaiser Engineers, Inc., Los Alamos, NM, and Royston Hanamoto Alley and Abey, Mill Valley, CA, September 1990.
LANL 1991b:6	Coonly, S.L., "Employee Residential Distribution," PEIS request for information provided by Los Alamos National Laboratory, Los Alamos, NM, November 1991.
LANL 1992a:1	Oakley, D., "Site Transportation Interfaces for Hazardous Materials," PEIS request for information provided by Los Alamos National Laboratory, Materials Management Division, Los Alamos, NM, May 12, 1992.
LANL 1992a:3	Sechen, J., "Trip Report for Los Alamos National Laboratory Site Visit, March 2-6, 1992," PEIS request for information provided by Halliburton NUS Environmental Corporation, Gaithersburg, MD, March 13, 1992.
LANL 1992a:6	Seay, G., "Onsite Meteorological Data," (Data Base), PEIS request for information provided by Los Alamos National Laboratory, Los Alamos, NM, 1992.
LANL 1992e	Turin, H.J., I.R. Triay, W.R. Hansen, and W.J. Wenzel, <i>Potential Ogallala Aquifer Impacts of a Hypothetical Plutonium Dispersal Accident in Zone 4 of the Pantex Plant</i> , Los Alamos National Laboratory, Los Alamos, NM, November 1992.
LANL 1993b	Environmental Protection Group, <i>Environmental Surveillance at Los Alamos during 1991</i> , LA-12572-ENV, UC-902, Los Alamos National Laboratory, Los Alamos, NM, August 1993.
LANL 1994a	Environmental Protection Group, <i>Environmental Surveillance at Los Alamos during 1992</i> , LA-12764-ENV, UC-902, Los Alamos National Laboratory, Los Alamos, NM, July 1994.
LANL 1994b	Burns, M., <i>1993 Annual Report on Waste Generation and Waste Minimization Progress as Required by DOE Order 5400.1</i> , prepared by Los Alamos National Laboratory, Environmental Management Programs Division, Pollution Prevention Program Office for the U.S. Department of Energy, Office of Environmental Management, Waste Minimization Division (EM-334), Washington, DC, November 4, 1994.
LANL 1995b:1	Garvey, D.B., "Affected Environment No Action Data Call Response," ESH-EIS: 95-94, Los Alamos National Laboratory response to the draft Affected Environment section provided to site representatives by the U.S. Department of Energy, April 1995.
LANL 1995c	LANL, <i>Stockpile Stewardship and Management Programmatic Environmental Impact Statement (SSM PEIS) Alternative Report: Nonnuclear Production at Los Alamos</i>

- National Laboratory*, LA-CP-95-184, prepared by Los Alamos National Laboratory, Engineering and Sciences Applications Division, Weapon Material Applications Group, Los Alamos, NM, August 4, 1995.
- LANL 1995d Hatler, L.E., D.H. Carstens, J.C. Dallman, and D.A. Hemphill, *Stockpile Stewardship and Management Programmatic Environmental Impact Statement (SSM PEIS) Alternative Report: High Explosives Production at Los Alamos National Laboratory*, LA-CP-95-181, Los Alamos National Laboratory, Los Alamos, NM, August 4, 1995.
- LANL 1995e Tubesing, P.K., R.A. Patterson, P.S. Dunn, S.R. Bingert, and D.K. Korzekwa, *Stockpile Stewardship and Management Programmatic Environmental Impact Statement Expanded Data Call Addendum to the Los Alamos Alternative for Secondary Manufacturing (LA-CP-95-108)*, LA-UR-95-2113, Los Alamos National Laboratory, Los Alamos, NM, August 4, 1995.
- LANL 1995g LANL SSM PEIS Pit Working Team, *Stockpile Stewardship & Management Programmatic Environmental Impact Statement Expanded Data Call Addendum to the Alternative Report for Pit Manufacturing at Los Alamos National Laboratory*, LA-UR-95-2670, Los Alamos, NM, September 12, 1995.
- LANL 1995r Purtymun, W.D., A.K. Stoker, S.G. McLin, M.N. Maes, and T.A. Glasco, *Water Supply at Los Alamos during 1993*, LA-12951-PR, UC-903, Progress Report, prepared under Contract W-7405-ENG-36 by Los Alamos National Laboratory, Los Alamos, NM, October 1995.
- LANL 1995s Environmental Protection Group, *Environmental Surveillance at Los Alamos during 1993*, LA-12973-ENV, UC-902, Los Alamos National Laboratory, Los Alamos, NM, October 1995.
- LANL 1996b LANL, *New Mixed Oxide Fuel Fabrication Facility Data Report for the Fissile Material Disposition Program Programmatic Environmental Impact Statement*, LA-UR-95-4442, prepared under Contract W-7405-ENG-36 by Los Alamos National Laboratory, Nuclear Materials and Stockpile Management Programs, Technology and Safety Assessment Division, Nuclear Materials Technologies Division, Los Alamos, NM, in support of the Fissile Material Disposition Program Programmatic Environmental Impact Statement, 1996.
- LANL 1996c Smith, W.B., D.D. Wilkey, and D. Siebe, *Data Report for Plutonium Conversion Facility*, LA-UR-95-1721, prepared under Contract W-7405-ENG-36 by Los Alamos National Laboratory, Los Alamos, NM, February 1996.
- LANL 1996d Cremers, T.L., M.C. Bronson, and D.C. Riley, *Fissile Material Disposition Program: Pit Disassembly and Conversion Facility Data Call Input*, LA-UR-96-474, prepared under Contract W-7405-ENG-36 by Los Alamos National Laboratory, Los Alamos, NM, and Lawrence Livermore National Laboratory, Livermore, CA, February 1996.
- LANL 1996e:1 LANL, "Comments on the *Draft Programmatic Environmental Impact Statement for Stockpile Stewardship and Management*," (DOE/EIS-0236, February 1996), Los Alamos National Laboratory, Los Alamos, NM, 1996.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- LANL 1996e:2 Bennett, K., "List of Special Status Species Potentially Occurring on Los Alamos National Laboratory," PEIS request for information provided by Los Alamos National Laboratory, Los Alamos, NM, June 24, 1996.
- LANL 1996e:4 Garvey, D., "Future Land Use at Los Alamos National Laboratory," PEIS request for information provided by Los Alamos National Laboratory, Los Alamos, NM, August 22, 1996.
- LANL 1996m Heiken, G., G. Woldegabriel, R. Morley, H. Plannerer, and J. Rowley, *Disposition of Excess Weapon Plutonium in Deep Boreholes Site Selection Handbook*, LA-13168-MS, UC-721, Los Alamos National Laboratory, Los Alamos, NM, September 1996.
- Lewis 1992a Lewis, Sr., R.J., *Sax's Dangerous Properties of Industrial Materials*, Van Nostrand Reinhold, New York, NY, Eighth Edition, 1992.
- LLNL 1988a McCann, Jr., M.W. and A.C. Boissonnade, *Natural Phenomena Hazards Modeling Project: Preliminary Flood Hazards Estimates for Screening Department of Energy Sites: Albuquerque Operations Office*, UCRL-21045, prepared under Contract W-7045-ENG-48 by Lawrence Livermore National Laboratory, University of California, Livermore, CA, for the Office of the Assistant Secretary for Environment, Safety, and Health, Office of Nuclear Safety, U.S. Department of Energy, Washington, DC, May 1988.
- [Text deleted.]
- LLNL 1996a Lawrence Livermore National Laboratory (LLNL), *Fissile Material Disposition Program Deep Borehole Disposal Facility PEIS Data Input Report for Direct Disposal: Direct Disposal of Plutonium Metal/Plutonium Dioxide in Compound Metal Canisters*, UCRL-LR-119481, Lawrence Livermore National Laboratory, University of California, Livermore, CA, Version 3.0, January 15, 1996.
- LLNL 1996b LLNL, *Fissile Material Disposition Program PEIS Data Call Input Report: Immobilization of Surplus Fissile Material with Electrometallurgical Treatment of Spent Fuels*, UCRL-ID-122667, L-20768-1, Lawrence Livermore National Laboratory, University of California, Livermore, CA, February 9, 1996.
- LLNL 1996c LLNL, *Fissile Material Disposition Program PEIS Data Call Input Report: New Glass Vitrification Facility*, UCRL-ID-122658, L-18833-1, Lawrence Livermore National Laboratory, University of California, Livermore, CA, February 9, 1996.
- LLNL 1996d LLNL, *Fissile Material Disposition Program PEIS Data Call Input Report: Ceramic Immobilization Facility with Radionuclides*, UCRL-ID-122665, L-20590-1, Lawrence Livermore National Laboratory, University of California, Livermore, CA, February 9, 1996.
- LLNL 1996e LLNL, *Fissile Material Disposition Program PEIS Data Call Input Report: Ceramic Immobilization Facility Using Coated Pellets without Radionuclides*, UCRL-ID-122666, L-20588-1, Lawrence Livermore National Laboratory, University of California, Livermore, CA, February 9, 1996.

- LLNL 1996g LLNL, *Evolutionary/Advanced Light Water Reactor Data Report*, UCRL-ID-123411, prepared by Fissile Material Disposition Project, Lawrence Livermore National Laboratory, University of California, Livermore, CA, and Fissile Materials Disposition Program, Reactor-Based Technologies Facility Project, Oak Ridge National Laboratory, Oak Ridge, TN, for the U.S. Department of Energy, Fissile Materials Control and Disposition Program, Washington, DC, February 9, 1996.
- LLNL 1996h LLNL, *Fissile Material Disposition Program Deep Borehole Disposal Facility PEIS Data Input Report for Immobilized Disposal—Immobilized Disposal of Plutonium in Coated Ceramic Pellets in Grout Without Canisters*, UCRL-ID-119735, Lawrence Livermore National Laboratory, University of California, Livermore, CA, Version 3.0, January 15, 1996.
- LLNL 1996i:1 Wijesinghe, A.M., "Table 1.3.3-1: Characteristics of Geologic Media Relevant to Plutonium Disposal in Deep Boreholes," PEIS request for information provided by Lawrence Livermore National Laboratory, Geophysics & Global Security Department, Computational Physics Group, Livermore, CA, February 7, 1996.
- LLNL 1996j LLNL, *Fissile Material Disposition Program Alternative Team Technical Data Document: Vitrification Can-in-Canister Alternative*, UCRL-ID-122659, L-20216-1, Draft Review Copy, Lawrence Livermore National Laboratory, University of California, Livermore, CA, June 18, 1996.
- LLNL 1996k LLNL, *Fissile Material Disposition Program Alternative Team Technical Data Document: Ceramic Can-in-Canister Alternative*, UCRL-ID-122661, L-20219-1, Draft Review Copy, Lawrence Livermore National Laboratory, University of California, Livermore, CA, July 6, 1996.
- McNally 1985a *Handy Railroad Atlas of the United States*, Rand McNally, 1985.
- McNally 1990a *Standard Highway Mileage Guide*, Rand McNally and Company, 1990.
- Merck 1976a *The Merck Index*, Ninth Edition, 1976.
- Merck 1989a Budavari, S. (Editor), *The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals*, Merck & Co., Inc., Rahway, NJ, Eleventh Edition, 1989.
- [Text deleted.]
- NAS 1972a National Academy of Sciences (NAS) and National Research Council, *The Effects on Populations of Exposure to Low Levels of Ionizing Radiation*, Report of the Advisory Committee on the Biological Effects of Ionizing Radiations, Division of Medical Sciences, National Research Council, Washington, DC, November 1972.
- NAS 1990a Committee on the Biological Effects of Ionizing Radiations, *Health Effects of Exposure to Low Levels of Ionizing Radiation BEIR V*, Board of Radiation Effects Research, Commission on Life Sciences, National Academy of Sciences and National Research Council, National Academy Press, Washington, DC, 1990.
- NAS 1994a NAS, *Management and Disposition of Excess Weapons Plutonium*, National Academy of Sciences, National Academy Press, Washington, DC, 1994.

- table
- |  |  |
| --- | --- |
| NAS 1995a | NAS, *Management and Disposition of Excess Weapons Plutonium Reactor-Related Options*, National Academy of Sciences, National Academy Press, Washington, DC, 1995. |
- |  |  |
| --- | --- |
| National 1985a | Transportation Research Board, *Highway Capacity Manual*, Special Report 209, National Research Council, Washington, DC, 1985. |
- |  |  |
| --- | --- |
| NCDC 1993a | National Climatic Data Center, *National Weather Service Station Airways Surface Observations Digital Data for 1992*, National Climatic Data Center, Asheville, NC, 1993. |
- |  |  |
| --- | --- |
| NCRP 1987a | National Council on Radiation Protection and Measurements, *Ionizing Radiation Exposure of the Population of the United States*, NCRP Report No. 93, Pergamon Press, Elmsford, NY, September 1, 1987. |
- |  |  |
| --- | --- |
| NEJM 1979a | Lyon, J.L., M.R. Klauber, J.W. Gardner, and K.S. Udall, "Childhood Leukemias Associated with Fallout from Nuclear Testing," *New England Journal of Medicine*, Vol. 300, No. 8, pp 397-402, 1979. |
- |  |  |
| --- | --- |
| NERC 1993a | North American Electric Reliability Council, *Electricity Supply & Demand 1993-2002 Summary of Electric Utility Supply & Demand Projections*, Princeton, NJ, June 1993. |
- |  |  |
| --- | --- |
| NFS 1995b:2 | Brandon, N., "Data Gathering," PEIS request for information provided by U.S. Nuclear Regulatory Commission Licensing Representative, Nuclear Fuel Services, Erwin, TN, 1995. |
- |  |  |
| --- | --- |
| NIOSH 1994a | NIOSH, *NIOSH Pocket Guide to Chemical Hazards*, Publication No. 94-116, prepared by the U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control and Prevention, Cincinnati, OH, June 1994. |
- |  |  |
| --- | --- |
| NM County 1996a:1 | Cerutti, N., "Planning and Zoning," PEIS request for information provided by Los Alamos County Community Development, Los Alamos, NM, April 3, 1996. |
- |  |  |
| --- | --- |
| NM County 1996a:2 | MacGowan, J., "Planning and Zoning," PEIS request for information provided by Santa Fe County, Santa Fe, NM, April 3, 1996. |
- |  |  |
| --- | --- |
| NM DGF 1990b | New Mexico Department of Game and Fish, *Handbook of Species Endangered in New Mexico*, Sante Fe, NM, 1990. |
- |  |  |
| --- | --- |
| NM DGF 1995a | New Mexico Department of Game and Fish, *New Mexican Wildlife of Special Concern*, Biota Information System of New Mexico (BISON-M), Conservation Services Division, Sante Fe, NM, March 1995. |
- |  |  |
| --- | --- |
| NM DOH 1993a | Athas, W.F. and C.R. Key, *Los Alamos Cancer Rate Study: Phase I Cancer Incidence in Los Alamos County, 1970-1990*, Final Report, Division of Epidemiology, Evaluation, and Planning, New Mexico Department of Health, Santa Fe, NM, and New Mexico Tumor Registry, University of New Mexico Cancer Center, March 1993. |
- |  |  |
| --- | --- |
| NM DOH 1994a | Athas, W.F., "Continuation Application; Los Alamos Cancer Study, Project Year 4," New Mexico Department of Health, Sante Fe, NM, November 2, 1994. |

- NM DOH 1995a:1 Athas, W.F., "Los Alamos Cancer Study," compilation of data supplied by New Mexico Department of Health, Division of Epidemiology, Evaluation & Planning, Santa Fe, NM, July 6, 1995.
- NM DOH 1996a Athas, W.F., "Investigation of Excess Thyroid Cancer Incidence in Los Alamos County," Draft Report, New Mexico Department of Health, Santa Fe, NM, 1996.
- NM DOT 1995a:1 Coglein, T., "Current and Planned Road Improvement Projects in the Vicinity of Los Alamos National Laboratory," PEIS request for information provided by New Mexico Department of Transportation, May 1, 1995.
- NM EIB 1995a New Mexico Environmental Improvement Board, "Title 20: Environmental Protection, Chapter 2: Air Quality (Statewide), Part 72: Construction Permits," Santa Fe, NM, November 30, 1995.
- NM EIB 1996a New Mexico Environmental Improvement Board, "Title 20: Environmental Protection, Chapter 2: Air Quality (Statewide), Part 3: Ambient Air Quality Standards," Santa Fe, NM, January 10, 1996.
- NM FRCD 1995a Sivinski, R. and K. Lightfoot (Editors), *Inventory of Rare and Endangered Plants of New Mexico*, Miscellaneous Publication No. 4, New Mexico Forestry and Resources Conservation Division, Energy, Minerals and Natural Resources Department, Santa Fe, NM, Third Edition, August 1995.
- NM NHP 1995a Mehlhop, P. and E. DeBruin, *Threatened and Endangered Species Survey of Kirtland Air Force Base, New Mexico*, submitted by New Mexico Natural Heritage Program, University of New Mexico, Albuquerque, NM, to 377 ABW/EM, Kirtland AFB, NM, 1995.
- [Text deleted.]
- NOAA 1994a National Oceanic and Atmospheric Administration (NOAA), *Local Climatological Data Annual Summaries for 1993, Part III--Central Region*, National Environmental Satellite, Data, and Information Service, National Climatic Data Center, Asheville, NC, 1994.
- NOAA 1994c NOAA, *Local Climatological Data Annual Summaries for 1993, Part II--Southern Region*, National Environmental Satellite, Data, and Information Service, National Climatic Data Center, Asheville, NC, 1994.
- NOAA 1994d NOAA, *Local Climatological Data Annual Summaries for 1993, Part IV--Western Region*, National Environmental Satellite, Data, and Information Service, National Climatic Data Center, Asheville, NC, 1994.
- NRC 1977b NRC, *Regulatory Guide 1.109: Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR 50, Appendix I*, U.S. Nuclear Regulatory Commission, Office of Standards Development, Washington, DC, Revision 1, October 1977.
- NRC 1979a NRC, *Regulatory Guide 3.35: Assumptions Used for Evaluating the Potential Radiological Consequences of Accidental Nuclear Criticality in a Plutonium Processing and Fuel Fabrication Plant*, U.S. Nuclear Regulatory Commission,



Office of Standards Development, Office of Standards Development, Washington, DC, Revision 1, July 1979.

- NRC 1981a      NRC, *Final Environmental Statement Related to the Operation of WPPSS Nuclear Project No. 2, Docket No. 50-397, Washington Public Power Supply System*, NUREG-0812, U.S. Nuclear Regulatory Commission, Office of Nuclear Reactor Regulation, Washington, DC, December 1981.
- NRC 1981b      NRC, *Environmental Impact Appraisal Exxon Nuclear Company Nuclear Fuel Fabrication Plant Richland, Washington, Related to License Renewal of Special Nuclear Materials License No. SNM-1227, Docket No. 70-1257*, prepared by Division of Fuel Cycle and Material Safety, U.S. Nuclear Regulatory Commission, Washington, DC, August 1981.
- NRC 1982a      NRC, *Environmental Assessment Combustion Engineering, Inc., Nuclear Fuel Fabrication Plant Hematite, Missouri, Related to License Renewal of Special Nuclear Materials License No. SNM-33, Docket No. 70-36*, prepared by Division of Fuel Cycle and Material Safety, U.S. Nuclear Regulatory Commission, Washington, DC, November 1982.
- NRC 1982b      NRC, *Final Environmental Statement Related to the Operation of Palo Verde Nuclear Generating Station, Units 1, 2, and 3, Docket Nos. STN 50-528, STN 50-529, and STN 50-530, Arizona Public Service Company, et al.*, NUREG-0841, U.S. Nuclear Regulatory Commission, Office of Nuclear Reactor Regulation, Washington, DC, February 1982.
- NRC 1983a      Till, J.E. and H.R. Meyer (Editors), *Radiological Assessment: A Textbook on Environmental Dose Analysis*, NUREG/CR-3332, Part 2 of 2, ORNL-5968, prepared by Radiological Assessments Corporation, Neeses, SC, and Health and Safety Research Division, Oak Ridge National Laboratory, Oak Ridge, TN, for the Division of Systems Integration, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC, September 1983.
- [Text deleted.]
- NRC 1986a      Ramsdell, J.V. and G.L. Andrews, *Tornado Climatology of the Contiguous United States*, NUREG/CR-4461, PNL-5897, prepared by Pacific Northwest Laboratories, Richland, WA, for Division of Pressurized Water Reactor Licensing-A, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC, May 1986.
- NRC 1987b      Fischer, L.E., C.K. Chou, M.A. Gerhard, C.Y. Kimura, R.W. Martin, R.W. Mensing, M.E. Mount, and M.C. Witte, *Shipping Container Response to Severe Highway and Railway Accident Conditions*, Main Report, NUREG/CR-4829, UCID-20733, Volume 1 RT, prepared by Lawrence Livermore National Laboratory, Livermore, CA, for the U.S. Nuclear Regulatory Commission, Washington, DC, February 1987.
- NRC 1987d      Gotchy, R.L., *Potential Health and Environmental Impacts Attributable to the Nuclear and Coal Fuel Cycles*, NUREG-0332, Final Report, U.S. Nuclear Regulatory Commission, Office of Nuclear Reactor Regulation, Washington, DC, June 1987.

[Text deleted.]

- NRC 1995b Raddatz, C.T. and D. Hagemeyer, *Occupational Radiation Exposure at Commercial Nuclear Power Reactors and Other Facilities—1993, Twenty-Sixth Annual Report*, NUREG-0713, Volume 15, U.S. Nuclear Regulatory Commission, Office of Nuclear Regulatory Research, Washington, DC, 1995.
- NRC 1996b NRC, *Generic Environmental Impact Statement for License Renewal of Nuclear Plants*, NUREG-1437, Volume 1, Main Report, Final Report, U.S. Nuclear Regulatory Commission, Office of Nuclear Regulatory Research, Division of Regulatory Applications, Washington, DC, May 1996.
- NRPB 1978a Reissland, J.A., "An Assessment of the Mancuso Study," *National Radiological Protection Board*, NRPB-R79, September 1978.
- NT County 1995a:1 Williams, R., "Nevada Test Site Land Use Plans, Policies, and Controls," PEIS request for information provided by Planning Director, Nye County (Tonopah), NV, November 27, 1995.
- NT DOE 1983a Bowen, J.L. and R.T. Egami, *Atmospheric Overview for the Nevada Nuclear Waste Storage Investigations, Nevada Test Site, Nye County, Nevada*, NVO-269, prepared under Contract DE-AC08-80NV10162 by the Desert Research Institute, University of Nevada System for the U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, 1983.
- NT DOE 1986b DOE, *Nuclear Waste Policy Act (Section 112) Environmental Assessment Yucca Mountain Site, Nevada Research and Development Area, Nevada*, DOE/RW-0073, Volume 1 of 3, U.S. Department of Energy, Office of Civilian Radioactive Waste Management, Washington, DC, May 1986.
- NT DOE 1988a DOE, *Environmental Survey Preliminary Report, Nevada Test Site, Mercury, Nevada*, DOE/EH/OEV-15-P, U.S. Department of Energy, Office of Environment, Safety and Health, Office of Environmental Audit, Washington, DC, April 1988.
- NT DOE 1988d Hunter, R.B. and P.A. Medica, *Status of the Flora and Fauna on the Nevada Test Site—1988*, DOE/NV/10630-29, Nevada Operations Office, Las Vegas, NV, 1988.
- NT DOE 1989a Chapman, J.B., *Classification of Groundwater at the Nevada Test Site*, DOE/NV/10384-28, Publication No. 45069, Draft, prepared under Contract DE-AC08-85NV10384 by Water Resources Center, Desert Research Institute, University of Nevada System, Las Vegas, NV, for the U.S. Department of Energy, Nevada Operations Office, January 1989.
- NT DOE 1991b McDowell, E.M. and S.C. Black (Editors), *U.S. Department of Energy Nevada Operations Office Annual Site Environmental Report—1990*, DOE/NV/10630-20, Volume 1, prepared under Contract DE-AC08-89NV10630 by Reynolds Electrical & Engineering Co., Inc., Las Vegas, NV, September 1991.
- NT DOE 1992b Sadler, W.R., M.E. Campana, R.L. Jacobson, and N.L. Ingraham, *A Deuterium-Calibrated, Discrete-State Compartment Model of Regional Groundwater Flow, Nevada Test Site and Vicinity*, DOE/NV/10845-09, UC-703, Publication No. 45088, Water Resources Center, Desert Research Institute, University of Nevada System, Las Vegas, NV, March 1992.

NT DOE 1992d Black, S.C., A.R. Latham, and Y.E. Townsend (Editors), *U.S. Department of Energy Nevada Field Office Annual Site Environmental Report-1991*, DOE/NV/10630-33, Volume 1, prepared under Contract DE-AC08-89NV10630 by Reynolds Electrical & Engineering Co., Inc., Las Vegas, NV, for the U.S. Department of Energy, Nevada Field Office, September 1992.

[Text deleted.]

NT DOE 1993b DOE, *Technical Information Package Proposal for Reconfiguration of Nuclear Weapons Complex at the Nevada Test Site*, Volume 4: Environment, Safety & Health, submitted by the U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, to the U.S. Department of Energy, Deputy Assistant Secretary, Office Weapons Complex Reconfiguration, Washington, DC, September 15, 1993.

[Text deleted.]

NT DOE 1993e Black, S.C., A.R. Latham, and Y.E. Townsend (Editors), *Nevada Test Site Annual Site Environmental Report-1992*, DOE/NV/10630-66, UC-600, Volume 1, prepared under Contract DE-AC08-89NV10630 by Reynolds Electrical & Engineering Co., Inc., Las Vegas, NV, for the U.S. Department of Energy, Nevada Operations Office, September 1993.

[Text deleted.]

NT DOE 1994b Black, S.C., W.M. Glines, and Y.E. Townsend (Editors), *Nevada Test Site Annual Site Environmental Report-1993*, DOE/NV/11432-123, UC-600, Volume 1, prepared under Contract DE-AC08-94NV11432 by Reynolds Electrical & Engineering Co., Inc., Las Vegas, NV, for the U.S. Department of Energy, Nevada Operations Office, September 1994.

NT DOE 1994d DOE, *Nevada Test Site Development Plan*, U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, September 21, 1994.

[Text deleted.]

NT DOE 1994f Dutro, C.L., *1993 Annual Report on Waste Generation and Waste Minimization Progress*, Standard Data Report, prepared by Waste Minimization Coordinator, Reynolds Electrical & Engineering Co., Inc. for the Waste Minimization Program Manager, U.S. Department of Energy, Nevada Field Office, Las Vegas, NV, October 31, 1994.

[Text deleted.]

NT DOE 1995d Raytheon Services Nevada, *Nevada Test Site-Area 22, NIF Site Requirement's Site Proposal*, SK-022-99-667, Las Vegas, NV, July 1995.

NT DOE 1995e:1 Leppert, J., "Offsite Review Comments on the *Storage and Disposition of Weapons-Usable Fissile Materials Draft Programmatic Environmental Impact Statement*," U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, December 1995.

- NT DOE 1995e:2 Quenell, D., "Ruby Valley Treaty with Western Bands of Shoshonee Indians," PEIS request for information provided by U.S. Department of Energy, Nevada Operations Office, Office of Chief Counsel, Las Vegas, NV, November 9, 1995.
- [Text deleted.]
- NT DOE 1995j Townsend, Y.E. (Editor), *1994 Baseline Biological Studies for the Device Assembly Facility at the Nevada Test Site*, DOE/NV/11432-177, UC-600, prepared under Contract DE-AC08-94NV11432 by Reynolds Electrical & Engineering Co., Inc., Las Vegas, NV, for the U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, February 1995.
- NT DOE 1996a Fluor Daniel, Inc., *Draft Data Report to Support the Programmatic Environmental Impact Statement for the Nevada Test Site Storage Plant*, U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, Revision A1, January 1996.
- NT DOE 1996b DOE, *Nevada Test Site Site Treatment Plan and Federal Facility Compliance Act Consent Order*, DOE/NV-397, Waste Management Division, U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, Revision 2, March 1996.
- NT DOE 1996c DOE, *Final Environmental Impact Statement for the Nevada Test Site and Off-site Locations in the State of Nevada*, DOE/EIS 0243, Volume 1, Chapters 1-9, U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, August 1996.
- NT DOE 1996e DOE, *Final Environmental Impact Statement for the Nevada Test Site and Off-Site Locations in the State of Nevada*, DOE/EIS 0243, Volume 1, Appendices A-F, U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, August 1996.
- NT DOE 1996f:1 Golden, B. and J. Leppert, "Comments on the *Storage and Disposition of Weapons-Usable Fissile Materials Draft Programmatic Environmental Impact Statement*," PEIS request for information provided by U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, April 8, 1996.
- NT DOE 1996f:2 Maxwell, F., "Nevada Test Site Public Land Orders and the Nevada Test Site Boundary," PEIS request for information provided by Environmental Restoration Division, U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, June 27, 1996.
- NT DOI 1991a Hallock, L.L., "Ash Meadows and Recovery Efforts for its Endangered Aquatic Species," *Endangered Species*, Vol. XVI, No. 4, Technical Bulletin, U.S. Department of the Interior, Fish and Wildlife Service, April 1991.
- NT DOI 1992b Harlow, D.L., "Biological Opinion on Nevada Test Site Activities," 1-5-91-F-225, U.S. Department of the Interior, Fish and Wildlife Service, Reno Field Office, Reno, NV, May 20, 1992.
- NT DOI 1995a Mendoza, C.H., "Verification of Species List for the Nevada Test Site, File No. 1-5-95-SP-110," File No. 1-5-95-SP-264, PEIS request for information provided by State Supervisor, U.S. Department of the Interior, Fish and Wildlife Service, Nevada State Office, Reno, NV, June 23, 1995.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

- NT EG&G 1991a EG&G Energy Measurements, *The Distribution and Abundance of Desert Tortoise at the Nevada Test Site*, EGG 10617-2081, prepared under Contract DE-AC08-88NV10617 by Santa Barbara Operations, Goleta, CA, for the U.S. Department of Energy, Washington, DC, January 1991.
- [Text deleted.]
- NT ERDA 1976a O'Farrell, T.P. and L.A. Emery, *Ecology of the Nevada Test Site: A Narrative Summary and Annotated Bibliography*, NVO-167, prepared under Contract AT(29-2)-1253 Modification 19, by Applied Ecology and Physiology Center, Desert Research Institute, University of Nevada System, Boulder City, NV, for the U.S. Energy Research and Development Administration, Nevada Operations Office, Las Vegas, NV, May 1976.
- NT ERDA 1977a Energy Research and Development Administration (ERDA), *Final Environmental Impact Statement Nevada Test Site Nye County, Nevada*, ERDA-1551, UC-2, U.S. Nevada Operations Office, Las Vegas, NV, September 1977.
- [Text deleted.]
- NT Greger 1992a Greger, P.D., "Bird List for the Nevada Test Site," Basic Environmental Compliance and Monitoring Program, University of California, Mercury, NV, January 25, 1992.
- NT Greger nda Greger, P.D. and E.M. Romney, "BECAMP Objective 3 - Task 3: Wildlife Utilization of Natural Springs and Man-Made Water Sources at the Nevada Test Site," Draft, UCLA Laboratory of Biomechanical and Environmental Sciences, nd.
- NT Hunter 1991a Hunter, R., "Invasion on the Nevada Test Site: Present Status of *Browus B. Tectorum* with Notes on their Relationship to Disturbance and Altitude," *Great Basin Naturalist*, 1991.
- NT LANL 1983a Crowe, B.M., D.T. Vaniman, and W.J. Carr, *Status of Volcanic Hazard Studies for the Nevada Nuclear Waste Storage Investigations*, LA-9325-MS, prepared for the Los Alamos National Laboratory, Los Alamos, NM, 1983.
- [Text deleted.]
- NT NPS 1983a National Park Service, "Great Basin Timber Mountain Caldera, Nye County, Nevada," *Natural Landmark Brief*, compiled by the Wildlife and Vegetation Division, U.S. Department of the Interior, September 1983.
- NT REECO 1990a Engineering-Science, *Project Report of Air Quality Study at the Nevada Test Site Mercury, Nevada*, prepared under Task Order 30-CUC-01-0, Pasadena, CA, submitted to Reynolds Electrical and Engineering Company, Las Vegas, NV, November 30, 1990.
- NT REECO 1994a Reynolds Electrical and Engineering Co., Inc. (REECO), *Site Book for Waste Management*, prepared by Waste Operations Department, Las Vegas, NV, May 1994.

- NT REECO 1995a REECO, *Waste Management Plan for the Nevada Test Site*, prepared by Waste Operations Department, Las Vegas, NV, for the U.S. Department of Energy, Nevada Operations Office, February 1995.
- Text deleted.]
- NT USAF 1993a Department of the Air Force, *Final Environmental Impact Statement Space Nuclear Thermal Propulsion Program Particle Bed Reactor Propulsion Technology Development and Validation*, Office of the Assistant Secretary, Washington, DC, May 1993.
- NT USGS 1984a USGS, "State of Nevada, 1:500 000-Scale," compiled, edited, and published by the Geological Survey, Reston, VA, Compiled 1962, Revised 1984.
- NT USGS 1988a Harrill, J.R., J.S. Gates, and J.M. Thomas, "Major Ground-Water Flow Systems in the Great Basin Region of Nevada, Utah, and Adjacent States," Hydrologic Investigations Atlas HA-694-C Scale 1:1 000 000, U.S. Geological Survey, Denver, CO, 1988.
- NTS 1990a:1 Nevada Test Site (NTS), "Mammal List for the Nevada Test Site," Basic Environmental Compliance and Monitoring Program, Nevada Test Site, Las Vegas, NV, As of April 25, 1990.
- NTS 1990a:2 NTS, "Reptile List for the Nevada Test," Basic Environmental Compliance and Monitoring Program, Nevada Test Site, Las Vegas, NV, As of April 25, 1990.
- NTS 1991a:1 NTS, "Employee Residential Distribution," PEIS request for information provided by Nevada Test Site, Las Vegas, NV, November 1991.
- NTS 1992a:3 Fiore, J. and P. Dickman, "Site Transportation Interfaces for Hazardous Materials," PEIS request for information provided by U.S. Department of Energy, Nevada Operations Office, Environmental Restoration and Waste Management Division, Las Vegas, NV, May 11, 1992.
- NTS 1992a:5 Furlow, B., "Aquatic/Wetlands Resources on the Nevada Test Site," PEIS request for information provided by U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, September 21, 1992.
- NTS 1992a:6 Elle, D.R., "Biological Resources Information for the Programmatic Environmental Impact Statement for the Nuclear Weapons Complex Reconfiguration," PEIS request for information provided by Director, Environmental Protection Division, U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, February 19, 1992.
- NTS 1993a:4 Kronsbein, G.W., "No Action Data Package," PEIS request for information provided by Raytheon Services Nevada, Engineering Division, Las Vegas, NV, 1993.
- NTS 1993a:6 NTS, "Groundwater Availability Use and Rights," PEIS request for information provided by Nevada Test Site, Las Vegas, NV, 1993.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- |                |   |
|----------------|---|
| NTS 1995a:1    | NTS, "Affected Environment No Action Data Call Response," Nevada Test Site response to the draft Affected Environment section provided to site representatives by the U.S. Department of Energy, April 1995.  |
| NTS 1995a:3    | NTS and Albuquerque Operations Office, "Comments on <i>Programmatic Environmental Impact Statement for Stockpile Stewardship and Management</i> ," Nevada Test Site and Albuquerque Operations Office comments on draft versions (Version 3 and later), 1995.   |
| NTS 1995a:6    | Golden, B.G., "View of the Nevada Test Site," PEIS request for information provided by Environmental Protection Division, U.S. Department of Energy, Nevada Operations Office, Las Vegas, NV, December 5, 1995.   |
| NTS 1996a:1    | NTS, "Comments on the <i>Draft Programmatic Environmental Impact Statement for Stockpile Stewardship and Management</i> ," (DOE/EIS-0236, February 1996), Nevada Test Site, 1996.   |
| NTSB 1975a     | U.S. Coast Guard/National Transportation Safety Board, <i>Marine Casualty Report, SS C.V. Sea Witch - SS Esso Brussels (Belgium); Collision and Fire in New York Harbor on 2 June 1973 with Loss of Life</i> , USCG/NTSB-MAR-75-6, National Transportation Safety Board, Bureau of Surface Transportation Safety and the U.S. Coast Guard, Washington, DC, December 17, 1975. |
| NV DCNR 1992a  | Nevada Department of Conservation and Natural Resources, <i>Air Quality Operating Permits Issued to the U.S. Department of Energy Nevada Operations Office</i> , Division of Environmental Protection, Bureau of Air Quality, Carson County, NV, Department of Conservation and Natural Resources, Carson City, NV, 1992.   |
| NV DCNR 1995a  | Nevada Department of Conservation and Natural Resources, <i>Nevada Administrative Code Chapter 445B Air Pollution</i> , compiled by the Nevada State Environmental Commission in cooperation with the Division of Environmental Protection's Bureau of Air Quality, Carson City, NV, 1995.  |
| NV DOT 1995a:1 | Weight, J., "Status of Current/Planned Projects in the Vicinity of the Nevada Test Site," PEIS request for information provided by Nevada Department of Transportation, April 24, 1995.   |
| NV FWS 1989a   | FWS, "Endangered, Threatened, and Sensitive Plants of Nevada," computer printout, Reno Field Station, Reno, NV, February 13, 1989.  |
| NV FWS 1994a   | FWS, <i>Final Environmental Impact Statement Mineral Withdrawal Desert National Wildlife Range</i> , prepared by Pacific Region, Portland, OR, U.S. Bureau of Land Management, Nevada State Office, Reno, NV, and U.S. Air Force, Weapons and Tactics Center, Nellis Air Force Base, NV, March 1994.  |
| NV NHP 1995a   | Nevada Natural Heritage Program, "Nevada's Sensitive Animal and Plant Species," Carson City, NV, July 31, 1995.   |
| Odum 1971a     | Odum, E.P., <i>Fundamentals of Ecology</i> , W.B. Saunders Company, Philadelphia, PA, Third Edition, 1971.  |

- OEM 1996a Stewart, A.M. and G.W. Kneale, "Relations Between Age at Occupational Exposure to Ionizing Radiation and Cancer Risk," *Occupational and Environmental Medicine*, Vol. 53, pp 225-230, 1996.
- Oosting 1956a Oosting, H.J., *The Study of Plant Communities: An Introduction to Plant Ecology*, W.H. Freeman and Company, San Francisco and London, Second Edition, 1956.
- OR City 1985a City of Oak Ridge, "Chapter 5, Section 6-504," *Oak Ridge City Ordinance*, Oak Ridge, TN, 1985.
- OR City 1991a City of Oak Ridge, *Oak Ridge Area Land Use Plan*, Oak Ridge, TN, Revised, January 24, 1991.
- OR City 1995a:1 City of Oak Ridge, "Oak Ridge Area Land Use Plan," Oak Ridge, TN, Issued December 1987, 1995.
- OR City 1995a:2 City of Oak Ridge, "Chapter 7, Section 6-714," *Oak Ridge Zoning Ordinance*, Oak Ridge, TN, 1995.
- OR City 1995a:3 Butler, T., "Comprehensive Plan/Zoning Ordinance Update," PEIS request for information provided by Zoning Officer, Roane County, TN, November 15, 1995.
- OR DOE 1984a DOE, *Draft Environmental Impact Statement Central Waste Disposal Facility for Low-Level Radioactive Waste Oak Ridge Reservation, Oak Ridge, Tennessee*, DOE/EIS-0110-D, U.S. Department of Energy, Washington, DC, September 1984.
- OR DOE 1987a Sekula, C.M. and P.G. Greeson (Editors), *Environmental Surveillance of the U.S. Department of Energy Oak Ridge Reservation and Surrounding Environs During 1986*, ES/ESH-1/V1, Volume 1: Summary and Conclusions, prepared under Contract DE-AC05-84OR21400 by Environmental and Safety Activities, Martin Marietta Energy Systems, Inc., and Environmental Management Staffs, Oak Ridge Y-12 Plant, Oak Ridge National Laboratory, and Oak Ridge Gaseous Diffusion Plant, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, April 1987.
- OR DOE 1989a Chance, W.W. and C.E. Frye, *Oak Ridge Reservation Site Development and Facilities Utilization Plan*, DOE/OR-885, prepared under Contract DE-AC05-84OR21400 by Martin Marietta Energy Systems, Inc., Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, June 1989.
- [Text deleted.]
- OR DOE 1990a MMES, *Oak Ridge Reservation Environmental Report for 1989*, ES/ESH-13/V1, Volume 1, prepared under Contract DE-AC05-84OR21400 by the Office of Environmental Compliance Documentation and Environmental Management Staff, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, October 1990.
- OR DOE 1991c DOE, *Oak Ridge Reservation Nuclear Weapons Complex Reconfiguration Site Proposal*, submitted by Oak Ridge Operation Office, U.S. Department of Energy, Oak Ridge, TN, June 3, 1991.



*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- OR DOE 1991f      Chance, W.W. and H.C. Beeson, *Oak Ridge Reservation Site Development and Facilities Utilization Plan 1990 Update*, DOE/OR-885/R1, prepared under Contract DE-AC05-84OR21400 by Site and Facilities Planning, Martin Marietta Energy Systems, Inc., Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, June 1991.
- OR DOE 1992c      MMES, *Oak Ridge Reservation Environmental Report for 1991*, ES/ESH-22/V1, Volume 1, prepared under Contract DE-AC05-84OR21400 by Environmental, Safety and Health Compliance and Environmental Management Staffs of the Oak Ridge Y-12 Plant, Oak Ridge National Laboratory, and Oak Ridge K-25 Site, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, October 1992.
- OR DOE 1993a      MMES, *Oak Ridge Reservation Environmental Report for 1992*, ES/ESH-31/V1, Volume 1, prepared under Contract DE-AC05-84OR21400 by Environmental, Safety, and Health Compliance and Environmental Management Staffs of the Oak Ridge Y-12 Plant, Oak Ridge National Laboratory, and Oak Ridge K-25 Site, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, June 1993.
- OR DOE 1993b      MMES, *Oak Ridge Reservation Environmental Report for 1992*, ES/ESH-31/V2, Volume 2, prepared under Contract DE-AC05-84OR21400 by Environmental, Safety, and Health Compliance and Environmental Management Staffs of the Oak Ridge Y-12 Plant, Oak Ridge National Laboratory, and Oak Ridge K-25 Site, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, June 1993.
- OR DOE 1993c      MMES, *Tornado Special Study Report*, ES/ESH-35, prepared under Contract DE-AC05-84OR21400 by Martin Marietta Energy Systems, Inc., Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, June 14, 1993.
- OR DOE 1994a      DOE, *Draft Site Treatment Plan for Mixed Wastes on the U.S. Department of Energy Oak Ridge Reservation*, DOE/OR-2016/V1, DOE/OR-2016/V2, DOE/OR-2016/V3, U.S. Department of Energy, Office of Environmental Management, Oak Ridge, TN, August 1994.
- OR DOE 1994c      MMES, *Oak Ridge Reservation Annual Site Environmental Report for 1993*, ES/ESH-47, prepared under Contract DE-AC05-84OR21400 by Environmental, Safety, and Health Compliance and Environmental Management Staffs of the Oak Ridge Y-12 Plant, Oak Ridge National Laboratory, and Oak Ridge K-25 Site, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, November 1994.
- OR DOE 1994d      DOE, *Environmental Assessment for the Proposed Interim Storage of Enriched Uranium Above the Maximum Historical Storage Level at the Y-12 Plant, Oak Ridge, Tennessee*, DOE/EA-0929, U.S. Department of Energy, Washington, DC, September 1994.
- OR DOE 1994e      MMES, *Oak Ridge Reservation Technical Site Information*, ES/EN/SFP-23, prepared under Contract DE-AC05-84OR21400 by Site and Facilities Planning Department, Martin Marietta Energy Systems, Inc., Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, August 1994.
- OR DOE 1994f      MMES, *Environmental Monitoring and Surveillance on the Oak Ridge Reservation: 1993 Data*, ES/ESH-48, prepared under Contract DE-AC05-84OR21400 by Environmental, Safety, and Health Compliance and

Environmental Management Staffs of the Oak Ridge Y-12 Plant, Oak Ridge National Laboratory, and Oak Ridge K-25 Site, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, December 1994.

[Text deleted.]

OR DOE 1995e:1 Trischman, S., "Low-Level Waste Disposal Assumption," PEIS request for information provided by Program Manager (EM-321), U.S. Department of Energy, Oak Ridge/Chicago Operations Division, Office of Eastern Waste Management Operations, Environmental Management, May 24, 1995.

OR DOE 1995g DOE, *Proposed Site Treatment Plan for Mixed Wastes on the U.S. Department of Energy Oak Ridge Reservation*, DOE/OR-2030/V1, DOE/OR-2030/V2, U.S. Department of Energy, Office of Environmental Management, April 4, 1995.

OR EG&G 1991a Staub, W.P., *Interim Report Y-12 Plant Generic Safety Analysis Report*, Applied Physical Sciences Group, Energy Division, Oak Ridge National Laboratory, Oak Ridge, TN, September 30, 1991.

[Text deleted.]

OR FWS 1992b Widlak, J., "Status Update on Possible Occurrence of Threatened and Endangered Species on the Oak Ridge Reservation," PEIS request for information provided by U.S. Fish and Wildlife Service, August 28, 1992.

OR LMES 1995e Lockheed Martin Energy Systems, Inc. (LMES), *No Action Alternative and Phaseout Options for Long-Term Storage of Highly Enriched Uranium at the Oak Ridge Reservation*, Y/ES-124, prepared under Contract DE-AC05-84OR21400 by the Nuclear Materials Disposition Program Office, Y-12 Defense Programs, Oak Ridge Y-12 Plant, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, January 1995.

OR LMES 1996a LMES, *Oak Ridge Reservation Waste Management Plan Transition Report FY 1994 through June 30, 1995*, ES-WM-72, prepared under Contract DE-AC05-84OR21400 for the U.S. Department of Energy, Office of Environmental Restoration and Waste Management, January 1996.

OR LMES 1996i LMES, *Stockpile Stewardship and Management Programmatic Environmental Impact Statement Data for the No Action and Phase-out Alternatives at the Oak Ridge Reservation*, Y/ES-121/R0, prepared under Contract DE-AC05-84OR21400 by the Planning and Program Integration Office, Y-12 Plant Defense Programs, Oak Ridge Y-12 Plant, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, February 13, 1996.

OR MMES 1993d MMES, "Treatment, Storage, Disposal Unit Capability Report--Oak Ridge National Laboratory," Waste Management Information System Data Base, Hazardous Waste Remedial Actions Program, Oak Ridge, TN, 1993.

[Text deleted.]

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

OR MMES 1993f      MMES, "Treatment, Storage, Disposal Unit Capability Report--Oak Ridge Y-12 Plant," Waste Management Information System Data Base, Hazardous Waste Remedial Actions Program, Oak Ridge, TN, 1993.

[Text deleted.]

OR MMES 1995c      Energy Systems Waste Management Organization, *Oak Ridge Reservation Waste Management Plan*, ES/WM-30, prepared under Contract DE-AC05-OR21400, Oak Ridge, TN, for the U.S. Department of Energy, Office of Environmental Management under budget and reporting code EW 20, February 1995.

[Text deleted.]

OR MMES 1996a      Everitt, D.A., J.P. Johnson, J.K. Phillips, and J.D. Snider, *PEIS Data Report: Upgrading the Y-12 Plant for Long-Term HEU Storage*, Y/ES-043/R2, prepared under Contract DE-AC05-84OR21400 by Oak Ridge Y-12 Plant, Martin Marietta Energy Systems, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, February 1996.

OR NERP 1991a      Cunningham, M. and L. Pounds, *Resource Management Plan for the Oak Ridge Reservation*, ORNL/NERP-5, Environmental Sciences Division Publication No. 3765, Volume 28: Wetlands on the Oak Ridge Reservation, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory, Oak Ridge, TN, for the Oak Ridge National Environmental Research Park, Office of Health and Environmental Research, December 1991.

OR NERP 1993a      Pounds, L.R., P.D. Parr, and M.G. Ryon, *Resource Management Plan for the Oak Ridge Reservation*, ORNL/NERP-8, Environmental Sciences Division Publication No. 3995, Volume 30: Oak Ridge National Environmental Research Park Natural Areas and Reference Areas -- Oak Ridge Reservation Environmentally Sensitive Sites Containing Special Plants, Animals, and Communities, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory, Oak Ridge, TN, for the Oak Ridge National Environmental Research Park, Office of Health and Environmental Research and Environmental Restoration Program, Program Interpretation and Administration, Regulatory Compliance Group, August 1993.

OR NERP 1993b      Cunningham, M., L. Pounds, S. Oberholster, P. Parr, L. Edwards, B. Rosensteel, and L. Mann, *Resource Management Plan for the Oak Ridge Reservation*, ORNL/NERP-7, Environmental Sciences Division Publication No. 4054, Volume 29: Rare Plants on the Oak Ridge Reservation, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory, Oak Ridge, TN, for the Oak Ridge Reservation--Resource Management Organization and Oak Ridge National Environmental Research Park, Office of Health and Environmental Research, August 1993.

OR NERP nda      Parr, P.D. and J.W. Evans, *Resource Management Plan for the Oak Ridge Reservation*, ORNL/NERP-6, Draft, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Environmental Research Park, Environmental Sciences Division, Oak Ridge National Laboratory, Oak Ridge, TN, with the U.S. Department of Energy, Washington, DC, n.d.

- OR NRC 1977a      Project Management Corporation, Tennessee Valley Authority (TVA) and ERDA, *Final Environmental Statement Related to Construction and Operation of Clinch River Breeder Reactor Plant*, NUREG-0139, Docket 50-537, U.S. Nuclear Regulatory Commission, Office of Nuclear Reactor Regulation, Washington, DC, February 1977.
- [Text deleted.]
- OR Robinson 1950a      Robinson, Jr., G.O., *The Oak Ridge Story The Saga of People Who Share in History*, Southern Publishers, Inc., Kingsport, TN, 1950.
- [Text deleted.]
- OR TT 1993a:1      Harvey, M., "Survey for Endangered Indiana and Gray Bats Along East Fork Poplar Creek, Oak Ridge, TN," PEIS request for information provided by Bat Specialist, Tennessee Tech, April 29, 1993.
- OR TVA 1991a      TVA, *Flood Analyses for Department of Energy Y-12, ORNL, and K-25 Plants*, Interagency Agreement No. DE-AI05-91OR 21979 and TVA Contract No. TV-83730V, submitted by Flood Protection Section, Water Resources Operations Department, Water Resources Division, Tennessee Valley Authority, Knoxville, TN, to Martin Marietta Energy Systems, Inc., *Flood Analyses in Support of Flood Emergency Planning*, Oak Ridge, TN, December 1991.
- [Text deleted.]
- OR USGS 1979a      USGS and TVA, "Oak Ridge, Tennessee, 1:100 000-Scale Metric Topographic Map," 30x60 Minute Quadrangle, produced by Tennessee Valley Authority in cooperation with the U.S. Geological Survey, 1979.
- OR USGS 1981a      USGS and TVA, "Watts Bar Lake, Tennessee, 1:100 000-Scale Metric Topographic Map," 30x60 Minute Quadrangle, produced by Tennessee Valley Authority in cooperation with the U.S. Geological Survey, 1981.
- OR USGS 1986a      Lowery, J.F., P.H. Counts, H.L. Edmiston, and F.D. Edwards, *Water Resources Data Tennessee Water Year 1985*, USGS/WRD/HD-86/21, U.S. Geological Survey Water-Data Report TN-85-1, prepared in cooperation with the Tennessee Department of Health and Environment, Office of Water Management; the Tennessee Valley Authority; and with other state, municipal and Federal agencies, TN, March 1986.
- OR UTN 1975a      Fielder, Jr., G.F., *Cultural Resource Survey of the Exxon Nuclear Facility Oak Ridge, Tennessee, An Interim Report*, Department of Anthropology, University of Tennessee, Knoxville, TN, May 1975.
- ORNL 1981a      NUS Corporation, *Environmental and Safety Report for Oak Ridge National Laboratory*, ORNL-SUB-41B-38403C, NUS 3892, Rockville, MD, September 30, 1981.
- ORNL 1981b      Loar, J.M., J.A. Solomon, and G.F. Cada, *Technical Background Information for the ORNL Environmental and Safety Report*, ORNL/TM-7509/V2, Volume 2,

Environmental Sciences Division Publication No. 1852, prepared under Contract W-7405-eng-26 by Oak Ridge National Laboratory, Oak Ridge, TN, October 1981.

- ORNL 1982a      Fitzpatrick, F.C., *Oak Ridge National Laboratory Site Data for Safety Analysis Reports*, ORNL/ENG/TM-19, prepared under Contract W-7405-eng-26 by Oak Ridge National Laboratory, Oak Ridge, TN, December 1982.
- ORNL 1984b      Kitchings, J.T. and J.D. Story, *Resource Management Plan for the U.S. Department of Energy Oak Ridge Reservation*, ORNL-6026/V16, Volume 16, prepared under Contract DE-AC05-84OR21400 by the Oak Ridge National Laboratory, Oak Ridge, TN, July 1984.
- ORNL 1987a      Parr, P.D. and L.R. Pounds, *Resource Management Plan for the Oak Ridge Reservation*, ORNL/ESH-1/V23, Volume 23, prepared under Contract DE-AC05-84OR21400 by Martin Marietta Energy System, Inc., Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, May 1987.
- ORNL 1987b      Kroodsmas, R.L., *Resource Management Plan for the Oak Ridge Reservation*, ORNL/ESH-1/V24, Volume 24, prepared under Contract DE-AC05-84OR21400 by Martin Marietta Energy Systems, Inc., for the U.S. Department of Energy, Oak Ridge, TN, January 1987.
- ORNL 1988b      Lietzke, D.A., S.Y. Lee, and R.E. Lambert, *Soils, Surficial Geology, and Geomorphology of the Bear Creek Valley Low-Level Waste Disposal Development and Demonstration Program Site*, ORNL/TM-10573, Environmental Sciences Division Publication No. 3017, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory, Oak Ridge, TN, for the Office of Defense Waste and Transportation Management, April 1988.
- ORNL 1988c      Walker, B.A. and R.E. Saylor (Editors), *Data Package for the Low-Level Waste Disposal Development and Demonstration Program Environmental Impact Statement*, ORNL/TM-10939/V1 and ORNL/TM-10939/V2, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory, Oak Ridge, TN, for the Office of Defense Waste and Environmental Restoration, September 1988.
- ORNL 1992c      Southworth, G.R., J.M. Loar, M.G. Ryon, J.G. Smith, A.J. Stewart, and J.A. Burris, *Ecological Effects of Contaminants and Remedial Actions in Bear Creek*, ORNL/TM-11977, Environmental Sciences Division Publication No. 3810, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory, Oak Ridge, TN, and C.E. Environmental, Inc., Tallahassee, FL, for Environmental Management Department, Health, Safety, Environment and Accountability Division, Oak Ridge Y-12 Plant, January 1992.
- ORNL 1992d      ORNL, *Human Health Risk Evaluation Methodology for Assessing Risks Associated with Environmental Remediation Within the DOE Complex*, prepared by Center for Risk Management, Oak Ridge National Laboratory, Oak Ridge, TN, for the U.S. Department of Energy, Washington, DC, in preparation for the Programmatic Environmental Impact Statement, August 13, 1992.
- ORNL 1993a      ORNL, *1992 Estimates of U.S. Department of Energy Hazardous and Sanitary Waste Inventories, Projections, and Characteristics*, ORNL/M-2710, Draft Report, prepared under Contract DE-AC05-84OR21400 by Oak Ridge National Laboratory,

Oak Ridge, TN, for the U.S. Department of Energy, Office of Environmental Restoration and Waste Management, Washington, DC, April 1993.

- ORNL 1994a ORNL, "Integrated Risk Information System Chemicals with Reference Doses and/or Carcinogen Assessments," (Data Base), prepared by Oak Ridge National Laboratory, Oak Ridge, TN for the U.S. Department of Energy, Office of Environmental Guidance (EH-231), Washington, DC, October 31, 1994.
- ORNL 1994b ORNL, "Environmental Regulatory Update Table," prepared by U.S. Department of Environmental Guidance (EH-23) from Integrated Risk Information System (IRIS) Data Base, Washington, DC, 1994.
- ORNL 1995a MMES, *FMDP CANDU PEIS Data Report*, ORNL/MD/LTR-20, Letter Report, Fissile Materials Disposition Program, Reactor-Based Technologies Facility Project, Martin Marietta Energy Systems, Inc., Oak Ridge National Laboratory, Oak Ridge, TN, Revision 1, June 5, 1995.
- ORNL 1995b MMES, *FMDP LWR PEIS Data Report*, ORNL/MD/LTR-9, Letter Report, Fissile Materials Disposition Program, Reactor-Based Technologies Facility Project, Martin Marietta Energy Systems, Inc., Oak Ridge National Laboratory, Oak Ridge, TN, Revision 2, February 28, 1995.
- ORNL 1995d TVA et al., "Map of 100-year and 500-year Floodplains on the Y-12 Site," GCM/95-228, the floodplain and background data are derived from 1993 aerial photography, the Tennessee Valley Authority, and other sources, produced by Geographic Information Systems and Computer Modeling, Oak Ridge National Laboratory, Oak Ridge, TN, 1995.
- ORR 1991a:2 Cleaves, J.E., "Noise Levels Surveys Performed at the Oak Ridge K-25 Site," PEIS request for information provided by K-25 Site Representative, Martin Marietta Energy Systems, Oak Ridge, TN, October 14, 1991.
- ORR 1991a:4 Ferguson, M.K., "Historical/Future Oak Ridge Reservation and Y-12 Plant Employment," PEIS request for information provided by Martin Marietta Energy Systems, Oak Ridge, TN, November 1991.
- ORR 1991a:6 Knazovich, M.W., "Ambient Sound Pressure Level Data," PEIS request for information provided by Martin Marietta Energy Systems, Oak Ridge, TN, November 8, 1991.
- ORR 1991a:8 Williams, C.K., "Meteorological and Climatological Data," PEIS request for information provided by Oak Ridge National Laboratory, Oak Ridge, TN, December 19, 1991.
- [Text deleted.]
- ORR 1992a:6 Butz, T.R., "Y-12 Plant Accident History," PEIS request for information provided by Director, Health, Safety, Environment, and Accountability Division, Martin Marietta Energy Systems, Inc., Oak Ridge, TN, August 14, 1992.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- ORR 1993a:2      Perez, F. "K-25 TSCA Incinerator Details," PEIS request for information provided by Martin Marietta Energy Systems, Inc., Oak Ridge Operations, Oak Ridge, TN, March 12, 1993.
- ORR 1993a:4      Snider, J.D., "Updated Waste Generation Data for Oak Ridge Reservation," PEIS request for information provided by Y-12 Reconfiguration Program Office, Martin Marietta Energy Systems, Inc., Oak Ridge, TN, August 10, 1993.
- ORR 1993a:11     Johnson, M., "TSCA Container and Tank Storage Building K-1435," PEIS request for information provided by K-25 Martin Marietta Energy Systems, Inc., Oak Ridge, TN, November 11, 1993.
- ORR 1995a:2      Snider, D., "FMD-PEIS: Supplemental Data - Road and Rail for ORR Storage Alternative," PEIS request for information provided by Martin Marietta Energy Systems, Inc., Oak Ridge, TN, August 16, 1995.
- [Text deleted.]
- ORR 1995a:7      Lester, B., "City of Oak Ridge Public Transportation System/Barge Facility at K-25," PEIS request for information provided by Transportation Operations Manager, U.S. Department of Energy, Oak Ridge, TN, August 3, 1995.
- OTA 1989a        U.S. Congress—101st Cong., *The Containment of Underground Nuclear Explosions*, OTA-ISC-414, Office of Technology Assessment, Washington, DC, October 1989.
- [Text deleted.]
- PNL 1995a        Pacific Northwest Laboratory (PNL), "Chemical Toxicity Information," (Data Base), prepared for the U.S. Department of Energy by Battelle Pacific Northwest Laboratory, Richland, WA, 1995.
- PPI 1994a        Lindeburg, M.R., *Seismic Design of Building Structures: A Professional's Introduction to Earthquake Forces and Design Details*, Professional Publications, Inc., Belmont, CA, Sixth Edition, 1994.
- PX 1992a:3        McGrath, D., "Threatened and Endangered Species on the Pantex Plant Site," PEIS request for information provided by Battelle Pantex Plant, Amarillo, TX, April 7, 1992.
- PX 1992a:4        Allison, P., "Wetlands on the Pantex Plant," PEIS request for information provided by Environmental Protection Department, Pantex Plant, Amarillo, TX, February 19, 1992.
- PX 1992a:5        McGrath, D., "Biotic Resources on the Pantex Plant," PEIS request for information provided by Battelle Pantex Plant, Amarillo, TX, February 5, 1992.
- PX 1992a:6        McGrath, D., "Hunting at Pantex," PEIS request for information provided by Battelle Pantex Plant, Amarillo, TX, March 9, 1992.

[Text deleted.]

- PX 1994a:1 Allison, P., "Update of Federal- and State-Listed Threatened, Endangered, and Other Special Status Species That May Be Found On or In the Vicinity of the Pantex Plant Site," PEIS request for information provided by Environmental Protection Department, Pantex Plant, Amarillo, TX, August 4, 1994.
- PX 1994a:2 Greenly, G., "Employee Distribution for Pantex Plant Region of Influence-1994," PEIS request for information provided by Battelle Pantex EIS Team, Amarillo, TX, December 21, 1994.
- PX 1995a:1 Battelle Pantex and Mason & Hanger-Silas Mason, Co., Inc., "No Action, Upgrade, Phaseout," PEIS request for information provided by Pantex Plant, Amarillo, TX, 1995.
- PX 1995a:2 Pantex Plant, "Affected Environment No Action Data Call Response," Pantex Plant response to the draft Affected Environment section provided to site representatives by the U.S. Department of Energy, 1995.
- PX 1995a:4 Banner, E., "Emissions Update at Pantex Plant," PEIS request for information provided by Battelle Pantex, Amarillo, TX, August 23, 1995.
- PX 1996e:2 King, H.H., "Response to Comments on *Data Report Upgrade for the Pantex Plant Pu Storage Operations* (Revision 2, December 1995)," PEIS request for information provided by Mason & Hanger-Silas Mason Co., Inc., Pantex Plant, Amarillo, TX, May 15, 1996.
- PX Battelle 1992a Battelle Pantex and Mason & Hanger-Silas Mason Co., Inc., *Report-Pantex Plant Site Environmental Report for Calendar Year 1991*, Draft, prepared by Environmental Monitoring Section, Environmental Protection Department, Environment, Safety & Health Division, Pantex Plant, Amarillo, TX, June 1992.
- PX Battelle 1993a Battelle Pantex and Mason & Hanger-Silas Mason Co., Inc., *Report-Pantex Plant Site Environmental Report for Calendar Year 1992*, RPT7, prepared by Environmental Protection Department, Environment, Safety & Health/Waste Management Division, Pantex Plant, Amarillo, TX, December 1993.
- PX City 1990a Barnard Dunkelberg & Company, *Airport Master Plan Update, Amarillo International Airport Amarillo, Texas*, prepared for the city of Amarillo through a grant from the Federal Aviation Administration, October 1990.
- PX DOE 1983a DOE, *Final Environmental Impact Statement Pantex Plant Site, Amarillo, Texas*, DOE/EIS-0098, U.S. Department of Energy, Washington, DC, October 1983.
- PX DOE 1991a Pantex Plant and Panhandle 2000 Task Force, *Panhandle 2000 Pantex Nuclear Weapons Complex Reconfiguration Proposal*, Volumes 1-8, Amarillo TX, May 1991.
- PX DOE 1992f Mason & Hanger-Silas Mason Company, Inc., *Final Safety Analysis Report Pantex Plant Zone 4 Magazines Staging and Interim Storage for Nuclear Weapons and Components*, prepared for the U.S. Department of Energy, Amarillo, TX, December 1992.



- PX DOE 1993c Johnston, M.C. and J.K. Williams, *Floristic Survey Pantex Plant Site, Carson County, Texas, 1993*, Report, prepared under Contract FFP009901 by Environmental Consulting, Austin, TX, for the U.S. Department of Energy, Washington, DC, December 1993.
- PX DOE 1994a Battelle Pantex and Mason & Hanger-Silas Mason Company, Inc., *1993 Environmental Report for Pantex Plant*, DOE/AL/65030-9413, prepared under Contract DE-AC09-91AL65030 by Environmental Protection Department, Environment, Safety & Health Division, Amarillo, TX, for the U.S. Department of Energy, Albuquerque Operations Office, Amarillo Area Office, June 1994.
- PX DOE 1994b Seyffert, K.D., *Checklist of Birds Pantex Plant Site Carson County, Texas, 1994*, Report, prepared under Contract FFP016902, Amarillo, TX, for the U.S. Department of Energy, Washington, DC, June 1994.
- PX DOE 1994c Mazeroll, A.I., L.S. Boatman, and L.H. Boomershine, *Herpetofaunal Survey Pantex Plant Site, Carson County, Texas, 1994*, Report, prepared under Contract FFP019934 by EnviroCon, Canyon, TX, for the U.S. Department of Energy, Washington, DC, August 1994.
- PX DOE 1994d Rylander, M.K., *Resident and Migratory Animals Survey Pantex Plant Site, Carson County Texas, 1994*, Report, prepared under Contract FFP011684 by Department of Biological Sciences, Texas Tech University, Lubbock, TX, for the U.S. Department of Energy, Washington, DC, August 1994.
- PX DOE 1994e DOE, *Environmental Assessment for Interim Storage of Plutonium Components at Pantex and Department of Energy Response to Comments on the Pre-Approval Environmental Assessment and the Revised Pre-Approval Environmental Assessment and Public Meeting*, DOE/EA-0812, prepared by the U.S. Department of Energy, Albuquerque Operations Office, Amarillo Area Office and Pantex Plant, Amarillo, TX, January 1994.
- PX DOE 1995a:1 Johnson, J.S., "Pantex Plant Land Use Status," PEIS request for information provided by Assistant Area Manager for Projects & Environmental Management, U.S. Department of Energy, Albuquerque Field Office, Amarillo Area Office, Amarillo, TX, May 1995.
- PX DOE 1995d Battelle Pantex and Mason & Hanger-Silas Mason Co., Inc., *1994 Environmental Report for Pantex Plant*, DOE/AL/65030-9506, prepared under Contract DE-AC04-91AL65030 by Environmental Protection Department, Environment, Safety & Health Division, Amarillo, TX, for the U.S. Department of Energy, Albuquerque Operations Office, Amarillo Area Office, June 1995.
- PX DOE 1995e Hallett, S.G. and R.J. Slape, *Final SSM PEIS Alternative Report High Explosive Production at Pantex Plant*, DOE-AL-65030-9517, prepared under Contract DE-AC04-91AL65030 by Mason & Hanger-Silas Mason Co., Inc., Pantex Plant, Amarillo, TX, for the U.S. Department of Energy, Washington, DC, Revision 1, August 1995.

[Text deleted.]

- PX DOE 1995g Battelle Pantex and Mason & Hanger-Silas Mason Co., Inc., *Pantex Plant Site Development Plan - FY 95, PLN14*, Pantex Plant, Amarillo, TX, 1995.
- PX DOE 1995h Texas Natural Resource Conservation Commission/DOE, *Pantex Plant Federal Facility Compliance Act Background Information*, Agreed Order with the Amarillo Area Office for the Pantex Plant, Amarillo, TX, September 1995.
- PX DOE 1995i Battelle and Mason & Hanger-Silas Mason Company, Inc., *Environmental Information Document: The Continued Operation of the Pantex Plant and Associated Storage of Nuclear Weapon Components Environmental Impact Statement*, Pantex Plant, Amarillo, TX, October 1995.
- PX DOE 1996a Fluor Daniel, Inc., *Draft Data Report to Support the Programmatic Environmental Impact Statement for the Consolidated Special Nuclear Material Storage Upgrade at the Pantex Plant*, Review and Comment, prepared under FDI Contract 04404500 and DOE Contract DE-AC05-91OR21964 by Government Services Operating Company for the U.S. Department of Energy, Office of Fissile Materials Disposition, Washington, DC, Revision A1, January 1996.
- PX DOE 1996b DOE, *Final Environmental Impact Statement for the Continued Operation of the Pantex Plant and Associated Storage of Nuclear Weapon Components*, DOE/EIS-0225, Volume I--Main Report, U.S. Department of Energy, Washington, DC, November 1996.
- PX EG&G 1988a EG&G Energy Measurements, "Color Aerial Photographs of Pantex Plant," PERF 6218, Various Scales, Las Vegas, NV, November 30, 1988.
- PX EG&G 1988b EG&G Energy Measurements, "Color Aerial Photographs of Los Alamos National Laboratory and Pantex Plant," PERF 6219, Various Scales, Las Vegas, NV, November 30, 1988.
- [Text deleted.]
- PX LRA 1994a Stricker, N.A. and R.M. Poet, *Historic Resources Survey of World War II Era Structures and Foundations at Pantex Plant, Amarillo, Texas*, Packet 1, Final Report, prepared under Contract FFP011167 by Legacy Research Associates, Inc., Corvallis, OR, May 28, 1994.
- PX MH 1981a Hughes, J.T. and R.D. Speer, *An Archeological Survey of the Pantex Plant, Carson County, Texas*, prepared under Purchase Order No. F9544000, submitted to Mason & Hanger-Silas Mason Co., Inc., Pantex Plant, Amarillo, TX, July 1981.
- PX MH 1991c Mason & Hanger-Silas Mason Company, Inc., *Pantex Plant Site Environmental Report for Calendar Year 1990*, MHSMP-91-06, prepared under Contract DE-AC04-76DP00487 by Environmental Monitoring Section, Environmental Protection Department, Environment, Safety & Health Division, Amarillo, TX, July 1991.
- PX MH 1994a Mason & Hanger-Silas Mason Company, Inc., *Data Report on Upgrade Alternative for the Pantex Plant Pu Storage Operations*, RPT10, Pantex Plant, Amarillo, TX, Revision 1, August 1994.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- PX MH 1994c      Mason & Hanger-Silas Mason Company, Inc., *Pantex Plant Safety Analysis Report General Information Document*, prepared by Pantex Plant, Amarillo, TX, Rev. 1, Draft 2, June 10, 1994.
- | [Text deleted.]
- PX MH 1995a      Mason & Hanger-Silas Mason Company, Inc., *Stockpile Stewardship & Management PEIS Data Report for Pantex Plant Assembly/Disassembly Operations*, Pantex Plant, Amarillo, TX, August 1995.
- | [Text deleted.]
- PX USDA 1962a      Jacquot, L.L., *Soil Survey, Carson County, Texas*, Series 1959, No. 10, U.S. Department of Agriculture, Soil Conservation Service in cooperation with the Texas Agricultural Experiment Station, Panhandle, TX, July 1962.
- PX USDA 1980a      Pringle, F., *Supplement to the Soil Survey of Carson County, Texas*, U.S. Department of Agriculture, Soil Conservation Service, 1980.
- PX USGS 1986a      USGS, "Amarillo, Texas, 1:100 000-Scale Metric Topographic Map," 35101-A1-TM-100, U.S. Department of the Interior, U.S. Geological Survey, Reston, VA, 1986.
- PX WDB 1993a      Peckham, D.S. and J.B. Ashworth, *The High Plains Aquifer System of Texas, 1980 to 1990 Overview and Projections*, Draft, Texas Water Development Board, Final in progress 1993.
- PX WTS 1992a:1      Brooks, D., "Threatened and Endangered Species Near the Pantex Plant: Species Occurrence in Carson County," PEIS request for information provided by Ornithologist, West Texas State University, April 8, 1992.
- RF County 1991b      Boulder County, "Boulder County Road Map," Board of County Commissioners, Boulder, CO, Revised, 1991.
- RF DOE 1980a      DOE, *Final Environmental Impact Statement (Final Statement to ERDA 1545-D), Rocky Flats Plant Site, Golden, Jefferson County, Colorado*, DOE/EIS-0064, UC-2, 11, Volume 1 of 3, U.S. Department of Energy, Washington, DC, April 1980.
- RF DOE 1985a      Hydro-Search Inc., *Hydrogeologic Characterization of the Rocky Flats Plant, Golden, Colorado*, prepared for the U.S. Department of Energy, Rocky Flats Plant, Golden, CO, December 9, 1985.
- | [Text deleted.]
- RF DOE 1990b      EG&G Rocky Flats, Inc., *Wetlands Assessment, Rocky Flats Plant Site*, prepared under Contract SBA 53572PB by Environmental Management, NEPA Division, Golden, CO, for the U.S. Department of Energy, Rocky Flats Plant, Golden, CO, April 30, 1990.

- RF DOE 1991b DOE, *Fish and Wildlife Coordination Act, Migratory Bird Treaty Act Compliance: Proposed South Interceptor Ditch (SID) Project*, Final Habitat Survey Report, U.S. Department of Energy, Rocky Flats Office, Golden, CO, October 1991.
- [Text deleted.]
- RF DOE 1991i DOE, *Baseline Wildlife/Vegetation Studies*, Status Report, U.S. Department of Energy, Rocky Flats Plant, Golden, CO, August 1991.
- RF DOE 1991j DOE, *Endangered Species Act Compliance: Proposed South Interceptor Ditch (SID) Maintenance Project*, Final Biological Survey Report, U.S. Department of Energy, Rocky Flats Office, Golden, CO, October 1991.
- RF DOE 1992a DOE, *Mixed Residue Reduction Report*, prepared for the State of Colorado by the U.S. Department of Energy, Rocky Flats Office, Golden, CO, February 26, 1992.
- [Text deleted.]
- RF DOE 1994a DOE, *Radionuclide Air Emissions Annual Report, 40 CFR 61, Subpart H Calendar Year 1994*, U.S. Department of Energy, Golden, CO, 1994.
- RF DOE 1995a Science Applications International Corporation, *Final Cultural Resources Survey Report: Rocky Flats Environmental Technology Site The Industrial Area*, prepared under Contract DEAC 34-9400622, Task Order 94-AMESH-001; Subtask 28, Golden, CO, for NEPA Coordinator, U.S. Department of Energy, Rocky Flats Field Office, October 1995.
- RF DOE 1995b EG&G Rocky Flats, Inc., *1994 Annual Report on Waste Generation and Waste Minimization Progress*, prepared by Rocky Flats Environmental Technology Site for the U.S. Department of Energy, Rocky Flats Field Office, Golden, CO, 1995.
- RF DOE 1995c EG&G Rocky Flats, Inc., *Rocky Flats Environmental Technology Site Proposed Site Treatment Plan Background Volume and Compliance Plan Volume*, U.S. Department of Energy, Rocky Flats Field Office, Golden, CO, Revision 3, March 30, 1995.
- RF DOE 1995d DOE, *Annual Threatened and Endangered Species Status Report for Rocky Flats Environmental Technology Site*, Rocky Flats Environmental Technology Site, Golden, CO, June 7, 1995.
- RF DOH 1989b Colorado Department of Health, "Settlement Agreement and Compliance Consent Order No. 89-07-10-01," issued by the Hazardous Material and Waste Management Division to the U.S. Department of Energy and Rockwell International Corporation, Rocky Flats Plant, Golden, CO, July 14, 1989.
- RF EG&G 1991a Dames and Moore, *Cultural Resources Class III Survey of the Department of Energy Rocky Flats Plant, Northern Jefferson and Boulder Counties, Colorado*, prepared under Work Order No. BA90043 JB for EG&G Rocky Flats, Golden, CO, Version 1.0, August 1, 1991.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- RF EG&G 1992e EG&G Rocky Flats, *Mission Transition Program Management Plan*, Draft, U.S. Department of Energy, EG&G Rocky Flats Plant, Golden, CO, Revision 6, October 1, 1992.
- RF EG&G 1993a EG&G Rocky Flats, *Rocky Flats Plant FY93 Systems Engineering Analysis Facility/Land Use Component*, EPM/END-RPT.001, Final Draft, Golden, CO, August 13, 1993.
- RF EG&G 1994a Risk Engineering, Inc., *Seismic Hazard Analysis for Rocky Flats Plant*, Final Report, 9217-COO-204, Boulder, CO, prepared for EG&G Rocky Flats, Inc., Golden, CO, Revision 0, September 29, 1994.
- [Text deleted.]
- RF USGS 1979a USGS, "Louisville, Colorado, 1:24 000-Scale Metric Topographic Map," N3952.5-W10507.5/7.5, U.S. Department of Interior, U.S. Geological Survey, Denver, CO, Photo Revised 1979.
- RF USGS 1980a USGS, "Golden, Colorado, 1:24 000-Scale Metric Topographic Map," N3945-W10507.7/7.5, U.S. Department of Interior, U.S. Geological Survey, Denver, CO, Photo Revised 1980.
- RFETS 1994a EG&G Rocky Flats, *Site Environmental Report January Through December 1993*, RFP-ENV-93, prepared under Contract DE-AC34-90RF62349 by Rocky Flats Environmental Technology Site, Golden, CO, for the U.S. Department of Energy, Washington, DC, 1994.
- RFETS 1995a:1 RFETS, "No Action, Phaseout," PEIS request for information provided by Rocky Flats Environmental Technology Site, Golden, CO, 1995.
- RFETS 1995a:2 RFETS, "Toxic/Hazardous and Criteria Air Pollutant Emission Rates," PEIS request for information provided by Rocky Flats Environmental Technology Site, Golden, CO, October 6, 1995.
- RFETS 1995a:3 Lovseth, T.P., "Surface Water and Groundwater Data-1995," PEIS request for information provided by RMRS/Hydrogeology, Rocky Flats Environmental Technology Site, Golden, CO, October 11, 1995.
- RFETS 1995a:4 Lenarcie, K., "Local Transportation Access to the Rocky Flats Environmental Technology Site," PEIS request for information provided by Rocky Flats Environmental Technology Site, Golden, CO, September 11, 1995.
- RFP 1991c:3 EG&G Rocky Flats, "Rocky Flats Vegetation," map supplied by U.S. Department of Energy, Rocky Flats Plant, Golden, CO, November 1991.
- RFP 1991c:4 EG&G Rocky Flats, "Wetlands Assessment at the Rocky Flats Plant Site," PEIS request for information provided by Rocky Flats Plant, Golden, CO, November 1991.
- RFP 1992b:2 Krieg, D.M., "Site Transportation Interfaces for Hazardous Materials," PEIS request for information provided by Traffic Manager, EG&G Rocky Flats, Inc., Rocky Flats Plant, Rocky Flats, CO, May 5, 1992.

- RFP 1992b:3 Powell, T., B. Hope, and D. Flory, "Biotic Resources on the Rocky Flats Plant Site," PEIS request for information provided by U.S. Department of Energy and EG&G Rocky Flats, Golden, CO, February 4, 1992.
- RFP 1992b:4 Hope, B., "Biotic Resources on the Rocky Flats Plant Site," PEIS request for information provided by Senior Environmental Scientist, Rocky Flats Plant, Golden, CO, 1992.
- RFP 1993a:1 McGlochlin, S.C., "Updated Water/Nonhazardous and Hazardous Waste Data," PEIS request for information provided by Energy and National Environmental Policy Act Division/Environmental Sciences Group, Rocky Flats Plant, Golden, CO, February 1993.
- RFP 1993a:2 Nesta, S.M., "No Action Data Package," PEIS request for information provided by Manager, Ecology & National Environmental Policy Act Division, EG&G Rocky Flats Plant, Golden, CO, October 4, 1993.
- [Text deleted.]
- RR 1979a Gilbert, E.S. and S. Marks, "An Analysis of the Mortality of Workers in a Nuclear Facility," *Radiation Research*, Vol. 79, pp 122-148, Academic Press, Inc., 1979.
- RR 1980a Gilbert, E.S. and S. Marks, "An Updated Analysis of Mortality of Workers in a Nuclear Facility," *Radiation Research*, Vol. 83, pp 740-741, Academic Press, Inc., 1980.
- RR 1983a Tolley, H.D., S. Marks, J.A. Buchanan, and E.S. Gilbert, "A Further Update of the Analysis of Mortality of Workers in a Nuclear Facility," *Radiation Research*, Academic Press, Inc., Vol. 95, pp 211-213, Academic Press, Inc., 1983.
- RR 1989a Gilbert, E.S., S.A. Fry, L.D. Wiggs, G.L. Voelz, D.L. Cragle, and G.R. Petersen, "Analyses of Combined Mortality Data on Workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Nuclear Weapons Plant," *Radiation Research*, Vol. 120, pp 19-35, Academic Press, Inc., 1989.
- RR 1990a Frome, E.L., D.L. Cragle, and R.W. McLain, "Poisson Regression Analysis of the Mortality Among a Cohort of World War II Nuclear Industry Workers," *Radiation Research*, Vol. 123, 138-152, Academic Press, Inc., 1990.
- [Text deleted.]
- RR 1993a Gilbert, E.S., D.L. Cragle, and L.D. Wiggs, "Updated Analyses of Combined Mortality Data for Workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Weapons Plant," *Radiation Research*, Vol. 136, pp 408-421, Academic Press, Inc., 1993.
- RR 1995a Cardis, E., E.S. Gilbert, L. Carpenter, G. Howe, I. Kato, B.K. Armstrong, V. Beral, G. Cowper, A. Douglas, J. Fix, S.A. Fry, J. Kaldor, C. Lave, L. Salmon, P.G. Smith, G.L. Voelz, and L.D. Wiggs, "Effects of Low Doses and Low Dose Rates of External Ionizing Radiation: Cancer Mortality Among Nuclear Industry Workers in Three Countries," *Radiation Research*, Vol. 142, pp 117-132, Radiation Research Society, 1995.

- SAIC 1995a:1 Morris, R., "Five-Year Summary of Hazardous and Nonhazardous Cargo Shipped by Commercial Carriers to and from Each of the Candidate Sites," PEIS request for information provided by Transportation Analyst, Science Applications International Corporation, Oak Ridge, TN, April 26, 1995.
- SAIC 1995a:2 Morris, R., "Summary of all Hazardous Materials by Chemical Name to and from Selected Sites for 1994," PEIS request for information provided by Transportation Analyst, Science Applications International Corporation, Oak Ridge, TN, April 5, 1995.
- SC DHEC 1991a South Carolina Department of Health and Environmental Control, "Air Pollution Control Regulations (Regulation No. 62.5) Air Pollution Control Standards (Standard No. 8) Toxic Air Pollutants," *Air Pollution Control Regulations and Standards*, Bureau of Air Quality Control, Columbia, SC, June 28, 1991.
- SC DHEC 1992a South Carolina Department of Health and Environmental Control, "Water Classifications and Standards," Columbia, SC, April 24, 1992.
- SC DHEC 1992b South Carolina Department of Health and Environmental Control, "Air Pollution Control Regulations (Regulation No. 62.5) Air Pollution Control Standards (Standard No. 2) Ambient Air Quality Standards," *Air Pollution Control Regulations and Standards*, Bureau of Air Quality Control, Columbia, SC, June 26, 1992.
- SC WD 1995a South Carolina Wildlife Department, "Rare and Endangered Species of South Carolina," (Data Base), Nongame and Heritage Trust Section, Columbia, SC, September 11, 1995.
- Science 1983a Beck, H.L. and P.W. Krey, "Radiation Exposures in Utah from Nevada Nuclear Tests," *Science*, Vol 220, pp 18-24, 1983.
- Science 1984a Land, C.E., F.W. McKay, and S.G. Machado, "Childhood Leukemia and Fallout from the Nevada Nuclear Tests," *Science*, Vol. 223, pp 139-144, January 1984.
- SNL 1969a Luna, R.E. and H.W. Church, *DIFOUT: A Model for Computation of Aerosol Transport and Diffusion in the Atmosphere*, SC-RR-68-555, Sandia Laboratories, Albuquerque, NM, January 1969.
- SNL 1975a Waddoups, I.G., *Air Drop Test of Shielded Radioactive Material Containers*, SAND75-0276, System Studies and Engineering Division 1741, Sandia Laboratories, Albuquerque, NM, September 1975.
- SNL 1980a ORI, *Hazardous Environments Experienced by Radioactive Material Packages Transported by Water*, Final Report, prepared under Contract 13-6612, Silver Spring, MD, for Sandia National Laboratories' Transportation Technology Center for the U.S. Department of Energy, Albuquerque, NM, October 1, 1980.
- SNL 1986a Cashwell, J.W., K.S. Neuhauser, P.C. Reardon, and G.W. McNair, *Transportation Impacts of the Commercial Radioactive Waste Management Program*, SAND85-2715, TTC-0633, UC-71, prepared under Contract DE-AC04-76DP00789 by Sandia National Laboratories, Albuquerque, NM, and Livermore, CA, and Pacific Northwest Laboratories, Richland, WA, for the U.S. Department of Energy, Washington, DC, April 1986.

- SNL 1988b Sandia National Laboratories (SNL), *Cargo Restraint Transporter (CRT) Handling Instructions Illustrating Methods for Loading and Securing Cargo Handling Systems in DOE's Safe-Secure Trailers (SST)*, Technical Manual SM CRT, Sandia National Laboratories, Albuquerque, NM, April 7, 1988.
- SNL 1992b Neuhauser, K.S. and F.L. Kanipe, *RADTRAN 4: Volume 3 User Guide*, SAND89-2370, prepared under Contract DE-AC04-76DP00789 by Risk Assessment and Transportation System Analysis Division, Sandia National Laboratories Albuquerque, NM and Livermore, CA for the U.S. Department of Energy, Washington, DC, January 1992.
- SNL 1995b:3 SNL, "Radiological Consequences of Ship Collisions that Might Occur in U.S. Ports During the Shipment of Foreign Research Reactor Spent Nuclear Fuel to the U.S. in Break-Bulk Freighters," Proceedings of Waste Management 95 Conference, Tucson, AZ, February 1995.
- [Text deleted.]
- Socio 1996a Tetra Tech, Inc., *Supplemental Socioeconomic Data Report for the Storage and Disposition of Weapons-Usable Fissile Materials Programmatic Environmental Impact Statement*, Falls Church, VA, October 1996.
- SPC 1992a Siemens Power Corporation, *Application for Renewal of Special Material License No. SNM-1227 (NRC Docket No. 70-1257)*, EMF-2, prepared by Nuclear Division, Richland, WA, August 1992.
- SPC 1995a:1 Edgar, J.B., "Facility Description," PEIS request for information provided by Siemens Power Corporation, Richland, WA, May 9, 1995.
- SR County 1991a Aiken County, *Zoning and Development Standards Ordinance*, Section 60-4: Noise, Planning and Development Department, Aiken County, SC, Revised September 1991.
- SR DOE 1982a DOE, *Final Environmental Impact Statement Defense Waste Processing Facility Savannah River Plant*, DOE/EIS-0082, Savannah River Plant, Aiken, SC, February 1982.
- SR DOE 1984a NUS Corporation, *Floodplain/Wetlands Assessment of Forest Management Activities at the Savannah River Plant*, SRC-84-8010/1, prepared by Savannah River Center, Aiken, SC, for the U.S. Department of Energy, U.S. Forest Service, October 1984.
- SR DOE 1987b DOE, *Final Environmental Impact Statement Alternative Cooling Water Systems Savannah River Plant Aiken, South Carolina*, DOE/EIS-0121, U.S. Department of Energy, Washington, DC, October 1987.
- SR DOE 1990a DOE, *Final Environmental Impact Statement Continued Operation of K-, L-, and P-Reactors Savannah River Site, Aiken, South Carolina*, DOE/EIS-0147, Volume 1, U.S. Department of Energy, Washington, DC, December 1990.
- SR DOE 1991b DOE, *Proposal for the Nuclear Weapons Complex Reconfiguration Site*, prepared by Savannah River Operations, Aiken, SC for the U.S. Department of Energy, Office of the Assistant Secretary for Defense Programs, Washington, DC, 1991.



*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- SR DOE 1991e NUS Corporation and RDN, Inc., *American Indian Religious Freedom Act (AIRFA) Compliance at the Savannah River Site*, prepared for the U.S. Department of Energy, Savannah River Operations Office, Aiken, SC, April 1991.
- SR DOE 1993c DOE, *Environmental Assessment for the Centralization and Upgrading of the Sanitary Wastewater System at the Savannah River Site*, DOE/EA-0878, U.S. Department of Energy, Savannah River Operations Office, Savannah River Site, Aiken, SC, September 1993.
- SR DOE 1994a DOE, *Final F-Canyon Plutonium Solutions Environmental Impact Statement*, DOE/EIS-0219, U.S. Department of Energy, Savannah River Site, Aiken, SC, December 1994.
- SR DOE 1994b DOE, *Final Supplemental Environmental Impact Statement Defense Waste Processing Facility Non-Technical Summary*, DOE/EIS-0082-S, U.S. Department of Energy, Savannah River Field Office, Aiken, SC, October 28, 1994.
- SR DOE 1994c Westinghouse Savannah River Company (WSRC), *1993 Annual Report on Waste Generation and Waste Minimization Progress*, Standard Data Report, prepared by Waste Minimization and Pollution Prevention Group for the U.S. Department of Energy, Savannah River Field Office, Aiken, SC, October 28, 1994.
- SR DOE 1994d DOE, *FY 1994 Draft Site Development Plan*, U.S. Department of Energy, Savannah River Operations Office, Aiken, SC, June 1994.
- SR DOE 1994e WSRC, *PEIS Upgrade Data Report on Plutonium Storage at the Savannah River Site*, NMP-PLS-940288, Volume 1, Savannah River Site, Aiken, SC, Revision 3, August 1, 1994.
- [Text deleted.]
- SR DOE 1995b DOE, *Savannah River Site Waste Management Final Environmental Impact Statement*, DOE/EIS-0217, Volume I, U.S. Department of Energy, Savannah River Operations Office, Aiken, SC, July 1995.
- SR DOE 1995c DOE, *Savannah River Site Waste Management Final Environmental Impact Statement*, DOE/EIS-0217, Volume II, U.S. Department of Energy, Savannah River Operations Office, Aiken, SC, July 1995.
- SR DOE 1995e DOE, *Final Environmental Impact Statement Interim Management of Nuclear Materials*, DOE/EIS-0220, U.S. Department of Energy, Savannah River Site, Aiken, SC, October 1995.
- [Text deleted.]
- SR DOE 1996b DOE, *Supplement Analysis of Seismic Activity on F-Canyon*, U.S. Department of Energy, Savannah River Site, Aiken, SC, August 1996.
- SR DOT 1995a:1 Smith, R., "Public Transportation Near Savannah River Site," July 8, 1995.
- SR duPont 1984b Sauer, H. and Associates, "Mortality Trends in Counties Near the Savannah River Plant, 1949-1978," Technical Report, prepared in fulfillment of Purchase Order No.

AX 522037H for E.I. DuPont de Nemours and Company, Inc., Savannah River Site, Aiken, SC, 1984.

[Text deleted.]

- SR MMES 1993a MMES, "Treatment, Storage, Disposal Unit Capability Report - Savannah River Site," Waste Management Information System Data Base, Hazardous Waste Remedial Actions Program, Oak Ridge, TN, 1993:
- SR NERP 1983a Bennett, D.H. and R.W. McFarlane, *The Fishes of the Savannah River Plant: National Environmental Research Park*, SRO-NERP-12, prepared by the Savannah River Ecology Laboratory, Savannah River Laboratory, and E.I. du Pont de Nemours and Co., Aiken, SC, for the National Environmental Research Park Program, U.S. Department of Energy, August 1983.
- SR NERP 1989a Schalles, J.F., R.R. Sharitz, J.W. Gibbons, G.J. Leversee, and J.N. Knox, *Carolina Bays of the Savannah River Plant*, SRO-NERP-18, Creighton University and Savannah River Ecology Laboratory, Savannah River Plant National Environmental Research Park Program, Aiken, SC, March 1989.
- SR NERP 1990b Knox, J.N. and R.R. Sharitz, *Endangered, Threatened, and Rare Vascular Flora of the Savannah River Plant*, SRO-NERP-20, Division of Wetlands Ecology, Savannah River Ecology Laboratory, Savannah River Site National Environmental Research Park Program, Aiken, SC, March 1990.
- SR NUS 1990a NUS Corporation, *Sound-Level Characterization of the Savannah River Site*, NUS-5251, Aiken, SC, prepared for the U.S. Department of Energy, Savannah River Operations Office, Aiken, SC, August 1990.
- SR RCG 1995a:1 Rogers, W., "Comprehensive Planning/Establish Planning Commission," PEIS request for information provided by Director of Planning, Lower Savannah River Council of Governments, SC, November 28, 1995.
- [Text deleted.]
- SR USDA 1990a Rogers, V.A., *Soil Survey of Savannah River Plant Area, Parts of Aiken, Barnwell, and Allendale Counties, South Carolina*, U.S. Department of Agriculture, Soil Conservation Service in cooperation with the U.S. Department of Energy; U.S. Department of Agriculture, Forest Service; the South Carolina Agricultural Experiment Station; and the South Carolina Land Resources Conservation Commission, June 1990.
- SR USDA 1995a:1 McGee, B., "Land Use and Soil on the Savannah River Site," PEIS request for information provided by Resource Conservationist, U.S. Department of Agriculture, Natural Resource Conservation Service, September 5, 1995.
- SR USGS 1982a USGS, "Barnwell, South Carolina and Georgia, 1:100 000-Scale Metric Topographic Map," 30x60 Minute Series, 33081-A1-TM-100, U.S. Department of the Interior, U.S. Geological Survey, Reston, VA, Edited 1982.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- SR USGS 1996a:1      Learner, J., "Upper Three Runs Creek and Four Mile Branch Highest Flow Rate and Elevation at the Savannah River Site," U.S. Geological Survey, Columbia, SC, May 3, 1996.
- SRS 1991a:3      WSRC, "Employee Residential Distribution," PEIS request for information provided by the Savannah River Plant, Aiken, SC, November 1991.
- SRS 1992a:8      Wike, L.D., "Surface Water Impoundments that Support Fish Populations," PEIS request for information provided by Savannah River Site, Aiken, SC, May 1, 1992.
- [Text deleted.]
- SRS 1993a:3      Savannah River Site (SRS), "Nuclear Weapons Complex Reconfiguration PEIS Data Report for the Savannah River Site No-Action Alternative," ESH-NEP-93-0188, PEIS request for information provided by the U.S. Department of Energy, Aiken, SC, October 4, 1993.
- SRS 1995a:1      SRS, "Affected Environment No Action Data Call Response," Savannah River Site's response to the draft Affected Environment section provided to site representatives by the U.S. Department of Energy, April 1995.
- SRS 1995a:2      Sullivan, K., "No Action, Upgrade, Phaseout," PEIS request for information provided by Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, 1995.
- [Text deleted.]
- SRS 1995a:6      Killeen, T., "Groundwater Data Near Proposed Facilities," PEIS request for information provided by Westinghouse Savannah River Company, Environmental Protection Department Environmental Monitoring Section Environmental Geochemistry Group, Aiken, SC, November 8, 1995.
- SRS 1995a:9      Gilyard, III, W., "Savannah River Site Force Report Date: September 30, 1995," PEIS request for information provided by Office of Procurement and Contractor Human Resources, U.S. Department of Energy, Savannah River Operations Office, Aiken, SC, October 20, 1995.
- SRS 1995a:10      Stewart, J., "Sitewide Total Emissions of Criteria Pollutants," SRT-ETS-95-0369, PEIS request for information provided by Westinghouse Savannah River Company, Environmental Transport Group, Environmental Technology Section, Savannah River Technology Center, Aiken, SC, August 16, 1995.
- SRS 1996a:1      Sullivan, I.K., "1994 Actual Emissions of Specified Pollutants," PEIS request for information provided by Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, March 4, 1996.
- SRS 1996a:4      Sullivan, I.K., "Incremental Plutonium Storage Upgrade PEIS Data for RFETS and LANL Inventories (U)," SPM-SPP-96-0131, PEIS request for information provided by Program Manager, Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, July 11, 1996.

- SRS 1996a:6 Sullivan, I.K., "Responses to Storage and Disposition PEIS Data Request (U)," SPM-SPP-96-0087, PEIS request for information provided by Westinghouse Savannah River Company, Aiken, SC, May 8, 1996.
- TIH 1985a Polednak, A.P. and D.R. Hollis, "Mortality and Causes of Death Among Workers Exposed to Phosgene in 1943-1945," *Toxicol Ind Health*, Vol. 1, pp 137-147, 1985.
- TMM 1993a Tennessee Medical Management, Inc., "Cancer Mortality and Incidence," presented to the Oak Ridge Health Agreement Steering Panel, February 18, 1993.
- TN DEC 1991a Tennessee Department of Environment and Conservation, *Rules of Tennessee Department of Environment and Conservation Bureau of Division of Water Pollution Control*, Chapter 1200-4-3, General Water Quality Criteria, prepared by the Tennessee Water Quality Control Board, Revised September 1991.
- TN DEC 1992e:1 Rektor, D., "Commercial Fishing and Sport Fishing at Oak Ridge," PEIS request for information provided by Tennessee Department of Environment and Conservation, Oak Ridge, TN, September 18, 1992.
- TN DEC 1994a Tennessee Department of Environment and Conservation, "Chapter 1200-3-3-Ambient Air Quality Standards," Bureau of Environment, Division of Air Pollution Control, Nashville, TN, 1994.
- TN DEC 1995a Tennessee Department of Environment and Conservation, "Rare Vertebrates of the State of Tennessee," Division of Natural Heritage, Nashville, TN, August 2, 1995.
- TN DEC 1995b Tennessee Department of Environment and Conservation, "Rare Invertebrates of the State of Tennessee," Division of Natural Heritage, Nashville, TN, August 2, 1995.
- TN DEC 1995c Tennessee Department of Environment and Conservation, "Rare Plants of the State of Tennessee," Tennessee Rare Plant Protection Program, Division of Natural Heritage, Nashville, TN, August 2, 1995.
- TN DEC 1995d Tennessee Department of Environment and Conservation, "Tennessee County Distribution Records for Endangered, Threatened, and Status Review Species," Division of Natural Heritage, Nashville, TN, January 20, 1995.
- TN DHE 1984a Word, J.E., *Oak Ridge Pilot Study*, Report presented by Commissioner, State of Tennessee, Department of Health and Environment, with the Assistance of the Center for Disease Control, Nashville, TN, 1984.
- TN DHE 1991a Hodges, H.E., "Hazardous Air Pollution Review and Evaluation Including Public Law 101-549," PEIS request for information provided by Tennessee Department of Health and Environment, Nashville, TN, August 1, 1991.
- I [Text deleted.]
- TN DOT 1995a:3 Moorehead, J., "Planned Projects Affecting Access to Oak Ridge Reservation," PEIS request for information provided by Tennessee Department of Transportation, August 9, 1995.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- TN WRA 1992a:1      Evans, J., "Hunting, Fishing, and Forestry Resources on the Oak Ridge Reservation," PEIS request for information provided by Tennessee Wildlife Resources Agency, Nashville, TN, December 28, 1992.
- TN WRA 1993a:1      Myhr, A., "Restricted, Commercial and/or Sport Fish on the Oak Ridge Reservation," PEIS request for information provided by Region 3 Fisheries Biologist, Tennessee Wildlife Resources Agency, Nashville, TN, April 14, 1993.
- TN WRA 1995a      Todd, R.M., "Tennessee Commercial Fishing," PEIS request for information provided by Fisheries Biologist, Tennessee Wildlife Resources Agency, Ellington Agriculture Center, Nashville, TN, May 17, 1995.
- TN WRC 1991a      Tennessee Wildlife Resources Commission, "Proclamation--Wildlife in Need of Management," Proc. 86-29, Nashville, TN, March 2, 1991.
- TN WRC 1991b      Tennessee Wildlife Resources Commission, "Proclamation--Endangered or Threatened Species," Proc. 86-30, Nashville, TN, March 2, 1991.
- TRB 1985a      Abkowitx, M. and J. Galarraga, "Tanker Accident Rates and Expected Consequences in U.S. Ports and High Seas Regions," Proceedings of Conference on Recent Advances in Hazardous Material Transportation Research: An International Exchange, Transportation Research Board, National Research Council, Washington, DC, November 1985.
- |      [Text deleted.]
- TTI 1995b      Tetra Tech, Inc., *Assessment of Radioactive Releases to the Environment Due to the Incorporation of Tritium Targets into an Advanced Light Water Reactor to Produce Tritium*, prepared for the U.S. Department of Energy, Washington, DC, October 1995.
- |      [Text deleted.]
- TTI 1996c      Tan, Z.R. and H.M. Blauer, *Calculations of the Human Health Impacts from the Uranium Fuel Cycle for Light Water Nuclear Power Plants*, prepared by Tetra Tech, Inc., Falls Church, VA, for the U.S. Department of Energy, Office of Fissile Materials Disposition (MD-4), Washington, DC, February 1996.
- TVA 1974a      TVA, *Final Environmental Statement Bellefonte Nuclear Plant Units 1 and 2*, Volume 2, Chattanooga, TN, May 1974.
- |      TVA 1974b      TVA, *Final Environmental Statement Bellefonte Nuclear Plant Units 1 and 2*, Volume 1, Chattanooga, TN, May 1974.
- TVA 1993a      TVA, *Review of Final Environmental Statement Bellefonte Nuclear Plant Units 1 and 2*, Chattanooga, TN, March 1993.
- TVA 1995b:1      Kazanas, N.C., "Partially Completed Reactors (Construction Phase Only) Data Call Package," PEIS request for information provided by General Manager, Bellefonte Nuclear Plant, Tennessee Valley Authority, Hollywood, AL, July 13, 1995.

- TVA 1995b:2 Miles, R., "Bellefonte Site Map, Land Use Requirements, and Waste Information," PEIS request for information provided by Construction Manager, Bellefonte Nuclear Plant, Tennessee Valley Authority, Hollywood, AL, July 11, 1995.
- [Text deleted.]
- TX ACB 1987a Texas Air Control Board, "Regulation III (31 TAC Chapter 113) Control of Air Pollution from Toxic Materials," Austin, TX, Revised August 14, 1987.
- [Text deleted.]
- TX DOH 1994a Texas Department of Health, "Study of Cancer in Selected Counties Near the Pantex Nuclear Weapons Plant," Texas Department of Health, Cancer Registry Division, Austin, TX, 1994.
- TX NRCC 1992a Texas Natural Resource Conservation Commission and Air Control Board, "Regulation II (30 TAC Chapter 112) Control of Air Pollution from Sulfur Compounds," Air Quality Planning Division, Austin, TX, Revised September 18, 1992.
- TX NRCC 1995a Texas Natural Resources Conservation Commission, "Effects Screening Levels," Air Quality Planning Division, Austin, TX, April 1, 1995.
- TX NRCC 1995b Texas Natural Resource Conservation Commission, "30 TAC Chapter 101-General Rules," Air Quality Planning Division, Austin, TX, Effective April 21, 1995.
- TX PWD 1993a Texas Parks and Wildlife Department, "Special Animal List," Texas Natural Heritage Program, Austin, TX, October 19, 1993.
- TX PWD 1995a Texas Parks and Wildlife Department, "Texas Threatened and Endangered Species," Texas Natural Heritage Program, Austin, TX, February 1995.
- TX PWD 1995b Texas Parks and Wildlife Department, "Special Plant List," Texas Natural Heritage Program, Austin, TX, February 1995.
- UN 1995a Nevada Small Business Development Center, "Manzano Site Demographic Analyses," Bureau of Business and Economic Research, College of Business Administration, University of Nevada, Reno, NV, 1995.
- USAF 1979a Department of the Air Force, "Flooded Areas Arroyo del Coyote, Kirtland Air Force Base," Topographic Map, 1979.
- USAF 1993a Department of the Air Force, *Environmental Assessment: Consolidation of Phillips Laboratory Split Directories Kirtland AFB, New Mexico*, Albuquerque, NM, July 1993.
- USAF 1994a Earth Tech, Inc., *Environmental Assessment: Transportation and Storage of Rocket Systems Launch Program Solid Rocket Motors Kirtland AFB, NM*, prepared for the U.S. Department of the Air Force, July 1994.
- USAF 1994b Kirtland Air Force, "Manzano Mountain Weapons Storage Area-Inventory," Albuquerque, NM, May 1994.

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

- USCOE 1987a      Environmental Laboratory, *Corps of Engineers Wetlands Delineation Manual*, Technical Report Y-87-1, Final Report, Department of the Army, Waterways Experiment Station, Corps of Engineers, Vicksburg, MS, prepared for the Department of the Army, U.S. Army Corps of Engineers, Washington, DC, January 1987.
- USCOE 1995b      U.S. Army Corps of Engineers, *Wetland Inventory Survey, Kirtland Air Force Base*, prepared to fulfill KAFB Statement of Work dated November 10, 1993, Albuquerque District, Albuquerque, NM, May 31, 1995.
- USGS 1972a      USGS, National Atlas, 1:2 000 000-Scale, U.S. Department of the Interior, Washington, DC, Revised 1972.
- VDL 1990a      van der Leeden, F., F.L. Troise, and D.K. Todd, *The Water Encyclopedia*, Geraghty & Miller Ground-Water Series, Lewis Publishers, Chelsea, MI, Second Edition, 1990.
- WA DNR 1994a      Washington Natural Heritage Program, *Endangered, Threatened and Sensitive Vascular Plants of Washington*, Washington State Department of Natural Resources, Land and Water Conservation, Olympia, WA, Second Printing, January 1994.
- WA DOT 1995a:1      Dunn, D., "Current and Future Road Project in the Tri-Cities Area," PEIS request for information provided by Regional Project Control Engineer, Washington State Department of Transportation, Yakima, WA, April 21, 1995.
- WA DOW 1994a      Washington Department of Wildlife, *Species of Special Concern in Washington*, Wildlife Management Division, Olympia, WA, April 1994.
- WA Ecology 1994a      Department of Ecology, *Washington Administrative Code*, Title 173, Chapter 173-400 thru 173-490, 1994.
- [Text deleted.]
- WA USDA 1996a:1      USDA, "Prime Farmland on Hanford Site," PEIS request for information provided by Franklin County and Benton County, National Conservation Service, Richland, WA, June 26, 1996.
- Webb 1983a      Webb, R.H. and H.G. Wilshire (Editors), *Environmental Effects of Off-Road Vehicles: Impacts and Management in Arid Regions*, Springer-Verlag New York, Inc., New York, NY, 1983.
- WEC 1975a      Westinghouse Electric Corporation, *Environmental Evaluation for Westinghouse Nuclear Fuel Division Columbia, South Carolina*, prepared by Environmental Systems Department, Pittsburgh, PA, March 1, 1975.
- WEC 1995a:1      Fischer, R.E., "SNM-1107/Effluent and Environmental Information," compilation of data provided by Westinghouse Electric Corporation, Regulatory Engineering & Operations, Columbia, SC, May 17, 1995.
- WSRC 1989e      Wike, L.D., W.L. Specht, H.E. Mackey, M.H. Paller, E.W. Wilde, and A.S. Dicks, *Reactor Operation Environmental Information Document*, WSRC-RP-89-816, Volume II, prepared under Contract DE-AC09-88SR18035 by Westinghouse

- Savannah River Company, Savannah River Site, Aiken, SC, for the U.S. Department of Energy, Washington, DC, December 1989.
- WSRC 1990b Parker, M.J. and R.J. Kurzeja, *October 1, 1989 Tornado at the Savannah River Site (U)*, WSRC-RP-89-1288, prepared under Contract DE-AC09-88SR18035 by Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, January 1990.
- WSRC 1991a Murphy, Jr., C.E., L.R. Bauer, D.W. Hayes, W.L. Marter, C.C. Zeigler, D.E. Stephenson, D.D. Hoel, and D.M. Hamby, *Tritium in the Savannah River Site Environment (U)*, WSRC-RP-90-424-1, Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, Revision 1, May 1991.
- WSRC 1992a Arnett, M.W., L.K. Karapatakis, A.R. Mamatey, and J.L. Todd, *Savannah River Site Environmental Report for 1991*, WSRC-TR-92-186, prepared under Contract DE-AC09-89SR18035 by Westinghouse Savannah River Company, Environmental Monitoring Section, Environmental Protection Department, Savannah River Site, Aiken, SC, for the U.S. Department of Energy, Washington, DC, 1992.
- WSRC 1992c CDM Federal Programs Corporation, *Final Report Groundwater Modeling for the Nuclear Weapons Complex Reconfiguration Site at the Savannah River Site Aiken, South Carolina, 7901-003-RT-BBXZ*, prepared for Westinghouse Savannah River Company, Aiken, SC, May 27, 1992.
- WSRC 1993a Arnett, M.W., L.K. Karapatakis, and A.R. Mamatey (Editors), *Savannah River Site Environmental Report for 1992*, WSRC-TR-93-075, prepared under Contract DE-AC09-89SR18035 by Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, for the U.S. Department of Energy, Washington, DC, 1993.
- WSRC 1993b Wike, L.D., R.W. Shipley, J.A. Bowers, C.L. Cummins, B.R. del Carmen, G.P. Friday, J.E. Irwin, J.J. Mayer, E.A. Nelson, M.H. Paller, V.A. Rogers, W.L. Specht, and E.W. Wilde, *SRS Ecology: Environmental Information Document*, WSRC-TR-93-496, prepared under Contract DE-AC09-89SR18035 by Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, for the U.S. Department of Energy, Washington, DC, September 1993.
- WSRC 1993c WSRC, *Savannah River Site Standard 8 Modeling Report*, prepared by Westinghouse Savannah River Company under Contract DE-AC09-89SR18035 for the U.S. Department of Energy, Savannah River Site, Aiken, SC, 1993.
- WSRC 1994c WSRC, *Savannah River Site FY 1994 Predecisional Draft Solid Waste Management Plan*, WSRC-RP-93-1448, Savannah River Site, Aiken, SC, Revision 2, March 29, 1994.
- WSRC 1994d Arnett, M.W., L.K. Karapatakis, and A.R. Mamatey (Editors), *Savannah River Site Environmental Report for 1993*, WSRC-TR-94-075, prepared under Contract DE-AC09-89SR18035 by Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, for the U.S. Department of Energy, Washington, DC, 1994.
- WSRC 1994e Stewart, J., *Air Quality Dispersion Modeling for Waste Management Environmental Impact Statement (U)*, WSRC-RP-94-1271, Environmental Transport Group, Environmental Technology Section, Savannah River Technology Center,



Westinghouse Savannah River Company, Savannah River Site, Aiken, SC,  
November 30, 1994.

WSRC 1994f      Arnett, M.W. (Editor), *Savannah River Site Environmental Data for 1993*,  
WSRC-TR-94-077, prepared under Contract DE-AC09-89SR18035 by  
Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, for the  
U.S. Department of Energy, Washington, DC, 1994.

WSRC 1995a      WSRC, *Proposed Site Treatment Plan (PSTP) (U)*, WSRC-TR-94-0608, Volumes I  
and II, prepared under Contract DE-AC09-89SR10835 by Westinghouse Savannah  
River Company, Savannah River Site, Aiken, SC, with the U.S. Department of  
Energy, Washington, DC, May 30, 1995.

WSRC 1995b      WSRC, *Proposed Site Treatment Plan (PSTP) (U)*, WSRC-TR-94-0608, Reference  
Document, prepared under Contract DE-AC09-89SR10835 by Westinghouse  
Savannah River Company, Savannah River Site, Aiken, SC, with the U.S.  
Department of Energy, Washington, DC, May 30, 1995.

| [Text deleted.]

WSRC 1995e      WSRC, *Actinide Packaging and Storage Facility Regional Vault Case (Informal  
Proposal for Facility Upgrade)*, Draft Supplement, Cost and Environmental Data,  
Westinghouse Savannah River Company, Savannah River Site, Aiken, SC, Revised  
September 19, 1995.

| [Text deleted.]

The references listed above are obtained from a database containing documents used in the preparation of the following: the *Programmatic Environmental Impact Statement for Tritium Supply and Recycling*, the *Programmatic Environmental Impact Statement for Stockpile Stewardship and Management*, the *Storage and Disposition of Weapons-Usable Fissile Materials Programmatic Environmental Impact Statement*, and the *Disposition of Surplus Highly Enriched Uranium Environmental Impact Statement*. Because the references listed above are only a part of the larger database, there may appear to be gaps in the list. For example, NT DOE 1994c does not appear in this reference list, while NT DOE 1994b and NT DOE 1994d both do. This does not indicate that NT DOE 1994c has been unintentionally omitted, but only that it was not used in this PEIS.

## Chapter 6

### Index

#### A

Actinide Packaging and Storage Facility 3-232  
 Adams County 3-288, 3-294  
 Advanced Test Reactor 3-105  
 Affected Environment 3-1  
 Aiken, South Carolina 2-29, 3-228, 3-230, 3-239, 3-250, 3-256  
 Air Quality 3-29, 3-74, 3-112, 3-153, 3-192, 3-233, 3-273, 3-310, 3-347, 4-6, 4-33, 4-90, 4-137, 4-189, 4-248, 4-298, 4-346, 4-366, 4-391, 4-435, 4-478, 4-504, 4-546, 4-567, 4-613, 4-659, 4-680, 4-722, 4-737, 4-757, 4-864, 4-911, 4-920, 4-935, 4-943, 4-952, 4-961, 4-963, 4-966, 4-970, 4-975  
 Allendale County 3-230, 3-239, 3-250  
 Amargosa Desert 3-76  
 Amarillo, Texas 3-146, 3-148, 3-164, 3-175, 4-9, 4-203, 4-674  
*American Indian Religious Freedom Act* 3-249, 4-14, 4-915, 4-931, 4-938, 4-947, 4-957  
*Anadromous Fish Conservation Act* 4-49, 4-696, 4-782  
 Anderson County 3-192, 3-208  
 Apache Tribe 3-168  
 Aquatic Resources 3-11, 3-44, 3-83, 3-125, 3-166, 3-203, 3-244, 3-283, 3-323, 4-12, 4-49, 4-102, 4-103, 4-152, 4-263, 4-313, 4-402, 4-403, 4-449, 4-450, 4-484, 4-517, 4-518, 4-520, 4-579, 4-580, 4-582, 4-625, 4-626, 4-628, 4-691, 4-692, 4-693, 4-695, 4-696, 4-697, 4-741, 4-774, 4-776, 4-777, 4-778, 4-780, 4-781  
 Arapahoe County 3-288  
 Argonne National Laboratory-West 2-121, 3-104, 4-154, 4-657, 4-826  
 Armstrong County 3-169, 3-175  
*Atomic Energy Act* 4-21  
 Augusta, Georgia 3-230, 3-236, 3-256

#### B

*Bald and Golden Eagle Protection Act* 3-42, 3-125, 3-166, 3-242, 3-283, 3-321  
 Bamberg County 3-250, 3-256  
 Bannock County 3-130  
 Barnwell County 3-230, 3-239, 3-250

Baseline Characteristics 3-110, 3-151, 3-190, 3-232, 3-270, 3-308, 3-345, 4-15  
 Bear Creek 3-194, 3-201, 3-206, 4-263, 4-695, 4-947  
 Bellefonte Nuclear Plant 2-80, 2-137, 3-403, 4-744  
 Benton County 3-23, 3-48, 3-50, 4-25  
 Big Dry Creek 3-275  
 Big Lost River 3-115, 3-125, 4-152, 4-661, 4-693, 4-700, 4-777  
 Bingham County 3-107, 3-130, 3-140  
 Biological Resources 4-12, 4-48, 4-151, 4-207, 4-262, 4-312, 4-351, 4-372, 4-402, 4-449, 4-484, 4-517, 4-550, 4-579, 4-625, 4-663, 4-691, 4-725, 4-741, 4-774, 4-872, 4-915, 4-923, 4-931, 4-938, 4-947, 4-956, 4-961, 4-963, 4-966  
 Birch Creek 3-115, 3-117, 3-125  
 Boiling water reactors 2-131, 3-364, 3-402, 4-734  
 Bonneville County 3-107, 3-130, 3-136, 3-140, 3-145  
 Borax Reactor 3-129  
 Bruce-A Nuclear Generating Station 2-80, 4-810  
 Butte County 3-107, 3-130, 3-136, 3-140  
 Butte County Comprehensive Plan 3-107

#### C

Canadian Deuterium Uranium Reactor 2-9, 2-79, 2-80, 4-809, 4-908  
 Candidate Sites 1-17, 2-1, 2-5, 2-72  
 Carlsbad, New Mexico 3-299  
 Carson County 2-22, 3-146, 3-148, 3-165, 3-169, 3-175, 4-204  
 Central Facilities Area 3-105, 3-115  
 Ceramic Immobilization 2-9, 2-79, 4-496, 4-605, 4-496, 4-903, 4-904  
 Cesium-137 2-9  
 Cesium-Chloride Capsules 2-9  
 Consolidated Group of Tribes and Organizations 4-105, 4-406, 4-453, 4-522, 4-584, 4-630, 4-699, 4-784  
 Chemical Impacts 3-58, 3-98, 3-139, 3-178, 3-216, 3-259, 3-296, 3-334, 3-359, 4-916, 4-924, 4-932, 4-940, 4-948, 4-957  
 Clark County 3-68, 3-90, 3-96, 3-107, 3-140  
*Clean Air Act* 3-5, 4-6, 4-7  
*Clean Water Act* 3-8, 3-363, 4-9

Clinch River 3-186, 3-194, 3-214, 4-254, 4-398,  
4-446, 4-513, 4-575, 4-688, 4-695, 4-750,  
4-751, 4-769, 4-779

Clinch River Breeder Reactor 4-785

Collocation Alternative 4-27, 4-31, 4-37, 4-44,  
4-47, 4-50, 4-52, 4-57, 4-70, 4-81, 4-85,  
4-87, 4-93, 4-98, 4-100, 4-103, 4-106,  
4-109, 4-129, 4-133, 4-136, 4-141, 4-147,  
4-149, 4-152, 4-155, 4-158, 4-170, 4-179,  
4-185, 4-188, 4-196, 4-202, 4-206, 4-208,  
4-210, 4-214, 4-229, 4-239, 4-242, 4-245,  
4-251, 4-257, 4-260, 4-262, 4-265, 4-268,  
4-278, 4-288, 4-293, 4-297, 4-301, 4-307,  
4-310, 4-313, 4-316, 4-319, 4-331, 4-341,  
4-822, 4-898

Collocated storage 4-970

Columbia, South Carolina 3-256, 3-364

Columbia County 3-250

Columbia River 3-20, 3-21, 3-23, 3-25, 3-27, 3-32,  
3-34, 3-38, 3-56, 4-39, 4-393, 4-441, 4-508,  
4-571, 4-617, 4-682, 4-761, 4-774

Community Services 3-50, 3-90, 3-130, 3-169,  
3-208, 3-250, 3-288, 3-326, 4-54, 4-57,  
4-107, 4-109, 4-110, 4-156, 4-158, 4-211,  
4-212, 4-213, 4-214, 4-215, 4-267, 4-268,  
4-269, 4-270, 4-317, 4-318, 4-319, 4-353,  
4-374, 4-409, 4-456, 4-488, 4-525, 4-587,  
4-633, 4-665, 4-702, 4-703, 4-727, 4-743,  
4-787

*Comprehensive Environmental Response,  
Compensation, and Liability Act* 3-101,  
3-117, 3-141, 3-299

Congaree Aquifer 3-239

Consolidated Incineration Facility 3-264, 4-339

Consolidation Alternative 4-26, 4-31, 4-37, 4-44,  
4-46, 4-48, 4-52, 4-56, 4-69, 4-80, 4-84,  
4-87, 4-93, 4-95, 4-100, 4-102, 4-105,  
4-107, 4-112, 4-126, 4-133, 4-136, 4-138,  
4-147, 4-149, 4-151, 4-155, 4-157, 4-167,  
4-178, 4-184, 4-188, 4-195, 4-202, 4-205,  
4-207, 4-210, 4-212, 4-223, 4-238, 4-293,  
4-295, 4-301, 4-307, 4-310, 4-312, 4-316,  
4-318, 4-328, 4-340, 4-821, 4-897

Cretaceous Aquifer 3-239, 4-771

Cultural and Paleontological Resources 4-14, 4-51,  
4-105, 4-154, 4-209, 4-265, 4-315, 4-352,  
4-373, 4-406, 4-453, 4-486, 4-522, 4-551,  
4-584, 4-630, 4-664, 4-699, 4-726, 4-742,  
4-784, 4-875, 4-915, 4-923, 4-931, 4-938,  
4-947, 4-956, 4-961, 4-963, 4-967, 4-971

Cumulative impacts 4-909, 4-911, 4-965

## D

Deep Borehole 1-18, 2-8, 2-96, 4-474, 4-824,  
4-902, 4-970

Deep Borehole Complex 2-97, 3-343, 3-357, 4-480,  
4-483, 4-484, 4-487, 4-489, 4-494, 4-543,  
4-544, 4-549, 4-903

Defense Nuclear Agency 3-67

Defense Programs 2-17, 2-22, 2-29, 3-146, 4-29

Department of Energy 1-2, 3-67, 3-185, 3-226,  
3-264, 3-265, 3-302, 3-303, 4-686

Department of Transportation 2-62, 3-16, 4-812,  
4-815

Device Assembly Facility 3-67

Devils Hole 3-79, 4-693, 4-776

Direct Disposition 2-8, 2-79, 4-474, 4-823, 4-828,  
4-902, 4-965

Disposition 1-5, 1-11, 1-15, 1-16, 2-1, 2-79, 4-21

Disposition of Surplus Highly Enriched Uranium  
Final Environmental Impact Statement 1-1

Dockum Group Aquifer 3-160

Dry Creek 3-32

Dry Fuel Storage Facility 4-173

## E

East Fork Poplar Creek 3-194, 4-263, 4-695

Electrometallurgical Treatment Alternative 2-9,  
2-79, 4-657, 4-173, 4-905

*Endangered Species Act* 3-11, 3-85, 3-323, 3-355

Environmental Consequences 4-816, 4-858

Environmental Impacts 4-3, 4-978

Environmental Justice 4-831, 4-893

Environmental Protection Agency 1-4, 3-61, 3-99,  
3-101, 3-139, 3-141, 3-144, 3-157, 3-178,  
3-185, 3-217, 3-226, 3-261, 3-264, 3-277,  
3-302, 3-381, 4-6, 4-7, 4-33

Evolutionary Light Water Reactor 2-9, 2-79, 4-749,  
4-970

Existing Light Water Reactor 2-9, 2-79, 4-720,  
4-906

Experimental Breeder Reactor I 3-129

Experimental Breeder Reactor II 3-104

Exxon Nuclear Facility 4-523

## F

F-Area 4-292, 4-385, 4-498

F-Canyon Plutonium Solutions Environmental  
Impact Statement 2-29

Facility Accidents 4-64, 4-65, 4-67, 4-68, 4-70,  
4-72, 4-111, 4-162, 4-165, 4-168, 4-171,  
4-172, 4-217, 4-221, 4-224, 4-226, 4-230,

4-231, 4-274, 4-277, 4-278, 4-280, 4-282,  
4-324, 4-327, 4-330, 4-333, 4-334, 4-358,  
4-375, 4-415, 4-462, 4-491, 4-531, 4-555,  
4-593, 4-641, 4-669, 4-710, 4-730, 4-746,  
4-798

*Farmland Protection Policy Act* 3-148

Fast Flux Test Facility 2-17, 3-20, 3-36

*Federal Facility Compliance Act* 3-61, 3-103,  
3-264, 3-302, 3-362, 4-79, 4-671, 4-719,  
4-806

Fossil Fuel Power Plants 4-981

Fourmile Branch 3-236, 3-245, 4-771, 4-781,  
4-782, 4-783

Framatome Commercial Nuclear Fuel Plant 3-364

Franklin County 3-50, 4-25

Fuel Cycle Facility 2-124, 3-104

Fuels and Materials Examination Facility 2-45, 3-20,  
3-28, 4-25, 4-29, 4-36, 4-39, 4-42, 4-43, 4  
45, 4-48

## G

General Electric Nuclear Production Facility 3-364

Generic Site 4-675, 4-679, 4-689, 4-696, 4-701,  
4-703

Geology and Soils 3-121, 3-165, 3-200, 3-241,  
3-282, 3-319, 3-351, 4-11 4-45, 4-99, 4-148,  
4-204, 4-260, 4-309, 4-350, 4-371, 4-401,  
4-448, 4-483, 4-516, 4-549, 4-578, 4-624,  
4-662, 4-690, 4-724, 4-740, 4-773, 4-872,  
4-915, 4-923, 4-931, 4-938, 4-944, 4-956,  
4-961, 4-963, 4-966, 4-971

Georgia 3-250, 3-353

Glass-bonded zeolite 2-9

Grant County 4-25

Grassy Creek 3-201, 4-263

Groundwater 3-34, 3-76, 3-115, 3-160, 3-196,  
3-239, 3-277, 3-317, 3-349, 4-10, 4-39,  
4-42, 4-43, 4-95, 4-97, 4-98, 4-143, 4-146, 4  
198, 4-201, 4-254, 4-257, 4-258, 4-303,  
4-306, 4-349, 4-370, 4-393, 4-396, 4-397,  
4-398, 4-399, 4-441, 4-444, 4-445, 4-446,  
4-447, 4-481, 4-508, 4-511, 4-512, 4-513,  
4-514, 4-571, 4-573, 4-574, 4-575, 4-576,  
4-577, 4-617, 4-619, 4-620, 4-621, 4-622,  
4-661, 4-682, 4-685, 4-686, 4-687, 4-688,  
4-766, 4-767, 4-768, 4-770, 4-771

*Growth Management Act* 3-25

## H

Hanford Site 1-17, 2-3, 2-5, 2-15, 4-23, 3-362,  
4-384, 4-387, 4-393, 4-402, 4-406, 4-427,

4-434, 4-441, 4-449, 4-453, 4-496, 4-499,  
4-508, 4-517, 4-522, 4-561, 4-564, 4-571,  
4-579, 4-584, 4-605, 4-608, 4-617, 4-625,  
4-630, 4-673, 4-678, 4-682, 4-691, 4-699,  
4-749, 4-752, 4-761, 4-774, 4-784, 4-862,  
4-870, 4-872, 4-875, 4-877, 4-885, 4-911

Hanford Site Central Waste Complex 3-64

Hazardous Chemical Impacts 3-65, 3-103, 3-145,  
3-180, 3-265, 3-303, 3-340, 3-362, 4-17,  
4-62, 4-64, 4-65, 4-67, 4-68, 4-69, 4-72,  
4-111, 4-116, 4-160, 4-164, 4-168, 4-171,  
4-216, 4-220, 4-224, 4-226, 4-230, 4-272,  
4-276, 4-278, 4-280, 4-281, 4-321, 4-326,  
4-330, 4-332, 4-355, 4-375, 4-415, 4-462,  
4-491, 4-531, 4-555, 4-593, 4-639, 4-667,  
4-705, 4-730, 4-744, 4-796

*Hazardous Waste Management Act* of 1986 3-141

High-Level Waste 2-80, 3-64, 3-101, 3-141, 3-219,  
3-337, 3-299

Highly Enriched Uranium Storage Facility 4-179

Highly Enriched Uranium 3-185, 3-191, 4-27

Historic Resources 3-13, 3-14, 3-48, 3-88, 3-129,  
3-168, 3-207, 3-249, 3-287, 3-325, 3-356,  
4-971

Huntsville, Alabama 2-80

## I

Idaho 3-104, 3-114, 3-130, 3-140, 3-141, 3-144,  
3-299

Idaho Chemical Processing Plant 3-104, 4-451,  
4-454, 4-519, 4-523, 4-627, 4-776

Idaho Falls 2-22, 3-104, 3-107, 3-119

Idaho National Engineering Laboratory 1-18, 2-3,  
2-22, 2-47, 3-299, 3-362, 4-131, 4-385,  
4-387, 4-396, 4-404, 4-407, 4-428, 4-434,  
4-444, 4-451, 4-454, 4-497, 4-499, 4-511,  
4-519, 4-522, 4-562, 4-564, 4-573, 4-581,  
4-585, 4-606, 4-608, 4-619, 4-627, 4-631,  
4-674, 4-678, 4-685, 4-693, 4-700, 4-750,  
4-752, 4-767, 4-776, 4-785, 4-863, 4-871,  
4-873, 4-875, 4-878, 4-891, 4-927

Idaho Waste Processing Facility 3-144

Immobilization Category 1-18, 2-8, 4-561, 4-825,  
4-904

Immobilized Disposition 2-8, 2-79, 4-496, 4-903

Impacts on Uranium Industries 4-974

Indian Springs 3-68, 3-74

International Atomic Energy Agency 1-6, 3-28

Intersite Transportation 4-812, 4-892

Ish Creek 3-201, 4-263

J

Jackass Flats 4-685, 4-766  
Jefferson County, Colorado 2-32, 3-107, 3-130,  
3-136, 3-140, 3-266, 3-268, 3-288, 3-294

K

K-25 3-184, 3-185, 3-192, 3-194, 3-196, 3-226  
K-Reactor 3-228  
Kingston, Tennessee 3-208  
Knox County 3-208  
Knoxville, Tennessee 2-22, 3-186, 3-214

L

Land Resources 4-3, 4-25, 4-84, 4-132, 4-183,  
4-242, 4-292, 4-344, 4-364, 4-384, 4-427,  
4-475, 4-496, 4-543, 4-561, 4-605, 4-657,  
4-673, 4-720, 4-735, 4-749, 4-862, 4-911,  
4-920, 4-927, 4-935, 4-943, 4-952, 4-961,  
4-963, 4-965, 4-970, 4-984  
Land Use 3-107, 3-148, 3-186, 3-230, 3-268,  
3-306, 3-343, 4-4, 4-25, 4-26, 4-27, 4-84,  
4-85, 4-132, 4-133, 4-183, 4-184, 4-185,  
4-242, 4-243, 4-292, 4-293, 4-384, 4-385,  
4-427, 4-428, 4-429, 4-496, 4-497, 4-498,  
4-561, 4-562, 4-605, 4-606, 4-607, 4-657,  
4-673, 4-674, 4-675, 4-720, 4-735, 4-749,  
4-750, 4-751  
Las Vegas 3-96  
Lawrence Livermore National Laboratory 3-67,  
3-101, 3-185  
Limited Test Ban Treaty 3-99  
Liquid High-Level Waste 3-261, 4-173  
Liquid Low-Level Waste 3-264, 3-340, 3-381,  
4-288, 4-339, 4-747  
Liquid Transuranic Wastes 3-337, 3-362  
Little Lost River 3-115, 3-117, 3-127  
Local Transportation 3-56, 3-96, 3-136, 3-175,  
3-214, 3-256, 3-294, 3-332, 4-15, 4-54,  
4-55, 4-56, 4-57, 4-107, 4-108, 4-109,  
4-110, 4-156, 4-157, 4-158, 4-159, 4-211,  
4-212, 4-213, 4-214, 4-215, 4-267, 4-268,  
4-269, 4-270, 4-317, 4-318, 4-319, 4-353,  
4-374, 4-409, 4-456, 4-488, 4-526, 4-587,  
4-634, 4-665, 4-703, 4-727, 4-743, 4-788  
Long-Term Storage 1-5, 1-6, 1-11, 1-15, 1-17, 2-1,  
2-2, 2-15, 4-1, 4-21, 4-23, 4-820, 4-894  
Los Alamos County 3-306  
Los Alamos National Laboratory 1-5, 3-67, 3-185,  
3-362, 4-363, 4-963  
Loudon County 3-208, 3-214

Low-Enriched Uranium 4-736, 4-974  
Low-Level Waste 3-64, 3-101, 3-144, 3-180, 3-219,  
3-264, 3-340, 3-362, 3-381, 3-402, 4-22,  
4-173, 4-288, 4-339, 4-495, 4-602, 4-747  
Low-Level Waste Vitrification Facility 3-65  
Lower Three Runs Creek 4-771, 4-781  
Lynchburg, Virginia 3-364

M

MacKay Dam 3-115, 4-661, 4-686, 4-767  
Manhattan Project 3-48, 3-184, 3-207  
Manzano Weapons Storage Area 2-6  
Metals 1-2, 1-4  
Meteorology and Climatology 3-112, 3-153, 3-192,  
3-233, 3-273, 3-310, 3-347  
Methodology 4-812, 4-831, 4-909  
*Migratory Bird Treaty Act* 3-42, 3-83, 3-125, 3-166,  
3-201, 3-242, 3-283, 3-321, 3-354  
Mixed Low-Level Waste 3-64, 3-103, 3-144, 3-180,  
3-219, 3-226, 3-264, 3-302, 3-340, 3-362,  
4-747  
Mixed Oxide Fuel 2-9, 3-364, 4-974  
Mixed Oxide Fuel Fabrication Facility 3-365, 3-367,  
3-368, 3-369, 3-370, 3-371, 3-373, 3-378,  
4-1, 4-673, 4-905  
Mixed Oxide Fuel for Reactors 4-827

N

N Reactor 3-20  
Nashville, Tennessee 3-214  
National Academy of Sciences 1-5, 1-15, 2-1, 2-96  
*National Environmental Policy Act* 1-1, 1-16, 3-364,  
4-7  
*National Historic Preservation Act* 3-207, 4-265  
*National Historic Preservation Act* Section 106 4-14  
Native American Resources 3-13, 3-14, 3-49, 3-88,  
3-129, 3-168, 3-207, 3-249, 3-287, 3-325,  
3-356, 4-971  
Nevada 3-66, 3-67, 3-68, 3-71, 3-74, 3-79, 3-81,  
3-90, 3-101, 3-103  
Nevada Test Site 1-17, 2-17, 3-180, 3-362, 4-83,  
4-384, 4-387, 4-393, 4-403, 4-406, 4-427,  
4-434, 4-441, 4-450, 4-453, 4-496, 4-499,  
4-511, 4-518, 4-522, 4-562, 4-564, 4-571,  
4-580, 4-584, 4-606, 4-608, 4-619, 4-626,  
4-630, 4-674, 4-678, 4-684, 4-692, 4-699,  
4-749, 4-752, 4-766, 4-775, 4-784, 4-920  
No Action Alternative 4-23, 4-25, 4-29, 4-36, 4-37,  
4-39, 4-45, 4-48, 4-51, 4-54, 4-59, 4-75,  
4-84, 4-87, 4-93, 4-94, 4-95, 4-99, 4-102,  
4-105, 4-111, 4-126, 4-132, 4-134, 4-138,

4-141, 4-143, 4-148, 4-151, 4-154, 4-156,  
4-160, 4-173, 4-183, 4-186, 4-195, 4-197,  
4-198, 4-204, 4-207, 4-209, 4-211, 4-216,  
4-233, 4-242, 4-245, 4-251, 4-252, 4-254,  
4-260, 4-262, 4-265, 4-267, 4-272, 4-283,  
4-292, 4-295, 4-301, 4-302, 4-303, 4-309,  
4-312, 4-315, 4-317, 4-321, 4-335, 4-344,  
4-345, 4-346, 4-347, 4-348, 4-350, 4-351,  
4-352, 4-353, 4-355, 4-359, 4-364, 4-365,  
4-366, 4-369, 4-371, 4-372, 4-373, 4-374,  
4-375, 4-379, 4-820, 4-896

Noise 3-29, 3-74, 3-112, 3-153, 3-192, 3-233,  
3-273, 3-312, 3-347, 4-8, 4-37, 4-94, 4-141,  
4-196, 4-252, 4-302, 4-347, 4-391, 4-435,  
4-478, 4-504, 4-546, 4-570, 4-613, 4-659,  
4-680, 4-722, 4-737, 4-757, 4-864, 4-911,  
4-920, 4-935, 4-943, 4-952, 4-961, 4-963,  
4-966, 4-970

Nonhazardous Waste 3-65, 3-103, 3-145, 3-183,  
3-227, 3-265, 3-303, 3-341, 3-363

Nonproliferation and Export Control Policy 1-4, 2-1

Nonsurplus HEU 2-29, 2-56, 2-71, 2-72, 2-78

Nonsurplus Pu 1-6, 2-61

Normal Operation 4-18, 4-59, 4-63, 4-65, 4-66,  
4-67, 4-69, 4-70, 4-74, 4-111, 4-112, 4-160,  
4-164, 4-165, 4-167, 4-170, 4-172, 4-216,  
4-217, 4-224, 4-225, 4-229, 4-231, 4-272,  
4-276, 4-278, 4-281, 4-282, 4-321, 4-325,  
4-329, 4-331, 4-333, 4-355, 4-358, 4-375,  
4-378, 4-411, 4-458, 4-489, 4-527, 4-553,  
4-589, 4-635, 4-666, 4-704, 4-728, 4-744,  
4-789

North Augusta, South Carolina 3-236

North Walnut Creek 3-275

Nuclear Power Plants 4-981

Nuclear Regulatory Commission 1-4, 2-136, 3-17,  
3-185, 3-364, 3-381, 3-420, 4-812

Nuclear Weapons Council 1-2, 2-5

Nye County 2-17, 3-66, 3-68, 3-71, 3-90, 3-96

## O

Oak Ridge, Tennessee 3-184, 3-186

Oak Ridge National Laboratory High-Flux Isotope  
Reactor 3-219

Oak Ridge Reservation 1-18, 2-3, 2-22, 3-184,  
3-192, 3-194, 3-196, 3-208, 3-219, 3-226,  
3-362, 4-240, 4-385, 4-387, 4-398, 4-404,  
4-407, 4-428, 4-434, 4-446, 4-451, 4-454,  
4-497, 4-499, 4-513, 4-519, 4-523, 4-563,  
4-564, 4-575, 4-581, 4-585, 4-607, 4-608,  
4-621, 4-627, 4-631, 4-675, 4-679, 4-688,

4-694, 4-700, 4-750, 4-756, 4-769, 4-779,  
4-785, 4-943

Ogallala Aquifer 3-160, 4-198, 4-203, 4-687,  
4-769, 4-970

Oxides 1-2, 1-4

## P

P-Tunnel 2-17, 2-63, 2-72, 3-67, 3-72, 4-87, 4-105,  
4-126

Pahute Mesa 3-68, 4-105

Paleontological Resources 3-13, 3-14, 3-49, 3-89,  
3-129, 3-168, 3-207, 3-249, 3-287, 3-325,  
3-356, 4-971

Pantex Plant 1-18, 2-3, 2-22, 2-53, 3-228, 4-9,  
4-22, 4-181, 4-385, 4-387, 4-397, 4-404,  
4-407, 4-428, 4-434, 4-445, 4-451, 4-454,  
4-497, 4-499, 4-512, 4-519, 4-523, 4-562,  
4-564, 4-574, 4-581, 4-585, 4-606, 4-608,  
4-620, 4-627, 4-631, 4-674, 4-679, 4-686,  
4-694, 4-700, 4-750, 4-756, 4-768, 4-777,  
4-785, 4-863, 4-871, 4-873, 4-876, 4-879,  
4-935

Par Pond 3-244, 3-245, 4-696, 4-771, 4-781, 4-782

Partially Completed Light Water Reactor 2-9, 2-79,  
4-906

Pasco, Washington 3-23, 3-56, 4-735

Phaseout 4-23, 4-28, 4-32, 4-37, 4-38, 4-44, 4-47,  
4-50, 4-53, 4-58, 4-74, 4-82, 4-133, 4-136,  
4-141, 4-142, 4-147, 4-150, 4-153, 4-155,  
4-159, 4-172, 4-180, 4-185, 4-188, 4-196,  
4-197, 4-203, 4-206, 4-208, 4-210, 4-215,  
4-231, 4-239, 4-244, 4-247, 4-252, 4-253,  
4-259, 4-261, 4-264, 4-266, 4-270, 4-282,  
4-290, 4-294, 4-297, 4-302, 4-308, 4-311,  
4-314, 4-316, 4-320, 4-333, 4-342, 4-344,  
4-345, 4-347, 4-349, 4-350, 4-351, 4-352,  
4-353, 4-358, 4-362, 4-364, 4-365, 4-366,  
4-370, 4-371, 4-372, 4-373, 4-374, 4-378,  
4-382, 4-899

Pit disassembly/conversion 2-82, 2-89, 2-102, 4-1,  
4-383, 4-385, 4-387, 4-391, 4-393, 4-398,  
4-401, 4-402, 4-407, 4-415, 4-900

Plutonium Finishing Plant 2-15, 2-45, 3-27, 4-25,  
4-29, 4-51, 4-75

Poplar Creek 3-194

Population and Housing 3-90, 3-130, 3-169, 3-208,  
3-250, 3-288, 3-326, 4-54, 4-57, 4-107,  
4-109, 4-110, 4-156, 4-158, 4-211, 4-212,  
4-213, 4-214, 4-215, 4-267, 4-268, 4-269,  
4-270, 4-317, 4-318, 4-319, 4-353, 4-374,

4-409, 4-456, 4-487, 4-525, 4-587, 4-633,  
4-665, 4-702, 4-703, 4-727, 4-743, 4-787  
Potter County 3-169, 3-175  
Preferred Alternative 1-11, 2-3, 2-11, 2-16, 2-19,  
2-22, 2-35, 2-38, 2-53, 2-56, 2-58, 2-79,  
4-859  
Prehistoric Resources 3-14, 3-48, 3-88, 3-129,  
3-168, 3-207, 3-249, 3-287, 3-325, 3-356,  
4-971  
Pressurized water reactors 2-131, 2-134, 3-364,  
3-402, 4-734, 4-747  
Process Waste Treatment Facility 3-186  
Programmatic Agreement 3-207, 3-249, 4-105,  
4-265  
Pu conversion 4-1, 2-82, 2-92, 2-102, 4-441,  
4-445, 4-446, 4-449, 4-451, 4-454, 4-471  
Public and Occupational Health and Safety 4-17,  
4-59, 4-111, 4-160, 4-216, 4-272, 4-321,  
4-355, 4-375, 4-411, 4-458, 4-489, 4-527,  
4-553, 4-589, 4-635, 4-666, 4-704, 4-728,  
4-744, 4-789, 4-880, 4-916, 4-923, 4-932,  
4-940, 4-948, 4-957, 4-962, 4-964, 4-967  
Public outreach program 4-454  
Public Safety and Health 4-971  
Pygmy rabbit 4-692, 4-693, 4-777

## R

Radioactive Scrap and Waste Facility 2-121, 3-105  
Radioactive Waste Management Complex 2-123,  
3-104, 3-115, 3-144, 4-179  
Radiological Impacts 4-59, 4-63, 4-65, 4-66, 4-67,  
4-69, 4-71, 4-111, 4-112, 4-160, 4-164,  
4-168, 4-170, 4-216, 4-217, 4-224, 4-225,  
4-230, 4-272, 4-276, 4-278, 4-280, 4-281,  
4-321, 4-325, 4-329, 4-331, 4-355, 4-375,  
4-411, 4-458, 4-489, 4-527, 4-553, 4-589,  
4-635, 4-666, 4-704, 4-728, 4-744, 4-789,  
4-916, 4-923, 4-932, 4-940, 4-948, 4-957  
Randall County 3-169  
Rattlesnake Mountain 3-22, 3-23, 3-25, 3-32, 3-49  
Reactor 1-18, 2-8, 2-131, 4-905  
Reasonable Alternatives 1-16, 2-1, 2-2, 2-8  
Regional Economy Characteristics 3-50, 3-169,  
3-208, 3-326, 4-54, 4-55, 4-56, 4-57, 4-107,  
4-108, 4-109, 4-110, 4-156, 4-157, 4-158,  
4-211, 4-212, 4-213, 4-214, 4-267, 4-268,  
4-269, 4-270, 4-317, 4-318, 4-319, 4-353,  
4-374, 4-409, 4-456, 4-487, 4-525, 4-587,  
4-633, 4-665, 4-702, 4-703, 4-727, 4-743,  
4-787

*Resource Conservation and Recovery Act* 3-141,  
3-180, 3-226, 3-264, 3-299, 3-303, 3-363,  
4-21, 4-670  
Richland, Washington 3-20, 3-23, 3-25, 3-26, 3-364  
Richmond County 3-250  
Rigby, Idaho 3-119  
Ringold Formation 3-34, 3-38, 3-49  
Roane County 3-186, 3-192, 3-208, 3-214  
Rocky Flats Environmental Technology Site 2-3,  
2-32, 3-103, 3-299, 4-343, 4-961

## S

*Safe Drinking Water Act* 3-8, 3-79, 4-9  
Sandia National Laboratories 3-185  
Savannah River 3-236, 3-256, 3-265, 4-771, 4-782  
Savannah River Site 2-3, 2-56, 3-362, 4-291, 4-385,  
4-388, 4-399, 4-405, 4-407, 4-429, 4-434,  
4-446, 4-452, 4-455, 4-498, 4-500, 4-514,  
4-521, 4-524, 4-563, 4-564, 4-576, 4-583,  
4-586, 4-607, 4-609, 4-622, 4-629, 4-632,  
4-675, 4-679, 4-688, 4-695, 4-701, 4-751,  
4-756, 4-770, 4-780, 4-785, 4-864, 4-872,  
4-874, 4-876, 4-879, 4-952  
Scoping process 1-15, 1-16, 1-19, 2-1  
Screening criteria 2-1, 2-2, 2-7  
Site Infrastructure 4-5, 4-29, 4-87, 4-134, 4-186,  
4-245, 4-295, 4-345, 4-365, 4-387, 4-430,  
4-476, 4-499, 4-544, 4-564, 4-608, 4-658,  
4-676, 4-721, 4-736, 4-752, 4-864, 4-911,  
4-920, 4-927, 4-935, 4-943, 4-952, 4-961,  
4-963, 4-965, 4-970  
Snake River Plain Aquifer 3-115, 3-117, 3-119,  
3-129, 4-143, 4-686, 4-768  
Socioeconomics 4-15, 4-54, 4-107, 4-156, 4-211,  
4-267, 4-317, 4-353, 4-374, 4-409, 4-456,  
4-487, 4-525, 4-552, 4-587, 4-633, 4-665,  
4-702, 4-727, 4-743, 4-787, 4-877, 4-915,  
4-923, 4-931, 4-939, 4-948, 4-957, 4-962,  
4-964, 4-967, 4-971  
Soils 3-81, 3-123, 3-165, 3-200, 3-241, 3-282,  
3-319, 3-351, 4-11  
Solid LLW 3-219, 3-226, 3-264, 3-302, 3-340,  
3-381, 3-402, 4-79, 4-173, 4-288, 4-339,  
4-747  
South Carolina 3-230, 3-239, 3-241, 3-250, 3-261,  
3-264, 4-782  
Spent nuclear fuel 1-5, 1-17, 2-1, 2-8, 2-80, 3-61,  
3-101, 3-141, 3-219, 3-261, 3-299, 3-337,  
3-400, 4-173, 4-734, 4-747  
Stored Weapons Standard 1-5, 2-1, 2-2  
Strategic Reserve 1-4

Surface Water 3-76, 3-115, 3-157, 3-194, 3-236, 3-275, 3-314, 3-348, 4-9, 4-39, 4-42, 4-95, 4-97, 4-98, 4-143, 4-198, 4-254, 4-257, 4-258, 4-303, 4-348, 4-349, 4-369, 4-370, 4-393, 4-396, 4-397, 4-398, 4-399, 4-441, 4-444, 4-445, 4-446, 4-480, 4-508, 4-511, 4-512, 4-513, 4-514, 4-571, 4-573, 4-574, 4-575, 4-576, 4-617, 4-619, 4-620, 4-621, 4-622, 4-661, 4-682, 4-685, 4-686, 4-688, 4-761, 4-766, 4-767, 4-768, 4-769, 4-770

## T

Tennessee 3-192, 3-200, 3-208, 3-226, 3-227  
 Tennessee River 3-190, 3-194, 3-403  
 Terrestrial Resources 3-11, 3-42, 3-83, 3-125, 3-166, 3-201, 3-242, 3-283, 3-321, 3-353, 4-12, 4-49, 4-102, 4-151, 4-262, 4-312, 4-402, 4-403, 4-449, 4-450, 4-484, 4-517, 4-518, 4-519, 4-579, 4-580, 4-581, 4-625, 4-626, 4-627, 4-691, 4-692, 4-693, 4-694, 4-695, 4-696, 4-741, 4-774, 4-775, 4-776, 4-777, 4-779, 4-780  
 Texas 3-157, 3-169  
 Threatened and Endangered Species 3-44, 3-83, 3-127, 3-166, 3-203, 3-245, 3-285, 3-323, 3-355, 4-12, 4-49, 4-102, 4-103, 4-152, 4-263, 4-313, 4-403, 4-450, 4-484, 4-517, 4-518, 4-520, 4-580, 4-583, 4-626, 4-628, 4-691, 4-692, 4-693, 4-695, 4-696, 4-697, 4-741, 4-775, 4-776, 4-777, 4-780, 4-782, 4-971  
 Three Mile Island 3-141  
 Threshold Test Ban Treaty 3-66  
 Transportation 4-973  
 Transportation Impacts 4-828  
 Transuranic Waste 3-64, 3-141, 3-144, 3-180, 3-219, 3-264, 4-79, 4-173, 4-283, 4-472  
 Tri-Party Agreement for Hanford 4-719  
 Toxic Substance Control Act 3-226

## U

Uranium-233 1-19, 2-1  
 Uranium-235 3-184  
 United States Fish and Wildlife Services 3-11, 4-518, 4-580, 4-741, 4-776, 4-778, 4-783  
 United States Geological Survey 3-8, 3-106, 3-115, 3-117, 3-119  
 University of Colorado 3-298  
 University of Nevada 3-89  
 University of Utah 3-121

Upgrade Alternative 4-25, 4-29, 4-36, 4-39, 4-45, 4-48, 4-51, 4-54, 4-63, 4-79, 4-132, 4-134, 4-138, 4-143, 4-148, 4-151, 4-154, 4-156, 4-163, 4-177, 4-183, 4-186, 4-195, 4-198, 4-204, 4-207, 4-209, 4-211, 4-217, 4-233, 4-242, 4-245, 4-251, 4-254, 4-260, 4-262, 4-265, 4-267, 4-274, 4-288, 4-292, 4-295, 4-301, 4-303, 4-309, 4-312, 4-315, 4-317, 4-325, 4-339, 4-820, 4-896

Uranium Mining 4-979

## V

Visual Resources 3-71, 3-107, 3-148, 3-186, 3-230, 3-268, 3-306, 3-344, 4-4, 4-25, 4-26, 4-27, 4-84, 4-85, 4-132, 4-133, 4-183, 4-184, 4-185, 4-242, 4-243, 4-292, 4-293, 4-384, 4-385, 4-386, 4-427, 4-428, 4-429, 4-496, 4-497, 4-498, 4-562, 4-605, 4-606, 4-607, 4-657, 4-673, 4-674, 4-675, 4-720, 4-735, 4-749, 4-750, 4-751  
 Visual Resource Management 3-107, 3-268  
 Vittrification Alternative 2-9, 2-79, 4-561, 4-904  
 Volcanic aquifer 4-97

## W

Walnut Creek 3-277  
 Washington 3-20, 3-21, 3-23, 3-47  
 Washington Nuclear Power-1 4-749, 4-766, 4-774, 4-775  
 Washington Public Power Supply System 3-21, 3-25, 4-749  
 Washington State Department of Fish and Wildlife 3-23  
 Waste Engineering Development Facility 3-104  
 Waste Experimental Reduction Facility 3-104, 3-144  
 Waste Isolation Pilot Plant 3-101, 3-144, 3-264, 3-299, 3-337, 4-972  
 Waste Isolation Pilot Plant Waste Acceptance Criteria 3-28, 4-671, 4-717  
 Waste Management 3-185, 4-21, 4-75, 4-126, 4-173, 4-233, 4-283, 4-335, 4-359, 4-379, 4-424, 4-471, 4-494, 4-540, 4-559, 4-602, 4-654, 4-670, 4-717, 4-734, 4-747, 4-805, 4-882, 4-916, 4-924, 4-932, 4-940, 4-949, 4-958, 4-962, 4-964, 4-967, 4-972  
 Water Resources 4-9, 4-39, 4-95, 4-143, 4-198, 4-254, 4-303, 4-348, 4-369, 4-393, 4-441, 4-480, 4-508, 4-548, 4-571, 4-617, 4-661, 4-682, 4-723, 4-739, 4-761, 4-870, 4-914, 4-921, 4-930, 4-938, 4-944, 4-955, 4-961, 4-963, 4-966



*Water Quality Control Act* 3-196

*Water Use Reporting and Coordination Act* 3-239

*Weapons-usable fissile materials* 1-4, 1-5, 1-6, 1-15,  
2-1, 2-2, 2-78, 4-1, 4-21, 4-970

*Wetlands* 3-11, 3-42, 3-83, 3-125, 3-166, 3-201,  
3-242, 3-283, 3-323, 3-355, 4-12, 4-49,  
4-102, 4-103, 4-152, 4-263, 4-313, 4-402,  
4-403, 4-449, 4-450, 4-484, 4-517, 4-518,  
4-520, 4-579, 4-580, 4-582, 4-625, 4-626,  
4-628, 4-691, 4-692, 4-693, 4-694, 4-696,  
4-697, 4-741, 4-774, 4-776, 4-777, 4-778,  
4-779, 4-781

*White Oak Creek* 3-194

## Y

*Yakima River* 3-25, 3-32, 3-44

*Yakima County* 3-50

*Yucca Mountain* 3-66, 3-67, 4-826

*Y-12 Environmental Assessment* 1-10, 2-15, 3-190,  
3-191

*Y-12 Plant* 2-15, 2-22, 2-56, 2-78, 3-184, 3-185,  
3-190, 3-192, 3-196, 3-194, 3-200, 3-226,  
3-227

## Z

*Zero Power Physics Reactor* 2-22, 2-47,  
2-121, 2-124, 3-104, 4-664

## Chapter 7

### Glossary of Terms

**Absorbed Dose:** The energy imparted to matter by ionizing radiation per unit mass of irradiated material at the place of interest in that material. Expressed in units of radiation absorbed dose (rad) or grays, where 1 rad equals 0.01 gray. Also, see "Radiation Absorbed Dose."

**Accident Sequence:** An initiating event followed by system failures or operator errors, which can result in significant core damage, confinement system failure, and/or radionuclide releases.

**Actinides:** Radioactive elements with atomic number larger than 88 (that is, 89 or higher)

**Action Description Memorandum:** A document used in the DOE's NEPA process to facilitate a determination of the appropriate level of NEPA documentation for a proposed action.

**Acute:** Extremely severe or intense for a limited amount of time.

**Acute Exposure:** The exposure incurred during and shortly after a radiological release. Generally, the period of acute exposure ends when long-term interdiction is established, as necessary. For convenience, the period of acute exposure is normally assumed to end 1 week after the inception of a radiological accident.

**Acute Standard:** A numerical limit on the amount of a particular chemical contaminant that an organism may be exposed to over a short period of time.

**Air Pollutant:** Any substance in air which could, if in high enough concentration, harm man, other animals, vegetation, or material. Pollutants may include almost any natural or artificial composition of matter capable of being airborne.

**Air Quality Control Region (AQCR):** An interstate area designated by the EPA for the attainment and maintenance of NAAQS.

**Air Quality Standards:** The level of pollutants in the air prescribed by regulations that may not be exceeded during a specified time in a defined area.

**Alloy:** A homogeneous mixture of two or more metals.

**Alluvial Deposits:** Deposits of earth, sand, gravel, and other materials carried by moving surface water and deposited at points of weak water flow.

**Alluvium:** A general term for all sedimentary accumulations that are deposited by surface water flow. Alluvium includes sediment laid down in riverbeds, flood plains, and alluvial fans.

**Alpha Activity:** The emission of alpha particles by fissionable materials (uranium or Pu).

**Alpha Particle:** A positively charged particle, consisting of two protons and two neutrons, that is emitted during radioactive decay from the nucleus of certain nuclides. It is the least penetrating of the three common types of radiation (alpha, beta, and gamma).

**Alpha Wastes:** Wastes containing radioactive isotopes which decay by producing alpha particles.

**Alternative Option:** A group of alternative pathways through a different specific set of facilities than that of the baseline or another option.

**Ambient Air:** The surrounding atmosphere as it exists around people, plants, and structures.

**American Indian Religious Freedom Act of 1978:** This Act establishes national policy to protect and preserve for Native Americans their inherent right of freedom to believe, express, and exercise their traditional religions, including the rights of access to religious sites, use and possession of sacred objects, and the freedom to worship through traditional ceremonies and rites.

**Anadromous:** Fish that migrate from salt to fresh water to spawn.

**Anadromous Fish Conservation Act:** This act seeks to enhance the conservation and development of the anadromous fishery resources of the United States that are subject to depletion from water resources development.

**Anhydrous:** Without water.

**Anisotropic:** Conditions where a physical phenomenon is oriented preferentially in a particular direction or on a particular axis. When the groundwater in a region moves north/south faster than it moves east/west, the groundwater movement is anisotropic.

**Aquatic Biota:** The sum total of living organisms within any designated aquatic area.

**Aqueous Process:** An operation involving chemicals dissolved in water.

**Aquifer:** A saturated geologic unit through which significant quantities of water can migrate under natural hydraulic gradients.

**Aquitard:** A less-permeable geologic unit in a stratigraphic sequence. The unit is not permeable enough to transmit significant quantities of water. Aquitards separate aquifers.

**Archaeological and Historic Preservation Act of 1974:** This Act is designed to preserve historic and archaeological data that could be destroyed or compromised as the result of Federal construction or other Federally licensed or assisted activities.

**Archaeological Resources Protection Act of 1979:** This Act serves to protect cultural resources on Federally owned lands. It requires a permit for archaeological excavations or removal of any archaeological resources located on public lands or Native American lands. It prohibits interstate or foreign trafficking of cultural resources taken in violation of state or local laws, and requires Federal agencies to develop plans for surveying lands under their control.

**Archaeological Sites:** Any location where humans have altered the terrain or discarded artifacts during either prehistoric or historic times.

**Artifact:** An object produced or shaped by human workmanship of archaeological or historical interest.

**As Low as Reasonably Achievable (ALARA):** A concept applied to the quantity of radioactivity released in routine operation of a nuclear system or facility, including "anticipated operational occurrences." It takes into account the state of technology, economics of improvements in relation to benefits to public health and safety, and other societal and economic considerations in relation to the use of nuclear energy in the public interest.

**Atmospheric Dispersion:** The process of air pollutants being dispersed in the atmosphere. This process occurs through wind movement that carries the pollutants away from their source. It is also due to turbulent air motion that results from solar heating of the Earth's surface and air movement over rough terrain and surfaces.

**Atomic Energy Act (AEA) of 1954:** This Act was originally enacted in 1946 and amended in 1954. For the purpose of this PEIS "...a program for Government control of the possession, use, and production of atomic energy and special nuclear material whether owned by the Government or others, so directed as to make the maximum contribution to the common defense and security and the national welfare, and to provide continued assurance of the Government's ability to enter into and enforce agreements with nations or groups of nations for the control of special nuclear materials and atomic weapons..." (Section 3(c)).

**Atomic Energy Commission:** A five-member commission, established by the AEA of 1946, to supervise nuclear weapons design, development, manufacturing, maintenance, modification, and dismantlement. In 1974, the AEC was abolished and all functions were transferred to the NRC and the Administrator of the Energy Research and Development Administration. The Energy Research and Development Administration was later terminated and its functions vested by law in the Administrator were transferred to the Secretary of Energy.

**Attainment Area:** An area considered to have air quality as good as or better than the national ambient air quality standards as defined in the CAA. An area may be an attainment area for one pollutant and a non-attainment area for others.

**Attribute:** A measurable relevant characteristic of an option, such as public acceptability or technical risk.

**Background Radiation:** Ionizing radiation present in the environment from cosmic rays and natural sources in the Earth; background radiation varies considerably with location. Also, see "Natural Radiation."

**Badged Worker:** A worker equipped with an individual dosimeter who has the potential to be exposed to radiation.

**Bald and Golden Eagle Protection Act:** This act states that it is unlawful to take, pursue, molest, or disturb the American bald and golden eagle, their nests, or their eggs, anywhere in the United States.

**Basalt:** The most common volcanic rock. Basalt is dark-gray to black in color, high in iron and magnesium, and low in silica. It is typically found in lava flows.

**Base Requirement:** The nuclear material quantity needed to support the nuclear weapons stockpile (new weapons builds, research and development, and tests) and other needs (nonweapons research and development, isotopic power devices, and commercial sales).

**Baseline:** A quantitative expression of conditions, costs, schedule, or technical progress to serve as a base or standard for measurement during the performance of an effort; the established plan against which the status of resources and the progress of a project can be measured. For this PEIS, the environmental baseline is the site environmental conditions as they are projected to occur in 2005.

**Basin:** For geology it is a circular or elliptical downwarp with younger beds in the center after erosion exposes the structure. For topography it is a depression into which the surrounding area drains.

**BEIR V:** Biological Effects of Ionizing Radiation; referring to the fifth in a series of committee reports from the National Research Council.

**Benthic:** Plants and animals dwelling at the bottom of oceans, lakes, rivers, and other surface waters.

**Best Available Control Technology:** A term used in the CAA that means the most stringent level of air pollutant control considering economics for a specific type of source based on demonstrated technology.

**Beta Activity:** The emission of beta particles by radioisotopes.

**Beta Particle:** An elementary particle emitted from a nucleus during radioactive decay; it is negatively or positively charged, identical in mass to an electron, and in most cases easily stopped, as by a thin sheet of metal.

**Beyond Design Basis Accident:** An accident, generally with more severe impacts to onsite personnel and the public than a DBA, initiated by operational or external causes with an estimated probability of occurrence less than  $10^{-6}$  per year and used for estimating the impacts of a facility and/or process.

**Biofouling:** Aquatic organisms such as bacteria, fungi, algae, and mollusks, that colonize in waterflow structures (for example, cooling water systems of power plants/reactors), often causing restricted water flow.

**Biological Dose:** The radiation dose absorbed in biological material measured in rem or millirem (one-thousandth of a rem).

**Biota (Biotic):** The plant and animal life of a region.

**Biotic Resources:** Biotic resources include terrestrial resources, wetlands, and aquatic resources, and threatened and endangered species.

**Boiling Water Reactor (BWR):** A type of nuclear reactor that uses fission heat to generate steam in the reactor to drive turbines and generate electricity.

**Borehole:** A deep hole drilled below the water table and at least 2 km (1.2 mi) deep into ancient, geologically stable rock formations.

**Bryozoa:** A phylum consisting of various small aquatic animals that reproduce by budding and form colonies attached to stones or seaweed.

**Burn:** To consume in a reactor through fission.

**Burnable Poison Rod:** A nuclear reactor rod used to absorb excess neutrons in the core during the early core life. As the core life proceeds, the absorbing material is depleted ("burned"), reducing the absorptive power concurrent with the reduction in excess neutron production.

**Calcareous:** Containing calcium carbonate (for example, calcite or limestone).

**Calcination:** The process of converting high-level waste to unconsolidated granules or powder. Calcined solid wastes are primarily salts and oxides of metals (heavy metals) and components of high level waste (also called calcining).

**Calcine:** Drying of liquids or other material at high temperature (approximately 800°C) to drive off water and other volatile substances.

**Caldera:** A large crater formed by the collapse of the central part of a volcano.

**Cancer:** The name given to a group of diseases characterized by uncontrolled cellular growth with cells having invasive characteristics such that the disease can transfer from one organ to another.

**Canadian Deuterium Uranium (CANDU) Reactor:** A nuclear reactor in which circulating heavy water is used to cool the reactor core and to moderate (reduce the energy of) the neutrons created in the core by the fission reactions.

**Canyon:** A remotely operated, heavily shielded Pu or uranium processing facility.

**Capable Fault:** As defined in 10 CFR 100, Appendix A, III (g), a fault that has exhibited one or more of the following characteristics: (1) Movement at or near the ground surface at least once within the past 35,000 years or movement of a recurring nature within the past 500,000 years; (2) Macro-seismicity instrumentally determined with records of sufficient precision to demonstrate a direct relationship with the fault; (3) A structural relationship to a capable fault according to characteristics (1) or (2) such that movement on one could be reasonably expected to be accompanied by movement on the other. Notwithstanding the above, structural association of a fault with geologic structural features that are at least pre-Quaternary in use, in the absence of conflicting evidence, demonstrates that the fault is not a capable fault within this definition.

**Capacity Factor:** The ratio of the annual power production of a power plant to its rated capacity.

**Carbon Adsorption:** A physiochemical process in which organic and certain inorganic compounds in a liquid stream are absorbed on a bed of activated carbon; used in water or waste purification and chemical processing.

**Carbon Dioxide (CO<sub>2</sub>):** A colorless, odorless, nonpoisonous gas that is a normal component of the ambient air; it is an expiration product of normal animal life.

**Carbon Monoxide (CO):** A colorless, odorless gas that is toxic if breathed in high concentration over a period of time.

**Carolina Bay:** Ovate, intermittently flooded depression of a type occurring on the Coastal Plain from New Jersey to Florida.

**Cask (Radioactive Materials):** A container that meets all applicable regulatory requirements for shipping spent nuclear fuel or HLW.

**Cenozoic Era:** A geologic era characterized by the dominance of advanced mollusks and mammals. The Cenozoic Era dates from 65 million years ago to the present.

**Ceramic:** For this PEIS, surplus Pu and other materials mixed to form a porcelain end product which has mineral phases similar to Synroc-C.

**Cesium (Cs):** A silver-white alkali metal. A radioactive isotope of cesium, Cs-137, is a common fission product.

**Chemical Oxygen Demand:** A measure of the quantity of chemically oxidizable components present in water.

**Chronic:** Lasting for a long period of time or marked by frequent recurrence.

**Chronic Exposure:** Low-level radiation exposure incurred over a long time period due to residual contamination.

**Chronic Standard:** A numerical limit on the amount of a particular chemical contaminant that an organism may be exposed to over an extended period of time. The allowable exposure concentration for the chronic standard is less than that of the acute standard.

**Cladding:** An external layer of material applied directly to nuclear fuel or other material to provide protection from a chemically reactive environment, to provide containment of radioactive products produced during the irradiation of the composite, or to provide structural support.

**Clean Air Act (CAA):** This Act mandates and enforces air pollutant emissions standards for stationary sources and motor vehicles.

**Clean Air Act Amendments of 1990:** Expands the EPA's enforcement powers and adds restrictions on air toxics, ozone depleting chemicals, stationary and mobile emissions sources, and emissions implicated in acid rain and global warming.

**Clean Water Act (CWA) of 1972, 1987:** This Act regulates the discharge of pollutants from a point source into navigable waters of the United States in compliance with a NPDES permit as well as regulates discharges of dredge or fill material to waters of the United States including wetlands.

**Climatology:** The science that deals with climates and investigates their phenomena and causes.

**Code of Federal Regulations (CFR):** All Federal regulations in force are published in codified form in the CFR.

**Cold Standby:** Maintenance of a protected reactor condition in which the fuel is removed, the moderator is stored in tanks, and equipment and system layup is performed to prevent deterioration, such that future refueling and restart are possible.

**Coliform:** Normally harmless types of bacteria that reside in the intestinal tract of humans and other animals whose presence in water is an indicator that the water may be contaminated with other disease-causing organisms found in untreated human and animal waste.

**Collapse Depression:** A depression formed when underground lava or gases move or escape (for example, in an eruption) and the ground above collapses.

**Collected Dose Equivalent:** The sum of per capita dose equivalents for a given organ over the number of exposed individuals.

**Collective Committed Effective Dose Equivalent:** The committed effective dose equivalent of radiation for a population.

**Committed Effective Dose Equivalent:** The predicted total dose equivalent to a tissue or organ over a 50-year period after an intake of radionuclide into the body. It does not include external dose contributions. Committed dose equivalent is expressed in units of rem or Sievert. The committed effective dose equivalent is the sum of the committed dose equivalents to the various tissues of the body, each multiplied by the appropriate weighting factor.

**Community (Biotic):** All plants and animals occupying a specific area under relatively similar conditions.

**Complex:** The Nuclear Weapons Complex, which is a set of Federal sites and government-owned/contractor-operated facilities administered by DOE.

**Compound (Other Than Oxides):** Fluorides, carbides, chlorides, and other materials containing less than 50 percent impurities of Pu that may require chemical processing for some disposition options.

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980 (Superfund):** This Act provides a regulatory framework for remediation of past contamination from hazardous waste. If a site meets the Act's requirements for designation, it is ranked along with other "Superfund" sites and is listed on the NPL. This ranking is the EPA's way of determining which sites have the highest priority for cleanup.

**Conceptual Design:** Efforts to develop a project scope that will satisfy program needs; ensure project feasibility and attainable performance levels for congressional consideration; develop project criteria and design parameters for all engineering disciplines; and identify applicable codes and standards, quality assurance requirements, environmental studies, construction materials, space allowances, energy conservation features, health, safety, safeguards, security requirements, and any other features or requirements necessary to describe the project.

**Confined Aquifer:** A permeable geological unit containing water that is at a pressure higher than atmospheric pressure. It is bounded above and below by aquitards.

**Consumptive Water Use:** The difference in the volume of water withdrawn from a body of water and the amount released back into the body of water.

**Container:** The metal envelope in the waste package that provides the primary containment function of the waste package and is designed to meet the containment requirements of 10 CFR 60.

**Control Rods:** The elements of a nuclear reactor that absorb slow neutrons and are used to increase, decrease, or maintain the neutron density in the reactor.

**Conversion:** An operation for changing material from one form, use, or purpose to another.

**Coolant:** A substance, either gas or liquid, circulated through a nuclear reactor or processing plant to remove heat.

**Cosmic Radiation:** Streams of highly penetrating, charged particles, composed of protons, alpha particles, and a few heavier nuclei, that bombard the earth from outer space.

**Counter-proliferation:** The activities of the DoD across the full range of U.S. efforts to combat proliferation, including diplomacy, arms control, export controls, and intelligence collection and analysis, with particular responsibility for assuring that U.S. forces and interests can be protected should they confront an adversary armed with weapons of mass destruction or missiles.

**Credible Accident:** An accident that has a probability of occurrence greater than or equal to one in a million years.

**Cretaceous:** The geologic period making up the end of the Mesozoic Era, dating from approximately 144 million to 66 million years ago.

**Criteria Pollutants:** Six air pollutants for which national ambient air quality standards are established by EPA: sulfur dioxide, nitric oxides, carbon monoxide, ozone, particulate matter less than or equal to 10 microns in diameter, and lead.

**Critical Action:** Any activity for which even a slight chance of flooding would be too great; such actions may include the storage of highly volatile, toxic, or water reactor materials (10 CFR 1022).



**Critical Habitat:** Defined in the *Endangered Species Act* of 1973 as "specific areas within the geographical area occupied by [an endangered or threatened] species..., essential to the conservation of the species and which may require special management considerations or protection; and specific areas outside the geographical area occupied by the species... that are essential for the conservation of the species."

**Critical Mass:** The smallest mass of fissionable material that will support a self-sustaining nuclear chain reaction under specified conditions.

**Criticality:** A state in which a self-sustaining nuclear chain reaction is achieved.

**Crystalline Rock:** Rock consisting of minerals in a crystalline state.

**Cultural Resources:** Archaeological sites, architectural features, traditional use areas, and Native American sacred sites.

**Cumulative Impacts:** The impact on the environment which results from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions regardless of what agency (Federal or non-federal), private industry, or individual undertakes such other actions. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time (40 CFR 1508.7.)

**Curie:** A unit of radioactivity equal to 37 billion disintegrations per second; also a quantity of any nuclide or mixture of nuclides having 1 curie of radioactivity.

**Decay (Radioactive):** The decrease in the amount of any radioactive material with the passage of time, due to the spontaneous transformation of an unstable nuclide into a different nuclide or into a different energy state of the same nuclide; the emission of nuclear radiation (alpha, beta, or gamma radiation) is part of the process.

**Decay Heat (Radioactivity):** The heat produced by the decay of certain radionuclides.

**Decibel (dB):** A unit of sound measurement. In general, a sound increases in loudness by a factor of 10 for every increase of 10 decibels.

**Decibel, A-weighted (dBA):** A unit of weighted sound pressure level, measured by the use of a metering characteristic and the "A" weighting specified by the ANSI S1.4-1971(R176), that refers to the effect on humans.

**Decontamination:** The removal of radioactive or chemical contamination from facilities, equipment, or soils by washing, heating, chemical or electrochemical action, mechanical cleaning, or other techniques.

**Demilitarization:** An irreversible modification or destruction of a weapons component or part of a component to the extent required to prevent use in its original weapon purpose.

**Demography:** The statistical study of human populations, including size, density, distribution, and such vital statistics as age, sex, and ethnicity.

**Depleted Uranium:** Uranium whose content of the isotope U-235 is less than 0.7 percent, which is the U-235 content of naturally occurring uranium.

**Deposition:** In geology, the laying down of potential rock-forming materials; sedimentation. In atmospheric transport, the settling out on ground and building surfaces of atmospheric aerosols and particles ("dry deposition") or their removal from the air to the ground by precipitation ("wet deposition" or "rainout").

**Derived Concentration Guide (DCG):** The concentration of a radionuclide in air or water which, under conditions of continuous exposure by one exposure mode (that is, ingestion of water or submersion or inhalation of air) for one year, a "reference man" would receive the most restrictive of (1) an effective dose equivalent of 100 mrem or (2) a dose equivalent of 5 rem to any tissues, including skin and lens of the eye.

**Design Basis:** For nuclear facilities, information that identifies the specific functions to be performed by a structure, system, or component and the specific values (or ranges of values) chosen for controlling parameters for reference bounds for design. These values may be: (1) restraints derived from generally accepted state-of-the-art practices for achieving functional goals; (2) requirements derived from analysis (based on calculation and/or experiments) of the effects of a postulated accident for which a structure, system, or component must meet its functional goals; or (3) requirements derived from Federal safety objectives, principles, goals, or requirements.

**Design-Basis Accident (DBA):** For nuclear facilities, a postulated abnormal event that is used to establish the performance requirements of structures, systems, and components that are necessary to (1) maintain them in a safe shutdown condition indefinitely or (2) prevent or mitigate the consequences of the design-basis accident so that the general public and operating staff are not exposed to radiation in excess of appropriate guideline values.

**Design-Basis Events:** Postulated disturbances in process variables that can potentially lead to design-basis accidents.

**Design Laboratory:** A DOE facility involved in the design of nuclear weapons.

**Detritus:** Dead organic material and organisms.

**Deuterium:** A nonradioactive isotope of the element hydrogen with one neutron and one proton in the atomic nucleus.

**Deuterium Oxide:** See "Heavy Water."

[Text deleted.]

**Dip:** The acute angle that a structural surface (for example, a bedding or fault plane) in a geologic material makes with the horizontal, measured perpendicular to the strike of the surface. Updip is at a higher elevation on the surface.

**Direct Economic Effects:** The initial increases in output from different sectors of the economy resulting from some new activity within a predefined geographic region.

**Direct Jobs:** The number of workers required at a site to implement an alternative.

**Discard:** To dispose of material as waste.

**Dismantlement:** The process of taking apart a nuclear warhead and removing the subassemblies, components, and individual parts.

**Disposal:** The process of placing waste in a final repository.

**Disposition:** A process of use or disposal of materials that results in the remaining material being converted to a form that is substantially and inherently more proliferation-resistant than the original form.

**Dissolution:** The chemical dispersal of a solid throughout a liquid medium.

**Dolomite:** A mineral composed of calcium magnesium carbonate ( $\text{CaMg}(\text{CO}_3)_2$ ) and the chief constituent in the rock also commonly called dolomite and of some kinds of marble.

**Dome:** For geology it is a circular or elliptical uplift with older beds in the center whose beds dip away in all directions from a central area. For topography it is any dome-shaped rock mass.

**Dose:** The energy imparted to matter by ionizing radiation. The unit of absorbed dose is the rad or gray.

**Dose Commitment:** The dose an organ or tissue would receive during a specified period of time (for example, 50 to 100 years) as a result of intake (by ingestion or inhalation) of one or more radionuclides from a defined release, frequently over a year's time.

**Dose Equivalent:** The product of absorbed dose in rad or gray and the effect of this type of radiation in tissue and a quality factor. Dose equivalent is expressed in units of rem or Sievert, where 1 rem equals 0.01 Sievert. The dose equivalent to an organ, tissue, or the whole body will be that received from the direct exposure plus the 50-year committed dose equivalent received from the radionuclides taken into the body during the year.

**Dosimeter:** A small device or instrument (for example, film badge or ionization chamber) carried by a radiation worker that measures cumulative radiation dose.

**Drainage Basin:** An above ground area that supplies the water to a particular stream.

**Drawdown:** The height difference between the natural water level in an aquifer and the reduced water level in the formation caused by the withdrawal of groundwater.

**Drift:** Effluent mist or spray carried into the atmosphere from cooling towers.

**Drinking-Water Standards:** The prescribed level of constituents or characteristics in a drinking water supply that cannot be exceeded legally.

**Dry Site:** For the purpose of this PEIS any site where adequate surface water is not abundantly available for storage and disposition needs. At such sites, groundwater is used for water supply.

**Effective Dose Equivalent:** The summation of the products of the dose equivalent received by specified tissues of the body and a tissue-specific weighting factor. This sum is a risk-equivalent value and can be used to estimate the health effects risk of the exposed individual. The tissue-specific weighting factor represents the fraction of the total health risk resulting from uniform whole-body irradiation that would be contributed by that particular tissue. The effective dose equivalent includes the committed effective dose equivalent from internal deposition of radionuclides, and the effective dose equivalent due to penetrating radiation from sources external to the body. Effective dose equivalent is expressed in units of rem or Sievert.

[Text deleted.]

**Effluent:** A gas or fluid discharged into the environment.

**Emergency Condition:** For a nuclear facility, occurrences or accidents that might occur infrequently during start-up testing or operation of the facility. Equipment, components, and structures might be deformed by these conditions to the extent that repair is required prior to reuse.

**Emission Standards:** Legally enforceable limits on the quantities and/or kinds of air contaminants that can be emitted into the atmosphere.

**Empirical:** Something that is based on actual measurement, observation, or experience rather than on theory.

**Endangered Species:** Defined in the ESA of 1973 as "any species which is in danger of extinction throughout all or a significant part of its ranges."

**Endangered Species Act (ESA) of 1973:** This Act requires Federal agencies, with the consultation and assistance of the Secretaries of the Interior and Commerce, to ensure that their actions will not likely jeopardize the continued existence of any endangered or threatened species or adversely affect the habitat of such species.

**Engineered Safety Features:** For a nuclear facility, features that prevent, limit, or mitigate the release of radioactive material from its primary containment.

**Entrainment:** The involuntary capture and inclusion of organisms in streams of flowing water, a term often applied to the cooling water systems of power plants/reactors. The organisms involved may include phyto- and zooplankton, fish eggs and larvae (ichthyoplankton), shellfish larvae, and other forms of aquatic life.

**Environment, Safety, and Health (ES&H) Program:** In the context of DOE, encompasses those DOE requirements, activities, and functions in the conduct of all DOE and DOE-controlled operations that are concerned with: impacts to the biosphere; compliance with environmental laws, regulations, and standards controlling air, water, and soil pollution; limiting the risks to the well-being of both operating personnel and the general public to acceptably low levels; and protecting property adequately against accidental loss and damage. Typical activities and functions related to this program include, but are not limited to, environmental protection, occupational safety, fire protection, industrial hygiene, health physics, occupational medicine, and process and facilities safety, nuclear safety, emergency preparedness, quality assurance, and radioactive and hazardous waste management.

**Environmental Assessment (EA):** A written environmental analysis that is prepared pursuant to NEPA to determine whether a Federal action would significantly affect the environment and thus require preparation of a more detailed EIS. If the action does not significantly affect the environment, then a FONSI is prepared.

**Environmental Audit:** A documented assessment of a facility to monitor the progress of necessary corrective actions, to ensure compliance with environmental laws and regulations, and to evaluate field organization practices and procedures.

**Environmental Documentation:** Documents describing information and results from studies and evaluations required by NEPA. This documentation includes both an EA and an EIS.

**Environmental Impact Statement (EIS):** A document required of Federal agencies by NEPA for major proposals or legislation significantly affecting the environment. A tool for decisionmaking, it describes the positive and negative effects of the undertaking and alternative actions.

**Environmental Justice:** The fair treatment of people of all races, cultures, incomes, and educational levels with respect to the development, implementation, and enforcement of environmental laws, regulations, and policies. Fair treatment implies that no population of people should be forced to shoulder a disproportionate share of the negative environmental impacts of pollution or environmental hazards due to a lack of political or economic strength.

**Environmental Survey:** A documented, multidisciplinary assessment (with sampling and analysis) of a facility to determine environmental conditions and to identify environmental problems requiring corrective action.

**Eocene:** A geologic epoch early in the Cenozoic Era, dating from approximately 54 to 38 million years ago.

**Ephemeral Stream:** A stream that flows intermittently, typically only after periods of heavy precipitation.

**Epicenter:** The point on the Earth's surface directly above the focus of an earthquake.

**Epidemiology:** The science concerned with the study of events that determine and influence the frequency and distribution of disease, injury, and other health-related events and their causes in a defined human population.

**Equivalent Sound (Pressure) Level:** The equivalent steady sound level that, if continuous during a specified time period, would contain the same total energy as the actual time-varying sound. For example,  $L_{eq}$  (1-h) and  $L_{eq}$  (24-h) are the 1-hour and 24-hour equivalent sound levels, respectively.

**Estuary:** A thin zone along a coastline where fresh water from rivers mixes with salty ocean waters that provides aquatic habitats with a lower average salinity (salt concentration) than ocean waters. Three-fourths of the commercially important aquatic animal species in the United States spend all or part of their life in estuaries and coastal wetlands.

**Evaluation Basis Accident:** An accident generally with small impacts to the public, initiated by operational or external causes with an estimated probability of occurrence greater than  $10^{-6}$  per year and used for estimating the impacts of a planned new or modified facility, and/or process when a Safety Analysis Report, that would define a DBA, has not been prepared. A DBA is used to establish the performance requirements of structures, systems, and components that are necessary to maintain them in a safe shutdown condition indefinitely or to prevent or mitigate the consequences of the DBA so that the public and onsite personnel are not exposed to radiation in excess of appropriate guidelines values.

**Executive Order 12372, Intergovernmental Review of Federal Programs:** The Order directs Federal agencies to consult with and solicit input from state and local governments whose jurisdictions would be affected by Federal actions.

**Exposure Limit:** The level of exposure to a hazardous chemical (set by law or a standard) at which or below which adverse human health effects are not expected to occur:

- Reference dose is the chronic exposure dose (mg/kg/day) for a given hazardous chemical at which or below which adverse human non-cancer health effects are not expected to occur.
- Reference concentration is the chronic exposure concentration (mg/m<sup>3</sup>) for a given hazardous chemical at which or below which adverse human non-cancer health effects are not expected to occur.

**Farmland Protection Policy Act:** The purpose of the Act is to reduce the conversion of farmland to nonagricultural uses by Federal projects and programs. The Act requires that Federal agencies comply to the fullest extent possible with state and local government policies to preserve farmland. Specifically, the Act advises that evaluations and analyses of prospective farmland conversion impacts be made early in the planning process before a site or design is selected and that, where possible, agencies make such evaluations and analyses part of the NEPA process.

**Fast Reactor:** A fast reactor does not contain a moderator to slow down neutrons after they are generated. It is distinguished from a fast breeder reactor by not necessarily producing more fuel than it consumes.

**Fault:** A fracture or a zone of fractures within a rock formation along which vertical, horizontal, or transverse slippage has occurred. A normal fault occurs when the hanging wall has been depressed in relation to the footwall. A reverse fault occurs when the hanging wall has been raised in relation to the footwall. A thrust fault is a low-angle (dip less than about 30 degrees) reverse fault.

**Fault-plane:** A fault surface that is more or less flat or level.

**Fauna:** Animals, especially those of a specific region, considered as a group.

**Federal Land Policy and Management Act:** This act states that all public lands would be retained in Federal ownership unless it is determined that another use would better serve the interests of the nation. Specifically, the Act addresses land retained in public-domain status, land withdrawn from the public domain for use by a Federal agency, land to be returned to the public domain, or public land identified for disposal. Additionally, the Act requires that public lands be managed in a manner that would protect the quality of its scientific, scenic, historical, ecological, and environmental aspects; and that public lands and their resources be inventoried periodically and systematically.

**Finding of No Significant Impact (FONSI):** A document by a Federal agency briefly presenting the reasons why an action, not otherwise excluded, will not have a significant effect on the human environment and will not require an EIS.

**Fissile:** The term "fissile" refers to nuclear materials that are fissionable by slow (thermal) neutrons. Fissile materials include U-235, U-233, Pu-239, and Pu-241. Materials such as U-238 and Th-232, which can be converted into fissile materials, are called fertile materials. It should be noted that Th-232, U-238 and all Pu isotopes are fissionable by fast neutrons but not by thermal (slow) neutrons. They are not called fissile materials but may be called fissionable materials.

**Fissile Material:** Pu-239, Pu-241, U-233, U-235, or any material containing any of the foregoing.

**Fission:** The splitting of a heavy atomic nucleus into at least two nuclei of lighter elements, accompanied by the release of energy and generally one or more neutrons. Fission can occur spontaneously or be induced by neutron bombardment.

**Fission Products:** Nuclei formed by the fission of heavy elements (primary fission products); also, the nuclei formed by the decay of the primary fission products, many of which are radioactive.

**Fissionable Material:** Material whose nuclei fission when bombarded by neutrons.

**Fissure:** A long and narrow crack in the earth.

**Floodplain:** The lowlands adjoining inland and coastal waters and relatively flat areas including at a minimum that area inundated by a 1-percent or greater chance flood in any given year. The base floodplain is defined as the 100-year (1.0 percent) floodplain. The critical action floodplain is defined as the 500-year (0.2 percent) floodplain.

**Flora:** Plants, especially those of a specific region, considered as a group.

**Footwall:** The mass of rock beneath a fault plane.

**Formation:** In geology, the primary unit of formal stratigraphic mapping or description. Most formations possess certain distinctive features.

**Fossil:** Impression or trace of an animal or plant of past geological ages that has been preserved in the earth's crust.

**Fossiliferous:** Containing a relatively large number of fossils.

**Frit:** Finely ground glass used as feedstock input for vitrification.

**Fuel-Grade Material:** Pu and HEU, in various forms (for example, metals and oxides), that can be used in experimental and research reactors. Fuel grade Pu contains between 7 to 19 percent Pu-240.

**Fugitive Emissions:** Emissions to the atmosphere from pumps, valves, flanges, seals, and other process points not vented through a stack. Also includes emissions from area sources such as ponds, lagoons, landfills, and piles of stored material.

**Gamma Radiation:** Short-wavelength electromagnetic radiation of nuclear origin, similar to, but with higher energy than, x rays.

**Gamma Rays:** High-energy, short-wavelength, electromagnetic radiation accompanying fission and emitted from the nucleus of an atom. Gamma rays are very penetrating and can be stopped only by dense materials (such as lead) or a thick layer of shielding materials.

**Gaussian Plume:** The distribution of material (a plume) in the atmosphere resulting from the release of pollutants from a stack or other source. The distribution of concentrations about the centerline of the plume, which is assumed to decrease as a function of its distance from the source and centerline (Gaussian distribution), depends on the mean wind speed and atmospheric stability.

**Genetic Effects:** The outcome resulting from exposure to mutagenic chemicals or radiation which results in genetic changes in germ line or somatic cells.

- Effects on genetic material in germ line (sex cells) cause trait modifications that can be passed from parents to offspring.
- Effects on genetic material in somatic cells result in tissue or organ modifications (for example, liver tumors) that do not pass from parents to offspring.

**Geologic Repository (Mined Geologic Repository):** A HLW repository pursuant to the NWPA as amended, for the disposal of nuclear waste; the waste is isolated by placement in a continuous, stable geologic formation at depths greater than 300 m (984 ft).

**Geology:** The science that deals with the study of the Earth: the materials, processes, environments, and history of the planet, including the rocks and their formation and structure.

**Gigawatt Electric:** A gigawatt electric is equal to one thousand MWe or one billion watts of electric power.

**Glass:** Borosilicate material in an amorphous mixture formed by melting silica and boric oxide together with the oxides of elements such as sodium.

**Global Commons:** Resources not yet allocated to national states. Resources primarily include oceans and outer space. The inclusion of Antarctica as a "Global Commons" area is controversial, and no professional consensus has been determined.

**Glove Box:** An airtight box used to work with hazardous material, vented to a closed filtering system, having gloves attached inside of the box to protect the worker.

**Ground Shine:** An area on the ground where radioactivity has been deposited by a radioactive plume or cloud.

**Groundwater:** The supply of water found beneath the Earth's surface, usually in aquifers, which may supply wells and springs.

**Guideline Level:** A suggested, desired level of concentration. It is not a regulatory value, but is a value offered as desirable by an agency to protect human health or the environment.

**Half-life (Radiological):** The time in which half the atoms of a radioactive substance decays to another nuclear form; this varies for specific radioisotopes from millionths of a second to billions of years.

**Hazard Index (HI):** A summation of the HQ for all chemicals now being used at a site and those proposed to be added to yield cumulative levels for a site. A HI value of 1.0 or less means that no adverse human health effects (non-cancer) are expected to occur.

**Hazard Quotient (HQ):** The value used as an assessment of non-cancer associated toxic effects of chemicals, (for example, kidney or liver dysfunction). It is independent of a cancer risk, which is calculated only for those chemicals identified as carcinogens.

**Hazardous Material:** A material, including a hazardous substance, as defined by 49 CFR 171.8 which poses a risk to health, safety, and property when transported or handled.

**Hazardous/Toxic Waste:** Any solid waste (can also be semisolid or liquid, or contain gaseous material) having the characteristics of ignitability, corrosivity, toxicity, or reactivity, defined by RCRA and identified or listed in 40 CFR 261 or by TSCA.

**Heat Exchanger:** A device that transfers heat from one fluid (liquid or gas) to another.

**Heavy Metals:** Metallic or semimetallic elements of high molecular weight, such as mercury, chromium, cadmium, lead, and arsenic, that are toxic to plants and animals at known concentrations.

**Heavy Water:** A form of water (a molecule with two hydrogen atoms and one oxygen atom) in which the hydrogen atoms consist largely or completely of the deuterium isotope. Heavy water has almost identical chemical properties, but quite different nuclear properties, as light water (common water).

**Hemi-shells:** Product that results when a pit is divided into two half pieces.

**High Efficiency Particulate Air (HEPA) Filter:** A filter used to remove particulates from dry gaseous effluent streams.

**High-Level Waste (HLW):** The highly radioactive waste material that results from the reprocessing of spent nuclear fuel, including liquid waste produced directly in reprocessing and any solid waste derived from the liquid. HLW contains a combination of transuranic waste and fission products in concentrations requiring permanent isolation.

**Highly Enriched Uranium (HEU):** Uranium enriched in isotope U-235 to 20 percent or above, which becomes suitable for weapons use.

**Historic Resources:** In the United States, (that is, archaeological sites), architectural structures, and objects produced from 1492 on, after the arrival of the first Europeans to the Americas.

**Holocene:** The current epoch of geologic time, which began approximately 10,000 years ago.



**Hydraulic Conductivity:** The constant of proportionality in Darcy's Law of fluid flow that describes the ease with which a porous medium permits fluids to flow and the ease with which the fluid flows given its physical properties.

| [Text deleted.]

**Hygroscopic:** Capable of absorbing and retaining moisture.

| **Igneous Rock:** Rock originally formed by the cooling and consolidation of magma (molten silicate minerals) including volcanic rocks and plutonic rocks.

**Immersion Dose:** Dose resulting from being surrounded by a medium (air or water) that contains radionuclides.

| **Immobilization:** A process that converts Pu to a chemically stable form for disposal.

**Impingement:** The process by which aquatic organisms too large to pass through the screens of a water intake structure become caught on the screens and are unable to escape.

**Impoundment:** A collection area for water, usually for irrigation purposes.

**Incident-Free Risk:** The radiological or chemical impacts resulting from packages aboard vehicles in normal transport. This includes the radiation or hazardous chemical exposure of specific population groups such as crew, passengers, and bystanders.

**Indirect Economic Effects:** Indirect effects result from the need to supply industries experiencing direct economic effects with additional outputs to allow them to increase their production. The additional output from each directly affected industry requires inputs from other industries within a region (that is, purchases of goods and services). This results in a multiplier effect to show the change in total economic activity resulting from a new activity in a region.

| **Indirect Jobs:** Within an REA, jobs generated or lost in related industries as a result of a change in direct employment.

**Infrastructure:** The basic facilities, services, and installations needed for the functioning of a plant or other site, such as transportation and communication systems.

**Injection Well:** A well that transfers water from the surface into the ground, either through gravity or by mechanical means.

**Interbedded:** Occurring between beds or lying in a bed parallel to other beds of a different material.

**Interfluvial:** Falling in the area between two streams.

**Interim (Permit) Status:** Period during which treatment, storage, and disposal facilities coming under RCRA are temporarily permitted to operate while awaiting denial or issuance of a permanent permit.

| **Interim Storage:** Providing safe and secure capacity in the near term to support continuing operations in the interim period until long-term storage or disposition actions are implemented.

**Ion Exchange:** A physiochemical process that removes anions and cations, including radionuclides, from liquid streams (usually water) for the purpose of purification or decontamination.

**Ionizing Radiation:** Radiation that can displace electrons from atoms or molecules, thereby producing ions.

**Isotope:** An atom of an element with a specific atomic number and atomic mass. Isotopes of the same element have the same number of protons (atomic number) but different numbers of neutrons and different atomic masses.

**Joule:** A metric unit of energy, work, or heat, equivalent to 1 watt-second, 0.737 foot-pound, or 0.239 calories.

**Jurassic:** The middle period of the Mesozoic Era, dating from 208 million to 144 million years ago.

**Karst Terrain:** A type of land surface that is found in regions underlain by soluble rocks, such as limestone and dolomite, which is peculiar to and dependent upon underground solution of the bedrock and the diversion of surface waters to underground waters (that is, streams that disappear underground). Karst terrain is characterized by sinkholes, underground streams, and caves.

**Lacustrine Wetland:** Lakes, ponds, and other enclosed open waters at least 8 ha (20 acres) in extent and not dominated by trees, shrubs, and emergent vegetation.

**Lag Storage:** Temporary storage at a disposition facility.

**Land Resources:** Land resources are comprised of all of the terrestrial areas available for economic production, residential or recreational use, Government activities (such as military bases), or natural resources consumption. The patterns and densities of land use and the quality of visual resources are evaluated under land resources.

**Land Use:** The characterization of land in terms of the use potential of the land's surface for the location of various activities.

**Landscape Character:** The arrangement of a particular landscape as formed by the variety and intensity of the landscape features (land, water, vegetation, and structures) and the four basic elements (form, line, color, and texture). These factors give an area a distinctive quality that distinguishes it from its immediate surroundings.

**Large Release:** A release of radioactive material that would result in doses greater than 25 rem to the whole body or 300 rem to the thyroid at 1.6 km (1 mi) from the control perimeter (security fence) of a reactor facility.

**Latent Fatalities:** Fatalities associated with acute and chronic environmental exposures to chemical or radiation that occur within 30 years of exposure.

**Lava Tube:** A hollow space beneath the surface of a solidified lava flow, formed by the withdrawal of molten lava after the formation of the surficial crust.

**Light Water:** The common form of water (a molecule with two hydrogen atoms and one oxygen atom) in which the hydrogen atom consists largely or completely of the normal hydrogen isotope (one proton).

**Light Water Reactor:** There are two types of light water reactors. One is a pressurized water reactor and the other is a boiling water reactor. Both are thermal reactors in which circulating light water is used to cool the reactor core and to moderate (reduce the energy of) the neutrons created in the core by the fission reactions. All commercially operating reactors in the United States and most commercial reactors worldwide are LWRs.

**Light Water Reactor (MOX Fuel):** An LWR with full MOX fuel is fueled with fuel rods each containing a mixture or blend of uranium oxide and plutonium oxide. Traditional programs of using Pu in LWRs start with a partial core, not full core of MOX fuel.

**Limited-lifetime Component:** A weapon component that decays with age and must be replaced periodically.

**Lithic:** Pertaining to stone or a stone tool.

**Lithic Scatter:** An archaeological site consisting of stone artifacts and by-products of their manufacture and maintenance.

**Lithologic:** Pertaining to the structure and composition of a rock.

**Long-Lived Radionuclides:** Radioactive isotopes with half-lives greater than about 30 years.

**Low-Enriched Uranium (LEU):** Naturally occurring uranium contains only about 0.7 percent U-235 and almost all of the rest is U-238. Low-enriched uranium is enriched in the isotopic content of U-235, greater than 0.7 percent but less than 20 percent of the total mass, for use as LWR fuel.

**Low-Level Waste (LLW):** Waste that contains radioactivity but is not classified as HLW, TRU waste, spent nuclear fuel, or "11e(2) by-product material" as defined by DOE Order 5820.2A, *Radioactive Waste Management*. Test specimens of fissionable material irradiated for research and development only, and not for the production of power or Pu, may be classified as LLW, provided the concentration is less than 100 nanocuries per gram, which would then be TRU waste. Some LLW is considered classified because of the nature of the generating process and/or constituents, because the waste would tell too much about the process.

**Mandatory Standards:** Standards adopted by the DOE that define the minimum requirements that the DOE and its contractors must comply with. Standards may be classified as mandatory because of applicable Federal or state statutes or implementing requirements, or as a matter of DOE policy.

**Marsh:** An area of low-lying wetland, dominated by grasslike plants.

**Mastodon:** Any of numerous extinct mammals that differ from the related mammoths and existing elephants chiefly in the form of molar teeth.

**Maximum Contaminant Level:** The maximum permissible level of a contaminant in drinking water delivered to any user of a public water system. Maximum contaminant levels are enforceable standards.

**Maximally Exposed Individual (MEI):** A hypothetical person who could potentially receive the maximum dose of radiation or hazardous chemicals.

**Megajoule:** A unit of power equal to 1 million joules. See "Joule."

**Megawatt (MW):** A unit of power equal to 1 million watts. Megawatt thermal is commonly used to define heat produced, while megawatt electric defines electricity produced.

**Mesozoic:** The geologic era dating from 245 million to 66 million years ago. The Mesozoic Era is the era of the dinosaurs.

**Metal:** Essentially pure Pu metal that meets weapons specifications. The Pu can be weapons grade, fuels grade, or reactor grade. The metal may have oxidation or casting residues on the surface.

**Metal Reduction:** The conversion of a compound such as plutonium dioxide or plutonium tetrafluoride into metal.

**Metamorphic Rock:** Rock formed by the transformation of preexisting rocks in response to changes in temperature and/or pressure, and the chemical action of fluids.

**Meteorology:** The science dealing with the atmosphere and its phenomena, especially as relating to weather.

**Migration:** The natural movement of a material through the air, soil, or groundwater; also, seasonal movement of animals from one area to another.

**Migratory Bird Treaty Act:** This act states that it is unlawful to pursue, take, attempt to take, capture, possess, or kill any migratory bird, or any part, nest, or egg of any such bird other than permitted activities.

**Minor Actinides:** Radioactive element with an atomic number larger than 95 (that is, 96 or higher).

**Miocene:** A geologic epoch in the Cenozoic Era dating from 26 to 7 million years ago.

**Mississippian Period (Geologic):** A portion of the Paleozoic Era in North America dating from 360 to 330 million years ago (following the Devonian Period and preceding the Pennsylvanian Period).

**Mixed Oxide (MOX):** A physical blend of uranium oxide and plutonium oxide.

**Mixed Waste:** Waste that contains both "hazardous waste" and "radioactive waste" as defined in this glossary.

**Modified Mercalli Intensity (MMI):** A level on the modified Mercalli scale. A measure of the perceived intensity of earthquake ground shaking with 12 divisions, from I (not felt by people) to XII (damage nearly total). It is a unitless expression of observed effects.

**Mutation:** Inheritable changes in the DNA molecules found in genes as a result of exposure to various environmental factors such as radiation or certain chemicals.

**National Ambient Air Quality Standards (NAAQS):** Air quality standards established by the CAA, as amended. The primary NAAQS are intended to protect the public health with an adequate margin of safety, and the secondary NAAQS are intended to protect the public welfare from any known or anticipated adverse effects of a pollutant.

**National Asset Reserve:** The quantity of U.S. Pu above that amount in the stockpile, the production process, R&D inventories, and the strategic reserve.

**National Emission Standards for Hazardous Air Pollutants (NESHAP):** A set of national emission standards for listed hazardous pollutants emitted from specific classes or categories of new and existing sources. These were implemented in the CAA Amendments of 1977.

**National Environmental Policy Act (NEPA) of 1969:** This Act is the basic national charter for the protection of the environment. It requires the preparation of an EIS for every major Federal action that may significantly affect the quality of the human or natural environment. Its main purpose is to provide environmental information to decision makers so that their actions are based on an understanding of the potential environmental consequences of a proposed action and its reasonable alternatives.

**National Environmental Research Park (NERP):** An outdoor laboratory set aside for ecological research to study the environmental impacts of energy developments. NERPs were established by DOE to provide protected land areas for research and education in the environmental sciences and to demonstrate the environmental compatibility of energy technology development and use.

**National Historic Preservation Act (NRHP) of 1966, as amended:** This Act provides that property resources with significant national historic value be placed on the NRHP. It does not require any permits but, pursuant to Federal code, if a proposed action might impact an historic property resource, it mandates consultation with the proper agencies.

**National Pollutant Discharge Elimination System (NPDES):** Federal permitting system required for discharge of effluents to surface waters of the United States, regulated through the CWA, as amended.

**National Register of Historic Places (NRHP):** A list maintained by the Secretary of the Interior of districts, sites, buildings, structures, and objects of prehistoric or historic local, state, or national significance. The list is expanded as authorized by Section 2(b) of the *Historic Sites Act* of 1935 (16 U.S.C. 462) and Section 101(a)(1)(A) of the NHPA of 1966, as amended.

**Native American Graves and Repatriation Act (NAGPRA) of 1990:** Established to protect Native American graves and associated funerary objects. This act requires Federal agencies and museums to inventory human remains and associated funerary objects and to provide culturally affiliated tribes with the inventory of collections. Requires repatriation, on request, to the culturally affiliated tribes.

**Natural Uranium:** Uranium with a U-235 concentration of approximately 0.7 percent, the average concentration of U-235 in uranium in the natural, pre-enriched state.

**Neutron Poison:** A chemical solution (for example, boron or rare earth solution) injected into a nuclear reactor to absorb neutrons and end criticality.

**Nitrogen Oxides:** Refers to the oxides of nitrogen, primarily NO and NO<sub>2</sub>. These are produced in the combustion of fossil fuels and can constitute an air pollution problem. When NO<sub>2</sub> combines with VOCs such as ammonia or CO, ozone is produced.

**Noise Control Act of 1972:** This Act directs all Federal agencies to carry out programs in a manner that furthers a national policy of promoting an environment free from noise that jeopardizes health or welfare.

**Nonattainment Area:** An air quality control region (or portion thereof) in which EPA has determined that ambient air concentrations exceed national ambient air quality standards for one or more criteria pollutants.

**Nonproliferation:** Preventing the spread of nuclear weapons, nuclear weapons materials, and nuclear weapon technology.

**Nonproliferation Treaty:** A treaty with the aim of controlling the spread of nuclear weapons technologies, limiting the number of nuclear weapons states and pursuing, in good faith, effective measures relating to the cessation of the nuclear arms race. The treaty does not invoke stockpile reductions by nuclear states, and it does not address actions of nuclear states in maintaining their stockpiles.

**Notification Level:** A term used only in NPDES permitting. Discharges are permitted under NPDES for particular parameters; however, when parameters that have not been permitted appear in excess of a predetermined concentration (that is, 100 milligrams per liter), the discharger is required by the NPDES permit to notify the permitter (the EPA) that a new parameter has appeared. Violations of NPDES concentration limits are usually called "noncompliances."

**Nuclear Assembly:** Collective term for the primary, secondary, and case of a nuclear explosive device.

**Nuclear Component:** A part of a nuclear weapon that contains fissionable or fusionable material.

**Nuclear Criticality:** See "Criticality."

**Nuclear Facility:** A facility whose operations involve radioactive materials in such form and quantity that a nuclear hazard potentially exists to the employees or the general public. Included are facilities that: produce, process, or store radioactive liquid or solid waste, fissionable materials, or tritium; conduct separations operations; conduct irradiated materials inspection, fuel fabrication, decontamination, or recovery operations; or conduct fuel enrichment operations. Incidental use of radioactive materials in a facility operation (for example, check sources, radioactive sources, and x-ray machines) does not necessarily require a facility to be included in this definition.

**Nuclear Grade:** Material of a quality adequate for use in a nuclear application.

**Nuclear Material:** Composite term applied to (1) special nuclear material; (2) source material such as uranium or thorium or ores containing uranium or thorium; and (3) by-product material, which is any radioactive material that is made radioactive by exposure to the radiation incident to the process of producing or using special nuclear material.

**Nuclear Power Plant:** A facility that converts nuclear energy into electrical power. Heat produced in a nuclear reactor is used to make steam which drives a turbine connected to an electric generator.

**Nuclear Reactor:** A device in which a fission chain reaction is maintained, and which is used for irradiation of materials or to produce heat for the generation of electricity.

**Nuclear Weapon:** The general name given to any weapon in which the explosion results from the energy released by reactions involving atomic nuclei, either fission, fusion, or both.

**Nuclear Weapons Complex:** See "Complex."

**Nuclide:** A species of atom characterized by the constitution of its nucleus and hence by the number of protons, the number of neutrons, and the energy content.

**Obsidian:** A black volcanic glass.

**Occupational Safety and Health Administration (OSHA):** Oversees and regulates workplace health and safety, created by *Occupational Safety and Health Act* of 1970.

**Off-specification:** Material not meeting the requirements for use.

**Onsite Population:** DOE and contractor employees who are on duty, and onsite visitors.

**Operable Unit:** A discrete action that comprises an incremental step toward comprehensively addressing site problems. This discrete portion of a remedial response manages migration or eliminates or mitigates a release, threat of release, or pathway of exposure. The cleanup of a site can be divided into a number of operable units.

**Option:** A group of related alternative pathways through a specific set of facilities that takes surplus fissile material to complete disposition. See alternative options.

**Outfall:** The discharge point of a drain, sewer, or pipe as it empties into a body of water.

**Oxidation:** The combination of an atom with another atom (normally oxygen). During this reaction, the atom combines with oxygen and loses electrons.

**Oxide:** A compound in which an element (such as Pu) is bonded to oxygen.

**Ozone:** The triatomic form of oxygen; in the stratosphere, ozone protects the Earth from the sun's ultraviolet rays, but in lower levels of the atmosphere ozone is considered an air pollutant.

**Package:** For radioactive materials, the packaging together with its radioactive contents as presented for transport (the packaging plus the radioactive contents is the package).

**Packaging:** For radioactive materials, it may consist of one or more receptacles, absorbent materials, spacing structures, thermal insulation, radiation shielding, and devices for cooling or absorbing mechanical shock to ensure compliance with DOT regulations.

**Paleoindian:** Term applied to both (1) the period to which the earliest presence of humans can be traced, dating in North America to the late Pleistocene (circa 10,000-12,000 before the present), and (2) the earliest human groups identified in North America (for example, Clovis and Folsom points are considered to have been manufactured by Paleoindian peoples).

**Paleontology:** The study of extinct plant and animal life that existed in former geologic times, especially fossils.

**Paleozoic:** The longest era of geologic time, dating from 570 million to 245 million years ago. Seed-bearing plants, amphibians, and reptiles first appeared in the Paleozoic Era.

**Palustrine:** Lakes, ponds and other enclosed open waters at least 8 ha (20 acres) in extent and dominated by trees, shrubs and emergent vegetation.

**Pascal:** A metric unit of pressure equal to one Newton per square meter; 101,000 pascals is equal to 14.7 lb/in<sup>2</sup>.

**Passivation:** To make inactive or less reactive by coating or surface treatment.

**Perched Groundwater:** A body of groundwater of small lateral dimensions lying above a more extensive aquifer.

**Perennial Creek:** A stream or reach of a stream that flows continuously throughout the year and whose upper surface generally stands lower than the water table in the region adjoining the stream.

**Permeability:** The ability of rock or soil to transmit a fluid. It is the measure of the relative ease of fluid flow under unequal pressure.

**Person-rem:** The unit of collective radiation dose commitment to a given population; the sum of the individual doses received by a population segment.

**Petroglyph:** Art carved or inscribed on a rock by a historic or prehistoric people.

**pH:** A numeric value that indicates the relative acidity or alkalinity of a substance on a scale of 0 to 14, with the neutral point at 7.0. Acid solutions have pH values lower than 7.0 and basic (alkaline) solutions have pH values higher than 7.0.

**Physical Setting:** The land and water form, vegetation, and structures that compose the landscape.

**Physiography:** Description of earth surface features.

**Piedmont Province:** Area of rolling topography between the Appalachian mountain range and the coastal plain, extending from New Jersey to Alabama. The Piedmont is underlain chiefly by Precambrian and Paleozoic metamorphic and igneous rocks, but it also has relatively large areas underlain by Triassic sedimentary rocks and sporadic basaltic sills and dikes.

**Pit:** The core element of a nuclear weapon's "primary" or fission component.

**Pit Cladding:** The material that encapsulates a pit to form a hermetic seal around the pit.

**Playa:** A dry lake bed in a desert basin or a closed depression that contains water on a seasonal basis.

**Pleistocene:** The geological time of the earliest epoch of the Quaternary Period, occurring approximately 11,000 to 2 million years ago, characterized by a succession of northern glaciations and the appearance of human beings.

**Pliocene:** The geological time of the latest epoch of the Tertiary Period, occurring approximately 2 million to 7 million years ago, characterized by the appearance of distinctly modern animals.

**Plume:** The elongated pattern of contaminated air or water originating at a point source, such as a smokestack or a hazardous waste disposal site.

**Plume Immersion:** Occurs when an individual is enveloped by a cloud of radioactive gaseous effluent and receives an external radiation dose.

**Plutonium:** A heavy, radioactive, metallic element with the atomic number 94. It is produced artificially in a reactor by bombardment of uranium with neutrons and is used in the production of nuclear weapons. Plutonium has 15 isotopes with mass numbers ranging from 232 to 246. The weapons-usable plutonium consists mainly of Pu-239, which has a radioactive decay half-life of 24,110 years.

**Polychlorinated Biphenyl (PCB):** Any of family of chlorinated chemicals that are noted as dangerous environmental pollutants that can accumulate in animal tissues with resultant pathogenic or teratogenic (causing birth defects) effects.

**Position:** See "Storage Position."

**Post Closure Period:** An indefinitely long period (hundreds of millions of years) extending from closure of the facility to a time when the emplaced waste is no longer a security or safety hazard. It is expected that, at least during the early years, the facility will be safeguarded and monitored.

**Potable (Water):** Fit to drink.

[Text deleted.]

**Potential Fatalities:** A conservative estimate of those fatalities that would result from both radiological and nonradiological risks from normal operations and accident conditions for a proposed action.

**Pounds per Square Inch:** A measure of pressure; atmospheric pressure is about 14.7 lb/in<sup>2</sup>.

**Power Reactor-Grade Material:** Pu and HEU in various forms (for example, metals and oxides) that can be used in commercial nuclear power reactors. Power reactor-grade Pu contains greater than 19 percent Pu-240.

**Precambrian:** Dating from before the Cambrian geologic period more than 570 million years ago.



**Precipitate:** To cause a solid substance to become separate from a solution.

**Prehistoric:** Predating written history. In North America, also predating contact with Europeans.

**Pressurized Water Reactor (PWR):** A nuclear power reactor that uses water under pressure as a coolant. The water boiled to generate steam is in a separate system.

**Prevention of Significant Deterioration (PSD):** Regulations established by the CAA to limit increases in criteria air pollutant concentrations above baseline.

**Primary System:** The system that circulates a coolant (for example, water) through the reactor core to remove the heat of reaction.

**Prime Farmland:** Land with the best combination of physical and chemical characteristics (soil quality, growing season, and moisture supply) for economically producing high yields of food, feed, forage, fiber, and oilseed crops, with minimum inputs of fuel, fertilizer, pesticides, and labor without intolerable soil erosion (*Farmland Protection Policy Act* of 1981, 7 CFR 7, paragraph 658). Land classified as prime farmland includes cropland, pastureland, rangeland, or forest land; but not urban or built-up land or land covered with water. Prime farmlands are identified by the NRCS (also known as Soil Conservation Service).

**Prime Farmland Soils:** Soil map units that meet the soil requirements for prime farmland.

**Probabilistic Risk Assessment (PRA):** A comprehensive, logical, and structured methodology to identify and quantitatively evaluate significant accident sequences and their consequences.

**Probable Maximum Flood:** Flood levels predicted for a scenario having hydrological conditions that maximize the flow of surface waters.

**Process:** To extract, separate, or purify a substance by physical or chemical means (for example, to remove actinides).

**Programmatic Environmental Impact Statement (PEIS):** A document prepared in accordance with the requirements of 102(2)(C) of NEPA which evaluates the environmental impacts of proposed Federal Actions that involve multiple decisions potentially affecting one or more sites.

**Project:** Any undertaking with a defined starting point and defined objectives by which completion is identified.

**Project-Specific EIS:** A legal document prepared in accordance with the requirements of 102(2)(C) of NEPA which evaluates the environmental impacts of a single action at a single site.

**Proliferation:** The spread of nuclear, biological, and chemical capabilities and the missiles to deliver them.

**Protected Area (PA):** An area encompassed by physical barriers, subject to access controls, surrounding material access areas, and meeting the standards of DOE Order 5632.1C, *Protection and Control of Safeguards and Security Interests*.

**Quality Factor:** The principal modifying factor that is employed to derive dose equivalent from absorbed dose.

**Quaternary:** The second geologic period of the Cenozoic Era, occurring from 2 million years ago to the present, characterized by the appearance of human beings.

**Rad:** See "Radiation Absorbed Dose."

**Radiation:** The emitted particles or photons from the nuclei of radioactive atoms. Some elements are naturally radioactive; others are induced to become radioactive by bombardment in a reactor. Naturally occurring radiation is indistinguishable from induced radiation.

**Radiation Absorbed Dose:** The basic unit of absorbed dose equal to the absorption of 0.01 joule per kilogram of absorbing material.

**Radioactive Accident Risk:** As described in the *Final Environmental Statement on the Transportation of Radioactive Material by Air and Other Modes* (NUREG-0170), it is the probability of an accident in which the release of radioactive material is likely to occur, and its consequences. The consequences are expressed in terms of the potential effects of the release of a specified quantity of dispersible radioactive material to the environment or the exposure resulting from a damaged package shielding. The risk calculations incorporate accident rates and package release fraction estimates, both of which are functions of accident severity. Radiological accident risks are expressed in terms of annual expected latent cancer fatalities and early fatality probabilities.

**Radioactive Vehicle Accident:** A vehicle accident involving one or more packages of radioactive material that could result in a loss of shielding efficiency of the package, or a loss of containment and subsequent dispersal of the radioactive material, or an accidental assembly of a critical mass (in fissile material shipments).

**Radioactive Waste:** Materials from nuclear operations that are radioactive or are contaminated with radioactive materials, and for which use, reuse, or recovery are impractical.

**Radioactivity:** The spontaneous decay or disintegration of unstable atomic nuclei, accompanied by the emission of radiation.

**Radioisotopes:** Radioactive nuclides of the same element (same number of protons in their nuclei) that differ in the number of neutrons.

**Radiolysis:** Chemical decomposition induced by radiation.

**Radionuclide:** A radioactive element characterized according to its atomic mass and atomic number which can be man-made or naturally occurring. Radionuclides can have a long life as soil or water pollutants, and are believed to have potentially mutagenic or carcinogenic effects on the human body.

**Radon:** Gaseous, radioactive element with the atomic number 86 resulting from the radioactive decay of radium. Radon occurs naturally in the environment, and can collect in unventilated enclosed areas, such as basements. Large concentrations of radon can cause lung cancer in humans.

**Raptor:** A bird of prey, such as an eagle, hawk, or falcon.

**Reactor Accident:** See "Design-Basis Accident" and "Severe Accident."

**Reactor Core:** In a heavy water reactor: the fuel assemblies, including the fuel and target tubes, control assemblies, blanket assemblies, safety rods, and coolant/moderator. In a LWR: the fuel assemblies, including the fuel and target rods, control rods, and coolant/moderator.

**Reactor Facility:** Unless it is modified by words such as containment, vessel, or core, the term reactor facility includes the housing, equipment, and associated areas devoted to the operation and maintenance of one or more reactor cores. Any apparatus that is designed or used to sustain nuclear chain reactions in a controlled manner, including critical and pulsed assemblies and research, test, and power reactors, is defined as a reactor. All assemblies designed to perform subcritical experiments that could potentially reach criticality are also to be considered reactors.

[Text deleted.]

**Recharge:** Replenishment of water to an aquifer. Can occur as a result of surface infiltration of rainwater (or other sources) and through leakage between aquifers.

**Record of Decision (ROD):** A document prepared in accordance with the requirements of 40 CFR 1505.2 that provides a concise public record of DOE's decision on a proposed action for which an EIS was prepared. A ROD identifies the alternatives considered in reaching the decision, the environmentally preferable alternative(s), factors balanced by DOE in making the decision, whether all practicable means to avoid or minimize environmental harm have been adopted, and if not, why they were not.

**Recycling:** The recovery, purification, and reuse of tritium contained in reservoirs within the nuclear weapons stockpile.

**Reference Standards:** Guides or standards that the DOE and its contractors should consider for guidance, as applicable, in addition to mandatory standards.

**Region of Influence (ROI):** A site-specific geographic area that includes the counties where approximately 90 percent of the current DOE and/or contractor employees reside.

**Regional Economic Area (REA):** A geographic area consisting of an economic node and the surrounding counties that are economically related and include the places of work and residences of the labor force. Each REA is defined by the BEA.

**Rem:** See "Roentgen Equivalent Man."

**Remediate:** Render radioactive, hazardous, or mixed waste environmentally safe, whether through processing, entombment, or other methods.

**Remediation:** The process, or a phase in the process, of rendering radioactive, hazardous, or mixed waste environmentally safe, whether through processing, entombment, or other methods.

**Reprocessing:** The chemical separation of spent reactor fuel into uranium, transuranic elements, and fission products.

**Residue:** Pu materials in process or left over from processes of making weapons.

**Resource Conservation and Recovery Act (RCRA) as Amended:** The Act that provides a "cradle to grave" regulatory program for hazardous waste that establishes, among other things, a system for managing hazardous waste from its generation until its ultimate disposal.

**Retirement:** As applied to nuclear weapons, the removal of a weapon from the stockpile.

**Rhyolite:** A volcanic rock rich in silica; the volcanic equivalent of granite.

**Richter Scale:** A logarithmic scale used to express the total amount of energy released by an earthquake; it has 10 divisions, from 1 (not felt by humans) to 10 (nearly total damage).

**Riffle:** A rocky shoal or sand bar lying just below the surface of a waterway.

**Riparian:** On or around rivers or streams.

**Riparian Wetlands:** Wetlands on or around rivers and streams.

**Rip rap:** A loose assemblage of stones used in water or soft ground to prevent erosion.

**Risk:** A quantitative or qualitative expression of possible loss that considers both the probability that a hazard will cause harm and the consequences of that event.

**Risk Assessment (Chemical Or Radiological):** The qualitative and quantitative evaluation performed in an effort to define the risk posed to human health and/or the environment by the presence or potential presence and/or use of specific chemical or radiological pollutants.

**Roentgen:** A unit of exposure to ionizing x- or gamma radiation equal to or producing 1 electrostatic unit of charge per cubic centimeter of air. It is approximately equal to 1 rad.

**Roentgen Equivalent Man (rem):** The unit of radiation dose for biological absorption: equal to the product of the absorbed dose, in rads, a quality factor which accounts for the variation in biological effectiveness of different types of radiation.

**Runoff:** The portion of rainfall, melted snow, or irrigation water that flows across the ground surface and eventually enters streams.

**Ruthenium:** A brittle gray metal. A radioactive form of ruthenium is a common fission product.

**Safe Drinking Water Act (SDWA), as Amended:** This Act protects the quality of public water supplies, water supply and distribution systems, and all sources of drinking water.

**Safe Secure Trailer (SST):** A specially designed semi-trailer, pulled by a specially designed tractor, which is used for the safe, secure transportation of cargo containing nuclear weapons or special nuclear material.

**Safety:** Minimizing the possibility that a nuclear weapon will be exposed to accidents and preventing the possibility of nuclear yield or Pu dispersal should there be an accident involving a nuclear weapon.

**Safety Analysis Report (SAR):** A safety document providing a concise but complete description and safety evaluation of a site, design, normal and emergency operation, potential accidents, predicted consequences of such accidents, and the means proposed to prevent such accidents or mitigate their consequences. A safety analysis report is designated as final when it is based on final design information. Otherwise, it is designated as preliminary.

**Safety Document:** A document prepared specifically to ensure that the safety aspects of part or all of the activities conducted at a reactor are formally and thoroughly analyzed, evaluated, and recorded (for example, technical specifications, safety analysis reports and addenda, and documented reports of special safety reviews and studies).

**Salt Drift:** Deposition of salts from the drifting of mist from cooling tower operation and the associated deposition of entrained chemicals.

**Saltcrete:** A solidified mixture of salt residue from the evaporation process at a liquid waste treatment facility and Portland cement.

**Saltstone:** Low radioactivity fraction of high-level waste from the in-tank precipitation process mixed with cement, flash, and slag to form a concrete block.

**Sandstone:** A sedimentary rock composed mostly of sand-size particles cemented usually by calcite, silica, or iron oxide.

**Sanitary Wastes:** Wastes generated by normal housekeeping activities, liquid or solid (includes sludge), which are not hazardous or radioactive.

**Sanitization:** An irreversible modification or destruction of a component or part of a component to the extent required to prevent revealing classified or otherwise controlled information.

**Schist:** Crystalline metamorphic rock formed by dynamic metamorphism that can be split easily into thin slabs or flakes.

**Scintillation:** Minute flash of light caused when alpha, beta, or gamma rays strike certain phosphors.

**Scope:** In a document prepared pursuant to NEPA, the range of actions, alternatives, and impacts to be considered.

**Scoping:** Involves the solicitation of comments from interested persons, groups, and agencies at public meetings, public workshops, in writing, electronically, or via fax to assist DOE in defining the proposed action, identifying alternatives, and developing preliminary issues to be addressed in an EIS.

**Scrap:** Pu materials in process or left over from process of making weapons.

**Scrubber:** An air pollution control device that uses a spray of water or reactant or a dry process to trap pollutants in emissions.

**Secondary:** Component of a nuclear weapon that contains elements needed to initiate the fusion reaction in thermonuclear explosion.

**Secondary System:** The system that circulates a coolant (water) through a heat exchanger to remove heat from the primary system.

**Security:** Minimizing the likelihood of unauthorized access to or loss of custody of a nuclear weapon or weapon system, and ensuring that the weapon can be recovered should unauthorized access or loss of custody occur.

**Sedimentary Rock:** Rock formed from the accumulation and consolidation of sediments.

**Sedimentation:** The settling out of soil and mineral solids from suspension in water.

**Seepage Basin:** An unlined excavation in the ground that receives aqueous effluent.

**Seismic:** Pertaining to any earth vibration, especially an earthquake.

**Seismic Zone:** An area defined by the Uniform Building Code (1991), designating the amount of damage to be expected as the result of earthquakes. The United States is divided into six zones: (1) Zone 0—no damage; (2) Zone 1—minor damage; corresponds to intensities V and VI of the MMI scale; (3) Zone 2A—moderate damage; corresponds to intensity VII of the MMI scale (eastern U.S.); (4) Zone 2B—slightly more damage than 2A (western U.S.); (5) Zone 3—major damage; corresponds to intensity VII and higher of the MMI scale; (6) Zone 4—areas within Zone 3 determined by proximity to certain major fault systems.

**Seismicity:** The tendency for the occurrence of earthquakes.

**Sensitivity Level:** The relative degree of viewer numbers, visibility of the subject landscape and the degree of potential viewer interest, concern, and attitude for existing or proposed changes in landscape character.

**Severe Accident:** An accident with a frequency rate of less than  $10^{-6}$  per year that would have more severe consequences than a design-basis accident, in terms of damage to the facility, offsite consequences, or both.

**Sewage:** The total of organic waste and wastewater generated by an industrial establishment or a community.

**Shale:** A type of easily split rock composed of layers of claylike, fine-grained sediments.

**Shielding:** Any material of obstruction (bulkheads, walls, or other constructions) that absorbs radiation in order to protect personnel or equipment.

**Short-Lived Nuclides:** Radioactive isotopes with half-lives no greater than about 30 years (for example, Cs-137 and Sr-90).

**Shrink-Swell Potential:** Refers to the potential for soils to contract while drying and expand after wetting.

**Shutdown:** For a DOE reactor, that condition in which the reactor has ceased operation and DOE has declared officially that it does not intend to operate it further.

**Silica:** Silicon dioxide, a common mineral that occurs naturally as quartz.

**Silt:** A sedimentary material consisting of fine mineral particles intermediate in size between sand and clay.

**Siltstone:** A fine-grained, elastic (fragmented) sedimentary rock in which particles range from 1/6 to 1/256 millimeters in diameter.

**Sinkhole:** A depression in the earth's surface formed by the collapse of a cavern roof. Typically associated with Karst terrain.

**Sitewide EIS:** A legal document prepared in accordance with the requirements of 102(2)(C) of NEPA which evaluates the environmental impacts of many actions at one large, multiple-facility site. Sitewide EISs are used to support specific decisions.

**Slope Factor:** A upper-bound estimate of the probability of a response per unit intake of a chemical over a lifetime. The slope factor is used to estimate an upper-bound probability of an individual developing cancer as a result of a lifetime of exposure to a particular level of a potential carcinogen.

**Socioeconomic Baseline Characterization:** A description and discussion of the social and economic characteristics of a study area, including a profile of local population, economy, housing supply, and public and private services.

**Solution:** Liquid mixtures containing Pu.

**Source Term:** The estimated quantities of radionuclides or chemical pollutants released to the environment.

**Spec Metal (Specification Metal):** Pu metal whose impurities do not exceed an established concentration.

**Special Nuclear Materials:** As defined in Section 11 of the AEA, special nuclear material means (1) Pu, uranium enriched in the isotope 233 or in the isotope 235, and any other material which the NRC determines to be special nuclear material or (2) any material artificially enriched by any of the foregoing.

**Spent Fuel Standard:** A term coined by the NAS and modified by DOE, means that alternatives for the disposition of surplus weapons-usable Pu should seek to make this Pu roughly as inaccessible and unattractive for weapons use as the much larger and growing stock of Pu in civilian spent nuclear fuel.

**Spent Nuclear Fuel:** Irradiated reactor fuel that is no longer useful as fuel.

**Stabilize:** To convert a compound, mixture, or solution to a non-reactive form.

**Stage Right:** A horizontal palletized multiple stacking configuration of pits in containers at Pantex. The operation utilizes an electric forklift with shielding for radiation protection for storage, retrieval, and inventory operations. The shielded fork lift has a passive guidance system (for example, rail guides, wire guides) for the palletized stacking configuration that prevents the forklift from veering from the aisle.

**Staging:** An interim storage or gathering of items awaiting use, transportation, consumption, or other disposition.

**Standardization (Epidemiology):** Techniques used to control the effects of differences (for example, age) between populations when comparing disease experience. The two main methods are the following:

- Direct method, in which specific disease rates in the study population are averaged, using as weights the distribution of the comparison population.
- Indirect method, in which the specific disease rates in the comparison population are averaged, using as weights the distribution of the study population.

**Standby:** That condition in which a reactor facility is neither operable nor declared excess and in which documentary authorization exists to maintain the reactor for possible future operation.

**State Historic Preservation Officer (SHPO):** State officer established to carry out the duties associated with the NHPA, for identification and protection of prehistoric and historic resources.

**Steppe:** A semi-arid, grass-covered, and generally treeless plain.

**Steppe Climate (Semiarid Climate):** The type of climate in which precipitation is very slight but sufficient for the growth of short, sparse grass.

**Storage:** Any method of keeping items while awaiting use, transportation, consumption, or other disposition.

**Storage Position:** A cubicle with dimensions of 46 cm (18 in) wide by 46 m (18 in) deep by 57 cm (24 in) tall. It is sized to accommodate one pit or nonpit primary containment vessel per storage position for Pu or a single drum or can per position for HEU. This configuration is necessary for criticality and heat load considerations of the Pu and HEU material stored within each position.

[Text deleted.]

**Stored Weapons Standard:** This invokes the high standards of security and accounting applied to the storage of intact nuclear weapons. Therefore, applying the Stored Weapons Standard means those high standards should be maintained to the extent practical for weapons-usable fissile materials throughout dismantlement, storage, and disposition.

**Straight-Line:** A site-independent pilot Pu management system.

**Strategic Reserve Material:** The quantity of Pu and HEU material reserved for future weapons use.

**Stratigraphy:** Division of geology dealing with the definition and description of rocks and soils, especially sedimentary rocks.

**Sulfur Oxides:** Common air pollutants, primarily SO<sub>2</sub>, a heavy, pungent, colorless gas (formed in the combustion of coal), which is considered a major air pollutant, and sulfur trioxide.

**Superfund Amendments and Reauthorization Act (SARA) of 1986:** In addition to certain freestanding provisions of law, it includes amendments to CERCLA and the SDWA.

**Surface Water:** Water on the Earth's surface, as distinguished from water in the ground (groundwater).

**Surplus Facility:** Any facility or site (including installed equipment) that has no identified programmatic use or that may or may not be radioactively contaminated to levels that require controlled access.

**Surplus Fissile Materials:** Weapons-usable fissile materials that have no identified programmatic use or do not fall into one of the categories of national security reserves.

**System International:** For the purpose of this PEIS, synonymous with the metric system.

**Technology:** A specific technical component that is subset of a facility; for example, glass melter and feed preparation technology might fall under vitrification of Pu in borosilicate glass.

**Tectonic Plate:** One of the massive rigid plates that together form the Earth's lithosphere, or outermost layer (crust).

**Tertiary:** The first geologic period of the Cenozoic Era, dating from 66 million to about 3 million years ago. During the Tertiary, mammals became the dominant life form.

**Threatened Species:** Defined in the ESA of 1973 as "any species which is likely to become an endangered species within the foreseeable future throughout all or a significant portion of its range."

**Threshold Limit Values:** The recommended concentrations of contaminants workers may be exposed to according to the ACGIH.

**Toxic Substances Control Act (TSCA) of 1976:** This Act authorizes the EPA to secure information on all new and existing chemical substances and to control any of these substances determined to cause an unreasonable risk to public health or the environment. This law requires that the health and environmental effects of all new chemicals be reviewed by the EPA before they are manufactured for commercial purposes.



**Transmissivity:** A measure of a water-bearing unit's capacity to transmit fluid: the product of the thickness and the average hydraulic conductivity of a unit. Also, the rate at which water is transmitted through a strip of an aquifer of a unit width under a unit hydraulic gradient at a prevailing temperature and pressure.

**Transparency:** Exchange of information, access to facilities, and cooperative arrangements undertaken to provide ready observation and verification of defense or other activities.

**Transportation and Emergency Management Program:** The transportation program is responsible for the safe movement of wastes among facilities for the purposes of treatment, storage, and disposal. The emergency management program is responsible for coordinating the response to adverse occurrences in environmental restoration and waste management operations.

**Transuranic:** Any element whose atomic number is higher than that of uranium (that is, atomic number 92). All transuranic elements are produced artificially and are radioactive.

**Transuranic Waste:** Waste contaminated with alpha-emitting radionuclides with half-lives greater than 20 years and concentrations greater than 100 nanocuries/gram at time of assay. It is not a mixed waste.

**Treatment:** An operation necessary to prepare material for disposal.

**Triassic:** First period of the Mesozoic Era, dating from between 245 to 208 million years ago.

**Tritium:** A radioactive isotope of the element hydrogen with two neutrons and one proton. Common symbols for the isotope are H-3 and T.

**Tritium Recycling:** The recovery, purification, and reuse of tritium contained in tritium reservoirs within the nuclear weapons stockpile.

**Tuff:** A fine-grained rock composed of volcanic ash.

**Tunnel Drift:** A small cross cut in a mine connecting two larger tunnels.

**Unconfined Aquifer:** A permeable geological unit having the following properties: a water-filled pore space (saturated), the capability to transmit significant quantities of water under ordinary differences in pressure, and an upper water boundary that is at atmospheric pressure.

**Unsaturated Zone (Vadose):** A region in a porous medium in which the pore space is not filled with water.

**Uranium:** A heavy, silvery-white metallic element (that is, atomic number 92) with many radioactive isotopes. U-235 is most commonly used as a fuel for nuclear fission. Another isotope, U-238, is transformed into fissionable Pu-239 following its capture of a neutron in a nuclear reactor.

**Viewshed:** The extent of the area that may be viewed from a particular location. Viewsheds are generally bounded by topographic features such as hills or mountains.

**Visual Resource Management (VRM):** A methodology devised by the BLM to analytically assess the aesthetic quality of a landscape. The objective of this process is to lessen the visual impact of proposed activities while these actions are still in the design stage. The process consists of a rating of site visual quality (see VRM Class) followed by a measurement of the degree of contrast between proposed development activities and the existing landscape.

**Visual Resource Management Class:** As part of the BLM Visual Resource Management process, an inventory and evaluation of visual resources is conducted and lands are assigned a relative visual rating or management classification. There are five classes which define the different degrees of modification to landscape elements: Class 1 would apply to pristine areas including designated wilderness and wild and scenic rivers; Class 2 would apply to areas with very limited land development activity resulting in contrasts that are seen but do not attract attention; Class 3 would apply to areas where contrasts caused by development activity are evident, but the natural landscape still dominates; Class 4 would apply to areas where contrasts caused by human activities attract attention and are dominant features of the landscape in terms of scale, but repeat the contrast of the characteristic landscape; Class 5 would apply to areas where contrasts caused by cultural activities are the dominant feature of the landscape to the point that the natural landscape character no longer exists.

**Visual Resources:** Natural and cultural features that define the appearance of a particular landscape.

[Text deleted.]

**Vitrification:** A waste treatment process that uses glass (for example, borosilicate glass) to encapsulate or immobilize radioactive wastes.

**Volatile Organic Compounds:** A broad range of organic compounds, often halogenated, that vaporize at ambient or relatively low temperatures, such as benzene, chloroform, and methyl alcohol.

**Waste:** A discardable residue from a manufacturing or purification process.

**Waste Isolation Pilot Plant (WIPP):** A facility in southeastern New Mexico being developed as the disposal site for transuranic and transuranic mixed waste, not yet in operation.

**Waste Minimization and Pollution Prevention:** An action that economically avoids or reduces the generation of waste and pollution by source reduction, reducing the toxicity of hazardous waste and pollution, improving energy use, or recycling. These actions will be consistent with the general goal of minimizing present and future threats to human health, safety, and the environment.

**Waste Package:** The waste, waste container, and any absorbent that is intended for disposal as a unit. In the case of surface contaminated, damaged, leaking, or breached waste packages, any overpack shall be considered the waste container, and the original container shall be considered part of the waste.

**Wastewater:** Spent water originating from all aspects of human sanitary water use (domestic wastewater) and from a myriad of industrial processes that use water for a variety of purposes (industrial wastewater).

**Water Quality Standard and Criteria:** Concentration limit of constituents or characteristics allowed in water; often based on water use classifications (for example, drinking water, recreation use, propagation of fish and aquatic life, and agricultural and industrial use). Water quality standards are legally enforceable: water quality criteria are non-enforceable recommendations based on biotic impacts.

**Water Table:** The first water encountered below the surface of the ground occurs in two zones, an upper unsaturated zone and a deeper saturated zone. The boundary between the two zones is the water table.

**Weapon Secondary:** See "Secondary."

**Weapon System:** Collective term for the nuclear assembly and weapons usable nonnuclear components, subsystems, and systems that comprise a nuclear weapon.

**Weapons Assembly/Disassembly:** Assembly operations assembles piece parts into subassemblies using joining techniques such as welding, adhesive bonding, and mechanical joining. Disassembly takes retired weapons apart and recycles all materials of value.

**Weapons-Grade Material:** Pu or HEU, in metallic form, that has been removed from weapons as a result of stockpile downsizing, and Pu and HEU parts that were manufactured for weapons application. Weapons-grade Pu contains less than 7 percent Pu-240.

**Weapons Laboratories:** Colloquial term for the three DOE national laboratories—Los Alamos, Lawrence Livermore, and Sandia—that are responsible for the design, development, and stewardship of U.S. nuclear weapons.

**Weapons Retirement:** The process by which nuclear weapons are determined to be obsolete or unnecessary for national defense. A retired weapons or weapon system is no longer in an active status or deliverable, but may still be a fully functioning nuclear device.

**Weapons-Usable Material:** Pu and HEU in various forms (for example, metals and oxides) that can be readily converted for use in nuclear weapons, including weapons-grade, fuel-grade, and power reactor-grade Pu.

**Weighting Factor:** Represents the fraction of the total health risk resulting from uniform whole-body irradiation that could be contributed to that particular tissue.

**Wet Site:** For the purposes of this PEIS, any site where adequate surface water is available for the various storage and disposition needs.

**Wetland:** Land or areas exhibiting hydric soil conditions, saturated or inundated soil during some portion of the year, and plant species tolerant of such conditions.

**Whole-Body Dose:** Dose resulting from the uniform exposure of all organs and tissues in a human body. Also, see "Effective Dose Equivalent."

**Wild and Scenic Rivers Act:** This Act establishes a National Wild and Scenic Rivers System to preserve and protect the free-flowing condition of selected rivers with outstanding natural, cultural, or recreational features. For Federally-owned land within the boundaries of rivers in the System, certain activities that would have a direct and adverse effect on river values may be controlled.

**Wind Rose:** A depiction of wind speed and direction frequency for a given period of time.

**$\chi/Q$  (Chi/Q):** The relative calculated air concentration due to a specific air release; units are  $(\text{sec}/\text{m}^3)$ . For example,  $(\text{Ci}/\text{m}^3)/(\text{Ci}/\text{sec})=(\text{sec}/\text{m}^3)$  or  $(\text{gm}/\text{m}^3)/(\text{gm}/\text{sec})=(\text{sec}/\text{m}^3)$ .

[Text deleted.]

**2R Container:** An inner containment vessel for radioactive materials built to approved specifications of the DOT pursuant to 49 CFR 178.360-1. Each 2R vessel must be made of stainless steel, malleable iron, or brass, or other material having equivalent physical strength and fire resistance. The inside diameter of the vessel may not exceed 30 cm (12 in) with a wall thickness no less than for schedule 40 pipe. Each 2R vessel must have welded, brazed, screw-type or flanged closure devices which meet DOT specifications.

**6M:** A container which resembles a 55-gallon stainless steel drum which DOE uses as an outer container with impact absorber material (Type B packaging) placed inside the container to protect the inner container (usually a Type 2R) which is typically used to ship radioactive material.

## Chapter 8

### List of Preparers

Annett, John R., Air Quality and Acoustics Specialist, Halliburton NUS Corp.

B.A., Mathematics, 1969, Hartwick College, Oneonta, NY

Years of Experience: 26

Biegel, Herb, Data Coordinator, Lamb Associates, Inc.

B.S., Electrical Engineering, 1965, Naval Post Graduate School, Monterey, CA

B.S., Naval Science, 1955, U.S. Naval Academy, Annapolis, MD

Years of Experience: 21

Bienenfeld, Paula, Cultural and Paleontological Specialist, Tetra Tech, Inc.

Ph.D., Anthropology, 1986, State University of New York at Binghamton,  
Binghamton, NY

M.A., Anthropology, 1979, State University of New York at Binghamton,  
Binghamton, NY

B.A., Anthropology, 1973, University of Michigan, Ann Arbor, MI

Years of Experience: 18

Bingaman, Trip, Technical Coordinator, Halliburton NUS Corp.

B.A., Economics, 1991, West Virginia University, Morgantown, WV

Years of Experience: 6

Blauer, H. Mark, Deputy Program Manager, Tetra Tech, Inc.

Ph.D., Nuclear Chemistry, 1977, University of Glasgow, Scotland

M.S., Earth and Space Science, 1971, State University of New York at  
Stony Brook, Stony Brook, NY

B.S., Chemistry, 1968, State University of New York at Stony Brook,  
Stony Brook, NY

Years of Experience: 28

Boucher, Marc, Fissile Materials Storage Specialist, SRA Technologies, Inc.

B.S., Nuclear Engineering, 1991, University of Florida, Gainesville, FL

Years of Experience: 5

Bruner, Daniel L., General Engineer, Office of NEPA Compliance and Outreach, Office of Fissile Materials  
Disposition, MD-4, DOE

B.S., Civil Engineering, 1971, Auburn University, Auburn, AL

Years of Experience: 25

Cambria, Michael J., Infrastructure and Immobilization Specialist, SRA Technologies, Inc.

M.S., Nuclear Engineering, 1964, Pennsylvania State University, State College, PA

B.S., Physics, 1962, Villanova University, Villanova, PA

Years of Experience: 32

Chambers, Matthew J., Waste Management Specialist, Lamb Associates, Inc.  
M.S., Environmental Engineering, 1995, Johns Hopkins University, Baltimore, MD  
B.S., Chemical Engineering, 1989, University of Maryland, College Park, MD  
Years of Experience: 7

Choephel, Ann Marie, Comment Analysis and Response Coordinator, Halliburton NUS Corp.  
M.S., Public Administration, 1981, George Washington University, Washington, DC  
B.S., Education, 1973, Virginia Commonwealth University, Richmond, VA  
Years of Experience: 22

Collier, Crystal D., Publications Manager, Tetra Tech, Inc.  
M.A., English, 1992, Virginia Polytechnic Institute and State University,  
Blacksburg, VA  
B.A., English, 1990, Virginia Polytechnic Institute and State University,  
Blacksburg, VA  
Years of Experience: 6

Dabak, Turgay, Implementation Plan Task Manager, Tetra Tech, Inc.  
Ph.D., Civil Engineering, 1986, Virginia Polytechnic and State University,  
Blacksburg, VA  
M.S., Civil Engineering, 1979, Orta Dogu Technical University, Ankara, Turkey  
B.S., Civil Engineering, 1976, Orta Dogu Technical University, Ankara, Turkey  
Years of Experience: 15

Davis, Larry J., Nuclear Weapons Design and Engineering Technical Coordinator, Lamb Associates, Inc.  
M.S., Physics, 1971, Naval Postgraduate School, Monterey, CA  
B.S., Mathematics, 1964, Jacksonville State University, Jacksonville, AL  
Years of Experience: 32

Felkner, Ira Cecil, Chemical Hazards Specialist, SRA Technologies, Inc.  
Ph.D., Microbiology/Biochemistry, 1966, University of Texas, Austin, TX  
M.A., Bacteriology/Genetics, 1960, University of Texas, Austin, TX  
B.A., Zoology/Chemistry, 1958, University of Texas, Austin, TX  
Years of Experience: 35

Fleming, William R., Technical Coordinator, SRA Technologies, Inc.  
Ph.D., Public Policy, 1987, Florida State University, Tallahassee, FL  
M.P.A., Urban Administration and Planning, 1979, Florida Atlantic University,  
Boca Raton, FL  
B.A., Political Science, 1976, Saint Leo College, Saint Leo, FL  
Years of Experience: 15

Fluck, Paul V., Geology and Soils Specialist, Tetra Tech, Inc.  
B.S., Geology, 1985, Stockton State College, Pomona, NJ  
B.S., Environmental Science, 1985, Stockton State College, Pomona, NJ  
Years of Experience: 10

Flynn, David T., Nuclear Safety Specialist, Tetra Tech, Inc.

B.S., Geology, 1979, Southern Illinois University, Carbondale, IL

Years of Experience: 17

Gandee, Kitty R., PEIS Manager, Office of NEPA Compliance and Outreach, Office of Fissile Materials Disposition, MD-4, DOE

M.S., Nuclear Engineering, 1978, Oregon State University, Corvallis, OR

M.L.S., Library Science, 1975, University of Pittsburgh, Pittsburgh, PA

M.S., Materials Engineering, 1974, University of Maryland, College Park, MD

B.S., Metallurgical Engineering, 1972, Chen Kung University, Taiwan

Years of Experience: 19

Garrison, Roy F., Packaging & Transportation Program Specialist, Lamb Associates, Inc.

Ph.D., Transportation Management, 1987, Kensington University, Glendale, CA

M.A., Business Administration/Management, 1986, University of Washington Joint Center for Graduate Studies, Richland, WA

B.A., 1970, College of Advance Traffic, Chicago, IL

Years of Experience: 36

Gerard, Thomas A., Immobilization Technology Specialist, SRA Technologies, Inc.

M.B.A., 1989, Golden Gate University, San Francisco, CA

M.S., Civil Engineering, 1976, California Institute of Technology, Pasadena, CA

B.S., Engineering, 1970, U.S. Military Academy, West Point, NY

Years of Experience: 26

Grant, Johnnie W., Waste Management Task Leader, Lamb Associates, Inc.

M.S., Physics, 1978, Arizona State University, Tempe, AZ

B.S., Military Science, 1969, U.S. Military Academy, West Point, NY

Years of Experience: 26

Hamilton, Michael A., Facility Security Manager, SRA Technologies, Inc.

B.A., Liberal Arts, 1981, University of Central Florida, Orlando, FL

Years of Experience: 14

Heppner, Marie, Land Resources Specialist, Tetra Tech, Inc.

M.P., Environmental Planning, 1995, University of Virginia, Falls Church, VA

B.A., Urban Studies, 1983, University of Maryland, College Park, MD

Years of Experience: 11

Howard, Robert D., E.I.T., PEIS Document Integrator, Tetra Tech, Inc.

B.S., Civil Engineering, 1992, Virginia Polytechnic Institute and State University, Blacksburg, VA

Years of Experience: 4

Humes, Donald C., Waste Management and Socioeconomics Specialist, SRA Technologies, Inc.

M.S., Environmental Engineering, 1994, Colorado State University, Fort Collins, CO

B.S., Electrical Engineering, 1989, Villanova University, Villanova, PA

Years of Experience: 5

Hussey, Michael K., NEPA Compliance Specialist, Tetra Tech, Inc.  
Registered Professional Landscape Architect, 1967  
Years of Experience: 29

Itani, Maher, CRD Task Manager, Tetra Tech, Inc.  
M.A., Engineering Administration, 1987, George Washington University, Washington, DC  
B.S., Civil Engineering, 1985, George Washington University, Washington, DC  
Years of Experience: 9

Jacobs, Maryce M., Toxicology Specialist, SRA Technologies, Inc.  
Ph.D., Biological Chemistry, 1970, University of California, Los Angeles, CA  
Postdoctoral Study, Electron Microscopy, 1971, University of Colorado  
Medical Center, Denver, CO  
M.S., Business Administration, 1991, Strayer College, Washington, DC  
B.S., Chemistry, 1966, New Mexico State University, Las Cruces, NM  
Years of Experience: 25

Jones, Rebecca, Comment Analysis and Response Coordinator, Tetra Tech, Inc.  
B.A., Broadcast Journalism, 1992, West Texas A & M, Canyon, TX  
Years of Experience: 4

Joyce, William E., Health Physics Specialist, Halliburton NUS Corp.  
B.S., Chemical Engineering, 1968, University of Connecticut, Storrs, CT  
Years of Experience: 27

Kaczmarek, Michael, E.I.T., PEIS Document Integrator, Tetra Tech, Inc.  
M.Eng., Environmental Engineering, 1995, The Johns Hopkins University,  
Baltimore, MD  
B.S., Aerospace Engineering, 1992, University of Maryland, College Park, MD  
Years of Experience: 4

Karnovitz, Alan F., Socioeconomics Specialist, Tetra Tech, Inc.  
M.P.P., Public Policy, 1981, Wharton School, University of Pennsylvania,  
Philadelphia, PA  
B.S., Biology of Natural Resources, 1979, University of California, Berkeley, CA  
Years of Experience: 13

Kriz, Joseph B., NEPA Compliance Manager, Tetra Tech, Inc.  
B.S., Biology, 1979, Shippensburg University, Shippensburg, PA  
B.A., Geoenvironmental Studies, 1979, Shippensburg University, Shippensburg, PA  
Years of Experience: 14

Leichter, Irving, Waste Management Specialist, SRA Technologies, Inc.  
M.A., Meteorology, 1974, South Dakota School of Mines and Technology,  
Rapid City, SD  
B.S., Meteorology and Oceanography, 1972, New York University, New York, NY  
Years of Experience: 19

Leininger, Hope A., Cultural and Paleontological Specialist, Tetra Tech, Inc.  
B.A., History, 1990, Pennsylvania State University, University Park, PA  
B.A., Anthropology, 1990, Pennsylvania State University, University Park, PA  
Years of Experience: 6

MacConnell, James M., Biological Resources Specialist, Halliburton NUS  
B.S., Zoology, 1974, University of Maryland, College Park, MD  
Years of Experience: 22

Magette, Thomas E., P.E., Program Manager, Tetra Tech, Inc.  
M.S., Nuclear Engineering, 1979, University of Tennessee, Knoxville, TN  
B.S., Nuclear Engineering, 1977, University of Tennessee, Knoxville, TN  
Years of Experience: 19

Maltese, Jasper G., Radiation Hazards Specialist, Halliburton NUS Corp.  
M.S., Operations Research, 1970, George Washington University, Washington, DC  
B.S., Mathematics, 1961, Fairleigh Dickinson University, Rutherford, NJ  
Years of Experience: 34

McQueen, Sara, Socioeconomics Specialist, Tetra Tech, Inc.  
B.A., Economics, 1995, Wittenberg University, Springfield, OH  
Years of Experience: 1

Merritt, H. Robert, Graphics Coordinator, Tetra Tech, Inc.  
Years of Experience: 20

Miller, James D., Project Security Officer, SRA Technologies, Inc.  
M.S., Nuclear Engineering, 1972, University of New Mexico, Albuquerque, NM  
Years of Experience: 25

Minnoch, John K., Jr., Transportation Specialist, SRA Technologies, Inc.  
M.B.A., 1972, University of Utah, Salt Lake City, UT  
B.S., Air Science, 1960, Oklahoma State University, Stillwater, OK  
Years of Experience: 33

Nash, John J., Jr., Reference Coordinator, Tetra Tech, Inc.  
B.A., Political Science, 1993, LaSalle University, Philadelphia, PA  
Years of Experience: 3

Nelson, Mark, Document Coordinator, Tetra Tech, Inc.  
B.A., English, 1993, Duke University, Durham, NC  
B.A., Spanish, 1993, Duke University, Durham, NC  
Years of Experience: 3



Nojek, Larissa K., Reference Coordinator, Tetra Tech, Inc.

B.S., Environmental Science, 1995, Mary Washington College, Fredericksburg, VA  
Years of Experience: 1

Nulton, J. David, PEIS Director, Office of NEPA Compliance and Outreach, Office of Fissile  
Materials Disposition, MD-4, DOE

M.S., Mechanical Engineering, 1970, Stanford University, Stanford, CA  
B.S., Mechanical Engineering, 1968, Drexel University, Philadelphia, PA  
Years of Experience: 28

Petraglia, Jeffrey P., Deputy Project Task Manager, Tetra Tech, Inc.

M.Eng., Nuclear Engineering, 1986, Pennsylvania State University,  
University Park, PA  
B.S., Nuclear Engineering, 1981, Pennsylvania State University,  
University Park, PA  
Years of Experience: 15

Schinner, James R., Biotic Resources Specialist, Halliburton NUS Corp.

Ph.D., Wildlife Management, 1974, Michigan State University, East Lansing, MI  
B.S., Zoology, 1967, University of Cincinnati, Cincinnati, OH  
Years of Experience: 23

Schlegel, Robert, Health Physics Specialist, Halliburton NUS Corp.

M.S., Nuclear Engineering, 1961, Columbia University, New York, NY  
B.S., Chemical Engineering, 1959, Massachusetts Institute of Technology,  
Cambridge, MA  
Years of Experience: 31

Schlichter, Edward F., Commercial MOX Fuel Fabrication Specialist and ADC Reviewer, Lamb Associates, Inc.

Ph.D., Business/Financial Management, 1980, University of Nebraska, Lincoln, NE  
M.S., Management, 1967, Naval Postgraduate School, Monterey, CA  
B.S., U.S. Naval Academy, 1961, Annapolis, MD  
Years of Experience: 31

Shukla, Nilesh, Environmental Analyst, Tetra Tech, Inc.

B.S., Biochemistry, 1992, University of California Riverside, Riverside, CA  
Years of Experience: 4

Silhanek, Jay S., Waste Management Specialist, Lamb Associates, Inc.

M.P.H., Health Physics, 1961, University of Michigan, Ann Arbor, MI  
M.S., Sanitary Engineering, 1957, University of Wisconsin, Madison, WI  
B.S., Civil Engineering, 1956, Case Western Reserve, Cleveland, OH  
Years of Experience: 39

Steibel, John, Waste Management Specialist, SRA Technologies, Inc.

B.S., Industrial Engineering/Management Systems, 1958, General Motors Institute,  
Flint, MI

Years of Experience: 37

Stevenson, G. Bert, Deputy Director, Office of NEPA Compliance and Outreach, Office of  
Fissile Materials Disposition, MD-4, DOE

B.S., Physics, 1963, Marshall University, Huntington, WV

Years of Experience: 33

Stewart, Jeffrey D., C.P.G., Geology and Soils Specialist, Tetra Tech, Inc.

B.S., Geophysics, 1985, Virginia Polytechnic Institute and State University, Blacksburg, VA

Years of Experience: 11

Sullivan, Barry D., Facility Accidents Specialist, Halliburton NUS Corp.

M.B.A., Management, 1964, Hofstra University, Hempstead, NY

B.S., Electrical Engineering, 1960, Rutgers University, New Brunswick, NJ

Years of Experience: 35

Tammara, Rao, Transportation Specialist, Halliburton NUS Corp.

M.S., Environmental Engineering, 1976, University of Maryland

M.S., Chemical/ Nuclear Engineering, 1970, University of Maryland

M. Tech (M.S.), Chemical Engineering, Plant Design, 1968, Osmania University, India

M. Tech (B.S.), Chemical Engineering, 1966, Osmania University, India

B. Sci. (B.S.), Mathematics, Physics and Chemistry, 1961, Osmania University, India

Years of Experience: 25

Tan, Roy, Health Physics Specialist, Tetra Tech, Inc.

Ph.D., Radiological Environmental Engineering, 1996, University of Cincinnati,  
Cincinnati, OH

M.S., Nuclear Engineering, 1994, University of Cincinnati,  
Cincinnati, OH

B.S., Power Engineering, 1982, Harbin Engineering Institute, Harbin, China

Years of Experience: 14

Thayer, Patrick M., Fissile Materials Conversion Technology Specialist, SRA Technologies, Inc.

M.B.A., 1979, University of Colorado, Boulder, CO

B.G.S., Business, 1973, University of Nebraska, Omaha, NE

Years of Experience: 31

Trautman, Samantha, Production Coordinator, Tetra Tech, Inc.

B.A., English, 1991, Vassar College, Poughkeepsie, NY

Years of Experience: 5

Tray, Michaela, Reference Coordinator, Tetra Tech, Inc.  
Currently enrolled, University of Virginia, Falls Church, VA  
Years of Experience: 26

Truesdale, F. Scott, Water Resources Specialist, Tetra Tech Inc.  
B.A., Environmental Science/Geology, 1984, University of Virginia,  
Charlottesville, VA  
Years of Experience: 11

Tsou, James, Air Quality Specialist, Halliburton NUS Corp.  
M.S., Environmental Science, 1991, University of Cincinnati, Cincinnati, OH  
B.S., Atmospheric Science, 1985, National Taiwan University, Taiwan  
Years of Experience: 11

Werth, Robert, Air Quality and Acoustics Specialist, Halliburton NUS Corp.  
B.A., Physics, 1973, Gordon College, Wenham, MA  
Years of Experience: 23

Westbrook, Chris R., Technical Coordinator, Lamb Associates, Inc.  
M.S., Nuclear Engineering, 1980, Air Force Institute of Technology, Fairborn, OH  
M.B.A., 1976, Webster University, St. Louis, MO  
B. S., Nuclear Engineering, 1973, University of Tennessee, Knoxville, TN  
Years of Experience: 23

Wilkins, Lawrence, Socioeconomics Specialist, SRA Technologies, Inc.  
M.A., Management, 1981, Central Michigan University, Mount Pleasant, MI  
B.S., Engineering, 1970, U.S. Military Academy, West Point, NY  
Years of Experience: 26

## **Chapter 9**

### **Federal, State, and Local Agencies and Organizations Contacted**

This chapter identifies the various agencies and organizations contacted during the preparation of this Storage and Disposition PEIS. The entities were contacted to actively solicit site-specific data; regulatory compliance requirements; Federal, State, and local laws; or Executive Orders that may be applicable to the proposed alternatives considered.

Aberdeen, Idaho  
Aberdeen Fire Department

Adams County, Colorado  
Adams County Fire Department

Adams County, Colorado  
Adams County Police Department

Adams County, Colorado  
Adams County Schools

Adams County, Colorado  
Bennett Schools

Adams County, Colorado  
Brighton Schools

Adams County, Colorado  
Mapleton Schools

Adams County, Colorado  
Northglenn-Thornton Schools

Adams County, Colorado  
Strasburg Schools

Adams County, Colorado  
Westminster Schools

Advisory Council on Historic Preservation  
Washington, DC

Aiken, South Carolina  
Aiken Fire Department

Aiken County, South Carolina  
Aiken County Fire Department

Aiken County, South Carolina  
Aiken County School District

Allendale County, South Carolina  
Allendale County School District

Allendale Town, South Carolina  
Allendale Town Fire Department

Allenspark, Colorado  
Allenspark Fire Department

Almer, South Carolina  
Almer Fire Department

Amarillo, Texas  
Amarillo Fire Department

Amarillo, Texas  
Amarillo Planning Department

Amarillo, Texas  
Amarillo School District

Ammon, Idaho  
Ammon Fire Department

Anderson County, Tennessee  
Anderson County Fire Department

Anderson County, Tennessee  
Anderson County Police Department

Anderson County, Tennessee  
Anderson County School District

Arapahoe County, Colorado  
Adams-Arapahoe Schools

Arapahoe County, Colorado  
Byers Schools

Barnwell County, South Carolina  
Barnwell School District #19

Arapahoe County, Colorado  
Cherry Creek Schools

Barnwell County, South Carolina  
Barnwell School District #29

Arapahoe County, Colorado  
Deer Trails Schools

Barnwell County, South Carolina  
Barnwell School District #45

Arapahoe County, Colorado  
Englewood Schools

Basin City, Washington  
Basin City Fire Department

Arapahoe County, Colorado  
Littleton Schools

Bennett, Colorado  
Bennett Fire Department

Arapahoe County, Colorado  
Sheridan Schools

Benton City, Washington  
Benton City Fire Department

Armstrong County, Texas  
Claude School District

Benton County, Washington  
Finley School District

Arvada, Colorado  
Arvada Fire Department

Benton County, Washington  
Horse Haven Fire Department

Ash Meadows National Wildlife Refuge, Nevada

Benton County, Washington  
Kiona-Benton School District

Augusta, Georgia  
Augusta Fire Department

Benton County, Washington  
Patterson School District

Aurora, Colorado  
Aurora Fire Department

Bingham County, Idaho  
Aberdeen School District

Bamberg County, South Carolina  
Bamberg District #1

Bingham County, Idaho  
Blackfoot School District

Bamberg County, South Carolina  
Bamberg District #2

Bingham County, Idaho  
Firth School District

Bamberg County, South Carolina  
County Administrator's Office  
Emergency Preparedness-Fire

Bingham County, Idaho  
Shelley School District

Bannock County, Idaho  
Bannock County Fire Department

Bingham County, Idaho  
Snake River School District

Bannock County, Idaho  
Marsh Valley School District

Blackfoot, Idaho  
Blackfoot Fire Department

Bannock County, Idaho  
Pocatello School District

Bonneville County, Idaho  
Bonneville School District

Bonneville County, Idaho Idaho Falls School District	Clinton, Tennessee Clinton City Fire Department
Bonneville County, Idaho Swan Valley School District	Clinton, Tennessee Clinton City Police Department
Boulder County, Colorado Boulder County Police Department	Clinton, Tennessee Clinton City School District
Boulder County, Colorado Boulder Valley Schools	Columbia Basin U.S. Fish and Wildlife Service Columbia National Wildlife Refuge Project Leader
Boulder County, Colorado Office of Emergency Management-Fire	Columbia County, Georgia Columbia County Fire Department
Boulder County, Colorado St. Vrain Valley Schools	Columbia County, Georgia Columbia County School District
Boulder, Colorado Boulder Fire Department	Commerce City, Colorado Commerce City Fire Department
Brighton, Colorado Brighton Fire Department	Conifer, Colorado Conifer Fire Department
Buffalo Creek, Colorado Buffalo Creek Fire Department	Connell, Washington Connell Fire Department
Butte County, Idaho Arco School District	Cowiche, Washington Cowiche Fire Department
Butte County, Idaho Butte County Fire Department	Deer Trail, Colorado Deer Trail Fire Department
Byers, Colorado Byers Fire Department	Denver County, Colorado Denver County Fire Department
Canyon, Texas Canyon Fire Department	Denver County, Colorado Denver County Schools
Canyon, Texas Canyon School District	Denver County, Colorado Department of Local Affairs-Population
Carson County, Texas Claude School District	Edgewater, Colorado Edgewater Fire Department
Clark County, Nevada Clark County Fire Department	Eldorado Springs, Colorado Eldorado Springs Fire Department
Clark County, Nevada Clark County School District	Englewood, Colorado Englewood Fire Department

Evergreen, Colorado Evergreen Fire Department	Groom, Texas Groom School District
Fairfax, South Carolina Fairfax Fire Department	Hamer, Idaho Hamer Fire Department
Federal Heights, Colorado Federal Heights Fire Department	Harriman, Tennessee Harriman Fire Department
Firth, Idaho Firth Fire Department	Harriman, Tennessee Harriman Police Department
Franklin County, Washington North Franklin School District	Harriman, Tennessee Harriman School District
Franklin County, Washington Star School District	Henderson, Nevada Henderson Fire Department
Georgia Center for Disease Control and Prevention	Hephzibah, Georgia Hephzibah Fire Department
Gleed, Washington Gleed Fire Department	Hygiene, Colorado Hygiene Fire Department
Glendale, Colorado Glendale Fire Department	Idaho Falls, Idaho Idaho Falls Fire Department
Glendale, Tennessee Glendale Fire Department	Idaho Falls, Idaho Idaho Falls Planning Department
Golden, Colorado Golden Fire Department	Idledale, Colorado Idledale Fire Department
Grandview, Washington Grandview Fire Department	Indian Hills, Colorado Indian Hill Fire Department
Grandview, Washington Grandview School District	Jameston, Colorado Jameston Fire Department
Granger, Washington Granger Fire Department	Jefferson County, Colorado Department of Emergency Preparedness-Fire
Granger, Washington Granger School District	Jefferson County, Colorado Jefferson County Schools
Greenback, Tennessee Greenback Fire Department	Jefferson County, Idaho Jefferson County Fire Department
Greenwood Village, Colorado Greenwood Village Fire Department	Jefferson County, Idaho Jefferson School District
Groom, Texas Groom Fire Department	

Jefferson County, Idaho  
Ririe School District

Las Vegas, Nevada  
Las Vegas Fire Department

Jefferson County, Idaho  
West Jefferson School District

Lenoir City, Tennessee  
Lenoir City Fire Department

Kahlotus, Washington  
Kahlotus Fire Department

Lenoir City, Tennessee  
Lenoir City Police Department

Kahlotus, Washington  
Kahlotus School District

Lenoir City, Tennessee  
Lenoir City School District

Kennewick, Washington  
Kennewick Fire Department

Littleton, Colorado  
Littleton Fire Department

Kennewick, Washington  
Kennewick School District

Longmont, Colorado  
Longmont Fire Department

Kingston, Tennessee  
Kingston Fire Department

Los Alamos County, New Mexico  
Community Development Director

Kingston, Tennessee  
Kingston Police Department

Loudon County, Tennessee  
Loudon County Fire Department

Knox County, Tennessee  
Knox County Fire Department

Loudon County, Tennessee  
Loudon County Police Department

Knox County, Tennessee  
Knox County Police Department

Loudon County, Tennessee  
Loudon County School District

Knox County, Tennessee  
Knox County School District

Loudon, Tennessee  
Loudon Fire Department

Knoxville, Tennessee  
Knoxville Fire Department

Loudon, Tennessee  
Loudon Police Department

Knoxville, Tennessee  
Knoxville Police Department

Louisville, Colorado  
Louisville Fire Department

Lafayette, Colorado  
Lafayette Fire Department

Lyons, Colorado  
Lyon Fire Department

Lake City, Tennessee  
Lake City Fire Department

Mabton, Washington  
Mabton Fire Department

Lake City, Tennessee  
Lake City Police Department

Mabton, Washington  
Mabton School District

Lakewood, Colorado  
Lakewood Fire Department

Martin, South Carolina  
Martin Fire Department



*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

Martinez, Georgia Martinez Fire Department	Oak Ridge, Tennessee Oak Ridge Planning Department
Menan, Idaho Menan Fire Department	Oak Ridge, Tennessee Oak Ridge Police Department
Mesa, Washington Mesa Fire Department	Oak Ridge, Tennessee Oak Ridge School District
Morrison, Colorado Morrison Fire Department	Oliver Springs, Tennessee Oliver Springs Fire Department
Naches, Washington Naches Fire Department	Oliver Springs, Tennessee Oliver Springs Police Department
National Institute for Occupational Safety and Health Division of Surveillance Hanford Evaluation and Field Studies	Osage, Texas Osage Fire Department  Panhandle Groundwater Conservation District 3
Nederland, Colorado Nederland Fire Department	Panhandle, Texas Panhandle Fire Department
Nile, Washington Nile Fire Department	Panhandle, Texas Panhandle School District
Norris, Tennessee Norris Fire Department	Parker, Colorado Parker Fire Department
Norris, Tennessee Norris Police Department	Pasco, Washington Pasco Fire Department
North Augusta, South Carolina North Augusta Fire Department	Pasco, Washington Pasco School District
North Las Vegas, Nevada North Las Vegas Fire Department	Philadelphia, Tennessee Philadelphia Fire Department
Northglenn, Colorado Northglenn Fire Department	Plymouth, Washington Plymouth Fire Department
Nye County, Nevada Nye County Fire Department	Pocatello, Idaho Pocatello Fire Department
Nye County, Nevada Nye County Planning Department	Potter County, Texas Bushland School District
Nye County, Nevada Nye County School District	Potter County, Texas Highland Park School District
Oak Ridge, Tennessee Oak Ridge Fire Department	

Potter County, Texas  
Potter County Fire Department

Santa Fe County, New Mexico  
Planning Department

Potter County, Texas  
River Road School District

Sedalia, Colorado  
Sedalia Fire Department

Prosser, Washington  
Prosser Fire Department

Selah, Washington  
Selah Fire Department

Prosser, Washington  
Prosser School District

Selah, Washington  
Selah School District

Richland, Washington  
Richland Fire Department

Shelley, Idaho  
Shelley Fire Department

Richland, Washington  
Richland School District

Sheridan, Colorado  
Sheridan Fire Department

Richmond County, Georgia  
Richmond County Fire Department

Skellytown, Texas  
Skellytown Fire Department

Richmond County, Georgia  
Richmond County School District

Skyline, Colorado  
Skyline Fire Department

Rigby, Idaho  
Rigby Fire Department

State of Colorado  
Education Department

Roane County, Tennessee  
Roane County Fire Department

State of Colorado  
Public Health and Environment Department  
Water Quality Division  
Drinking Water Section

Roane County, Tennessee  
Roane County Police Department

State of Idaho  
Education Department

Roane County, Tennessee  
Roane County School District

State of Idaho  
Health and Welfare Department

Roane County, Tennessee  
Roane County Zoning Officer

State of Nevada  
Conservation and Natural Resources Department  
Environmental Protection Division  
Water Quality Section

Rockwood, Tennessee  
Rockwood Fire Department

State of Nevada  
Conservation and Natural Resources Department  
State Engineer

Rockwood, Tennessee  
Rockwood Police Department

State of Nevada  
Conservation and Natural Resources Department  
Water Planning Division

Rollinsville, Colorado  
Rollinsville Fire Department

State of New Mexico  
Education Department

State of New Mexico  
Energy, Minerals, and Natural Resources Department  
Forest Resources and Conservation Division  
Fire Management Bureau

State of New Mexico  
Environment Department  
Drinking Water Program Division

State of New Mexico  
Environment Department  
Ground Water Quality Bureau

State of New Mexico  
Public Safety Department

State of New Mexico  
State Engineer's Office

State of South Carolina  
Education Department

State of South Carolina  
Health and Environmental Control Department  
Environmental Quality Control Division  
Drinking Water Bureau

State of South Carolina  
Health and Environmental Control Department  
Environmental Control Division  
Water Pollution Control Bureau

State of South Carolina  
Natural Resources Department  
Water Resources Division  
Water Use Section

State of South Carolina  
Transportation Department

State of Tennessee  
Department of Health

State of Tennessee  
Education Department

State of Tennessee  
Environmental Conservation Department  
Environment Bureau  
Division of Water Pollution Control

State of Tennessee  
Health and Environment Department  
Office of Water Management

State of Tennessee  
Transportation Department

State of Texas  
Department of Health  
Division of Water Hygiene

State of Texas  
Health Department  
Bureau of Chronic Disease Prevention and Control  
Cancer Registry Division

State of Texas  
Natural Resources Conservation Commission

State of Texas  
Water Commission

Strasburg, Colorado  
Strasburg Fire Department

Sunnyside, Washington  
Sunnyside Fire Department

Sunnyside, Washington  
Sunnyside School District

Swan Valley, Idaho  
Swan Valley Fire Department

Teleco, Tennessee  
Teleco Fire Department

Thorton, Colorado  
Thorton Fire Department

Tieton, Washington  
Tieton Fire Department

Toppenish, Washington  
Toppenish Fire Department

Toppenish, Washington  
Toppenish School District

U.S. Department of Agriculture  
Natural Resources Conservation Service  
Benton County, Washington

U.S. Department of Agriculture  
Natural Resources Conservation Service  
Franklin County, Washington

U.S. Department of Agriculture  
Soil Conservation Service  
Aiken County, South Carolina

U.S. Department of Agriculture  
Soil Conservation Service  
Albuquerque, New Mexico

U.S. Department of Agriculture  
Soil Conservation Service  
Silver City, New Mexico

U.S. Department of Commerce  
Bureau of Economic Analysis

U.S. Department of the Interior  
Bureau of Land Management  
Big Butte Resource Area

U.S. Department of the Interior  
Bureau of Land Management  
Idaho Falls District

U.S. Department of the Interior  
National Park Service  
Seattle, Washington

U.S. Department of the Interior  
National Park Service  
Washington, DC

U.S. Department of the Interior  
National Register of Historic Places  
Washington, DC

U.S. Department of the Interior  
National Rivers Program Manager

U.S. Department of the Interior  
U.S. Fish and Wildlife Service  
Desert National Wildlife Refuge Complex

U.S. Department of the Interior  
U.S. Geological Survey  
Arco, Idaho

U.S. Department of the Interior  
U.S. Geological Survey  
Water Resources Division  
Boise, Idaho

U.S. Department of the Interior  
U.S. Geological Survey  
Oak Ridge, Tennessee

U.S. Environmental Protection Agency  
Region IV  
Atlanta, Georgia

U.S. Environmental Protection Agency  
Region VI  
Dallas, Texas

U.S. Environmental Protection Agency  
Region VIII  
Denver, Colorado

U.S. Environmental Protection Agency  
Region IX  
San Francisco, California

U.S. Environmental Protection Agency  
Region X  
Seattle, Washington

Ucon, Idaho  
Ucon Fire Department

Umbarger, Texas  
Umbarger Fire Department

Union Gap, Washington  
Union Gap Fire Department

*Storage and Disposition of Weapons-Usable  
Fissile Materials Final PEIS*

---

Union Gap, Washington  
Union Gap School District

Yakima County, Washington  
Glade Fire Department

Wapato, Washington  
Wapato Fire Department

Yakima County, Washington  
Highland School District

Wapato, Washington  
Wapato School District

Yakima County, Washington  
Mount Adams School District

Ward, Colorado  
Ward Fire Department

Yakima County, Washington  
Naches Heights Fire Department

Water Resource Center  
Desert Research Institute  
University and Community College System of  
Nevada  
Las Vegas/Reno

Yakima County, Washington  
Naches Valley School District

Yakima County, Washington  
Terrace Heights Fire Department

West Richland, Washington  
West Richland Fire Department

Yakima County, Washington  
West Valley Fire Department

Westminster, Colorado  
Westminster Fire Department

Yakima County, Washington  
West Valley School District

Wheat Ridge, Colorado  
Wheat Ridge Fire Department

Yakima, Washington  
Yakima Fire Department

White Deer, Texas  
White Deer Fire Department

Yakima, Washington  
Yakima School District

White Deer, Texas  
White Deer School District

Zillah, Washington  
Zillah Fire Department

Yakima County, Washington  
Broadway Fire Department

Zillah, Washington  
Zillah School District

Yakima County, Washington  
East Valley School District

## Chapter 10

### Distribution List

The Department is providing copies of this Final PEIS to Federal, State, and local elected and appointed government officials and agencies; Native American groups; and other organizations and individuals listed below. DOE will distribute bulk quantities of this Final PEIS to some individuals and organizations for further distribution to the organizations listed below (for example, State points of contact). Copies will be provided to other interested parties upon request.

#### Federal-Elected Officials Representing

##### Affected Areas

States: Colorado

Georgia

Idaho

Nevada

New Mexico

Oregon

South Carolina

Tennessee

Texas

Washington

##### Congressional Committees

Committee on Appropriations, U.S. Senate

Committee on Appropriations, U.S. House of Representatives

Committee on Armed Services, U.S. Senate

[Text deleted.]

Committee on National Security, U.S. House of Representatives

[Text deleted.]

#### Governors Representing Affected Areas

States: Colorado

Georgia

Idaho

Nevada

New Mexico

Oregon

South Carolina

Tennessee

Texas

Washington

#### State-Elected Officials Representing

##### Affected Areas

States: Colorado

Georgia

Idaho

Nevada

New Mexico

Oregon

South Carolina

Tennessee

Texas

Washington

#### Federal-Recognized Indian Tribes

Alabama-Coushatta Tribe of Texas, TX

All Indian Pueblo Council, NM

Battle Mountain Band Council, NV

Burns-Paiute General Council, OR

Carson Colony Community Council, NV

Chehalis Business Council, WA

Cochiti Pueblo, NM

Coeur D'Alene Tribal Council, ID

Colville Business Council, WA

Colville Tribe, WA

Confederated Tribes of the Umatilla Reservation, OR

Coquille Indian Tribe, OR

Council of Energy Resource Tribes, CO

Dresslerville Community Council, NV

Duckwater Shoshone Indian Tribe, NV

Elko Band Council, NV

Ely Shoshone Indian Tribe, NV

Fort Hall Business Council; Sho Ban Tribes, ID

Hoh Tribal Business Council, WA

Isleta Pueblo, NM

Jemez Pueblo, NM

Jicarilla Apache Tribe, NM

Kickapoo Traditional Tribe of Texas, TX

Las Vegas Indian Center, NV

Las Vegas Indian Colony, NV

Lummi Business Council, WA

Makah Tribal Council, WA

Mescalero Apache Tribe, NM

Moapa Paiute Indian Tribe, NV

Muckleshoot Tribal Council, WA

Nambe Pueblo, NM

Native Indian Association, TN

Nez Perce Tribal Executive Committee, ID

Nisqually Indian Community Council, WA

Pahrump Paiute Indian Tribe, NV

Pojoaque Pueblo, NM

Port Gamble S'Klallam Tribe, WA  
Puyallup Tribal Council, WA  
Pyramid Lake Paiute Tribal Council, NV  
Quileute Tribal Council, WA  
Ramah Navajo Chapter, NM  
San Felipe Pueblo, NM  
San Ildefonso Pueblo, NM  
San Juan Pueblo, NM  
Santa Ana Pueblo, NM  
Santa Clara Pueblo, NM  
Santa Domingo Pueblo, NM  
Sauk-Suiattle Tribal Council, WA  
Shoalwater Bay Tribal Council, WA  
Shoshone Paiute Business Council, NV  
Skokomish Tribal Council, WA  
South Fork Band Council, NV  
Southern Ute Tribe, CO  
Squaxin Island Tribal Council, WA  
Stewart Community Council, NV  
Stillaquamish Board of Directors, WA  
Summit Lake Paiute Council, NV  
Suquamish Tribal Council, WA  
Swinomish Indian Tribal Community, WA  
Tennessee Commission of Indian Affairs, TN  
Tesuque Pueblo, NM  
Tribal Council of the Te-Moak Western, NV  
Tulalip Board of Directors, WA  
Umatilla Board of Trustees, OR  
Upper Skagit Tribal Council, WA  
Ute Mountain Ute Tribe, CO  
Walker River Paiute Tribal Council, NV  
Wells Indian Colony Band Council, NV  
Western Shoshone Elders Council, NV  
Western Shoshone Government, NV  
Western Shoshone National Council, NV  
Winnemucca Indian Colony, NV  
Yakama Indian Nation, WA  
Yakama Tribal Council, WA  
Yerington Paiute Tribal Council, NV  
Yomba Shoshone Indian Tribe, NV  
Zia Pueblo, NM  
Zuni Pueblo, NM

#### **NEPA Points of Contact by State**

States: Colorado

Georgia

Idaho

Nevada

New Mexico

Oregon

South Carolina

Tennessee

Texas  
Washington

#### **Federal Agencies**

Defense Nuclear Facilities Safety Board  
Federal Energy Regulatory Commission  
General Accounting Office  
[Text deleted]  
National Academy of Sciences  
National Marine Fisheries Service  
National Oceanic and Atmospheric Administration  
National Parks and Conservation  
National Science Foundation  
Office of Technology Assessment

[Text deleted]

U.S. Arms Control and Disarmament Agency

[Text deleted]

U.S. Bureau of Indian Affairs

U.S. Environmental Protection Agency

U.S. Environmental Protection Agency, Region IV

U.S. Environmental Protection Agency, Region VI

U.S. Environmental Protection Agency, Region VII

U.S. Environmental Protection Agency, Region IX

U.S. Environmental Protection Agency, Region X

U.S. National Park Service

#### **State Agencies**

BSHWM, Nuclear Emergency Planning, SC

Colorado Department of Health

East Tennessee Economic Council

Georgia Emergency Management Agency

South Carolina Nuclear Waste Program

Southern States Energy Board, GA

State of Idaho, INEL Oversight Program

State of Tennessee DRA

State of Tennessee, DOE Oversight Division

State of Texas, Division of Emergency Management,

State of Texas, Office of the Attorney General

TDEC/DOE Oversight Division, TN

Tennessee Department of Energy and Conservation

Tennessee Department of Health

Tennessee Emergency Management Agency

Texas Natural Resources Conservation Commission

Texas Department of Health

Washington State Department of Ecology

Washington State Energy Office

Western Governors' Association, CO

#### **DOE Reading Rooms**

Aiken, SC

Amarillo, TX

[Text deleted]

Idaho Falls, ID  
Kirtland AFB, NM  
Las Vegas, NV  
| [Text deleted]  
Los Alamos, NM  
Oak Ridge, TN  
Panhandle, TX  
Richland, WA  
Westminister, CO



**Table 10-1. Representatives From Affected Areas by State (Colorado, Georgia, Idaho, Nevada, New Mexico, South Carolina)**

Colorado	Georgia	Idaho	Nevada	New Mexico	South Carolina
City	City	City	City	City	City
Arvada	Atlanta	Aberdeen	Alamo	Albuquerque	Aiken
Boulder	Augusta	American Falls	Amargosa Valley	Espanola	Almer
Brighton	Bath	Ammon	Ash Springs	Santa Fe	Augusta
Broomfield	Blyth	Arco	Beatty		Batesburg
Denver	Evans	Atomic	Blue Diamond		Blackville
Golden	Girard	Basalt	Boulder City		Beech Island
Lakewood	Harlem	Bellevue	Henderson		Columbia
Longmont	Hephzibah	Blackfoot	Hiko		Denmark
Louisville	Keysville	Carey	Indian Springs		Edgefield
Northglenn	Martinez	Dubois	Las Vegas		Estill
Superior	Millen	Firth	North Las Vegas		Fairfax
Thornton	Sardis	Fort Hall	Pahrump		Gaston
Westminster	Savannah	Hailey	Tonopah		Gloverville
Wheat Ridge	Statesboro	Hamer	Warm Springs		Graniteville
	Thomson	Idaho Falls			Hampton
<b>County</b>	Waynesboro	Iona	<b>County</b>		Hilton Head Island
Adams	Wrens	Ketchum	Clark		Jackson
Arapahoe		Lewisville	Nye		Johnston
Boulder	<b>County</b>	Menan			Leesville
Denver	Columbia	Mud Lake			Martin
Jefferson	Richmond	Pocatello			Monmorenci
		Richfield			New Ellenton
		Rigby			North
		Ririe			Norway
		Roberts			Orangeburg
		Rupert			Owdoms
		Shelley			Pelion
		Sun Valley			Perry
		Swan Valley			Salley
		Ucon			Saluda
		<b>County</b>			Springfield
		Bannock			Sycamore
		Bingham			Trenton
		Bonneville			Vanville
		Butte			Wagener
		Jefferson			Warrenville
					Williston
					Windsor
					<b>County</b>
					Aiken
					Allendale
					Bamberg
					Barnwell

**Table 10-2. Representatives From Affected Areas by State (Tennessee, Texas, Washington)**

<b>Tennessee</b>	<b>Tennessee</b>	<b>Texas</b>	<b>Washington</b>
<b>City</b>	<b>City (Continued)</b>	<b>City</b>	<b>City</b>
Alcoa	Maryville	Amarillo	Basin City
Allardt	Mascot	Ashtola	Benton City
Andersonville	Maynardville	Borger	Connell
Athens	Midtown	Bushland	Cowiche
Bethel	New Market	Canyon	Gleed
Blaine	New Tazwell	Channing	Grandview
Briceville	Niota	Clarendon	Granger
Caryville	Norris	Claude	Kahlotus
Clarkrange	Oakdale	Cliffside	Kennewick
Clinton	Oak Ridge	Conway	Mabton
Coalfield	Old Washington	Dawn	Mesa
Corrytown	Oliver Springs	Dial	Naches
Crossville	Oneida	Dumas	Nile
Dandridge	Petros	Electric City	Pasco
Decatur	Philadelphia	Fritch	Plymouth
Deer Lodge	Pigeon Forge	Goodnight	Prosser
Elgin	Pomona	Groom	Richland
Erwin	Powell	Happy	Selah
Etowah	Rockford	Hereford	Sunnyside
Fairfield Glade	Rockwood	Lake Tanglewood	Tieton
Fairview	Rutledge	Osage	Toppenish
Farragut	Sevierville	Paloduro	Union Gap
Friendsville	Sharps Chapel	Pampa	Wapato
Gatlinburg	Solway	Panhandle	West Richland
Glendale	Speedwell	Phillips	Yakima
Grandview	Spring City	Pullman	Zillah
Greenback	Strawberry Plains	Sanford	
Halls Crossroads	Sunbright	Silverton	<b>County</b>
Harriman	Sweetwater	Skelleytown	Benton
Huntsville	Talbot	Spearman	Franklin
Jacksonboro	Teleco Village	Stinnett	Yakima
Jamestown	Tellico Plains	Tulia	
Jefferson City	Ten Mile	Umbarger	
Jellico	Townsend	Vega	
Karns	Vonore	Washburn	
Kingston	Walland	Whitedeer	
Knoxville	Wartburg	Wildorado	
Kodak	Washington		
La Follette	Wildwood		

**Table 10–2. Representatives From Affected Areas by State (Tennessee, Texas, Washington)—Continued**

<b>Tennessee</b>	<b>Tennessee</b>	<b>Texas</b>	<b>Washington</b>
Lake City	<b>County</b>	<b>County</b>	
Lancing	Anderson	Carson	
Lenoir City	Knox	Potter	
Louisville	Loudon	Randall	
Luttrell	Roane		
Madisonville			

**Table 10-3. Individuals Who Provided Comments on the Draft Programmatic Environmental Impact Statement or Have Requested Copies**

<b>Alabama</b>	Virginia M. Oversby	Karen North
Jim Chardos	Marc Pilisuk	Douglas A. Parker
Nicholas C. Kazanas	Tariq Rauf	Lyman Parkhurst
Ricky C. Miles	Matthew B. Richards	Vivienne E. Perkins
<b>Arizona</b>	Steven R. Souza	Thomas M. Rauch
Patricia T. Birnie	William G. Sutcliffe	Joe Rippetoe
<b>California</b>	Janis K. Turner	Phil Rogas
Masayo Baillet	Michael Veiluva	Kay Ryan
Joseph E. Blackburn	Lynn Wallis	Jason Salzman
Barbara Blake	Walter E. Wallis	Jeanie D. Sedgely
Charles Boardman	Marianne Wancura	Frank W. Smith
Patrick Bonner	Ward A. Young	Katie L. Smith
Vernon J. Brechin	<b>Colorado</b>	Dennis Smits
Wes Brinsfield	John Atwater	Jill Smits
John Burroughs	Luanne M. Auble	Mary Springer-Froese
Jacqueline Cabasso	Maggie Barch	James S. Stone
Christine Cockey	Heaton Butterfield	James S. Stone, P. E.
Melvin S. Coops	James A. Ciarlo	Mervyn Tano
Susako DeAngelis	Ronald L. Claussen	Stephen Tarlton
Joanne Dean-Freemire	Samuel H. Cole	Gary H. Thompson
Madeline T. Duckles	Keith Consani	Alan Trenary
H. A. Dutton	Robert J. Coppin	Kenneth Werth
Edward Ehrlich	Jeanne Crouch	Fred Wilson
Don Eichelberger	Eugene DeMayo	<b>Connecticut</b>
Stephanie D. Ericson	Paula J. Elofson-Gardine	Katharine D. Knowles
Claire Feder	Cal Fager	<b>District of Columbia</b>
Michael Franks	Darcee Freier	Steve Aftergood
Stephanie Fraser	John Graham	David Albright
Michael Freemire	Kim R. Grice	Sakae Aoyagi
Jo Ann Frisch	Sharon Hardin	Amelia F. Barton
Elsworth Gerrells	James L. Harrington	Anthony R. Barton
Ernest Goitein	Scott F. Hatfield	Jennifer Blomstrom
Frank Harris	Tim Heaton	Andrew P. Caputo
John Harvey	Arthur M. Hingerty	Audrey Cardwell
Dan Hirsch	Hillary J. Holland	Kathy Cash
John Holdren	Victor Holm	Andy Chakrabarti
Helen Hubbard	Miller Hudson	Joseph Circincione
Diane Hughes	Susan Hurst	Tom Clements
Mary L. Kelley	Karen M. Johnson	Thomas Cochran
Praveen Khilnani	Dawn Kaback	Kathryn A. Crandall
Donald F. King	Robert A. Kinsey	David Culp
Shigeyuki Kiyooka	Ken Korkia	Jonathan Dean
Sidney Langer	Reuben O. Maes	Blythe C. Delgado
Andy Lichterman	Gregory K. Marsh	William Dircks
Peter H. Liederman	Tom W. Marshall	Steven Dolley
Eric William Martens	Toni McCammon	Ralph Earle
Dale D. Nesbitt	Al Meiklejohn	Maureen E. Eldredge
A. J. (Tony) Neylan	LeRoy Moore	Dan L. Fenstermacher
Lillian Nurmela	David M. Navarro	Marvin S. Fertel
	Karen Norris	

**Table 10-3. Individuals Who Provided Comments on the Draft Programmatic Environmental Impact Statement or Have Requested Copies—Continued**

<b>District of Columbia (Continued)</b>	Bill Beazley	<b>Idaho</b>
Roger Gale	Sam W. Booher	David Abbott
Martin Hamberger	Lance Brown	Ed Bamberry
Mark Holt	Diana Coney	Lori Bergfeld
Daniel Horner	Ken Davis	Beatrice Brailsford
John Isaacs	Dana L. Edwards	Casey Burns
Andrea Jennetta	Edward E. Floyd	Elisha Calvin
Spuregon M. Keeny	James Lee Frazier, Jr.	Marlene Christianson
Richard T. Kennedy	Beth Fulmer	Wayne Clarton
Michael Krepon	Richard Garniewicz	John Commander
Alan Kuperman	Joseph M. Gilkison	G. Ross Darnell
Paul Leventhal	Kathleen Gore	Max Eiden
Dunbar Lockwood	Jim Hardeman	Carol Fenmore
Lafaye Louis-Oliver	Krista Harris	George A. Freund
Tracy Ann McCaffery	Warren Hills, Sr.	Catherine A. Glavin
David J. McLellan	Altsert Hodge	Ellie Hamilton
Rachel McMillan	Chuck Irwin	Steven Hanson
Marilyn F. Meigs	J. A. Favortie	Marsha Hardy
Jack Mendelsohn	Richard Johnson	Roger N. Henry
Patricia Metz	Albert Jones	J. Stephen Herring
Gail Miller	Thelonious Jones	Jana K. Hinckley
Brian Morrissey	W. H. Keisimeyer	Elaine Hoggan
Brian S. Nunn	Joan King	Martin Huebner
Mary Olson	Asiya DeBorah Konte	Christopher Jarrell
Christopher Paine	Clayton M. Lanier	Lowell A. Jobe
Sophie M. Ras	William Lawless	Michael F. Jolley
Bill Roberts	Tony Liutkus	David Kahn
Charles Schmitz	William P. Mayson, Jr.	Steve Kahn
Rita W. Scott	Mildred McClain	Mike Keesler
Warren Stern	Anne McClure	Richard Kenney
Sharon Tanzer	Trisha McCracken	Jennifer Kidwell
Nadine Thigpen	Mustafa Mohammed	R. G. Larsen
Morris A. Ward	Stephen C. Newman	Gail Lewis-Kido
Gregory Webb	Christopher Noah	Brandon Loomis
Jennifer Weeks	J. Christopher Noah, Sr.	William G. Lussie
Karina Wood	R. A. Pedde	Larry Lyon
Tom Zamora-Collina	Harold Reheis	Robert McEnaney
Christopher Zimmer	Carolyn E. Rivard	Kay C. Merriam
	Lawrence Russell	Cathy Middleton
<b>Florida</b>	Karin Schill	Joy H. Myers
Kari Akers	Mark Schmitz	William J. Quapp
Ralph Cantral	Michael F. Sujka	Andrew Richardson
Ellen Winchester	Charles N. Utley	David L. Rose
	Linda Van Sickle	Peggy Scherbinske
<b>Georgia</b>	W. M. Stacey	Don Smith
Debra Abdallah	William Ware	Michael Smith
Mustafah Abdallah	Carolyn White	John Tanner
Grady Abrams	Robert H. Wilcox	Anita Thomas
Valentis F. Ali		A. N. Tschaeche
Ed Arnold		Bob Tyler

**Table 10-3. Individuals Who Provided Comments on the Draft Programmatic Environmental Impact Statement or Have Requested Copies—Continued**

<b>Idaho (Continued)</b>	Viktor Yeysikov	Peter B. Hofrichter
Gordon Venable		Grant Hudlow
Marshal A. Wade	<b>Massachusetts</b>	Sherri Johnson
Sonne G. Ward	Katheryn E. Adams	Rachael Juipe
Marie Warnick	Lee Cranberg	Reinard Knutson
Theodore Watanabe	Paul M. Doty	Christy Leskover
Charlie White, Jr.	Deborah Katz	Ruth Lindahl
Stormie Winterbottom	Mary Lampert	Bob Loux
	Taya M. Portnova	Mary Manning
<b>Illinois</b>	Robert A. Schaeffer	W. Curt McGee
Robert A. Cleveland	Maria Valenti	Thomas J. McGowan
Mary H. Lanaghan	Mary Jane Williams	Rick Nielson
William F. Naughton	David Wright	Cheryl Oar
A. David Rossin		Gretchen Prins
Charles Schroeder	<b>Michigan</b>	Michael Riccardi
Thomas V. Thanton	Robert C. Anderson	Joseph Ruggieri
Thomas V. Thornton	Jeffrey A. Friedland	Dale Schutte
	Lewis C. Green	Stanely Sims
<b>Indiana</b>	Ward J. Hodge	Robert Smith
John E. O'Neill	Paul Marengo	Romaine Smokey, Jr.
	Nancy Torner	Margaret Springgate
<b>Iowa</b>		Jacqueline Steele
Janie Stein	<b>Nevada</b>	Carrie Stewart
	Richard Barre	Lana Stewart
<b>Kansas</b>	Carmen Battaglia	Jerry Szymanski
J. Marc Cottrell	Dennis Bechtel	Judy Treichel
Mark Frey	John Borden	William Vasconi
Nick and Nancy Mohr	Felicia Bradfield	John Walker
	Les Bradshaw	Roy White
<b>Kentucky</b>	Brian Bresee	Debbie Wilcox
Terry Devine	Chris Brown	Lorraine Youngmans
	Markus Brown	Peter Zavattaro
<b>Louisiana</b>	Thomas Burton	Janene Zimmerman
Toney Johnson	Robert Chrisman	
	Joy Cotter	<b>New Jersey</b>
<b>Maryland</b>	Sally Devlin	Dawn Campbell
Deborah Boyle	Michael Dillaplain	D. K. and F. L. Cinquemani
Maurice Bryson	A. C. Douglas	Edwin S. Lyman
William Carroll	Russell duBartolo	Mignon Thorpe
Sandy A. Crowe	Thomas O. Edwards	
L. B. Gannon	Hugh W. Ferree	<b>New Mexico</b>
Richard L. Humphrey, M.D.	William G. Flangas	Margaret Carde
D. K. Magnus	Will Foster	David I. Chanin
Arjun Makhijani	Steve Frishman	Jay Coghlan
Loring E. Mills	Patty Goin	Clarice Cox
Alexander P. Murray	Becky Gurka	Stan Diamond
Eric Reeves	Jody S. Hart	Rodney C. Ewing
Vijay K. Sazawal	Johanna C. Hawley	Don Diego Gonzalez
William Seddon	Dennis Hayes	Don R. Hancock
Herman Sturm	James Henderson	Garland Harris
Elaine Tholen and Nikita Wells		

**Table 10-3. Individuals Who Provided Comments on the Draft Programmatic Environmental Impact Statement or Have Requested Copies—Continued**

<b>New Mexico (Continued)</b>	Paige Knight	June Murfl
Susan Hirshberg	Lewis L. McFarland	Maurice Nason
Judy Hutchison	W. P. Mead	R. I. Newman
Clifford J. Jarman	Deane Morrison	James E. Newman, III
Betsy Kraus	Merilyn Reeves	Frank D. O'Brien
Michael J. Lawrence	John C. Ringle	Robert F. Overman
Peter and Ann Lisec	John Savage	Beth Partlow
Werner Lutze	Lynn Sims	William Lee Poe, Jr.
Juan Montes	Glen Spain	Betty Rapp
Frances M. Pavich	Paul S. Wilson	Robert Rapp
Tom Ribe		William C. Reinig
L. B. Thomas	<b>Pennsylvania</b>	Jennifer Robbins
David B. Thomson	Jeff Cheetham	F. Wayne Rogers
Randon and Kathleen Tolman	Walston Chubb	Wilburn C. Sanders
David G. Ussery	Marvin Lewis	Bob Slay
	Ruth Allan Miner	P. K. Smith
<b>New York</b>	<b>South Carolina</b>	Raymond Storey
Mary DeStefano	Tom Abbott	Patricia Tousignant
Richard Garwin	Mark Albenze	Kathy Townsend
Stephanie Hedgecock	Lewis C. Attardo	Charles Williamson
Kathryn Lancaster	S. Baron	Steve Wilson
James Rauch	Leigh Beatty	
	Gretchen Birt	<b>Tennessee</b>
<b>North Carolina</b>	Horace T. Bright	Angela C. Agle
Kitty Boniske	Roddie A. Burris	K. Aisha
Brita Clark	Michael Butler	Mike Arms
Terrence P. Clark	Fred Christensen	Susan Bailey
G. Jarvis McMillan	John Clemmens	Pam Beziat
Lewis Patrie	Sybil Cook	Ronald Boles
Robert Van Namen	Thomas W. Costikyan	Norman E. Brandon
	Brian A. Costner	Alfred Brooks
<b>Ohio</b>	Todd V. Crawford	Charles Brown
Connie Kline	Sharon Cribb	Harry A. Bryson
Diana Salisbury	Marion Davis	Robert B. Burditt
	John Dewes	Teresa Carleton
<b>Oklahoma</b>	Sam Finklea	Bill Chesney
Rick Berry	P. Mike French	Nathan Coggins
B. Geary	Richard L. Geddes	Thomas Collier
Diane Hardersen	Eugene L. Graf	Alexander H. Dewey
Pamela Kingfisher	Johnny Gregory	Kathryn F. Dewey
	Rodney P. Grizzle	Weldon Dillow
<b>Oregon</b>	Alice Hollingsworth	Ray Emanuel
Cindy Asher	Ronald Joly	Linda Ewald
Dick Belsey	Mary T. Kelly	Amy Fitzgerald
Mary Lou Blazek	James Kirkland	James Franklin
Ted Dryer	David Losey	Dodd Galbraeth
Dirk A. Dunning	Sam Manning	Ricky E. Gallaher
Kim Gilbert	William R. McDonell	Sandra Garber
Terry Hammond	Ronald C. Miller	John E. Gunning
Herbert Hawley		Clark Huffman
Stephen L. Kimberley		

**Table 10-3. Individuals Who Provided Comments on the Draft Programmatic Environmental Impact Statement or Have Requested Copies—Continued**

<b>Tennessee (Continued)</b>	Gabe Anderson, Jr.	Julia Deranek
Hayes and Joyce Hunter	Jerry Arnold	Danny and Bernice Detten
Ralph Hutchison	Terence Austin	Amy Dewey
Charles N. Jolly	Herbert Bankhead	Mike Dudenhoeffer
Glenda Keyes	B. R. Barfield	Carla Jo Duggan
Marcus Keyes	Dean Barnett	Jerry Dunlop
Harvey T. Kite	Royce Barnett	Christi Ensey
Colleen Lancaster	Robert Bass	Randall H. Erben
Jeff Lanford	Margaret Battles	Shirley Floyd
Thomas Lemons	Paul Baumgardner	Shaela Francis
Joe Lenhard	Mavis V. Belisle	Belle Gage
Judy M. Lindstrom	Mary Lynn Bell	Danna Garcia
William McCullough	Terry J. Beuil	Robert E. Garrett
L. R. Michener	Constance Bhasker	Beverly Gattis
Michael Mobley	Robert Bickenfeld	Stephen H. Gens
Linda Modica	Gretchen Bills	Tom S. Gerald, III, DVM
Paul Monk	Darrel Birkenfeld	Ginnie Gleghorn
Russell R. Morgan	Wanda Bland	Jerry Goebel
Margaret K. Morrow	Joe Blanton	Nathan Goldstein, III
Edmund Nephew	Merle Bohlander	Richard S. Goodell
John Noel	Michael R. Bourn	Jeanne B. Gramstorff
Diantha F. Pare	Ashley Bowes	Sonya Graves
Kavendra Paruchuri	David Boyle	W. T. Gray
Robert Peelle	Susan E. Bradshaw	Frederick J. Griffin
Jim Phelps	Randy Braidfoot	Thomas C. Gustavson
Richard L. Philippone	Paula Breeding	Kathy Hall
Guy Ragan	Deborah Brown	Wesley Hall
Stanley Red	Michelle Brown	Mary K Hammett
Sandra Reid	Jolinn Buchanan	Jim and Debrah Harding
Dean Rice	R. L. Buck	Bill Harris
Charlotte Robinson	Robert and Erline Bunten	David Heim
Charles Steven Sanford	Dean Campbell	Pat Helms
Frank Scott	G. G. Campbell	Shawn Hess
Debra Shults	Ron Campbell	Burnis G. Hicks
Lorene L. Sigal	Igor Carron	Micah Holmes
Ellen Smith	Addis Charless, Jr.	Darrell Hoover
Ray Smith	Cheri Christensen	Jewett E. Huff
Stephen Smith	Beryl Clinton	Florence Isaacs
Jim Snell	Scott Cook	Randall C. Jeffers
Janis Tilton	Stanley F. Cotgreave	Jerome W. Johnson
Donald B. Trauger	William T. Crenshaw	Luther Bud Joyner
Edward Umbach	Stephen B. Daney	Bob Juba
Barbara A. Walton	Louise Daniel	Mike Kateenlern
Harry Wills	Scott Daniel	John C. Kelleher, Jr.
Justin Wilson	Gordon Darron	Sue Kelly
Faith Young	Isabel Davis	Flavius Killebrew
<b>Texas</b>	Ann Dawdy	Henry King
Thomas C. Adams	Richard De La Cruz	Dale E. Klein
Kathy Allred	Richard and Mary De Long	Stacy Knight
	Boyd Deaver	John Kritser



**Table 10-3. Individuals Who Provided Comments on the Draft Programmatic Environmental Impact Statement or Have Requested Copies—Continued**

<b>Texas (Continued)</b>	Tom Roller	Randy R. Williams
Greg Lair	Jay B. Roselious	Angee Willis
Frank D. Leach	Wayne Rosette	Sandra Willis
Michael G. Lebow	Terry Rudd	K. C. Wilson
John F. Lemming	Karen Ruddy	Anna Marie Wink
John and Joyce Locke	Emily Sanchez	Frank M. Wink
Michael J. Lowrey	Hugh Sandborn	David Witcher
Wales Madden, Jr.	Jan Sanders	Bill K. Wolfe
Mark Malue	Ken Sanders	Marilyn Yanke
Janet Martindale	Mike Sarzynski	Monte K. Young
Julie Martindale	Kent K. Satterwhite	David Zann
Albert Martinez	Alex C. Schumacher	Becky Zenor
Craig E. Matthews	Richard G. Scott	Tadeo "Spike" Zywicki
Leroy T. Matthiesen	William H. Seewald	
Teresa McFacel	Garland D. Sell	<b>Virginia</b>
Greg McFadden	Tammy S. Shaklee	John O. Cowles
Linda McGuyer	Eva M. Shelton	Robert F. Deegan
Josh McKinney	Mary L. Shennum	Leo James Hill
Bryan Miller	Michael Sidy	Mary Holland
Genevieve O. Miller	Judith Sikera	Michael Maldony
Gary Molberg	Barry Sims	Jeff Olhausen
R. Wayne Moore	Don and Donna Singleton	Gene Schleppenbach
Angela Morris	Norbert Slaggle	Edward F. Wonder
Dean Morrison	Doris and Phillip Smith	
Roger A. Mulder	Eddy Smith	<b>Washington</b>
Jim Murphy	Ernestine Smith	Mary H. Ace
Minnie Murray	Jim E. Smith	Loretta Ahouse
Arthur A. Nelson	Marshall Smith	Jack W. Baker
Paul Nelson	Sara SoRelle	Walter Blair
Trish Neusch	Elizabeth Sproul	Leo Bowman
G. C. Nobles	Joe M. Stange	Rosemary E. Brodie
Bill Noland	Kerrie and Jim Steiert	Pam Brown
Leonard Nussbaum	Jerry Stein	C. Brunnenkant
Nancy E. Olinger	Gary Stevens	Joseph Burn
James and Jeri Osborne	Jim Stevens	Louis P. Cabreau
Tom Patterson	Yvonda Stokes	Henry Cagey
Lee Peddicord	Belinda G. Taylor	K. Perry Campbell
Manny Perez-Villasenor	Bill Tietgers	Michael Ciminera
Marshall Pharr	Charles Todd	Thomas Claudson
W. Wade Porter	Tracy Tucker	Danette Clayton
Ted Pottson	Joanna R. Vaughn	Nathan Clayton
Don Powell	Silvia Villarreel	John Cook
Mina Raef	Phillip N. Wadell	Grady J. Cox
Kim Rains	Jason M. Wakefield	William P. Dana
Vance Reed	Ronald Watts	Gordon R. Darrow
Edwin Reese	Jeannine and Duane Wendel	Leslie C. Davenport
Susan Rieff	Jack and Betty White	Cindy Davis
Adam T. Robbins	C. E. Williams	Robert Davis
Ruth Roberts	Joe D. Williams	Greg deBruler
R. L. and Pauline Robertson	John C. Williams	Kirk Domina

**Table 10-3. Individuals Who Provided Comments on the Draft Programmatic Environmental Impact Statement or Have Requested Copies—Continued**

**Washington (Continued)**

Robert J. Dorwart  
Tom Ferns  
Mark Flomenhoft  
Ben Floyd  
Bob D. Foreman  
David W. Fraley  
Leo Guillen  
David J. Guzzetta  
Richard S. Hammond  
James D. Hansen  
Harold Heacock  
Suzanne Heaston  
Ronald L. Heiks  
Norton T. Hildreth  
Ralph B. Hodge  
Paula Holden  
Diane Holmes  
John Hunter  
Joy Janett  
Richard Keenan  
Jeff P. King  
Terrence A. Klute  
Dwight D. Koeberl  
Michael Korth  
George Kyriazis  
David Larkin  
Evelyn M. MacQuarrie  
Lance Martell  
Grant L. McCalmant  
Don McMaumau  
Sharon Mecca  
Magdalena Medina

Vera Miller  
Bernice C. Mitchell  
Sue Mitchell  
Teresa Lee Mix  
David Montgomery  
Jim Morgan  
Robert E. Moyer  
Wanda Munn  
James Naber  
Ronald Nelson  
Daniel G. Ogg  
Sally MacArthur Panghorn  
Robert J. Parks  
J. V. Parrish  
Janet Pearce  
Daniel E. Peterson  
Larry D. Peterson  
Merry Ann Peterson  
Barbara Ritchie  
Mary Riveland  
Ray K. Robinson  
Gordon J. Rogers  
Richard Romanelli  
Eustole Salinas, Jr.  
Eustoline Sallinas, Jr.  
Dorian Sanchez  
Don Segna  
Joshua Speiser  
Jim Steffen  
Lynne Stembridge  
Karl Stephens  
Sidney Stock  
Rich Szempruch

Tim Takaro  
George Tupper  
Charles W. Turner  
Timothy Van Reenen  
Aleci Veesteege  
Sam Volpentest  
Aleci Vultey  
Mark Wallace  
Alan E. Waltar  
Jim L. Watts  
Richard Wilde  
Noah Lee Wilkerson, Jr.  
Craig Williamson  
Don W. Wolgamott  
M. R. Wood  
Barbara Zepeda

**Wisconsin**

Annie Penner  
John A. Shillinglaw

**Austria**

James S. Finucane

**Belgium**

G. Cornet

**Canada**

Irene Kock

**Spain**

Leopoldo Bisbal Cervello