

November 29, 2002

Ms. B. Marie Moore, Vice President
Safety and Regulatory
Nuclear Fuel Services, Inc.
P.O. Box 337, MS 123
Erwin, TN 37650

SUBJECT: NUCLEAR FUEL SERVICES, INC., REQUEST FOR ADDITIONAL
INFORMATION (TAC NO L31688) BLENDED LOW-ENRICHED URANIUM
PROJECT URANYL NITRATE BUILDING REVISED INTEGRATED SAFETY
ANALYSIS SUMMARY

Dear Ms. Moore:

This refers to your application dated February 28, 2002, (NFS No. 21G-02-0051) and your revised ISA Summary for the Uranyl Nitrate Building, dated August 23, 2002, (NFS No. 21G-02-0268) requesting an amendment to Materials License SNM-124 for the Blended Low-Enriched Uranium project Uranyl Nitrate Building.

Our review of your application has identified additional information that is needed before final action can be taken on your request. The additional information, specified in the enclosure, should be provided within 30 days of the date of this letter. Please reference the above TAC No. in future correspondence related to this request.

If you have any questions regarding this matter, I can be reached on (301) 415-7249 or by e-mail at mta@nrc.gov.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/NRC/ADAMS/index.html> (the Public Electronic Reading Room).

Sincerely,

/RA/

Mary T. Adams, Senior Project Manager
Fuel Cycle Facilities Branch
Division of Fuel Cycle Safety and Safeguards
Office of Nuclear Material Safety and Safeguards

Docket 70-143
License SNM-124

Enclosure: Request for Additional Information

November 29, 2002

Ms. B. Marie Moore, Vice President
Safety and Regulatory
Nuclear Fuel Services, Inc.
P.O. Box 337, MS 123
Erwin, TN 37650

SUBJECT: NUCLEAR FUEL SERVICES, INC., REQUEST FOR ADDITIONAL
INFORMATION (TAC NO L31688) BLENDED LOW-ENRICHED URANIUM
PROJECT URANYL NITRATE BUILDING REVISED INTEGRATED SAFETY
ANALYSIS SUMMARY

Dear Ms. Moore:

This refers to your application dated February 28, 2002, (NFS No. 21G-02-0051) and your revised ISA Summary for the Uranyl Nitrate Building, dated August 23, 2002, (NFS No. 21G-02-0268) requesting an amendment to Materials License SNM-124 for the Blended Low-Enriched Uranium project Uranyl Nitrate Building.

Our review of your application has identified additional information that is needed before final action can be taken on your request. The additional information, specified in the enclosure, should be provided within 30 days of the date of this letter. Please reference the above TAC No. in future correspondence related to this request.

If you have any questions regarding this matter, I can be reached on (301) 415-7249 or by e-mail at mta@nrc.gov.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/NRC/ADAMS/index.html> (the Public Electronic Reading Room).

Sincerely,

Mary T. Adams, Senior Project Manager
Fuel Cycle Facilities Branch
Division of Fuel Cycle Safety and Safeguards
Office of Nuclear Material Safety and Safeguards

Docket 70-143
License SNM-124

Enclosure: Request for Additional Information

DISTRIBUTION:

Docket No. 70-143 DAYres, RII FCFB r/f DStout JOlivier MLamastra FBurrows PLee
BGleaves VPerin, SPIB/NCST MChatterton, SPIB/NCST DRich, SRI TPham, NSIR
C:\ORPCheckout\FileNET\ML023460398.wpd ML023460398

OFC	FCLB	E	FCLB	E	FCLB	E	FCLB	
NAME	MAdams		JMuszkiewicz		LRoché			
DATE	11/29/2002		11/ /2002		11/29/2002			

OFFICIAL RECORD COPY