

CONSTRUCTION WORKER

Table of ContentsPart I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	5
Summary of Pathway Selections	10
Contaminated Zone and Total Dose Summary	11
Total Dose Components	
Time = 0.000E+00	12
Time = 1.000E+00	13
Dose/Source Ratios Summed Over All Pathways	14
Single Radionuclide Soil Guidelines	15
Dose Per Nuclide Summed Over All Pathways	16
Soil Concentration Per Nuclide	17

Dose Conversion Factor (and Related) Parameter Summary

File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(2)
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(3)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(4)
B-1	Ra-228+D	5.080E-03	5.080E-03	DCF2(5)
B-1	Th-228+D	3.450E-01	3.450E-01	DCF2(6)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(7)
B-1	Th-232	1.640E+00	1.640E+00	DCF2(8)
B-1	U-234	1.320E-01	1.320E-01	DCF2(9)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(10)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2(11)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(2)
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(3)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(4)
D-1	Ra-228+D	1.440E-03	1.440E-03	DCF3(5)
D-1	Th-228+D	8.080E-04	8.080E-04	DCF3(6)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(7)
D-1	Th-232	2.730E-03	2.730E-03	DCF3(8)
D-1	U-234	2.830E-04	2.830E-04	DCF3(9)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(10)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3(11)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(2,3)
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(3,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(3,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(3,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,3)
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(5,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(5,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(5,3)
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(6,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(6,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(6,3)
D-34				

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(7,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(7,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(7,3)
D-34				
D-34	Th-232 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(8,1)
D-34	Th-232 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(8,2)
D-34	Th-232 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(8,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(9,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(9,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(9,3)
D-34				
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(10,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(10,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(10,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(11,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(11,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(11,3)
D-5				
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5				
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(2,2)
D-5				
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(3,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(4,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(4,2)
D-5				
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC(5,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(5,2)
D-5				
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC(6,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(6,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(7,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(7,2)
D-5				
D-5	Th-232 , fish	1.000E+02	1.000E+02	BIOFAC(8,1)
D-5	Th-232 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(8,2)
D-5				
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(9,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(9,2)
D-5				
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(10,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(10,2)
D-5				

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(11,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(11,2)

Site-Specific Parameter Summary

M	Parameter	Used by RESRAD			Parameter Name
		User Input	Default	(If different from user input)	
				---	AREA
R011	Area of contaminated zone (m**2)	2.000E+03	1.000E+04	---	THICK0
R011	Thickness of contaminated zone (m)	6.000E-01	2.000E+00	---	LCZPAQ
R011	Length parallel to aquifer flow (m)	5.048E+01	1.000E+02	---	BRDL
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	TI
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	T(2)
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(3)
R011	Times for calculations (yr)	not used	3.000E+00	---	T(4)
R011	Times for calculations (yr)	not used	1.000E+01	---	T(5)
R011	Times for calculations (yr)	not used	3.000E+01	---	T(6)
R011	Times for calculations (yr)	not used	1.000E+02	---	T(7)
R011	Times for calculations (yr)	not used	3.000E+02	---	T(8)
R011	Times for calculations (yr)	not used	1.000E+03	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R011	Times for calculations (yr)	not used	0.000E+00	---	
R012	Initial principal radionuclide (pCi/g): Ac-227	5.229E-02	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Pa-231	5.229E-02	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Pb-210	5.371E-01	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Ra-226	5.371E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Ra-228	1.092E+01	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): Th-228	1.092E+01	0.000E+00	---	S1(6)
R012	Initial principal radionuclide (pCi/g): Th-230	1.195E+00	0.000E+00	---	S1(7)
R012	Initial principal radionuclide (pCi/g): Th-232	1.092E+01	0.000E+00	---	S1(8)
R012	Initial principal radionuclide (pCi/g): U-234	6.004E-01	0.000E+00	---	S1(9)
R012	Initial principal radionuclide (pCi/g): U-235	2.642E-02	0.000E+00	---	S1(10)
R012	Initial principal radionuclide (pCi/g): U-238	6.004E-01	0.000E+00	---	S1(11)
R012	Concentration in groundwater (pCi/L): Ac-227	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Pa-231	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1(5)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1(6)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1(7)
R012	Concentration in groundwater (pCi/L): Th-232	not used	0.000E+00	---	W1(8)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1(9)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1(10)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1(11)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.600E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	0.000E+00	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.850E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.900E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.520E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	9.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	2.212E-01	1.000E+00	---	PRECIP

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
		6.350E-01	2.000E-01	---	RI
R013	Irrigation (m/yr)	overhead	overhead	---	IDITCH
R013	Irrigation mode	2.500E-02	2.000E-01	---	RUNOFF
R013	Runoff coefficient	2.000E+03	1.000E+06	---	WAREA
R013	Watershed area for nearby stream or pond (m**2)	1.000E-03	1.000E-03	---	EPS
R013	Accuracy for water/soil computations				
		1.600E+00	1.500E+00	---	DENSAQ
R014	Density of saturated zone (g/cm**3)	3.850E-01	4.000E-01	---	TPSZ
R014	Saturated zone total porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone field capacity	2.000E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	9.000E-03	2.000E-02	---	HGWT
R014	Saturated zone hydraulic gradient	4.900E+00	5.300E+00	---	BSZ
R014	Saturated zone b parameter	3.000E-01	1.000E-03	---	VWT
R014	Water table drop rate (m/yr)	1.000E+01	1.000E+01	---	DWIBWT
R014	Well pump intake depth (m below water table)	ND	ND	---	MODEL
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	2.500E+02	2.500E+02	---	UW
R014	Well pumping rate (m**3/yr)				
		1	1	---	NS
R015	Number of unsaturated zone strata	1.200E+02	4.000E+00	---	H(1)
R015	Unsat. zone 1, thickness (m)	1.600E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, soil density (g/cm**3)	3.850E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, total porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, field capacity	4.900E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	1.000E+01	1.000E+01	---	HCUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)				
R016	Distribution coefficients for Ac-227	2.000E+01	2.000E+01	---	DCNUCC(1)
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(1,1)
R016	Unsat. zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	2.198E-03	ALEACH(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Solubility constant				
R016	Distribution coefficients for Pa-231	5.000E+01	5.000E+01	---	DCNUCC(2)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(2,1)
R016	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(2)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	8.833E-04	ALEACH(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Solubility constant				
R016	Distribution coefficients for Pb-210	1.000E+02	1.000E+02	---	DCNUCC(3)
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(3,1)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(3)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	4.424E-04	ALEACH(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Solubility constant				

Site-Specific Parameter Summary (continued)

	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Ra-226			---	DCNUCC (4)
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (4,1)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (4)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	ALEACH (4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.315E-04	SOLUBK (4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Ra-228			---	DCNUCC (5)
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (5,1)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (5)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	ALEACH (5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.315E-04	SOLUBK (5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Th-228			---	DCNUCC (6)
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (6,1)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (6)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	ALEACH (6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.384E-07	SOLUBK (6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Th-230			---	DCNUCC (7)
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (7,1)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (7)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	ALEACH (7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.384E-07	SOLUBK (7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Th-232			---	DCNUCC (8)
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (8,1)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (8)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	ALEACH (8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.384E-07	SOLUBK (8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for U-234			---	DCNUCC (9)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (9,1)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (9)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	ALEACH (9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.833E-04	SOLUBK (9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for U-235			---	DCNUCC (10)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (10,1)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (10)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	ALEACH (10)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.833E-04	SOLUBK (10)
R016	Solubility constant	0.000E+00	0.000E+00	not used	

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for U-238			---	DCNUCC(11)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(11,1)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(11)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	ALEACH(11)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.833E-04	SOLUBK(11)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
				---	INHALR
R017	Inhalation rate (m**3/yr)	7.300E+03	8.400E+03	---	MLINH
R017	Mass loading for inhalation (g/m**3)	1.000E-03	1.000E-04	---	ED
R017	Exposure duration	1.000E+00	3.000E+01	---	SHF3
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF1
R017	Shielding factor, external gamma	2.100E-01	7.000E-01	---	FIND
R017	Fraction of time spent indoors	0.000E+00	5.000E-01	---	FOTD
R017	Fraction of time spent outdoors (on site)	1.400E-01	2.500E-01	---	FS
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	
R017	Radii of shape factor array (used if FS = -1):			---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	
R017	Fractions of annular areas within AREA:			---	FRACA(1)
R017	Ring 1	not used	1.000E+00	---	FRACA(2)
R017	Ring 2	not used	2.732E-01	---	FRACA(3)
R017	Ring 3	not used	0.000E+00	---	FRACA(4)
R017	Ring 4	not used	0.000E+00	---	FRACA(5)
R017	Ring 5	not used	0.000E+00	---	FRACA(6)
R017	Ring 6	not used	0.000E+00	---	FRACA(7)
R017	Ring 7	not used	0.000E+00	---	FRACA(8)
R017	Ring 8	not used	0.000E+00	---	FRACA(9)
R017	Ring 9	not used	0.000E+00	---	FRACA(10)
R017	Ring 10	not used	0.000E+00	---	FRACA(11)
R017	Ring 11	not used	0.000E+00	---	FRACA(12)
R017	Ring 12	not used	0.000E+00	---	
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI

Site-Specific Parameter Summary (continued)

M	Parameter	User	Default	Used by RESRAD	Parameter
		Input		(If different from user input)	Name
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LW15
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LW16
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R1	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.500E+00	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	code computed (time dependent)	DMFL
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	active
Find peak pathway doses	active

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	2000.00 square meters	Ac-227	5.229E-02
Thickness:	0.60 meters	Pa-231	5.229E-02
Cover Depth:	0.00 meters	Pb-210	5.371E-01
		Ra-226	5.371E-01
		Ra-228	1.092E+01
		Th-228	1.092E+01
		Th-230	1.195E+00
		Th-232	1.092E+01
		U-234	6.004E-01
		U-235	2.642E-02
		U-238	6.004E-01

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00
TDOSE(t):	2.500E+01	2.499E+01
M(t):	9.999E-01	9.996E-01

Maximum TDOSE(t): 2.500E+01 mrem/yr at t = 0.000E+00 years

Summary : Construction Worker: No Secular Equilibrium

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	1.322E-02	0.0005	2.174E-02	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.888E-03	0.0002
Pa-231	1.498E-03	0.0001	4.558E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.893E-03	0.0001
Pb-210	4.250E-04	0.0000	7.720E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.964E-02	0.0008
Ra-226	7.638E-01	0.0306	3.026E-04	0.0000	1.860E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.955E-03	0.0002
Ra-228	9.993E+00	0.3998	3.994E-02	0.0016	1.314E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.263E-02	0.0033
Th-228	1.189E+01	0.4756	1.988E-01	0.0080	7.130E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.781E-02	0.0015
Th-230	5.567E-04	0.0000	2.452E-02	0.0010	8.967E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.349E-03	0.0001
Th-232	5.721E-01	0.0229	1.128E+00	0.0451	5.495E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.572E-01	0.0063
U-234	3.169E-05	0.0000	4.986E-03	0.0002	1.351E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.679E-04	0.0000
U-235	2.585E-03	0.0001	2.044E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.605E-05	0.0000
U-238	1.046E-02	0.0004	4.457E-03	0.0002	9.577E-21	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.250E-04	0.0000
Total	2.325E+01	0.9300	1.429E+00	0.0572	8.518E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.131E-01	0.0125

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathw	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.885E-02	0.0016
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.949E-03	0.0004
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.084E-02	0.0008
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.681E-01	0.0307
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.012E+01	0.4047
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.213E+01	0.4854
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.843E-02	0.0011
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.858E+00	0.0743
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.885E-03	0.0002
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.825E-03	0.0001
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.574E-02	0.0006
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.500E+01	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	1.278E-02	0.0005	2.101E-02	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.758E-03	0.000
Pa-231	1.910E-03	0.0001	5.234E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.012E-03	0.000
Pb-210	4.118E-04	0.0000	7.480E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.903E-02	0.000
Ra-226	7.630E-01	0.0305	3.259E-04	0.0000	1.858E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.552E-03	0.000
Ra-228	1.224E+01	0.4899	9.209E-02	0.0037	3.198E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.398E-02	0.003
Th-228	8.276E+00	0.3312	1.384E-01	0.0055	4.963E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.632E-02	0.001
Th-230	1.293E-03	0.0001	2.452E-02	0.0010	2.689E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.353E-03	0.000
Th-232	1.928E+00	0.0772	1.137E+00	0.0455	3.371E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.673E-01	0.006
U-234	3.167E-05	0.0000	4.981E-03	0.0002	9.454E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.672E-04	0.000
U-235	2.582E-03	0.0001	2.043E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.605E-05	0.000
U-238	1.045E-02	0.0004	4.453E-03	0.0002	1.436E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.243E-04	0.000
Total	2.324E+01	0.9300	1.429E+00	0.0572	8.516E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.131E-01	0.012

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.755E-02	0.001
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.016E-02	0.000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.019E-02	0.000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.679E-01	0.030
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.242E+01	0.457
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.446E+00	0.338
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.917E-02	0.001
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.233E+00	0.129
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.880E-03	0.000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.823E-03	0.000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.573E-02	0.000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.499E+01	1.000

*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,t) t= 0.000E+00	(mrem/yr)/(pCi/g) 1.000E+00
Ac-227	Ac-227	1.000E+00	7.429E-01	7.181E-01
Pa-231	Pa-231	1.000E+00	1.593E-01	1.591E-01
Pa-231	Ac-227	1.000E+00	1.189E-02	3.512E-02
Pa-231	ΣDSR(j)		1.711E-01	1.942E-01
Pb-210	Pb-210	1.000E+00	3.880E-02	3.759E-02
Ra-226	Ra-226	1.000E+00	1.429E+00	1.428E+00
Ra-226	Pb-210	1.000E+00	6.059E-04	1.792E-03
Ra-226	ΣDSR(j)		1.430E+00	1.430E+00
Ra-228	Ra-228	1.000E+00	7.219E-01	6.395E-01
Ra-228	Th-228	1.000E+00	2.049E-01	4.985E-01
Ra-228	ΣDSR(j)		9.267E-01	1.138E+00
Th-228	Th-228	1.000E+00	1.111E+00	7.736E-01
Th-230	Th-230	1.000E+00	2.347E-02	2.347E-02
Th-230	Ra-226	1.000E+00	3.097E-04	9.286E-04
Th-230	Pb-210	1.000E+00	8.774E-08	6.085E-07
Th-230	ΣDSR(j)		2.378E-02	2.440E-02
Th-232	Th-232	1.000E+00	1.172E-01	1.172E-01
Th-232	Ra-228	1.000E+00	4.439E-02	1.263E-01
Th-232	Th-228	1.000E+00	8.565E-03	5.254E-02
Th-232	ΣDSR(j)		1.702E-01	2.961E-01
U-234	U-234	1.000E+00	9.802E-03	9.793E-03
U-234	Th-230	1.000E+00	1.056E-07	3.167E-07
U-234	Ra-226	1.000E+00	9.291E-10	6.500E-09
U-234	Pb-210	1.000E+00	1.977E-13	2.945E-12
U-234	ΣDSR(j)		9.802E-03	9.793E-03
U-235	U-235	1.000E+00	1.069E-01	1.068E-01
U-235	Pa-231	1.000E+00	1.685E-06	5.050E-06
U-235	Ac-227	1.000E+00	8.408E-08	5.826E-07
U-235	ΣDSR(j)		1.069E-01	1.068E-01
U-238	U-238	1.000E+00	2.622E-02	2.620E-02
U-238	U-234	1.000E+00	1.389E-08	4.164E-08
U-238	Th-230	1.000E+00	9.980E-14	6.982E-13
U-238	Ra-226	1.000E+00	6.584E-16	9.870E-15
U-238	Pb-210	1.000E+00	1.122E-19	3.459E-18
U-238	ΣDSR(j)		2.622E-02	2.620E-02

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines $G(i,t)$ in pCi/g

Basic Radiation Dose Limit = $2.500E+01$ mrem/yr

.de		
(i)	t= 0.000E+00	1.000E+00
Ac-227	3.365E+01	3.482E+01
Pa-231	1.461E+02	1.287E+02
Pb-210	6.444E+02	6.650E+02
Ra-226	1.748E+01	1.749E+01
Ra-228	2.698E+01	2.197E+01
Th-228	2.249E+01	3.231E+01
Th-230	1.051E+03	1.024E+03
Th-232	1.469E+02	8.443E+01
U-234	2.551E+03	2.553E+03
U-235	2.338E+02	2.340E+02
U-238	9.535E+02	9.543E+02

Summed Dose/Source Ratios $DSR(i,t)$ in (mrem/yr)/(pCi/g)

and Single Radionuclide Soil Guidelines $G(i,t)$ in pCi/g

at t_{min} = time of minimum single radionuclide soil guideline

and at t_{max} = time of maximum total dose = $0.000E+00$ years

Nuclide (i)	Initial (pCi/g)	t_{min} (years)	$DSR(i,t_{min})$	$G(i,t_{min})$ (pCi/g)	$DSR(i,t_{max})$	$G(i,t_{max})$ (pCi/g)
7	5.229E-02	0.000E+00	7.429E-01	3.365E+01	7.429E-01	3.365E+01
Pa-231	5.229E-02	1.000E+00	1.942E-01	1.287E+02	1.711E-01	1.461E+02
Pb-210	5.371E-01	0.000E+00	3.880E-02	6.444E+02	3.880E-02	6.444E+02
Ra-226	5.371E-01	0.000E+00	1.430E+00	1.748E+01	1.430E+00	1.748E+01
Ra-228	1.092E+01	1.000E+00	1.138E+00	2.197E+01	9.267E-01	2.698E+01
Th-228	1.092E+01	0.000E+00	1.111E+00	2.249E+01	1.111E+00	2.249E+01
Th-230	1.195E+00	1.000E+00	2.440E-02	1.024E+03	2.378E-02	1.051E+03
Th-232	1.092E+01	1.000E+00	2.961E-01	8.443E+01	1.702E-01	1.469E+02
U-234	6.004E-01	0.000E+00	9.802E-03	2.551E+03	9.802E-03	2.551E+03
U-235	2.642E-02	0.000E+00	1.069E-01	2.338E+02	1.069E-01	2.338E+02
U-238	6.004E-01	0.000E+00	2.622E-02	9.535E+02	2.622E-02	9.535E+02

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr	
			t= 0.000E+00	1.000E+00
Ac-227	Ac-227	1.000E+00	3.885E-02	3.755E-02
Ac-227	Pa-231	1.000E+00	6.217E-04	1.836E-03
Ac-227	U-235	1.000E+00	2.221E-09	1.539E-08
Ac-227	ΣDOSE(j)		3.947E-02	3.938E-02
Pa-231	Pa-231	1.000E+00	8.327E-03	8.320E-03
Pa-231	U-235	1.000E+00	4.451E-08	1.334E-07
Pa-231	ΣDOSE(j)		8.327E-03	8.320E-03
Pb-210	Pb-210	1.000E+00	2.084E-02	2.019E-02
Pb-210	Ra-226	1.000E+00	3.255E-04	9.624E-04
Pb-210	Th-230	1.000E+00	1.049E-07	7.274E-07
Pb-210	U-234	1.000E+00	1.187E-13	1.768E-12
Pb-210	U-238	1.000E+00	6.739E-20	2.077E-18
Pb-210	ΣDOSE(j)		2.117E-02	2.116E-02
Ra-226	Ra-226	1.000E+00	7.677E-01	7.669E-01
Ra-226	Th-230	1.000E+00	3.702E-04	1.110E-03
Ra-226	U-234	1.000E+00	5.579E-10	3.903E-09
Ra-226	U-238	1.000E+00	3.953E-16	5.927E-15
Ra-226	ΣDOSE(j)		7.681E-01	7.680E-01
Ra-228	Ra-228	1.000E+00	7.881E+00	6.981E+00
Ra-228	Th-232	1.000E+00	4.846E-01	1.379E+00
Ra-228	ΣDOSE(j)		8.365E+00	8.361E+00
Th-228	Ra-228	1.000E+00	2.237E+00	5.442E+00
Th-228	Th-228	1.000E+00	1.213E+01	8.446E+00
Th-228	Th-232	1.000E+00	9.350E-02	5.736E-01
Th-228	ΣDOSE(j)		1.446E+01	1.446E+01
Th-230	Th-230	1.000E+00	2.806E-02	2.806E-02
Th-230	U-234	1.000E+00	6.342E-08	1.902E-07
Th-230	U-238	1.000E+00	5.992E-14	4.192E-13
Th-230	ΣDOSE(j)		2.806E-02	2.806E-02
Th-232	Th-232	1.000E+00	1.280E+00	1.280E+00
U-234	U-234	1.000E+00	5.885E-03	5.880E-03
U-234	U-238	1.000E+00	8.341E-09	2.500E-08
U-234	ΣDOSE(j)		5.885E-03	5.880E-03
U-235	U-235	1.000E+00	2.825E-03	2.822E-03
U-238	U-238	1.000E+00	1.574E-02	1.573E-02

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g	
			t= 0.000E+00	1.000E+00
Ac-227	Ac-227	1.000E+00	5.229E-02	5.054E-02
Ac-227	Pa-231	1.000E+00	0.000E+00	1.636E-03
Ac-227	U-235	1.000E+00	0.000E+00	8.793E-09
Ac-227	ΣS(j):		5.229E-02	5.218E-02
Pa-231	Pa-231	1.000E+00	5.229E-02	5.224E-02
Pa-231	U-235	1.000E+00	0.000E+00	5.585E-07
Pa-231	ΣS(j):		5.229E-02	5.224E-02
Pb-210	Pb-210	1.000E+00	5.371E-01	5.205E-01
Pb-210	Ra-226	1.000E+00	0.000E+00	1.643E-02
Pb-210	Th-230	1.000E+00	0.000E+00	7.962E-06
Pb-210	U-234	1.000E+00	0.000E+00	1.203E-11
Pb-210	U-238	1.000E+00	0.000E+00	8.539E-18
Pb-210	ΣS(j):		5.371E-01	5.369E-01
Ra-226	Ra-226	1.000E+00	5.371E-01	5.365E-01
Ra-226	Th-230	1.000E+00	0.000E+00	5.176E-04
Ra-226	U-234	1.000E+00	0.000E+00	1.170E-09
Ra-226	U-238	1.000E+00	0.000E+00	1.106E-15
Ra-226	ΣS(j):		5.371E-01	5.371E-01
Ra-228	Ra-228	1.000E+00	1.092E+01	9.671E+00
Ra-228	Th-232	1.000E+00	0.000E+00	1.239E+00
Ra-228	ΣS(j):		1.092E+01	1.091E+01
Th-228	Ra-228	1.000E+00	0.000E+00	3.114E+00
Th-228	Th-228	1.000E+00	1.092E+01	7.599E+00
Th-228	Th-232	1.000E+00	0.000E+00	2.035E-01
Th-228	ΣS(j):		1.092E+01	1.092E+01
Th-230	Th-230	1.000E+00	1.195E+00	1.195E+00
Th-230	U-234	1.000E+00	0.000E+00	5.403E-06
Th-230	U-238	1.000E+00	0.000E+00	7.657E-12
Th-230	ΣS(j):		1.195E+00	1.195E+00
Th-232	Th-232	1.000E+00	1.092E+01	1.092E+01
U-234	U-234	1.000E+00	6.004E-01	5.999E-01
U-234	U-238	1.000E+00	0.000E+00	1.701E-06
U-234	ΣS(j):		6.004E-01	5.999E-01
U-235	U-235	1.000E+00	2.642E-02	2.640E-02
U-238	U-238	1.000E+00	6.004E-01	5.999E-01

E is the branch fraction of the parent nuclide.

RESCALC.EXE execution time = 1.27 seconds

INDOOR SITE VISITOR

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	5
Summary of Pathway Selections	10
Contaminated Zone and Total Dose Summary	11
Total Dose Components	
Time = 0.000E+00	12
Time = 1.000E+00	13
Dose/Source Ratios Summed Over All Pathways	14
Single Radionuclide Soil Guidelines	15
Dose Per Nuclide Summed Over All Pathways	16
Soil Concentration Per Nuclide	17

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(2)
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(3)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(4)
B-1	Ra-228+D	5.080E-03	5.080E-03	DCF2(5)
B-1	Th-228+D	3.450E-01	3.450E-01	DCF2(6)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(7)
B-1	Th-232	1.640E+00	1.640E+00	DCF2(8)
B-1	U-234	1.320E-01	1.320E-01	DCF2(9)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(10)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2(11)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(2)
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(3)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(4)
D-1	Ra-228+D	1.440E-03	1.440E-03	DCF3(5)
D-1	Th-228+D	8.080E-04	8.080E-04	DCF3(6)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(7)
D-1	Th-232	2.730E-03	2.730E-03	DCF3(8)
D-1	U-234	2.830E-04	2.830E-04	DCF3(9)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(10)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3(11)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(2,3)
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(3,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(3,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(3,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,3)
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(5,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(5,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(5,3)
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(6,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(6,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(6,3)
D-34				

Dose Conversion Factor (and Related) Parameter Summary (continued)
 File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(7,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(7,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(7,3)
D-34	Th-232 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(8,1)
D-34	Th-232 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(8,2)
D-34	Th-232 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(8,3)
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(9,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(9,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(9,3)
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(10,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(10,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(10,3)
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(11,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(11,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(11,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(2,2)
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(3,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(4,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(4,2)
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC(5,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(5,2)
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC(6,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(6,2)
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(7,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(7,2)
D-5	Th-232 , fish	1.000E+02	1.000E+02	BIOFAC(8,1)
D-5	Th-232 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(8,2)
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(9,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(9,2)
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(10,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(10,2)

Dose Conversion Factor (and Related) Parameter Summary (continued)

File: FGR 13 Morbidity

Menu	Parameter	Current	Default	Parameter
		Value		Name
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(11,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(11,2)

Site-Specific Parameter Summary

	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	2.000E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	5.048E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	not used	3.000E+00	---	T(3)
R011	Times for calculations (yr)	not used	1.000E+01	---	T(4)
R011	Times for calculations (yr)	not used	3.000E+01	---	T(5)
R011	Times for calculations (yr)	not used	1.000E+02	---	T(6)
R011	Times for calculations (yr)	not used	3.000E+02	---	T(7)
R011	Times for calculations (yr)	not used	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ac-227	3.800E-01	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Pa-231	3.800E-01	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Pb-210	3.904E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Ra-226	3.904E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Ra-228	7.934E+01	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): Th-228	7.934E+01	0.000E+00	---	S1(6)
R012	Initial principal radionuclide (pCi/g): Th-230	8.688E+00	0.000E+00	---	S1(7)
R012	Initial principal radionuclide (pCi/g): Th-232	7.934E+01	0.000E+00	---	S1(8)
R012	Initial principal radionuclide (pCi/g): U-234	4.364E+00	0.000E+00	---	S1(9)
R012	Initial principal radionuclide (pCi/g): U-235	1.920E-01	0.000E+00	---	S1(10)
R012	Initial principal radionuclide (pCi/g): U-238	4.364E+00	0.000E+00	---	S1(11)
R012	Concentration in groundwater (pCi/L): Ac-227	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Pa-231	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1(5)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1(6)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1(7)
R012	Concentration in groundwater (pCi/L): Th-232	not used	0.000E+00	---	W1(8)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1(9)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1(10)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1(11)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.600E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	0.000E+00	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.850E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.900E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.520E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	9.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	2.212E-01	1.000E+00	---	PRECIP

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R013	Irrigation (m/yr)	6.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.500E-02	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	2.000E+03	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.600E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.850E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	3.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	2.000E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	9.000E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	2.000E-01	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	1.200E+02	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.600E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.850E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.900E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Ac-227				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC(1)
R016	Unsat. zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.792E-03	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for Pa-231				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(2)
R016	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(3)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.769E-03	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)

Site-Specific Parameter Summary (continued)

	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC (4)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (4,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.526E-03	ALEACH (4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (4)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC (5)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (5,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.526E-03	ALEACH (5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (5)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC (6)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (6,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.954E-06	ALEACH (6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (6)
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC (7)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (7,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.954E-06	ALEACH (7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (7)
R016	Distribution coefficients for Th-232				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC (8)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (8,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.954E-06	ALEACH (8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (8)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC (9)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (9,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	ALEACH (9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (9)
R016	Distribution coefficients for U-235				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC (10)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (10,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (10)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	ALEACH (10)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (10)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for U-238	5.000E+01	5.000E+01	---	DCNUCC(11)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(11,1)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(11)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	3.533E-03	ALEACH(11)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	not used	SOLUBK(11)
R016	Solubility constant				
		5.475E+03	8.400E+03	---	INHALR
R017	Inhalation rate (m**3/yr)	1.500E-06	1.000E-04	---	MLINH
R017	Mass loading for inhalation (g/m**3)	2.500E+01	3.000E+01	---	ED
R017	Exposure duration	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, inhalation	2.100E-01	7.000E-01	---	SHF1
R017	Shielding factor, external gamma	9.000E-02	5.000E-01	---	FIND
R017	Fraction of time spent indoors	0.000E+00	2.500E-01	---	FOTD
R017	Fraction of time spent outdoors (on site)	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Shape factor flag, external gamma				
R017	Radii of shape factor array (used if FS = -1):	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 1:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 2:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Outer annular radius (m), ring 12:				
R017	Fractions of annular areas within AREA:	not used	1.000E+00	---	FRACA(1)
R017	Ring 1	not used	2.732E-01	---	FRACA(2)
R017	Ring 2	not used	0.000E+00	---	FRACA(3)
R017	Ring 3	not used	0.000E+00	---	FRACA(4)
R017	Ring 4	not used	0.000E+00	---	FRACA(5)
R017	Ring 5	not used	0.000E+00	---	FRACA(6)
R017	Ring 6	not used	0.000E+00	---	FRACA(7)
R017	Ring 7	not used	0.000E+00	---	FRACA(8)
R017	Ring 8	not used	0.000E+00	---	FRACA(9)
R017	Ring 9	not used	0.000E+00	---	FRACA(10)
R017	Ring 10	not used	0.000E+00	---	FRACA(11)
R017	Ring 11	not used	0.000E+00	---	FRACA(12)
R017	Ring 12				
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI

Site-Specific Parameter Summary (continued)

	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19A	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
				---	STOR_T(1)
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(2)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(4)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(5)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(7)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(9)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	
				---	FLOOR1
R021	Thickness of building foundation (m)	1.500E-01	1.500E-01	---	DENSFL
R021	Bulk density of building foundation (g/cm**3)	2.400E+00	2.400E+00	---	TPCV
R021	Total porosity of the cover material	not used	4.000E-01	---	TPFL
R021	Total porosity of the building foundation	1.000E-01	1.000E-01	---	PH2OCV
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OFL
R021	Volumetric water content of the foundation	1.000E-02	3.000E-02	---	
R021	Diffusion coefficient for radon gas (m/sec):			---	DIFCV
R021	in cover material	not used	2.000E-06	---	DIFFL
R021	in foundation material	3.000E-07	3.000E-07	---	DIFCZ
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	HMIX
R021	Radon vertical dimension of mixing (m)	2.000E+00	2.000E+00	---	REXG
R021	Average building air exchange rate (1/hr)	1.860E+00	5.000E-01	---	HRM
R021	Height of the building (room) (m)	2.500E+00	2.500E+00	---	FAI
R021	Building interior area factor	1.000E+00	0.000E+00	---	DMFL
R021	Building depth below ground surface (m)	-1.500E-01	-1.000E+00	code computed (time dependent)	EMANA(1)
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(2)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	
				---	NPTS
TITL	Number of graphical time points	32	---	---	LYMAX
TITL	Maximum number of integration points for dose	17	---	---	KYMAX
TITL	Maximum number of integration points for risk	257	---	---	

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	active
Find peak pathway doses	active

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	2000.00 square meters	Ac-227	3.800E-01
Thickness:	0.15 meters	Pa-231	3.800E-01
Cover Depth:	0.00 meters	Pb-210	3.904E+00
		Ra-226	3.904E+00
		Ra-228	7.934E+01
		Th-228	7.934E+01
		Th-230	8.688E+00
		Th-232	7.934E+01
		U-234	4.364E+00
		U-235	1.920E-01
		U-238	4.364E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00
TDOSE(t):	2.500E+01	2.497E+01
M(t):	1.000E+00	9.987E-01

Maximum TDOSE(t): 2.500E+01 mrem/yr at t = 0.000E+00 years

Summary : Indoor Site Visitor: No Secular Equilibrium

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	1.274E-02	0.0005	4.556E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.053E-03	0.0004
Pa-231	1.437E-03	0.0001	9.569E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.750E-03	0.0003
Pb-210	4.127E-04	0.0000	1.622E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.585E-02	0.0018
Ra-226	6.837E-01	0.0273	6.356E-07	0.0000	2.888E+00	0.1155	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.231E-03	0.0004
Ra-228	8.999E+00	0.3599	8.391E-05	0.0000	1.339E-01	0.0054	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.928E-01	0.0077
Th-228	1.029E+01	0.4114	4.180E-04	0.0000	7.269E-01	0.0291	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.833E-02	0.0035
Th-230	5.169E-04	0.0000	5.156E-05	0.0000	1.393E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.824E-03	0.0003
Th-232	5.169E-01	0.0207	2.372E-03	0.0001	5.599E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.673E-01	0.0147
U-234	3.089E-05	0.0000	1.047E-05	0.0000	2.098E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.025E-03	0.0001
U-235	2.532E-03	0.0001	4.292E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.409E-05	0.0000
U-238	9.689E-03	0.0004	9.358E-06	0.0000	1.486E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.925E-03	0.0001
Total	2.051E+01	0.8204	3.004E-03	0.0001	3.755E+00	0.1502	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.312E-01	0.0292

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathw.	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.183E-02	0.0009
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.197E-03	0.0003
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.627E-02	0.0019
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.581E+00	0.1432
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.326E+00	0.3730
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.110E+01	0.4440
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.785E-03	0.0004
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.922E-01	0.0357
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.066E-03	0.0001
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.617E-03	0.0001
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.162E-02	0.0005
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.500E+01	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	1.223E-02	0.0005	4.375E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.693E-03	0.000
Pa-231	1.829E-03	0.0001	1.095E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.008E-03	0.000
Pb-210	3.994E-04	0.0000	1.569E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.437E-02	0.001
Ra-226	6.817E-01	0.0273	6.832E-07	0.0000	2.879E+00	0.1153	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.060E-02	0.000
Ra-228	1.089E+01	0.4360	1.933E-04	0.0000	3.255E-01	0.0130	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.957E-01	0.007
Th-228	7.159E+00	0.2867	2.910E-04	0.0000	5.060E-01	0.0203	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.148E-02	0.002
Th-230	1.175E-03	0.0000	5.156E-05	0.0000	4.173E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.833E-03	0.000
Th-232	1.729E+00	0.0693	2.390E-03	0.0001	3.433E-02	0.0014	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.908E-01	0.015
U-234	3.078E-05	0.0000	1.043E-05	0.0000	1.466E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.018E-03	0.000
U-235	2.523E-03	0.0001	4.278E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.387E-05	0.000
U-238	9.655E-03	0.0004	9.325E-06	0.0000	2.225E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.918E-03	0.000
Total	2.049E+01	0.8205	3.003E-03	0.0001	3.749E+00	0.1502	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.305E-01	0.029

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.097E-02	0.000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.848E-03	0.000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.477E-02	0.001
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.571E+00	0.143
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.141E+01	0.455
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.727E+00	0.309
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.323E-02	0.000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.157E+00	0.086
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.059E-03	0.000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.607E-03	0.000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.158E-02	0.000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.497E+01	1.000

*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,t) t= 0.000E+00	(mrem/yr)/(pCi/g) 1.000E+00
Ac-227	Ac-227	1.000E+00	5.745E-02	5.517E-02
Pa-231	Pa-231	1.000E+00	2.065E-02	2.058E-02
Pa-231	Ac-227	1.000E+00	9.196E-04	2.706E-03
Pa-231	ΣDSR(j)		2.157E-02	2.328E-02
Pb-210	Pb-210	1.000E+00	1.185E-02	1.147E-02
Ra-226	Ra-226	1.000E+00	9.171E-01	9.144E-01
Ra-226	Pb-210	1.000E+00	1.850E-04	5.464E-04
Ra-226	ΣDSR(j)		9.173E-01	9.149E-01
Ra-228	Ra-228	1.000E+00	9.177E-02	8.114E-02
Ra-228	Th-228	1.000E+00	2.577E-02	6.266E-02
Ra-228	ΣDSR(j)		1.175E-01	1.438E-01
Th-228	Th-228	1.000E+00	1.399E-01	9.739E-02
Th-230	Th-230	1.000E+00	9.276E-04	9.276E-04
Th-230	Ra-226	1.000E+00	1.987E-04	5.955E-04
Th-230	Pb-210	1.000E+00	2.680E-08	1.857E-07
Th-230	ΣDSR(j)		1.126E-03	1.523E-03
Th-232	Th-232	1.000E+00	4.523E-03	4.523E-03
Th-232	Ra-228	1.000E+00	5.644E-03	1.605E-02
Th-232	Th-228	1.000E+00	1.078E-03	6.608E-03
Th-232	ΣDSR(j)		1.125E-02	2.718E-02
U-234	U-234	1.000E+00	4.735E-04	4.718E-04
U-234	Th-230	1.000E+00	4.170E-09	1.249E-08
U-234	Ra-226	1.000E+00	5.960E-10	4.164E-09
U-234	Pb-210	1.000E+00	6.038E-14	8.981E-13
U-234	ΣDSR(j)		4.735E-04	4.718E-04
U-235	U-235	1.000E+00	1.363E-02	1.358E-02
U-235	Pa-231	1.000E+00	2.183E-07	6.529E-07
U-235	Ac-227	1.000E+00	6.504E-09	4.491E-08
U-235	ΣDSR(j)		1.363E-02	1.358E-02
U-238	U-238	1.000E+00	2.664E-03	2.654E-03
U-238	U-234	1.000E+00	6.708E-10	2.006E-09
U-238	Th-230	1.000E+00	3.938E-15	2.751E-14
U-238	Ra-226	1.000E+00	4.222E-16	6.320E-15
U-238	Pb-210	1.000E+00	3.426E-20	1.054E-18
U-238	ΣDSR(j)		2.664E-03	2.654E-03

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: $CUMBRF(j) = BRF(1) * BRF(2) * \dots BRF(j)$.
 The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

de		
(i)	t= 0.000E+00	1.000E+00
Ac-227	4.351E+02	4.532E+02
Pa-231	1.159E+03	1.074E+03
Pb-210	2.109E+03	2.180E+03
Ra-226	2.725E+01	2.732E+01
Ra-228	2.127E+02	1.739E+02
Th-228	1.787E+02	2.567E+02
Th-230	2.220E+04	1.641E+04
Th-232	2.223E+03	9.197E+02
U-234	5.280E+04	5.299E+04
U-235	1.834E+03	1.841E+03
U-238	9.386E+03	9.419E+03

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
7	3.800E-01	0.000E+00	5.745E-02	4.351E+02	5.745E-02	4.351E+02
Pa-231	3.800E-01	1.000E+00	2.328E-02	1.074E+03	2.157E-02	1.159E+03
Pb-210	3.904E+00	0.000E+00	1.185E-02	2.109E+03	1.185E-02	2.109E+03
Ra-226	3.904E+00	0.000E+00	9.173E-01	2.725E+01	9.173E-01	2.725E+01
Ra-228	7.934E+01	1.000E+00	1.438E-01	1.739E+02	1.175E-01	2.127E+02
Th-228	7.934E+01	0.000E+00	1.399E-01	1.787E+02	1.399E-01	1.787E+02
Th-230	8.688E+00	1.000E+00	1.523E-03	1.641E+04	1.126E-03	2.220E+04
Th-232	7.934E+01	1.000E+00	2.718E-02	9.197E+02	1.125E-02	2.223E+03
U-234	4.364E+00	0.000E+00	4.735E-04	5.280E+04	4.735E-04	5.280E+04
U-235	1.920E-01	0.000E+00	1.363E-02	1.834E+03	1.363E-02	1.834E+03
U-238	4.364E+00	0.000E+00	2.664E-03	9.386E+03	2.664E-03	9.386E+03

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr	
			t= 0.000E+00	1.000E+00
Ac-227	Ac-227	1.000E+00	2.183E-02	2.097E-02
Ac-227	Pa-231	1.000E+00	3.495E-04	1.028E-03
Ac-227	U-235	1.000E+00	1.249E-09	8.624E-09
Ac-227	ΣDOSE(j)		2.218E-02	2.199E-02
Pa-231	Pa-231	1.000E+00	7.847E-03	7.820E-03
Pa-231	U-235	1.000E+00	4.192E-08	1.254E-07
Pa-231	ΣDOSE(j)		7.847E-03	7.820E-03
Pb-210	Pb-210	1.000E+00	4.627E-02	4.477E-02
Pb-210	Ra-226	1.000E+00	7.223E-04	2.133E-03
Pb-210	Th-230	1.000E+00	2.328E-07	1.613E-06
Pb-210	U-234	1.000E+00	2.635E-13	3.919E-12
Pb-210	U-238	1.000E+00	1.495E-19	4.601E-18
Pb-210	ΣDOSE(j)		4.699E-02	4.691E-02
Ra-226	Ra-226	1.000E+00	3.580E+00	3.569E+00
Ra-226	Th-230	1.000E+00	1.727E-03	5.173E-03
Ra-226	U-234	1.000E+00	2.601E-09	1.817E-08
Ra-226	U-238	1.000E+00	1.843E-15	2.758E-14
Ra-226	ΣDOSE(j)		3.582E+00	3.574E+00
Ra-228	Ra-228	1.000E+00	7.281E+00	6.438E+00
Ra-228	Th-232	1.000E+00	4.478E-01	1.274E+00
Ra-228	ΣDOSE(j)		7.728E+00	7.711E+00
Th-228	Ra-228	1.000E+00	2.045E+00	4.971E+00
Th-228	Th-228	1.000E+00	1.110E+01	7.727E+00
Th-228	Th-232	1.000E+00	8.551E-02	5.242E-01
Th-228	ΣDOSE(j)		1.323E+01	1.322E+01
Th-230	Th-230	1.000E+00	8.058E-03	8.058E-03
Th-230	U-234	1.000E+00	1.820E-08	5.450E-08
Th-230	U-238	1.000E+00	1.719E-14	1.201E-13
Th-230	ΣDOSE(j)		8.058E-03	8.058E-03
Th-232	Th-232	1.000E+00	3.589E-01	3.589E-01
U-234	U-234	1.000E+00	2.066E-03	2.059E-03
U-234	U-238	1.000E+00	2.927E-09	8.753E-09
U-234	ΣDOSE(j)		2.066E-03	2.059E-03
U-235	U-235	1.000E+00	2.617E-03	2.607E-03
U-238	U-238	1.000E+00	1.162E-02	1.158E-02

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
 Parent Nuclide and Branch Fraction Indicated

N.	de Parent	BRF(i)	S(j,t), pCi/g	
	(j)		(i)	t= 0.000E+00
Ac-227	Ac-227	1.000E+00	3.800E-01	3.649E-01
Ac-227	Pa-231	1.000E+00	0.000E+00	1.183E-02
Ac-227	U-235	1.000E+00	0.000E+00	6.365E-08
Ac-227	ΣS(j):		3.800E-01	3.767E-01
Pa-231	Pa-231	1.000E+00	3.800E-01	3.787E-01
Pa-231	U-235	1.000E+00	0.000E+00	4.048E-06
Pa-231	ΣS(j):		3.800E-01	3.787E-01
Pb-210	Pb-210	1.000E+00	3.904E+00	3.777E+00
Pb-210	Ra-226	1.000E+00	0.000E+00	1.192E-01
Pb-210	Th-230	1.000E+00	0.000E+00	5.780E-05
Pb-210	U-234	1.000E+00	0.000E+00	8.730E-11
Pb-210	U-238	1.000E+00	0.000E+00	6.195E-17
Pb-210	ΣS(j):		3.904E+00	3.897E+00
Ra-226	Ra-226	1.000E+00	3.904E+00	3.892E+00
Ra-226	Th-230	1.000E+00	0.000E+00	3.758E-03
Ra-226	U-234	1.000E+00	0.000E+00	8.490E-09
Ra-226	U-238	1.000E+00	0.000E+00	8.020E-15
Ra-226	ΣS(j):		3.904E+00	3.896E+00
Ra-228	Ra-228	1.000E+00	7.934E+01	7.015E+01
Ra-228	Th-232	1.000E+00	0.000E+00	8.999E+00
Ra-228	ΣS(j):		7.934E+01	7.915E+01
Th-228	Ra-228	1.000E+00	0.000E+00	2.261E+01
Th-228	Th-228	1.000E+00	7.934E+01	5.523E+01
Th-228	Th-232	1.000E+00	0.000E+00	1.478E+00
Th-228	ΣS(j):		7.934E+01	7.931E+01
Th-230	Th-230	1.000E+00	8.688E+00	8.688E+00
Th-230	U-234	1.000E+00	0.000E+00	3.921E-05
Th-230	U-238	1.000E+00	0.000E+00	5.555E-11
Th-230	ΣS(j):		8.688E+00	8.688E+00
Th-232	Th-232	1.000E+00	7.934E+01	7.934E+01
U-234	U-234	1.000E+00	4.364E+00	4.348E+00
U-234	U-238	1.000E+00	0.000E+00	1.233E-05
U-234	ΣS(j):		4.364E+00	4.348E+00
U-235	U-235	1.000E+00	1.920E-01	1.913E-01
U-238	U-238	1.000E+00	4.364E+00	4.348E+00

B⁺ is the branch fraction of the parent nuclide.

RESRAD.EXE execution time = 5.57 seconds

OUTDOOR SITE VISITOR

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	5
Summary of Pathway Selections	10
Contaminated Zone and Total Dose Summary	11
Total Dose Components	
Time = 0.000E+00	12
Time = 1.000E+00	13
Dose/Source Ratios Summed Over All Pathways	14
Single Radionuclide Soil Guidelines	15
Dose Per Nuclide Summed Over All Pathways	16
Soil Concentration Per Nuclide	17

Dose Conversion Factor (and Related) Parameter Summary

File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(2)
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(3)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(4)
B-1	Ra-228+D	5.080E-03	5.080E-03	DCF2(5)
B-1	Th-228+D	3.450E-01	3.450E-01	DCF2(6)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(7)
B-1	Th-232	1.640E+00	1.640E+00	DCF2(8)
B-1	U-234	1.320E-01	1.320E-01	DCF2(9)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(10)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2(11)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(2)
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(3)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(4)
D-1	Ra-228+D	1.440E-03	1.440E-03	DCF3(5)
D-1	Th-228+D	8.080E-04	8.080E-04	DCF3(6)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(7)
D-1	Th-232	2.730E-03	2.730E-03	DCF3(8)
D-1	U-234	2.830E-04	2.830E-04	DCF3(9)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(10)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3(11)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(2,3)
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(3,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(3,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(3,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,3)
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(5,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(5,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(5,3)
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(6,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(6,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(6,3)

Dose Conversion Factor (and Related) Parameter Summary (continued)

File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(7,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(7,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(7,3)
D-34				
D-34	Th-232 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(8,1)
D-34	Th-232 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(8,2)
D-34	Th-232 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(8,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(9,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(9,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(9,3)
D-34				
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(10,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(10,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(10,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(11,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(11,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(11,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5				
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(2,2)
D-5				
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(3,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(4,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(4,2)
D-5				
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC(5,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(5,2)
D-5				
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC(6,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(6,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(7,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(7,2)
D-5				
D-5	Th-232 , fish	1.000E+02	1.000E+02	BIOFAC(8,1)
D-5	Th-232 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(8,2)
D-5				
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(9,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(9,2)
D-5				
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(10,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(10,2)
D-5				

Dose Conversion Factor (and Related) Parameter Summary (continued)
 File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(11,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(11,2)

Site-Specific Parameter Summary

	Parameter	User		Used by RESRAD (If different from user input)	Parameter Name
		Input	Default		
R011	Area of contaminated zone (m**2)	2.000E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	5.048E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	not used	3.000E+00	---	T(3)
R011	Times for calculations (yr)	not used	1.000E+01	---	T(4)
R011	Times for calculations (yr)	not used	3.000E+01	---	T(5)
R011	Times for calculations (yr)	not used	1.000E+02	---	T(6)
R011	Times for calculations (yr)	not used	3.000E+02	---	T(7)
R011	Times for calculations (yr)	not used	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ac-227	9.649E-02	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Pa-231	9.649E-02	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Pb-210	9.911E-01	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Ra-226	9.911E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Ra-228	2.015E+01	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): Th-228	2.015E+01	0.000E+00	---	S1(6)
R012	Initial principal radionuclide (pCi/g): Th-230	2.206E+00	0.000E+00	---	S1(7)
R012	Initial principal radionuclide (pCi/g): Th-232	2.015E+01	0.000E+00	---	S1(8)
R012	Initial principal radionuclide (pCi/g): U-234	1.108E+00	0.000E+00	---	S1(9)
R012	Initial principal radionuclide (pCi/g): U-235	4.875E-02	0.000E+00	---	S1(10)
R012	Initial principal radionuclide (pCi/g): U-238	1.108E+00	0.000E+00	---	S1(11)
R012	Concentration in groundwater (pCi/L): Ac-227	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Pa-231	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1(5)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1(6)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1(7)
R012	Concentration in groundwater (pCi/L): Th-232	not used	0.000E+00	---	W1(8)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1(9)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1(10)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1(11)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.600E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	0.000E+00	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.850E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.900E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.520E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	9.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	2.212E-01	1.000E+00	---	PRECIP

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R013	Irrigation (m/yr)	6.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.500E-02	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	2.000E+03	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.600E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.850E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	2.000E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	9.000E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	3.000E-01	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	1.200E+02	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.600E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.850E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.900E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Ac-227				DCNUCC(1)
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(1,1)
R016	Unsat. zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	ALEACH(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.792E-03	SOLUBK(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Pa-231				DCNUCC(2)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(2,1)
R016	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(2)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	ALEACH(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	SOLUBK(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Pb-210				DCNUCC(3)
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(3,1)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(3)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	ALEACH(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.769E-03	SOLUBK(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	

Site-Specific Parameter Summary (continued)

M	Parameter	User	Default	Used by RESRAD (If different from user input)	Parameter Name
		Input			
R016	Distribution coefficients for Ra-226				DCNUCC (4)
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (4,1)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (4)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	ALEACH (4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.526E-03	SOLUBK (4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Ra-228				DCNUCC (5)
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (5,1)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (5)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	ALEACH (5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.526E-03	SOLUBK (5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Th-228				DCNUCC (6)
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (6,1)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (6)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	ALEACH (6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.954E-06	SOLUBK (6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Th-230				DCNUCC (7)
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (7,1)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (7)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	ALEACH (7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.954E-06	SOLUBK (7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for Th-232				DCNUCC (8)
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (8,1)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (8)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	ALEACH (8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.954E-06	SOLUBK (8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for U-234				DCNUCC (9)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (9,1)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (9)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	ALEACH (9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	SOLUBK (9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
R016	Distribution coefficients for U-235				DCNUCC (10)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (10,1)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (10)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	ALEACH (10)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	SOLUBK (10)
R016	Solubility constant	0.000E+00	0.000E+00	not used	

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for U-238				DCNUCC(11)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(11,1)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(11)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	ALEACH(11)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	SOLUBK(11)
R016	Solubility constant	0.000E+00	0.000E+00	not used	INHALR
R017	Inhalation rate (m**3/yr)	5.475E+03	8.400E+03	---	MLINH
R017	Mass loading for inhalation (g/m**3)	1.500E-06	1.000E-04	---	ED
R017	Exposure duration	2.500E+01	3.000E+01	---	SHF3
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF1
R017	Shielding factor, external gamma	2.100E-01	7.000E-01	---	FIND
R017	Fraction of time spent indoors	0.000E+00	5.000E-01	---	FOTD
R017	Fraction of time spent outdoors (on site)	9.000E-02	2.500E-01	---	FS
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	
R017	Radii of shape factor array (used if FS = -1):				RAD_SHAPE(1)
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	
R017	Fractions of annular areas within AREA:				FRACA(1)
R017	Ring 1	not used	1.000E+00	---	FRACA(2)
R017	Ring 2	not used	2.732E-01	---	FRACA(3)
R017	Ring 3	not used	0.000E+00	---	FRACA(4)
R017	Ring 4	not used	0.000E+00	---	FRACA(5)
R017	Ring 5	not used	0.000E+00	---	FRACA(6)
R017	Ring 6	not used	0.000E+00	---	FRACA(7)
R017	Ring 7	not used	0.000E+00	---	FRACA(8)
R017	Ring 8	not used	0.000E+00	---	FRACA(9)
R017	Ring 9	not used	0.000E+00	---	FRACA(10)
R017	Ring 10	not used	0.000E+00	---	FRACA(11)
R017	Ring 11	not used	0.000E+00	---	FRACA(12)
R017	Ring 12	not used	0.000E+00	---	
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI

Site-Specific Parameter Summary (continued)

N.	Parameter	User	Default	Used by RESRAD	Parameter
		Input		(If different from user input)	Name
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
P	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSEFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.500E+00	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	active
Find peak pathway doses	active

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	2000.00 square meters	Ac-227	9.649E-02
Thickness:	0.15 meters	Pa-231	9.649E-02
Cover Depth:	0.00 meters	Pb-210	9.911E-01
		Ra-226	9.911E-01
		Ra-228	2.015E+01
		Th-228	2.015E+01
		Th-230	2.206E+00
		Th-232	2.015E+01
		U-234	1.108E+00
		U-235	4.875E-02
		U-238	1.108E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00
TDOSE(t):	2.500E+01	2.497E+01
M(t):	9.999E-01	9.986E-01

Maximum TDOSE(t): 2.500E+01 mrem/yr at t = 0.000E+00 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	1.540E-02	0.0006	2.892E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.299E-03	0.0001
Pa-231	1.738E-03	0.0001	6.074E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.714E-03	0.0001
Pb-210	4.990E-04	0.0000	1.030E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.164E-02	0.0005
Ra-226	8.267E-01	0.0331	4.034E-07	0.0000	6.143E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.344E-03	0.0001
Ra-228	1.088E+01	0.4352	5.326E-05	0.0000	1.558E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.896E-02	0.0020
Th-228	1.244E+01	0.4975	2.653E-04	0.0000	8.456E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.243E-02	0.0009
Th-230	6.250E-04	0.0000	3.273E-05	0.0000	2.963E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.987E-03	0.0001
Th-232	6.250E-01	0.0250	1.506E-03	0.0001	6.514E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.326E-02	0.0037
U-234	3.735E-05	0.0000	6.645E-06	0.0000	4.463E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.141E-04	0.0000
U-235	3.061E-03	0.0001	2.725E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.135E-05	0.0000
U-238	1.172E-02	0.0005	5.940E-06	0.0000	3.162E-21	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.887E-04	0.0000
Total	2.480E+01	0.9921	1.907E-03	0.0001	1.009E-02	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.857E-01	0.0074

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Path *	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.773E-02	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.458E-03	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.214E-02	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.290E-01	0.0331
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.093E+01	0.437
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.247E+01	0.498
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.644E-03	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.198E-01	0.028
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.581E-04	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.083E-03	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.221E-02	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.500E+01	1.000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	1.478E-02	0.0006	2.777E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.207E-03	0.0000
Pa-231	2.211E-03	0.0001	6.953E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.779E-03	0.0000
Pb-210	4.829E-04	0.0000	9.963E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.127E-02	0.0000
Ra-226	8.242E-01	0.0330	4.337E-07	0.0000	6.125E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.692E-03	0.0000
Ra-228	1.316E+01	0.5273	1.227E-04	0.0000	3.787E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.968E-02	0.0000
Th-228	8.656E+00	0.3467	1.847E-04	0.0000	5.886E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.561E-02	0.0000
Th-230	1.421E-03	0.0001	3.273E-05	0.0000	8.877E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.989E-03	0.0000
Th-232	2.091E+00	0.0837	1.517E-03	0.0001	3.993E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.923E-02	0.0000
U-234	3.722E-05	0.0000	6.622E-06	0.0000	3.118E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.123E-04	0.0000
U-235	3.051E-03	0.0001	2.716E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.129E-05	0.0000
U-238	1.167E-02	0.0005	5.919E-06	0.0000	4.732E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.870E-04	0.0000
Total	2.477E+01	0.9921	1.906E-03	0.0001	1.008E-02	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.855E-01	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.702E-02	0.0000
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.998E-03	0.0000
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.175E-02	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.269E-01	0.0330
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.322E+01	0.5273
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.678E+00	0.3467
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.443E-03	0.0000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.192E+00	0.0837
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.562E-04	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.072E-03	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.217E-02	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.497E+01	1.0000

*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,t) t= 0.000E+00	(mrem/yr)/(pCi/g) 1.000E+00
Ac-227	Ac-227	1.000E+00	1.837E-01	1.764E-01
Pa-231	Pa-231	1.000E+00	3.290E-02	3.278E-02
Pa-231	Ac-227	1.000E+00	2.940E-03	8.651E-03
Pa-231	ΣDSR(j)		3.584E-02	4.143E-02
Pb-210	Pb-210	1.000E+00	1.225E-02	1.186E-02
Ra-226	Ra-226	1.000E+00	8.362E-01	8.338E-01
Ra-226	Pb-210	1.000E+00	1.913E-04	5.648E-04
Ra-226	ΣDSR(j)		8.364E-01	8.343E-01
Ra-228	Ra-228	1.000E+00	4.286E-01	3.790E-01
Ra-228	Th-228	1.000E+00	1.140E-01	2.771E-01
Ra-228	ΣDSR(j)		5.426E-01	6.561E-01
Th-228	Th-228	1.000E+00	6.189E-01	4.308E-01
Th-230	Th-230	1.000E+00	1.018E-03	1.018E-03
Th-230	Ra-226	1.000E+00	1.812E-04	5.430E-04
Th-230	Pb-210	1.000E+00	2.770E-08	1.919E-07
Th-230	ΣDSR(j)		1.199E-03	1.561E-03
Th-232	Th-232	1.000E+00	4.602E-03	4.602E-03
Th-232	Ra-228	1.000E+00	2.636E-02	7.498E-02
Th-232	Th-228	1.000E+00	4.767E-03	2.923E-02
Th-232	ΣDSR(j)		3.573E-02	1.088E-01
U-234	U-234	1.000E+00	5.037E-04	5.019E-04
U-234	Th-230	1.000E+00	4.574E-09	1.370E-08
U-234	Ra-226	1.000E+00	5.434E-10	3.797E-09
U-234	Pb-210	1.000E+00	6.241E-14	9.283E-13
U-234	ΣDSR(j)		5.037E-04	5.019E-04
U-235	U-235	1.000E+00	6.324E-02	6.302E-02
U-235	Pa-231	1.000E+00	3.478E-07	1.040E-06
U-235	Ac-227	1.000E+00	2.080E-08	1.436E-07
U-235	ΣDSR(j)		6.324E-02	6.302E-02
U-238	U-238	1.000E+00	1.102E-02	1.098E-02
U-238	U-234	1.000E+00	7.136E-10	2.134E-09
U-238	Th-230	1.000E+00	4.320E-15	3.018E-14
U-238	Ra-226	1.000E+00	3.850E-16	5.763E-15
U-238	Pb-210	1.000E+00	3.542E-20	1.090E-18
U-238	ΣDSR(j)		1.102E-02	1.098E-02

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

de		
(i)	t= 0.000E+00	1.000E+00
Ac-227	1.361E+02	1.417E+02
Pa-231	6.976E+02	6.034E+02
Pb-210	2.041E+03	2.109E+03
Ra-226	2.989E+01	2.996E+01
Ra-228	4.607E+01	3.810E+01
Th-228	4.040E+01	5.803E+01
Th-230	2.085E+04	1.602E+04
Th-232	6.996E+02	2.298E+02
U-234	4.963E+04	4.981E+04
U-235	3.953E+02	3.967E+02
U-238	2.269E+03	2.277E+03

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide	Initial	tmin	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
7	9.649E-02	0.000E+00	1.837E-01	1.361E+02	1.837E-01	1.361E+02
Pa-231	9.649E-02	1.000E+00	4.143E-02	6.034E+02	3.584E-02	6.976E+02
Pb-210	9.911E-01	0.000E+00	1.225E-02	2.041E+03	1.225E-02	2.041E+03
Ra-226	9.911E-01	0.000E+00	8.364E-01	2.989E+01	8.364E-01	2.989E+01
Ra-228	2.015E+01	1.000E+00	6.561E-01	3.810E+01	5.426E-01	4.607E+01
Th-228	2.015E+01	0.000E+00	6.189E-01	4.040E+01	6.189E-01	4.040E+01
Th-230	2.206E+00	1.000E+00	1.561E-03	1.602E+04	1.199E-03	2.085E+04
Th-232	2.015E+01	1.000E+00	1.088E-01	2.298E+02	3.573E-02	6.996E+02
U-234	1.108E+00	0.000E+00	5.037E-04	4.963E+04	5.037E-04	4.963E+04
U-235	4.875E-02	0.000E+00	6.324E-02	3.953E+02	6.324E-02	3.953E+02
U-238	1.108E+00	0.000E+00	1.102E-02	2.269E+03	1.102E-02	2.269E+03

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr	
			t= 0.000E+00	1.000E+00
Ac-227	Ac-227	1.000E+00	1.773E-02	1.702E-02
Ac-227	Pa-231	1.000E+00	2.837E-04	8.347E-04
Ac-227	U-235	1.000E+00	1.014E-09	7.001E-09
Ac-227	ΣDOSE(j)		1.801E-02	1.785E-02
Pa-231	Pa-231	1.000E+00	3.174E-03	3.163E-03
Pa-231	U-235	1.000E+00	1.696E-08	5.071E-08
Pa-231	ΣDOSE(j)		3.174E-03	3.163E-03
Pb-210	Pb-210	1.000E+00	1.214E-02	1.175E-02
Pb-210	Ra-226	1.000E+00	1.896E-04	5.598E-04
Pb-210	Th-230	1.000E+00	6.111E-08	4.234E-07
Pb-210	U-234	1.000E+00	6.915E-14	1.029E-12
Pb-210	U-238	1.000E+00	3.924E-20	1.207E-18
Pb-210	ΣDOSE(j)		1.233E-02	1.231E-02
Ra-226	Ra-226	1.000E+00	8.288E-01	8.264E-01
Ra-226	Th-230	1.000E+00	3.998E-04	1.198E-03
Ra-226	U-234	1.000E+00	6.021E-10	4.207E-09
Ra-226	U-238	1.000E+00	4.266E-16	6.385E-15
Ra-226	ΣDOSE(j)		8.292E-01	8.276E-01
Ra-228	Ra-228	1.000E+00	8.634E+00	7.634E+00
Ra-228	Th-232	1.000E+00	5.311E-01	1.510E+00
Ra-228	ΣDOSE(j)		9.165E+00	9.145E+00
Th-228	Ra-228	1.000E+00	2.297E+00	5.583E+00
Th-228	Th-228	1.000E+00	1.247E+01	8.678E+00
Th-228	Th-232	1.000E+00	9.603E-02	5.888E-01
Th-228	ΣDOSE(j)		1.486E+01	1.485E+01
Th-230	Th-230	1.000E+00	2.245E-03	2.245E-03
Th-230	U-234	1.000E+00	5.068E-09	1.518E-08
Th-230	U-238	1.000E+00	4.787E-15	3.344E-14
Th-230	ΣDOSE(j)		2.245E-03	2.245E-03
Th-232	Th-232	1.000E+00	9.271E-02	9.271E-02
U-234	U-234	1.000E+00	5.581E-04	5.561E-04
U-234	U-238	1.000E+00	7.906E-10	2.364E-09
U-234	ΣDOSE(j)		5.581E-04	5.561E-04
U-235	U-235	1.000E+00	3.083E-03	3.072E-03
U-238	U-238	1.000E+00	1.221E-02	1.217E-02

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g	
			t= 0.000E+00	1.000E+00
Ac-227	Ac-227	1.000E+00	9.649E-02	9.265E-02
Ac-227	Pa-231	1.000E+00	0.000E+00	3.005E-03
Ac-227	U-235	1.000E+00	0.000E+00	1.616E-08
Ac-227	ΣS(j):		9.649E-02	9.565E-02
Pa-231	Pa-231	1.000E+00	9.649E-02	9.615E-02
Pa-231	U-235	1.000E+00	0.000E+00	1.028E-06
Pa-231	ΣS(j):		9.649E-02	9.615E-02
Pb-210	Pb-210	1.000E+00	9.911E-01	9.591E-01
Pb-210	Ra-226	1.000E+00	0.000E+00	3.026E-02
Pb-210	Th-230	1.000E+00	0.000E+00	1.468E-05
Pb-210	U-234	1.000E+00	0.000E+00	2.217E-11
Pb-210	U-238	1.000E+00	0.000E+00	1.573E-17
Pb-210	ΣS(j):		9.911E-01	9.894E-01
Ra-226	Ra-226	1.000E+00	9.911E-01	9.882E-01
Ra-226	Th-230	1.000E+00	0.000E+00	9.542E-04
Ra-226	U-234	1.000E+00	0.000E+00	2.156E-09
Ra-226	U-238	1.000E+00	0.000E+00	2.037E-15
Ra-226	ΣS(j):		9.911E-01	9.892E-01
Ra-228	Ra-228	1.000E+00	2.015E+01	1.781E+01
Ra-228	Th-232	1.000E+00	0.000E+00	2.285E+00
Ra-228	ΣS(j):		2.015E+01	2.010E+01
Th-228	Ra-228	1.000E+00	0.000E+00	5.740E+00
Th-228	Th-228	1.000E+00	2.015E+01	1.402E+01
Th-228	Th-232	1.000E+00	0.000E+00	3.753E-01
Th-228	ΣS(j):		2.015E+01	2.014E+01
Th-230	Th-230	1.000E+00	2.206E+00	2.206E+00
Th-230	U-234	1.000E+00	0.000E+00	9.956E-06
Th-230	U-238	1.000E+00	0.000E+00	1.410E-11
Th-230	ΣS(j):		2.206E+00	2.206E+00
Th-232	Th-232	1.000E+00	2.015E+01	2.014E+01
U-234	U-234	1.000E+00	1.108E+00	1.104E+00
U-234	U-238	1.000E+00	0.000E+00	3.130E-06
U-234	ΣS(j):		1.108E+00	1.104E+00
U-235	U-235	1.000E+00	4.875E-02	4.858E-02
U-238	U-238	1.000E+00	1.108E+00	1.104E+00

f is the branch fraction of the parent nuclide.

RESRAD.EXE execution time = 2.15 seconds

...

SITE RESIDENT

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	5
Summary of Pathway Selections	10
Contaminated Zone and Total Dose Summary	11
Total Dose Components	
Time = 0.000E+00	12
Time = 1.000E+00	13
Dose/Source Ratios Summed Over All Pathways	14
Single Radionuclide Soil Guidelines	15
Dose Per Nuclide Summed Over All Pathways	16
Soil Concentration Per Nuclide	17

Dose Conversion Factor (and Related) Parameter Summary
 File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(2)
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(3)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(4)
B-1	Ra-228+D	5.080E-03	5.080E-03	DCF2(5)
B-1	Th-228+D	3.450E-01	3.450E-01	DCF2(6)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(7)
B-1	Th-232	1.640E+00	1.640E+00	DCF2(8)
B-1	U-234	1.320E-01	1.320E-01	DCF2(9)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(10)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2(11)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(2)
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(3)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(4)
D-1	Ra-228+D	1.440E-03	1.440E-03	DCF3(5)
D-1	Th-228+D	8.080E-04	8.080E-04	DCF3(6)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(7)
D-1	Th-232	2.730E-03	2.730E-03	DCF3(8)
D-1	U-234	2.830E-04	2.830E-04	DCF3(9)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(10)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3(11)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(2,3)
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(3,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(3,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(3,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(4,3)
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(5,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(5,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(5,3)
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(6,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(6,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(6,3)
D-34				

Dose Conversion Factor (and Related) Parameter Summary (continued)
 File: FGR 13 Morbidity

Ménu	Parameter	Current Value	Default	Parameter Name
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(7,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(7,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(7,3)
D-34				
D-34	Th-232 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(8,1)
D-34	Th-232 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(8,2)
D-34	Th-232 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(8,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(9,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(9,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(9,3)
D-34				
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(10,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(10,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(10,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(11,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(11,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(11,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5				
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(2,2)
D-5				
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(3,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(4,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(4,2)
D-5				
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC(5,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(5,2)
D-5				
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC(6,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(6,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(7,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(7,2)
D-5				
D-5	Th-232 , fish	1.000E+02	1.000E+02	BIOFAC(8,1)
D-5	Th-232 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(8,2)
D-5				
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(9,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(9,2)
D-5				
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(10,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(10,2)
D-5				

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(11,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(11,2)

Site-Specific Parameter Summary

Parameter		User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	2.000E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	5.048E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	not used	3.000E+00	---	T(3)
R011	Times for calculations (yr)	not used	1.000E+01	---	T(4)
R011	Times for calculations (yr)	not used	3.000E+01	---	T(5)
R011	Times for calculations (yr)	not used	1.000E+02	---	T(6)
R011	Times for calculations (yr)	not used	3.000E+02	---	T(7)
R011	Times for calculations (yr)	not used	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ac-227	2.842E-02	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Pa-231	2.842E-02	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Pb-210	2.919E-01	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Ra-226	2.919E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Ra-228	5.933E+00	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): Th-228	5.933E+00	0.000E+00	---	S1(6)
R012	Initial principal radionuclide (pCi/g): Th-230	6.496E-01	0.000E+00	---	S1(7)
R012	Initial principal radionuclide (pCi/g): Th-232	5.933E+00	0.000E+00	---	S1(8)
R012	Initial principal radionuclide (pCi/g): U-234	3.263E-01	0.000E+00	---	S1(9)
R012	Initial principal radionuclide (pCi/g): U-235	1.436E-02	0.000E+00	---	S1(10)
R012	Initial principal radionuclide (pCi/g): U-238	3.263E-01	0.000E+00	---	S1(11)
R012	Concentration in groundwater (pCi/L): Ac-227	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Pa-231	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1(5)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1(6)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1(7)
R012	Concentration in groundwater (pCi/L): Th-232	not used	0.000E+00	---	W1(8)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1(9)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1(10)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1(11)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.600E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	0.000E+00	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.850E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.900E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.520E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	9.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	2.212E-01	1.000E+00	---	PRECIP

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
		6.350E-01	2.000E-01	---	RI
R013	Irrigation (m/yr)	overhead	overhead	---	IDITCH
R013	Irrigation mode	2.500E-02	2.000E-01	---	RUNOFF
R013	Runoff coefficient	2.000E+03	1.000E+06	---	WAREA
R013	Watershed area for nearby stream or pond (m**2)	1.000E-03	1.000E-03	---	EPS
R013	Accuracy for water/soil computations				
		1.600E+00	1.500E+00	---	DENSAQ
R014	Density of saturated zone (g/cm**3)	3.850E-01	4.000E-01	---	TPSZ
R014	Saturated zone total porosity	3.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone field capacity	2.000E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	9.000E-03	2.000E-02	---	HGWT
R014	Saturated zone hydraulic gradient	4.900E+00	5.300E+00	---	BSZ
R014	Saturated zone b parameter	2.000E-01	1.000E-03	---	VWT
R014	Water table drop rate (m/yr)	1.000E+01	1.000E+01	---	DWIBWT
R014	Well pump intake depth (m below water table)	ND	ND	---	MODEL
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	2.500E+02	2.500E+02	---	UW
R014	Well pumping rate (m**3/yr)				
		1	1	---	NS
R015	Number of unsaturated zone strata	1.200E+02	4.000E+00	---	H(1)
R015	Unsat. zone 1, thickness (m)	1.600E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, soil density (g/cm**3)	3.850E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, total porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, field capacity	4.900E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	1.000E+01	1.000E+01	---	HCUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)				
R016	Distribution coefficients for Ac-227				DCNUCC(1)
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(1,1)
R016	Unsaturated zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	8.792E-03	ALEACH(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Solubility constant				
R016	Distribution coefficients for Pa-231				DCNUCC(2)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(2,1)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(2)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	3.533E-03	ALEACH(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Solubility constant				
R016	Distribution coefficients for Pb-210				DCNUCC(3)
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(3,1)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(3)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	1.769E-03	ALEACH(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Solubility constant				

Site-Specific Parameter Summary (continued)

	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC (4)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (4,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.526E-03	ALEACH (4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (4)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC (5)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU (5,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS (5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.526E-03	ALEACH (5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (5)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC (6)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (6,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.954E-06	ALEACH (6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (6)
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC (7)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (7,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.954E-06	ALEACH (7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (7)
R016	Distribution coefficients for Th-232				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC (8)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU (8,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS (8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.954E-06	ALEACH (8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (8)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC (9)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (9,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	ALEACH (9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (9)
R016	Distribution coefficients for U-235				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC (10)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU (10,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS (10)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	ALEACH (10)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (10)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for U-238				DCNUCC(11)
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(11)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(11)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	ALEACH(11)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.533E-03	SOLUBK(11)
R016	Solubility constant	0.000E+00	0.000E+00	not used	
					INHALR
R017	Inhalation rate (m**3/yr)	5.475E+03	8.400E+03	---	MLINH
R017	Mass loading for inhalation (g/m**3)	1.500E-06	1.000E-04	---	ED
R017	Exposure duration	3.000E+01	3.000E+01	---	SHF3
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF1
R017	Shielding factor, external gamma	2.100E-01	7.000E-01	---	FIND
R017	Fraction of time spent indoors	6.800E-01	5.000E-01	---	FOTD
R017	Fraction of time spent outdoors (on site)	8.300E-02	2.500E-01	---	FS
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	
R017	Radii of shape factor array (used if FS = -1):				RAD_SHAPE(
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	
R017	Fractions of annular areas within AREA:				FRACA(1)
R017	Ring 1	not used	1.000E+00	---	FRACA(2)
R017	Ring 2	not used	2.732E-01	---	FRACA(3)
R017	Ring 3	not used	0.000E+00	---	FRACA(4)
R017	Ring 4	not used	0.000E+00	---	FRACA(5)
R017	Ring 5	not used	0.000E+00	---	FRACA(6)
R017	Ring 6	not used	0.000E+00	---	FRACA(7)
R017	Ring 7	not used	0.000E+00	---	FRACA(8)
R017	Ring 8	not used	0.000E+00	---	FRACA(9)
R017	Ring 9	not used	0.000E+00	---	FRACA(10)
R017	Ring 10	not used	0.000E+00	---	FRACA(11)
R017	Ring 11	not used	0.000E+00	---	FRACA(12)
R017	Ring 12	not used	0.000E+00	---	
R018	Fruits, vegetables and grain consumption (kg/yr)	2.940E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	4.000E+00	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI

Site-Specific Parameter Summary (continued)

M.	Parameter	User	Default	Used by RESRAD	Parameter
		Input		(If different from user input)	Name
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	6.000E-02	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.500E-06	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	3.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
l	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	1.500E-01	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	2.400E+00	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	1.000E-01	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	1.000E-02	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	3.000E-07	3.000E-07	---	DIFFL
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.000E+00	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	1.860E+00	5.000E-01	---	REXG
R021	Height of the building (room) (m)	2.500E+00	2.500E+00	---	HRM
R021	Building interior area factor	1.000E+00	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	-1.500E-01	-1.000E+00	code computed (time dependent)	DMFL
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	active
Find peak pathway doses	active

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	2000.00 square meters	Ac-227	2.842E-02
Thickness:	0.15 meters	Pa-231	2.842E-02
Cover Depth:	0.00 meters	Pb-210	2.919E-01
		Ra-226	2.919E-01
		Ra-228	5.933E+00
		Th-228	5.933E+00
		Th-230	6.496E-01
		Th-232	5.933E+00
		U-234	3.263E-01
		U-235	1.436E-02
		U-238	3.263E-01

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00
TDOSE(t):	2.500E+01	2.496E+01
M(t):	9.999E-01	9.985E-01

Maximum TDOSE(t): 2.500E+01 mrem/yr at t = 0.000E+00 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	1.138E-02	0.0005	3.360E-05	0.0000	0.000E+00	0.0000	9.215E-03	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.148E-02	0.0005
Pa-231	1.284E-03	0.0001	7.057E-06	0.0000	0.000E+00	0.0000	2.706E-02	0.0011	0.000E+00	0.0000	0.000E+00	0.0000	8.559E-03	0.0003
Pb-210	3.687E-04	0.0000	1.196E-06	0.0000	0.000E+00	0.0000	1.866E-01	0.0075	0.000E+00	0.0000	0.000E+00	0.0000	5.814E-02	0.0023
Ra-226	6.108E-01	0.0244	4.686E-07	0.0000	1.631E+00	0.0653	1.421E-01	0.0057	0.000E+00	0.0000	0.000E+00	0.0000	1.170E-02	0.0005
Ra-228	8.039E+00	0.3216	6.187E-05	0.0000	7.618E-02	0.0030	2.899E+00	0.1160	0.000E+00	0.0000	0.000E+00	0.0000	2.445E-01	0.0098
Th-228	9.188E+00	0.3676	3.082E-04	0.0000	4.135E-01	0.0165	3.595E-02	0.0014	0.000E+00	0.0000	0.000E+00	0.0000	1.120E-01	0.0045
Th-230	4.618E-04	0.0000	3.802E-05	0.0000	7.869E-04	0.0000	3.246E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	9.919E-03	0.0004
Th-232	4.618E-01	0.0185	1.749E-03	0.0001	3.185E-03	0.0001	3.115E-01	0.0125	0.000E+00	0.0000	0.000E+00	0.0000	4.657E-01	0.0186
U-234	2.759E-05	0.0000	7.719E-06	0.0000	1.185E-09	0.0000	2.060E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	2.567E-03	0.0001
U-235	2.263E-03	0.0001	3.166E-07	0.0000	0.000E+00	0.0000	8.569E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.066E-04	0.0000
U-238	8.656E-03	0.0003	6.900E-06	0.0000	8.397E-16	0.0000	1.958E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	2.440E-03	0.0001
Total	1.832E+01	0.7330	2.215E-03	0.0001	2.125E+00	0.0850	3.619E+00	0.1448	0.000E+00	0.0000	0.000E+00	0.0000	9.271E-01	0.0371

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.211E-02	0.0013
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.691E-02	0.0015
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.451E-01	0.0098
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.396E+00	0.0958
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.126E+01	0.4504
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.750E+00	0.3900
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.445E-02	0.0006
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.244E+00	0.0498
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.663E-03	0.0002
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.455E-03	0.0001
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.306E-02	0.0005
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.500E+01	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	1.093E-02	0.0004	3.226E-05	0.0000	0.000E+00	0.0000	8.849E-03	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.102E-02	0.000
Pa-231	1.634E-03	0.0001	8.078E-06	0.0000	0.000E+00	0.0000	2.726E-02	0.0011	0.000E+00	0.0000	0.000E+00	0.0000	8.886E-03	0.000
Pb-210	3.568E-04	0.0000	1.157E-06	0.0000	0.000E+00	0.0000	1.806E-01	0.0072	0.000E+00	0.0000	0.000E+00	0.0000	5.626E-02	0.002
Ra-226	6.090E-01	0.0244	5.038E-07	0.0000	1.627E+00	0.0652	1.475E-01	0.0059	0.000E+00	0.0000	0.000E+00	0.0000	1.344E-02	0.000
Ra-228	9.726E+00	0.3896	1.425E-04	0.0000	1.852E-01	0.0074	2.577E+00	0.1032	0.000E+00	0.0000	0.000E+00	0.0000	2.481E-01	0.009
Th-228	6.396E+00	0.2562	2.145E-04	0.0000	2.878E-01	0.0115	2.502E-02	0.0010	0.000E+00	0.0000	0.000E+00	0.0000	7.795E-02	0.003
Th-230	1.050E-03	0.0000	3.802E-05	0.0000	2.357E-03	0.0001	3.385E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	9.931E-03	0.000
Th-232	1.545E+00	0.0619	1.762E-03	0.0001	1.953E-02	0.0008	6.395E-01	0.0256	0.000E+00	0.0000	0.000E+00	0.0000	4.955E-01	0.019
U-234	2.750E-05	0.0000	7.691E-06	0.0000	8.281E-09	0.0000	2.053E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	2.558E-03	0.000
U-235	2.255E-03	0.0001	3.155E-07	0.0000	0.000E+00	0.0000	8.568E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.064E-04	0.000
U-238	8.625E-03	0.0003	6.876E-06	0.0000	1.257E-14	0.0000	1.952E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	2.431E-03	0.000
Total	1.830E+01	0.7331	2.214E-03	0.0001	2.122E+00	0.0850	3.613E+00	0.1447	0.000E+00	0.0000	0.000E+00	0.0000	9.262E-01	0.037

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ac-227	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.083E-02	0.001
Pa-231	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.779E-02	0.001
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.372E-01	0.009
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.397E+00	0.096
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.274E+01	0.510
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.787E+00	0.271
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.676E-02	0.000
Th-232	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.701E+00	0.108
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.646E-03	0.000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.447E-03	0.000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.302E-02	0.000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.496E+01	1.000

*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,t) t= 0.000E+00	(mrem/yr)/(pCi/g) 1.000E+00
Ac-227	Ac-227	1.000E+00	1.130E+00	1.085E+00
Pa-231	Pa-231	1.000E+00	1.280E+00	1.275E+00
Pa-231	Ac-227	1.000E+00	1.910E-02	5.439E-02
Pa-231	ΣDSR(j)		1.299E+00	1.330E+00
Pb-210	Pb-210	1.000E+00	8.399E-01	8.127E-01
Ra-226	Ra-226	1.000E+00	8.194E+00	8.170E+00
Ra-226	Pb-210	1.000E+00	1.507E-02	4.100E-02
Ra-226	ΣDSR(j)		8.209E+00	8.211E+00
Ra-228	Ra-228	1.000E+00	1.592E+00	1.408E+00
Ra-228	Th-228	1.000E+00	3.058E-01	7.392E-01
Ra-228	ΣDSR(j)		1.898E+00	2.147E+00
Th-228	Th-228	1.000E+00	1.644E+00	1.144E+00
Th-230	Th-230	1.000E+00	2.048E-02	2.048E-02
Th-230	Ra-226	1.000E+00	1.769E-03	5.313E-03
Th-230	Pb-210	1.000E+00	2.348E-06	1.460E-05
Th-230	ΣDSR(j)		2.225E-02	2.580E-02
Th-232	Th-232	1.000E+00	1.008E-01	1.008E-01
Th-232	Ra-228	1.000E+00	9.597E-02	2.762E-01
Th-232	Th-228	1.000E+00	1.286E-02	7.823E-02
Th-232	ΣDSR(j)		2.097E-01	4.553E-01
U-234	U-234	1.000E+00	1.429E-02	1.424E-02
U-234	Th-230	1.000E+00	9.419E-08	2.782E-07
U-234	Ra-226	1.000E+00	5.293E-09	3.710E-08
U-234	Pb-210	1.000E+00	5.582E-12	7.347E-11
U-234	ΣDSR(j)		1.429E-02	1.424E-02
U-235	U-235	1.000E+00	1.710E-01	1.704E-01
U-235	Pa-231	1.000E+00	1.305E-05	3.990E-05
U-235	Ac-227	1.000E+00	1.394E-07	9.200E-07
U-235	ΣDSR(j)		1.710E-01	1.704E-01
U-238	U-238	1.000E+00	4.003E-02	3.989E-02
U-238	U-234	1.000E+00	2.024E-08	6.054E-08
U-238	Th-230	1.000E+00	9.031E-14	6.178E-13
U-238	Ra-226	1.000E+00	3.742E-15	5.625E-14
U-238	Pb-210	1.000E+00	3.313E-18	8.926E-17
U-238	ΣDSR(j)		4.003E-02	3.989E-02

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines $G(i,t)$ in pCi/g
Basic Radiation Dose Limit = $2.500E+01$ mrem/yr

Nuclide (i)	t = 0.000E+00	1.000E+00
Ac-227	2.213E+01	2.305E+01
Pa-231	1.925E+01	1.880E+01
Pb-210	2.977E+01	3.076E+01
Ra-226	3.045E+00	3.045E+00
Ra-228	1.317E+01	1.165E+01
Th-228	1.521E+01	2.185E+01
Th-230	1.124E+03	9.689E+02
Th-232	1.192E+02	5.491E+01
U-234	1.749E+03	1.756E+03
U-235	1.462E+02	1.467E+02
U-238	6.245E+02	6.268E+02

Summed Dose/Source Ratios $DSR(i,t)$ in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines $G(i,t)$ in pCi/g
at t_{min} = time of minimum single radionuclide soil guideline
and at t_{max} = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	t_{min} (years)	$DSR(i, t_{min})$	$G(i, t_{min})$ (pCi/g)	$DSR(i, t_{max})$	$G(i, t_{max})$ (pCi/g)
Ac-227	2.842E-02	0.000E+00	1.130E+00	2.213E+01	1.130E+00	2.213E+01
Pa-231	2.842E-02	1.000E+00	1.330E+00	1.880E+01	1.299E+00	1.925E+01
Pb-210	2.919E-01	0.000E+00	8.399E-01	2.977E+01	8.399E-01	2.977E+01
Ra-226	2.919E-01	1.000E+00	8.211E+00	3.045E+00	8.209E+00	3.045E+00
Ra-228	5.933E+00	1.000E+00	2.147E+00	1.165E+01	1.898E+00	1.317E+01
Th-228	5.933E+00	0.000E+00	1.644E+00	1.521E+01	1.644E+00	1.521E+01
Th-230	6.496E-01	1.000E+00	2.580E-02	9.689E+02	2.225E-02	1.124E+03
Th-232	5.933E+00	1.000E+00	4.553E-01	5.491E+01	2.097E-01	1.192E+02
U-234	3.263E-01	0.000E+00	1.429E-02	1.749E+03	1.429E-02	1.749E+03
U-235	1.436E-02	0.000E+00	1.710E-01	1.462E+02	1.710E-01	1.462E+02
U-238	3.263E-01	0.000E+00	4.003E-02	6.245E+02	4.003E-02	6.245E+02

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr	
			t = 0.000E+00	1.000E+00
Ac-227	Ac-227	1.000E+00	3.211E-02	3.083E-02
Ac-227	Pa-231	1.000E+00	5.429E-04	1.546E-03
Ac-227	U-235	1.000E+00	2.002E-09	1.321E-08
Ac-227	ΣDOSE(j)		3.265E-02	3.237E-02
Pa-231	Pa-231	1.000E+00	3.637E-02	3.624E-02
Pa-231	U-235	1.000E+00	1.873E-07	5.730E-07
Pa-231	ΣDOSE(j)		3.637E-02	3.624E-02
Pb-210	Pb-210	1.000E+00	2.451E-01	2.372E-01
Pb-210	Ra-226	1.000E+00	4.398E-03	1.197E-02
Pb-210	Th-230	1.000E+00	1.525E-06	9.485E-06
Pb-210	U-234	1.000E+00	1.821E-12	2.397E-11
Pb-210	U-238	1.000E+00	1.081E-18	2.912E-17
Pb-210	ΣDOSE(j)		2.495E-01	2.492E-01
Ra-226	Ra-226	1.000E+00	2.392E+00	2.385E+00
Ra-226	Th-230	1.000E+00	1.149E-03	3.451E-03
Ra-226	U-234	1.000E+00	1.727E-09	1.211E-08
Ra-226	U-238	1.000E+00	1.221E-15	1.835E-14
Ra-226	ΣDOSE(j)		2.393E+00	2.388E+00
Ra-228	Ra-228	1.000E+00	9.445E+00	8.351E+00
Ra-228	Th-232	1.000E+00	5.694E-01	1.639E+00
Ra-228	ΣDOSE(j)		1.001E+01	9.990E+00
Th-228	Ra-228	1.000E+00	1.814E+00	4.385E+00
Th-228	Th-228	1.000E+00	9.750E+00	6.787E+00
Th-228	Th-232	1.000E+00	7.630E-02	4.641E-01
Th-228	ΣDOSE(j)		1.164E+01	1.164E+01
Th-230	Th-230	1.000E+00	1.330E-02	1.330E-02
Th-230	U-234	1.000E+00	3.073E-08	9.078E-08
Th-230	U-238	1.000E+00	2.947E-14	2.016E-13
Th-230	ΣDOSE(j)		1.330E-02	1.330E-02
Th-232	Th-232	1.000E+00	5.982E-01	5.982E-01
U-234	U-234	1.000E+00	4.663E-03	4.646E-03
U-234	U-238	1.000E+00	6.606E-09	1.975E-08
U-234	ΣDOSE(j)		4.663E-03	4.646E-03
U-235	U-235	1.000E+00	2.455E-03	2.446E-03
U-238	U-238	1.000E+00	1.306E-02	1.301E-02

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g	
			t= 0.000E+00	1.000E+00
Ac-227	Ac-227	1.000E+00	2.842E-02	2.729E-02
Ac-227	Pa-231	1.000E+00	0.000E+00	8.850E-04
Ac-227	U-235	1.000E+00	0.000E+00	4.760E-09
Ac-227	ΣS(j):		2.842E-02	2.817E-02
Pa-231	Pa-231	1.000E+00	2.842E-02	2.832E-02
Pa-231	U-235	1.000E+00	0.000E+00	3.028E-07
Pa-231	ΣS(j):		2.842E-02	2.832E-02
Pb-210	Pb-210	1.000E+00	2.919E-01	2.824E-01
Pb-210	Ra-226	1.000E+00	0.000E+00	8.912E-03
Pb-210	Th-230	1.000E+00	0.000E+00	4.322E-06
Pb-210	U-234	1.000E+00	0.000E+00	6.528E-12
Pb-210	U-238	1.000E+00	0.000E+00	4.632E-18
Pb-210	ΣS(j):		2.919E-01	2.914E-01
Ra-226	Ra-226	1.000E+00	2.919E-01	2.910E-01
Ra-226	Th-230	1.000E+00	0.000E+00	2.810E-04
Ra-226	U-234	1.000E+00	0.000E+00	6.349E-10
Ra-226	U-238	1.000E+00	0.000E+00	5.997E-16
Ra-226	ΣS(j):		2.919E-01	2.913E-01
Ra-228	Ra-228	1.000E+00	5.933E+00	5.246E+00
Ra-228	Th-232	1.000E+00	0.000E+00	6.729E-01
Ra-228	ΣS(j):		5.933E+00	5.918E+00
Th-228	Ra-228	1.000E+00	0.000E+00	1.690E+00
Th-228	Th-228	1.000E+00	5.933E+00	4.129E+00
Th-228	Th-232	1.000E+00	0.000E+00	1.105E-01
Th-228	ΣS(j):		5.933E+00	5.930E+00
Th-230	Th-230	1.000E+00	6.496E-01	6.496E-01
Th-230	U-234	1.000E+00	0.000E+00	2.932E-06
Th-230	U-238	1.000E+00	0.000E+00	4.154E-12
Th-230	ΣS(j):		6.496E-01	6.496E-01
Th-232	Th-232	1.000E+00	5.933E+00	5.933E+00
U-234	U-234	1.000E+00	3.263E-01	3.251E-01
U-234	U-238	1.000E+00	0.000E+00	9.218E-07
U-234	ΣS(j):		3.263E-01	3.251E-01
U-235	U-235	1.000E+00	1.436E-02	1.431E-02
U-238	U-238	1.000E+00	3.263E-01	3.251E-01

r(j) is the branch fraction of the parent nuclide.

RESRAD.EXE execution time = 0.91 seconds