

10:40
DAN MANNING

NO DET. LINTON 10-SP, MIT LINTON'S
ST 3100 - HAVE A BOMB, HUS THORIUM & URAN etc.
ST Police want to blow it
ST Police [810-726-6709]
ST POL CRIM LAB
517 335 8200 - Public

10:45 CALL TO [THOMAS] ON THE WAY TO THE SCENE - 20 minutes

11:05 TO PHIL : IAT NOTIFIED

11:10 [THOMAS] ST Police TO REMOVED SAFE (DISTRICT OFFICE [810-373-3672])
[BOB SKOWRONKA] [TOM DYKSTRA]

11:17 TOOL BOX - PADLOCKED ALUM FOIL, DUCK TAPE INVENTORY
Several RADIOACTIVE (100 MORE SWIRLY) REFUSED TO OPEN
Box - DANGEROUS - NO SAID IT'S RADIOACTIVE PT PROMISE, ROCKS
[100 MORE] SW QUA THORIUM -> UR NITRATES -> POLONIUM -> AMERICIUM
SHOCK DET.
-> VISIBLE IN TRUNK ALSO IN TOOL BOX -

Permit removal & charge TB - Has asked to see LETTER

17 yr old - Eagle Scout, likes to separate chemicals.
DAVID CITRUS HATHN

EXPLOSIVE - DANGEROUS - Interview - Refused to approach
KEITHS NO EXPLOSIVE Meets the Profelt & Mike Sautter.

22932
Rock Panel
Soft 15 mi
90% Grass
W of Hupfel

Container - Venting to Atmosphere - "Ball" TOTAL Containment Vessel....

VARADIMUM - PARADIMUM

LARCONY FROM VEHICLE

No Current Radiological Hazard

11:55 8200 GPA [TOM] [DAN] RV EPA
12:00 -> EPA

415-5390
VACAMIAN

PD Patching dot

B-1

EX.6

Martin - A PRB Hunt Valley, MD
Miller - A HQ
Berson - P
DeFayette - A Prairie Island
Lickus - P
Little - P

Greenman - P Acting RA
Martin - P
Grant - P
Ring - A - AL
Axelson - P

AGENDA FOR WEDNESDAY, AUGUST 31, 1994

(8/29/94 2:00 pm/jk)

8:15 EGG Principal Staff
9:00 WLA Enforcement Board Quad Cities
11:00 FFD
Berson/Pederson/Creed/Madeda
Executive Conference Room (2nd floor)
9:00 GEG Byron SALP Board
10:00 Operating Reactors Conference Call
1:00 WLA LaSalle Telecon
1:30 Bethesda Hospital Enforcement Conference
DeFayette/Berson/Caniano/Holt/Slawinski/Reichhold
Executive Conference Room - 2nd Floor
2:30 WLA Uniontown Landfill Pre-Brief
Shear/McCann/Snell, et.al.

Outside
the scope
of the
request

(313) Clinton Township PD =
1-810-791-2020 1255 remote open no appointment Hazard - Recording
1255 Murre Davis RORS

DOE Threat Assessment [Tom Blumhert] DOE Threat Assessment
1:27 → opened package - Health survey at Radonware station [Cathy Powers]
X-rayed safe → # of containers longest half force of he could handle
Radonware material to change battery [Cathy Powers] + Pilot
1:40 GP Amill handle
It does not want it...

Not withholdable

Ex. 6