

June 13, 2003

Mr. C. Lance Terry  
Senior Vice President &  
Principal Nuclear Officer  
TXU Energy  
Attn: Regulatory Affairs Department  
P. O. Box 1002  
Glen Rose, TX 76043

SUBJECT: COMANCHE PEAK STEAM ELECTRIC STATION, UNITS 1 AND 2 RE:  
RESOLUTION OF FINDINGS AND FOLLOWUP ACTIONS ASSOCIATED  
WITH THE MARCH 25, 2003, INSPECTION - CATEGORY I SAFE SHUTDOWN  
IMPOUNDMENT DAM (TAC NOS. MB7877 AND MB7878)

Dear Mr. Terry:

The U.S. Nuclear Regulatory Commission (NRC) staff herein forwards the results of the March 25, 2003, inspection of the Comanche Peak Steam Electric Station (CPSES) Category I Safe Shutdown Impoundment Dam (SSID). The inspection was conducted by the NRC staff and our consultant, the U.S. Federal Energy Regulatory Commission (FERC), Office of Dam Safety and Inspection. Since the FERC report contains specific information on the dam, including location, and dimensions, it will not be publically available in accordance with NRC policy. The enclosed report concludes that no conditions were found during this inspection that should adversely affect the immediate safety, permanence, and operational reliability of the SSID or present a threat to the safety of the public or the nuclear facility. Section F. of the enclosed report contains two "Specific Findings and Necessary Follow-up Actions" items, representing actions that should be taken by TXU Energy, to insure the continued safety of the SSID for the Category I safe shutdown pond, consistent with the Federal Guidelines for Dam Safety (1979) and the Dam Safety Program Act defined in the Water Resources Act of 1996. These two items are as follows:

1. Since the SSID outer shell surface rock is slowly deteriorating, it was agreed that the licensee's annual inspection should closely monitor the condition. The licensee also agreed to consider addressing the replacement of the rock shell prior to expiration of the CPSES, Unit 1, Facility Operating License to coincide with the submittal of an application for license extension.
2. The monitoring of the piezometers should be continued annually.

C. L. Terry

-2-

During the next SSID inspection, the NRC staff will review any commitments made associated with the above described items. No formal response to this letter is requested.

Sincerely,

***/RA/***

David H. Jaffe, Senior Project Manager, Section 1  
Project Directorate IV & Decommissioning  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket Nos. 50-445 and 50-446

Enclosure: As stated

cc: See next page (w/o Enclosure)

C. L. Terry

-2-

During the next SSID inspection, the NRC staff will review any commitments made associated with the above described items. No formal response to this letter is requested.

Sincerely,

**/RA/**

David H. Jaffe, Senior Project Manager, Section 1  
Project Directorate IV & Decommissioning  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket Nos. 50-445 and 50-446

Enclosure: As stated

cc: See next page (w/o Enclosure)

DISTRIBUTION (w/o Enclosure)

PUBLIC

PDIV-1 Reading

RidsOgcRp

RidsAcrsAcnwMailCenter

RidsNrrDlpmLpdiv1 (RGramm)

RidsNrrPMDJaffe

RidsNrrLADJohnson

RidsRgn4MailCenter (KBrockman)

DRom

MWeber

RPierson

CPoland

Package No.: ML031640450

Enclosure No.: ML031640615

ACCESSION NUMBER: ML031640437 \*See Previous Concurrence NRR-106

OFFICE	PDIV-1/PM	PDIV-1/LA	DWM/HLWB/NMSS	PDIV-1/SC
NAME	DJaffe*:sab	DJohnson*	DRom*	RGramm
DATE	6/12/03	6/09/03	6/12/03	6/13/03

OFFICIAL RECORD COPY

Comanche Peak Steam Electric Station

cc:

Senior Resident Inspector  
U.S. Nuclear Regulatory Commission  
P. O. Box 2159  
Glen Rose, TX 76403-2159

Regional Administrator, Region IV  
U.S. Nuclear Regulatory Commission  
611 Ryan Plaza Drive, Suite 400  
Arlington, TX 76011

Mr. Roger D. Walker  
Regulatory Affairs Manager  
TXU Generation Company LP  
P. O. Box 1002  
Glen Rose, TX 76043

George L. Edgar, Esq.  
Morgan Lewis  
1111 Pennsylvania Avenue, NW  
Washington, DC 20004

County Judge  
P. O. Box 851  
Glen Rose, TX 76043

Environmental and Natural  
Resources Policy Director  
Office of the Governor  
P. O. Box 12428  
Austin, TX 78711-3189

Mr. Richard A. Ratliff, Chief  
Bureau of Radiation Control  
Texas Department of Health  
1100 West 49th Street  
Austin, TX 78756-3189

Mr. Brian Almon  
Public Utility Commission  
William B. Travis Building  
P. O. Box 13326  
1701 North Congress Avenue  
Austin, TX 78701-3326

Ms. Susan M. Jablonski  
Office of Permitting, Remediation  
and Registration  
Texas Commission on Environmental  
Quality  
MC-122  
P. O. Box 13087  
Austin, TX 78711-3087

Terry Parks, Chief Inspector  
Texas Department of Licensing  
and Regulation  
Boiler Program  
P. O. Box 12157  
Austin, TX 78711