

July 1, 2003

Mr. Calvin R. Hastings  
President and CEO  
Caldon, Inc.  
1070 Banksville Avenue  
Pittsburgh, PA 15216

SUBJECT: CORRECTION TO JANUARY 28, 2003, LETTER TO CALDON, INC. AND  
WESTINGHOUSE ELECTRIC COMPANY (TAC NO. MB4073)

Dear Mr. Hastings:

By letter dated January 28, 2003, the NRC issued a safety evaluation to resolve a safety issue raised in Caldon Engineering Report ER-262, Revision 0, "Effects of Velocity Profile Changes Measured In-Plant on Feedwater Flow Measurement Systems," and discussed in Westinghouse Electric Company Topical Reports WCAP-15689, Revisions 0 and 1, "Evaluation of Transit-Time and Cross-Correlation Ultrasonic Flow Measurement Experience with Nuclear Plant Feedwater Flow Measurement." This letter corrects misstatements in the NRC's letter of January 28, 2003.

The January 28, 2003, letter mistakenly stated that these reports "...are acceptable for use by licensees" and requested you to "...as applicable, publish an accepted version within 3 months of receipt of this letter." These reports were only reviewed by the NRC to consider and resolve a particular technical issue and were not intended to be referenced by licensees. Also, the staff's review was limited to the issues discussed in the safety evaluation enclosed to the January 28, 2003, letter and was not meant as an endorsement of either report. Therefore, the staff withdraws the conclusion that these reports are acceptable for use by licensees and the request that an approved version be submitted to the NRC.

We regret any inconvenience this may have caused. If you have questions on this issue, please contact Mr. Drew Holland at 301-415-1436.

Sincerely,

**/RA/**

Herbert N. Berkow, Director  
Project Directorate IV  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

cc: See next page

July 1, 2003

Mr. Calvin R. Hastings  
President and CEO  
Caldon, Inc.  
1070 Banksville Avenue  
Pittsburgh, PA 15216

SUBJECT: CORRECTION TO JANUARY 28, 2003, LETTER TO CALDON, INC. AND  
WESTINGHOUSE ELECTRIC COMPANY (TAC NO. MB4073)

Dear Mr. Hastings:

By letter dated January 28, 2003, the NRC issued a safety evaluation to resolve a safety issue raised in Caldon Engineering Report ER-262, Revision 0, "Effects of Velocity Profile Changes Measured In-Plant on Feedwater Flow Measurement Systems," and discussed in Westinghouse Electric Company Topical Reports WCAP-15689, Revisions 0 and 1, "Evaluation of Transit-Time and Cross-Correlation Ultrasonic Flow Measurement Experience with Nuclear Plant Feedwater Flow Measurement." This letter corrects misstatements in the NRC's letter of January 28, 2003.

The January 28, 2003, letter mistakenly stated that these reports "...are acceptable for use by licensees" and requested you to "...as applicable, publish an accepted version within 3 months of receipt of this letter." These reports were only reviewed by the NRC to consider and resolve a particular technical issue and were not intended to be referenced by licensees. Also, the staff's review was limited to the issues discussed in the safety evaluation enclosed to the January 28, 2003, letter and was not meant as an endorsement of either report. Therefore, the staff withdraws the conclusion that these reports are acceptable for use by licensees and the request that an approved version be submitted to the NRC.

We regret any inconvenience this may have caused. If you have questions on this issue, please contact Mr. Drew Holland at 301-415-1436.

Sincerely,

**/RA/**

Herbert N. Berkow, Director  
Project Directorate IV  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

cc: See next page

**DISTRIBUTION:**

**PUBLIC**

RidsNrrDlpmLpdiv (HBerkow)  
RidsNrrLAEPeyton  
RidsAcrsAcnwMailCenter  
BParham (NRR/DE/EEIB)  
IAhmed (NRR/DE/EEIB)

PDIV-2 Reading  
RidsNrrPMDHolland  
RidsOgcMailCenter  
RidsRgn4MailCenter (AHowell)  
EMarinos (NRR/DE/EEIB)  
JCalvo (NRR/DE/EEIB)

**ADAMS Accession No.: ML031820218**

**NRR-106**

OFFICE	PDIV-2/PM	PDIV-2/LA	DE/EEIB	OGC - NA	PDIV-2/SC	PDIV:D
NAME	DHolland	EPeyton	AGill for JCalvo	DHassell	SDembek	HBerkow
DATE	6/26/03	6/26/03	6/27/03	6/27/03	6/30/03	7/1/03

DOCUMENT NAME: G:\PDIV-2\Caldon\Correction to 1-28-03 ltr.wpd

OFFICIAL RECORD COPY

C. Hastings

cc:

Mr. Henry Sepp, Manager  
Regulatory and Licensing Engineering  
Westinghouse Electric Company  
P.O. Box 355  
Pittsburgh, PA 15230-0355

Mr. Gordon Bischoff, Project Manager  
Westinghouse Owners Group  
Westinghouse Electric Company  
Mail Stop ECE 5-16  
P.O. Box 355  
Pittsburgh, PA 15230-0355