

File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
Dose conversion factors for inhalation, mrem/pCi:				
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
Dose conversion factors for ingestion, mrem/pCi:				
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
Food transfer factors:				
D-34	H-3, plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3, beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3, milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
Bioaccumulation factors, fresh water, L/kg:				
D-5	H-3, fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3, crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	6.100E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	6.000E-02	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	6.000E-02	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	6.000E-02	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.974E-01	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
=====				
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	C-14	2.090E-06	2.090E-06	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	C-14	2.090E-06	2.090E-06	DCF3(1)
D-34	Food transfer factors:			
D-34	C-14 , plant/soil concentration ratio, dimensionless	5.500E+00	5.500E+00	RTF(1,1)
D-34	C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.100E-02	3.100E-02	RTF(1,2)
D-34	C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	C-14 , fish	5.000E+04	5.000E+04	BIOFAC(1,1)
D-5	C-14 , crustacea and mollusks	9.100E+03	9.100E+03	BIOFAC(1,2)
=====				

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): C-14	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): C-14	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

	User	Used by RESRAD	Parameter
Menu	Input	Default (If different from user input)	Name
AA			
R015	Unsat. zone 1, thickness (m)	1.430E+00 4.000E+00	--- H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00 1.500E+00	--- DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01 4.000E-01	--- TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01 2.000E-01	--- EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01 2.000E-01	--- FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00 5.300E+00	--- BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02 1.000E+01	--- HCUZ(1)
R016	Distribution coefficients for C-14		
R016	Contaminated zone (cm**3/g)	1.100E+01 0.000E+00	--- DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	1.100E+01 0.000E+00	--- DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.100E+01 0.000E+00	--- DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00 0.000E+00	7.037E-03 ALEACH(1)
R016	Solubility constant	0.000E+00 0.000E+00	not used SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03 8.400E+03	--- INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05 1.000E-04	--- MLINH
R017	Exposure duration	3.000E+01 3.000E+01	--- ED
R017	Shielding factor, inhalation	5.500E-01 4.000E-01	--- SHF3
R017	Shielding factor, external gamma	2.725E-01 7.000E-01	--- SHF1
R017	Fraction of time spent indoors	6.571E-01 5.000E-01	--- FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01 2.500E-01	--- FOTD
R017	Shape factor flag, external gamma	1.000E+00 1.000E+00	>0 shows circular AREA. FS
R017	Radii of shape factor array (used if FS = -1):		
R017	Outer annular radius (m), ring 1:	not used 5.000E+01	--- RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used 7.071E+01	--- RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used 0.000E+00	--- RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used 0.000E+00	--- RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used 0.000E+00	--- RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used 0.000E+00	--- RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used 0.000E+00	--- RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used 0.000E+00	--- RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used 0.000E+00	--- RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used 0.000E+00	--- RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used 0.000E+00	--- RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used 0.000E+00	--- RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:		
R017	Ring 1	not used 1.000E+00	--- FRACA(1)
R017	Ring 2	not used 2.732E-01	--- FRACA(2)
R017	Ring 3	not used 0.000E+00	--- FRACA(3)
R017	Ring 4	not used 0.000E+00	--- FRACA(4)
R017	Ring 5	not used 0.000E+00	--- FRACA(5)
R017	Ring 6	not used 0.000E+00	--- FRACA(6)
R017	Ring 7	not used 0.000E+00	--- FRACA(7)
R017	Ring 8	not used 0.000E+00	--- FRACA(8)
R017	Ring 9	not used 0.000E+00	--- FRACA(9)
R017	Ring 10	not used 0.000E+00	--- FRACA(10)
R017	Ring 11	not used 0.000E+00	--- FRACA(11)
R017	Ring 12	not used 0.000E+00	--- FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	2.000E-05	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	3.000E-02	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	2.000E-02	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	9.800E-01	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	3.600E-01	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	7.000E-07	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	1.000E-10	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	2.500E-01	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	1.000E-01	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	8.894E+01	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
Dose conversion factors for inhalation, mrem/pCi:				
B-1	Mn-54	6.700E-06	6.700E-06	DCF2(1)
Dose conversion factors for ingestion, mrem/pCi:				
D-1	Mn-54	2.770E-06	2.770E-06	DCF3(1)
Food transfer factors:				
D-34	Mn-54, plant/soil concentration ratio, dimensionless	3.000E-01	3.000E-01	RTF(1,1)
D-34	Mn-54, beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-04	5.000E-04	RTF(1,2)
D-34	Mn-54, milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(1,3)
Bioaccumulation factors, fresh water, L/kg:				
D-5	Mn-54, fish	4.000E+02	4.000E+02	BIOFAC(1,1)
D-5	Mn-54, crustacea and mollusks	9.000E+04	9.000E+04	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Mn-54	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Mn-54	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Mn-54				
R016	Contaminated zone (cm**3/g)	1.580E+02	2.000E+02	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	1.580E+02	2.000E+02	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.580E+02	2.000E+02	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.939E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Menu	Parameter	Current Value	Default	Parameter Name
Dose conversion factors for inhalation, mrem/pCi:				
B-1	Fe-55	2.690E-06	2.690E-06	DCF2(1)
Dose conversion factors for ingestion, mrem/pCi:				
D-1	Fe-55	6.070E-07	6.070E-07	DCF3(1)
Food transfer factors:				
D-34	Fe-55, plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(1,1)
D-34	Fe-55, beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-02	2.000E-02	RTF(1,2)
D-34	Fe-55, milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(1,3)
Bioaccumulation factors, fresh water, L/kg:				
D-5	Fe-55, fish	2.000E+02	2.000E+02	BIOFAC(1,1)
D-5	Fe-55, crustacea and mollusks	3.200E+03	3.200E+03	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Fe-55	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Fe-55	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
=====					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Ni-59				
R016	Contaminated zone (cm**3/g)	4.240E+02	1.000E+03	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	4.240E+02	1.000E+03	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	4.240E+02	1.000E+03	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.841E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ni-63	6.290E-06	6.290E-06	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ni-63	5.770E-07	5.770E-07	DCF3(1)
D-34	Food transfer factors:			
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	5.000E-02	5.000E-02	RTF(1,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(1,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-02	2.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC(1,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm**3/g)	4.240E+02	1.000E+03	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	4.240E+02	1.000E+03	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	4.240E+02	1.000E+03	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.841E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	³	User Selection
AA		
1 -- external gamma	³	active
2 -- inhalation (w/o radon)	³	active
3 -- plant ingestion	³	active
4 -- meat ingestion	³	active
5 -- milk ingestion	³	active
6 -- aquatic foods	³	active
7 -- drinking water	³	active
8 -- soil ingestion	³	active
9 -- radon	³	suppressed
Find peak pathway doses	³	active
ii		

Menu	Parameter	Current Value	Default	Parameter Name
Dose conversion factors for inhalation, mrem/pCi:				
B-1	Co-60	2.190E-04	2.190E-04	DCF2(1)
Dose conversion factors for ingestion, mrem/pCi:				
D-1	Co-60	2.690E-05	2.690E-05	DCF3(1)
Food transfer factors:				
D-34	Co-60, plant/soil concentration ratio, dimensionless	8.000E-02	8.000E-02	RTF(1,1)
D-34	Co-60, beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-02	2.000E-02	RTF(1,2)
D-34	Co-60, milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF(1,3)
Bioaccumulation factors, fresh water, L/kg:				
D-5	Co-60, fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Co-60, crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(1,2)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	2.350E+02	1.000E+03	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	2.350E+02	1.000E+03	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	2.350E+02	1.000E+03	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.321E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

	User	Used by RESRAD	Parameter		
Menu	Input	Default (If different from user input)	Name		
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (l/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (l/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
=====				
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Sr-90+D	1.310E-03	1.310E-03	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Sr-90+D	1.530E-04	1.530E-04	DCF3(1)
D-34	Food transfer factors:			
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	3.000E-01	3.000E-01	RTF(1,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-03	8.000E-03	RTF(1,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC(1,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)
=====				

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

	User	Used by RESRAD	Parameter
Menu	Input	Default (If different from user input)	Name
AAA			
R015	Unsat. zone 1, thickness (m)	1.430E+00 4.000E+00	--- H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00 1.500E+00	--- DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01 4.000E-01	--- TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01 2.000E-01	--- EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01 2.000E-01	--- FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00 5.300E+00	--- BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02 1.000E+01	--- HCUZ(1)
R016	Distribution coefficients for Sr-90		
R016	Contaminated zone (cm**3/g)	3.200E+01 3.000E+01	--- DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	3.200E+01 3.000E+01	--- DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	3.200E+01 3.000E+01	--- DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00 0.000E+00	2.433E-03 ALEACH(1)
R016	Solubility constant	0.000E+00 0.000E+00	not used SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03 8.400E+03	--- INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05 1.000E-04	--- MLINH
R017	Exposure duration	3.000E+01 3.000E+01	--- ED
R017	Shielding factor, inhalation	5.500E-01 4.000E-01	--- SHF3
R017	Shielding factor, external gamma	2.725E-01 7.000E-01	--- SHF1
R017	Fraction of time spent indoors	6.571E-01 5.000E-01	--- FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01 2.500E-01	--- FOTD
R017	Shape factor flag, external gamma	1.000E+00 1.000E+00	>0 shows circular AREA. FS
R017	Radii of shape factor array (used if FS = -1):		
R017	Outer annular radius (m), ring 1:	not used 5.000E+01	--- RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used 7.071E+01	--- RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used 0.000E+00	--- RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used 0.000E+00	--- RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used 0.000E+00	--- RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used 0.000E+00	--- RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used 0.000E+00	--- RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used 0.000E+00	--- RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used 0.000E+00	--- RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used 0.000E+00	--- RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used 0.000E+00	--- RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used 0.000E+00	--- RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:		
R017	Ring 1	not used 1.000E+00	--- FRACA(1)
R017	Ring 2	not used 2.732E-01	--- FRACA(2)
R017	Ring 3	not used 0.000E+00	--- FRACA(3)
R017	Ring 4	not used 0.000E+00	--- FRACA(4)
R017	Ring 5	not used 0.000E+00	--- FRACA(5)
R017	Ring 6	not used 0.000E+00	--- FRACA(6)
R017	Ring 7	not used 0.000E+00	--- FRACA(7)
R017	Ring 8	not used 0.000E+00	--- FRACA(8)
R017	Ring 9	not used 0.000E+00	--- FRACA(9)
R017	Ring 10	not used 0.000E+00	--- FRACA(10)
R017	Ring 11	not used 0.000E+00	--- FRACA(11)
R017	Ring 12	not used 0.000E+00	--- FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
019B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
019B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
019B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
019B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
019B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
019B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
019B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
019B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
019B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
019B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
019B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
019B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
019B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
019B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
019B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
019B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
014	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
014	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
014	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
014	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (l/sec)	not used	7.000E-07	---	EVSND
C14	C-12 evasion flux rate from soil (l/sec)	not used	1.000E-10	---	REVSND
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
Dose conversion factors for inhalation, mrem/pCi:				
B-1	Nb-94	4.140E-04	4.140E-04	DCF2(1)
Dose conversion factors for ingestion, mrem/pCi:				
D-1	Nb-94	7.140E-06	7.140E-06	DCF3(1)
Food transfer factors:				
D-34	Nb-94, plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(1,1)
D-34	Nb-94, beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.000E-07	3.000E-07	RTF(1,2)
D-34	Nb-94, milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-06	RTF(1,3)
Bioaccumulation factors, fresh water, L/kg:				
D-5	Nb-94, fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Nb-94, crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Nb-94	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Nb-94	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Tc-99	8.330E-06	8.330E-06	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Tc-99	1.460E-06	1.460E-06	DCF3(1)
D-34	Food transfer factors:			
D-34	Tc-99 , plant/soil concentration ratio, dimensionless	5.000E+00	5.000E+00	RTF(1,1)
D-34	Tc-99 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(1,2)
D-34	Tc-99 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Tc-99 , fish	2.000E+01	2.000E+01	BIOFAC(1,1)
D-5	Tc-99 , crustacea and mollusks	5.000E+00	5.000E+00	BIOFAC(1,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Tc-99	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Tc-99	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Tc-99				
R016	Contaminated zone (cm**3/g)	5.100E-01	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	5.100E-01	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	5.100E-01	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.286E-01	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ru-106	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Ru-106	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Ru-106				
R016	Contaminated zone (cm**3/g)	1.588E+03	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	1.588E+03	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.588E+03	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.917E-05	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	³	User Selection
AA		
1 -- external gamma	³	active
2 -- inhalation (w/o radon)	³	active
3 -- plant ingestion	³	active
4 -- meat ingestion	³	active
5 -- milk ingestion	³	active
6 -- aquatic foods	³	active
7 -- drinking water	³	active
8 -- soil ingestion	³	active
9 -- radon	³	suppressed
Find peak pathway doses	³	active
ii		

File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
=====				
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ag-108m+D	2.830E-04	2.830E-04	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ag-108m+D	7.620E-06	7.620E-06	DCF3(1)
D-34	Food transfer factors:			
D-34	Ag-108m+D, plant/soil concentration ratio, dimensionless	1.500E-01	1.500E-01	RTF(1,1)
D-34	Ag-108m+D, beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.000E-03	3.000E-03	RTF(1,2)
D-34	Ag-108m+D, milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.500E-02	2.500E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ag-108m+D, fish	5.000E+00	5.000E+00	BIOFAC(1,1)
D-5	Ag-108m+D, crustacea and mollusks	7.700E+02	7.700E+02	BIOFAC(1,2)
=====				

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ag-108m	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Ag-108m	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Ag-108m				
R016	Contaminated zone (cm**3/g)	2.160E+02	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	2.160E+02	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	2.160E+02	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.613E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
019B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
019B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
019B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
019B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
019B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
019B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
019B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
019B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
019B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
019B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
019B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
019B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
019B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
019B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
019B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
019B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
014	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
014	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
014	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
014	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Sb-125	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Sb-125	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Sb-125				
R016	Contaminated zone (cm**3/g)	3.800E+02	0.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	3.800E+02	0.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	3.800E+02	0.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.054E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	³	User Selection
AA		
1 -- external gamma	³	active
2 -- inhalation (w/o radon)	³	active
3 -- plant ingestion	³	active
4 -- meat ingestion	³	active
5 -- milk ingestion	³	active
6 -- aquatic foods	³	active
7 -- drinking water	³	active
8 -- soil ingestion	³	active
9 -- radon	³	suppressed
Find peak pathway doses	³	active
ii		

Menu	Parameter	Current Value	Default	Parameter Name
Dose conversion factors for inhalation, mrem/pCi:				
B-1	Cs-134	4.630E-05	4.630E-05	DCF2(1)
Dose conversion factors for ingestion, mrem/pCi:				
D-1	Cs-134	7.330E-05	7.330E-05	DCF3(1)
Food transfer factors:				
D-34	Cs-134 , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(1,1)
D-34	Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.000E-02	3.000E-02	RTF(1,2)
D-34	Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	8.000E-03	8.000E-03	RTF(1,3)
Bioaccumulation factors, fresh water, L/kg:				
D-5	Cs-134 , fish	2.000E+03	2.000E+03	BIOFAC(1,1)
D-5	Cs-134 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Cs-134	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Cs-134	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Cs-134				
R016	Contaminated zone (cm**3/g)	4.460E+02	1.000E+03	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	4.460E+02	1.000E+03	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	4.460E+02	1.000E+03	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.750E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
019B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
019B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
019B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
019B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
019B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
019B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
019B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
019B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
019B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
019B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
019B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
019B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
019B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
019B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
019B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
019B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
=====				
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3(1)
D-34	Food transfer factors:			
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(1,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.000E-02	3.000E-02	RTF(1,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	8.000E-03	8.000E-03	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC(1,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)
=====				

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

		User	Used by RESRAD	Parameter	
Menu	Parameter	Input	Default (If different from user input)	Name	
AA					
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	4.460E+02	1.000E+03	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	4.460E+02	1.000E+03	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	4.460E+02	1.000E+03	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.750E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1 Dose conversion factors for inhalation, mrem/pCi:				
B-1	Eu-152	2.210E-04	2.210E-04	DCF2(1)
B-1	Gd-152	2.430E-01	2.430E-01	DCF2(3)
D-1 Dose conversion factors for ingestion, mrem/pCi:				
D-1	Eu-152	6.480E-06	6.480E-06	DCF3(1)
D-1	Gd-152	1.610E-04	1.610E-04	DCF3(3)
D-34 Food transfer factors:				
D-34	Eu-152 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Eu-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF(1,2)
D-34	Eu-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Gd-152 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(3,1)
D-34	Gd-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF(3,2)
D-34	Gd-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(3,3)
D-5 Bioaccumulation factors, fresh water, L/kg:				
D-5	Eu-152 , fish	5.000E+01	5.000E+01	BIOFAC(1,1)
D-5	Eu-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5	Gd-152 , fish	2.500E+01	2.500E+01	BIOFAC(3,1)
D-5	Gd-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(3,2)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Eu-152	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Eu-152	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Eu-152				
R016	Contaminated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	9.464E-05	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for daughter Gd-152				
R016	Contaminated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	9.464E-05	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017 3 Fractions of annular areas within AREA:					
R017 3	Ring 1	not used	1.000E+00	---	FRACA (1)
R017 3	Ring 2	not used	2.732E-01	---	FRACA (2)
R017 3	Ring 3	not used	0.000E+00	---	FRACA (3)
R017 3	Ring 4	not used	0.000E+00	---	FRACA (4)
R017 3	Ring 5	not used	0.000E+00	---	FRACA (5)
R017 3	Ring 6	not used	0.000E+00	---	FRACA (6)
R017 3	Ring 7	not used	0.000E+00	---	FRACA (7)
R017 3	Ring 8	not used	0.000E+00	---	FRACA (8)
R017 3	Ring 9	not used	0.000E+00	---	FRACA (9)
R017 3	Ring 10	not used	0.000E+00	---	FRACA(10)
R017 3	Ring 11	not used	0.000E+00	---	FRACA(11)
R017 3	Ring 12	not used	0.000E+00	---	FRACA(12)
R018 3 Fruits, vegetables and grain consumption (kg/yr)					
R018 3	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET(2)
R018 3	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018 3	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018 3	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET(5)
R018 3	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018 3	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018 3	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018 3	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018 3	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018 3	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018 3	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018 3	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018 3	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018 3	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018 3	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019 3 Livestock fodder intake for meat (kg/day)					
R019 3	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019 3	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019 3	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019 3	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019 3	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019 3	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019 3	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019 3	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019 3	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019 3	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019 3	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B 3 Wet weight crop yield for Non-Leafy (kg/m**2)					
R19B 3	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV(2)
R19B 3	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV(3)
R19B 3	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
R19B 3	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
R19B 3	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
R19B 3	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TR19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
TR19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
TR19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
TR19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
TR19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
TR19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
TR19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
TR19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
TR19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Menu	Parameter	Current Value	Default	Parameter Name
Dose conversion factors for inhalation, mrem/pCi:				
B-1	Eu-154	2.860E-04	2.860E-04	DCF2(1)
Dose conversion factors for ingestion, mrem/pCi:				
D-1	Eu-154	9.550E-06	9.550E-06	DCF3(1)
Food transfer factors:				
D-34	Eu-154 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Eu-154 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF(1,2)
D-34	Eu-154 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
Bioaccumulation factors, fresh water, L/kg:				
D-5	Eu-154 , fish	5.000E+01	5.000E+01	BIOFAC(1,1)
D-5	Eu-154 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Eu-154	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Eu-154	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

	User	Used by RESRAD	Parameter
Menu	Input	Default (If different from user input)	Name
AA			
R015	Unsat. zone 1, thickness (m)	1.430E+00 4.000E+00	--- H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00 1.500E+00	--- DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01 4.000E-01	--- TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01 2.000E-01	--- EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01 2.000E-01	--- FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00 5.300E+00	--- BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02 1.000E+01	--- HCUZ(1)
R016	Distribution coefficients for Eu-154		
R016	Contaminated zone (cm**3/g)	8.250E+02 -1.000E+00	--- DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	8.250E+02 -1.000E+00	--- DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	8.250E+02 -1.000E+00	--- DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00 0.000E+00	9.464E-05 ALEACH(1)
R016	Solubility constant	0.000E+00 0.000E+00	not used SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03 8.400E+03	--- INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05 1.000E-04	--- MLINH
R017	Exposure duration	3.000E+01 3.000E+01	--- ED
R017	Shielding factor, inhalation	5.500E-01 4.000E-01	--- SHF3
R017	Shielding factor, external gamma	2.725E-01 7.000E-01	--- SHF1
R017	Fraction of time spent indoors	6.571E-01 5.000E-01	--- FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01 2.500E-01	--- FOTD
R017	Shape factor flag, external gamma	1.000E+00 1.000E+00	>0 shows circular AREA. FS
R017	Radii of shape factor array (used if FS = -1):		
R017	Outer annular radius (m), ring 1:	not used 5.000E+01	--- RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used 7.071E+01	--- RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used 0.000E+00	--- RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used 0.000E+00	--- RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used 0.000E+00	--- RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used 0.000E+00	--- RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used 0.000E+00	--- RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used 0.000E+00	--- RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used 0.000E+00	--- RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used 0.000E+00	--- RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used 0.000E+00	--- RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used 0.000E+00	--- RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:		
R017	Ring 1	not used 1.000E+00	--- FRACA(1)
R017	Ring 2	not used 2.732E-01	--- FRACA(2)
R017	Ring 3	not used 0.000E+00	--- FRACA(3)
R017	Ring 4	not used 0.000E+00	--- FRACA(4)
R017	Ring 5	not used 0.000E+00	--- FRACA(5)
R017	Ring 6	not used 0.000E+00	--- FRACA(6)
R017	Ring 7	not used 0.000E+00	--- FRACA(7)
R017	Ring 8	not used 0.000E+00	--- FRACA(8)
R017	Ring 9	not used 0.000E+00	--- FRACA(9)
R017	Ring 10	not used 0.000E+00	--- FRACA(10)
R017	Ring 11	not used 0.000E+00	--- FRACA(11)
R017	Ring 12	not used 0.000E+00	--- FRACA(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
019B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
019B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
019B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
019B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
019B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
019B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
019B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
019B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
019B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
019B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
019B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
019B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
019B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
019B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
019B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
019B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVS
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	³	User Selection
AA		
1 -- external gamma	³	active
2 -- inhalation (w/o radon)	³	active
3 -- plant ingestion	³	active
4 -- meat ingestion	³	active
5 -- milk ingestion	³	active
6 -- aquatic foods	³	active
7 -- drinking water	³	active
8 -- soil ingestion	³	active
9 -- radon	³	suppressed
Find peak pathway doses	³	active
ii		

File: FGR 13 Morbidity

	Current	Parameter
Menu	Value	Default Name
Dose conversion factors for inhalation, mrem/pCi:		
B-1 Eu-155	4.140E-05	DCF2(1)
Dose conversion factors for ingestion, mrem/pCi:		
D-1 Eu-155	1.530E-06	DCF3(1)
Food transfer factors:		
D-34 Eu-155 , plant/soil concentration ratio, dimensionless	2.500E-03	RTF(1,1)
D-34 Eu-155 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	RTF(1,2)
D-34 Eu-155 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	RTF(1,3)
Bioaccumulation factors, fresh water, L/kg:		
D-5 Eu-155 , fish	5.000E+01	BIOFAC(1,1)
D-5 Eu-155 , crustacea and mollusks	1.000E+03	BIOFAC(1,2)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Eu-155	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Eu-155	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Eu-155				
R016	Contaminated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	9.464E-05	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE (3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV (1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV (2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV (3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY (1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY (2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY (3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET (1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET (2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET (3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVS
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	³	User Selection
AA		
1 -- external gamma	³	active
2 -- inhalation (w/o radon)	³	active
3 -- plant ingestion	³	active
4 -- meat ingestion	³	active
5 -- milk ingestion	³	active
6 -- aquatic foods	³	active
7 -- drinking water	³	active
8 -- soil ingestion	³	active
9 -- radon	³	suppressed
Find peak pathway doses	³	active
ii		

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1 Dose conversion factors for inhalation, mrem/pCi:				
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2 (1)
B-1	Pu-238	3.920E-01	3.920E-01	DCF2 (2)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2 (3)
B-1	Th-230	3.260E-01	3.260E-01	DCF2 (4)
B-1	U-234	1.320E-01	1.320E-01	DCF2 (5)
D-1 Dose conversion factors for ingestion, mrem/pCi:				
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3 (1)
D-1	Pu-238	3.200E-03	3.200E-03	DCF3 (2)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3 (3)
D-1	Th-230	5.480E-04	5.480E-04	DCF3 (4)
D-1	U-234	2.830E-04	2.830E-04	DCF3 (5)
D-34 Food transfer factors:				
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF (1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF (1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF (1,3)
D-34	Pu-238 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF (2,1)
D-34	Pu-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF (2,2)
D-34	Pu-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-06	1.000E-06	RTF (2,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF (3,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF (3,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF (3,3)
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF (4,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF (4,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF (4,3)
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF (5,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF (5,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF (5,3)
D-5 Bioaccumulation factors, fresh water, L/kg:				
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC (1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC (1,2)
D-5	Pu-238 , fish	3.000E+01	3.000E+01	BIOFAC (2,1)
D-5	Pu-238 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC (2,2)
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC (3,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC (3,2)
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC (4,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC (4,2)
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC (5,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC (5,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pu-238	1.000E+00	0.000E+00	---	S1(2)
R012	Concentration in groundwater (pCi/L): Pu-238	not used	0.000E+00	---	W1(2)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H (1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ (1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ (1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ (1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ (1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ (1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ (1)
R016	Distribution coefficients for Pu-238				
R016	Contaminated zone (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCC (2)
R016	Unsaturated zone 1 (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCU (2,1)
R016	Saturated zone (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCS (2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.193E-05	ALEACH (2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	2.392E+03	1.000E+02	---	DCNUCC (1)
R016	Unsaturated zone 1 (cm**3/g)	2.392E+03	1.000E+02	---	DCNUCU (1,1)
R016	Saturated zone (cm**3/g)	2.392E+03	1.000E+02	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.264E-05	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R016	Distribution coefficients for daughter Ra-226				
R016	Contaminated zone (cm**3/g)	3.533E+03	7.000E+01	---	DCNUCC (3)
R016	Unsaturated zone 1 (cm**3/g)	3.533E+03	7.000E+01	---	DCNUCU (3,1)
R016	Saturated zone (cm**3/g)	3.533E+03	7.000E+01	---	DCNUCS (3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.210E-05	ALEACH (3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCC (4)
R016	Unsaturated zone 1 (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCU (4,1)
R016	Saturated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCS (4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.327E-05	ALEACH (4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (4)
R016	Distribution coefficients for daughter U-234				
R016	Contaminated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCC (5)
R016	Unsaturated zone 1 (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCU (5,1)
R016	Saturated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCS (5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.192E-04	ALEACH (5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (5)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD

	User	Used by RESRAD	Parameter
Menu	Input	Default (If different from user input)	Name
AA			
R019	Depth of soil mixing layer (m)	2.300E-01 1.500E-01	DM
R019	Depth of roots (m)	2.150E+00 9.000E-01	DROOT
R019	Drinking water fraction from ground water	1.000E+00 1.000E+00	FGWDW
R019	Household water fraction from ground water	not used 1.000E+00	FGWHH
R019	Livestock water fraction from ground water	1.000E+00 1.000E+00	FGWLW
R019	Irrigation fraction from ground water	1.000E+00 1.000E+00	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00 7.000E-01	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00 1.500E+00	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00 1.100E+00	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01 1.700E-01	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01 2.500E-01	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02 8.000E-02	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01 1.000E-01	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00 1.000E+00	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00 1.000E+00	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01 2.500E-01	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01 2.500E-01	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01 2.500E-01	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01 2.500E-01	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01 2.500E-01	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01 2.500E-01	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01 2.000E+01	WLAM
C14	C-12 concentration in water (g/cm**3)	not used 2.000E-05	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used 3.000E-02	C12CZ
C14	Fraction of vegetation carbon from soil	not used 2.000E-02	CSOIL
C14	Fraction of vegetation carbon from air	not used 9.800E-01	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used 3.000E-01	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used 7.000E-07	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used 1.000E-10	REVSN
C14	Fraction of grain in beef cattle feed	not used 8.000E-01	AVFG4
C14	Fraction of grain in milk cow feed	not used 2.000E-01	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used 8.894E+01	CO2F
STOR	Storage times of contaminated foodstuffs (days):		
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01 1.400E+01	STOR_T(1)
STOR	Leafy vegetables	1.000E+00 1.000E+00	STOR_T(2)
STOR	Milk	1.000E+00 1.000E+00	STOR_T(3)
STOR	Meat and poultry	2.000E+01 2.000E+01	STOR_T(4)
STOR	Fish	7.000E+00 7.000E+00	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00 7.000E+00	STOR_T(6)
STOR	Well water	1.000E+00 1.000E+00	STOR_T(7)
STOR	Surface water	1.000E+00 1.000E+00	STOR_T(8)
STOR	Livestock fodder	4.500E+01 4.500E+01	STOR_T(9)
R021	Thickness of building foundation (m)	not used 1.500E-01	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used 2.400E+00	DENSFL
R021	Total porosity of the cover material	not used 4.000E-01	TPCV
R021	Total porosity of the building foundation	not used 1.000E-01	TPFL
R021	Volumetric water content of the cover material	not used 5.000E-02	PH2OCV

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
Dose conversion factors for inhalation, mrem/pCi:				
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(2)
B-1	Pu-239	4.290E-01	4.290E-01	DCF2(3)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(4)
Dose conversion factors for ingestion, mrem/pCi:				
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(2)
D-1	Pu-239	3.540E-03	3.540E-03	DCF3(3)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(4)
Food transfer factors:				
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(2,3)
D-34	Pu-239 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(3,1)
D-34	Pu-239 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(3,2)
D-34	Pu-239 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-06	1.000E-06	RTF(3,3)
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(4,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(4,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(4,3)
Bioaccumulation factors, fresh water, L/kg:				
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(2,2)
D-5	Pu-239 , fish	3.000E+01	3.000E+01	BIOFAC(3,1)
D-5	Pu-239 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(4,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(4,2)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pu-239	1.000E+00	0.000E+00	---	S1(3)
R012	Concentration in groundwater (pCi/L): Pu-239	not used	0.000E+00	---	W1(3)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Pu-239				
R016	Contaminated zone (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.193E-05	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	8.250E+02	2.000E+01	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	8.250E+02	2.000E+01	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	8.250E+02	2.000E+01	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	9.464E-05	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for daughter Pa-231				
R016	Contaminated zone (cm**3/g)	3.800E+02	5.000E+01	---	DCNUCC(2)
R016	Unsaturated zone 1 (cm**3/g)	3.800E+02	5.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	3.800E+02	5.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.054E-04	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for daughter U-235				
R016	Contaminated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCC(4)
R016	Unsaturated zone 1 (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.192E-04	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD

Site-Specific Parameter Summary (continued)

		User		Used by RESRAD	Parameter
Menu	Parameter	Input	Default	(If different from user input)	Name
AA					

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1 Dose conversion factors for inhalation, mrem/pCi:				
B-1	Am-241	4.440E-01	4.440E-01	DCF2 (1)
B-1	Np-237+D	5.400E-01	5.400E-01	DCF2 (2)
B-1	Pu-241+D	8.250E-03	8.250E-03	DCF2 (3)
B-1	Th-229+D	2.160E+00	2.160E+00	DCF2 (5)
B-1	U-233	1.350E-01	1.350E-01	DCF2 (6)
D-1 Dose conversion factors for ingestion, mrem/pCi:				
D-1	Am-241	3.640E-03	3.640E-03	DCF3 (1)
D-1	Np-237+D	4.440E-03	4.440E-03	DCF3 (2)
D-1	Pu-241+D	6.850E-05	6.850E-05	DCF3 (3)
D-1	Th-229+D	4.030E-03	4.030E-03	DCF3 (5)
D-1	U-233	2.890E-04	2.890E-04	DCF3 (6)
D-34 Food transfer factors:				
D-34	Am-241 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF (1,1)
D-34	Am-241 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-05	5.000E-05	RTF (1,2)
D-34	Am-241 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-06	RTF (1,3)
D-34	Np-237+D , plant/soil concentration ratio, dimensionless	2.000E-02	2.000E-02	RTF (2,1)
D-34	Np-237+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF (2,2)
D-34	Np-237+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF (2,3)
D-34	Pu-241+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF (3,1)
D-34	Pu-241+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF (3,2)
D-34	Pu-241+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-06	1.000E-06	RTF (3,3)
D-34	Th-229+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF (5,1)
D-34	Th-229+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF (5,2)
D-34	Th-229+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF (5,3)
D-34	U-233 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF (6,1)
D-34	U-233 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF (6,2)
D-34	U-233 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF (6,3)
D-5 Bioaccumulation factors, fresh water, L/kg:				
D-5	Am-241 , fish	3.000E+01	3.000E+01	BIOFAC (1,1)
D-5	Am-241 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC (1,2)
D-5	Np-237+D , fish	3.000E+01	3.000E+01	BIOFAC (2,1)
D-5	Np-237+D , crustacea and mollusks	4.000E+02	4.000E+02	BIOFAC (2,2)
D-5	Pu-241+D , fish	3.000E+01	3.000E+01	BIOFAC (3,1)
D-5	Pu-241+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC (3,2)
D-5	Th-229+D , fish	1.000E+02	1.000E+02	BIOFAC (5,1)
D-5	Th-229+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC (5,2)
D-5	U-233 , fish	1.000E+01	1.000E+01	BIOFAC (6,1)
D-5	U-233 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC (6,2)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pu-241	1.000E+00	0.000E+00	---	S1(3)
R012	Concentration in groundwater (pCi/L): Pu-241	not used	0.000E+00	---	W1(3)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H (1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ (1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ (1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ (1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ (1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ (1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ (1)
R016	Distribution coefficients for Pu-241				
R016	Contaminated zone (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCC (3)
R016	Unsaturated zone 1 (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCU (3,1)
R016	Saturated zone (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCS (3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.193E-05	ALEACH (3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
R016	Distribution coefficients for daughter Am-241				
R016	Contaminated zone (cm**3/g)	1.445E+03	2.000E+01	---	DCNUCC (1)
R016	Unsaturated zone 1 (cm**3/g)	1.445E+03	2.000E+01	---	DCNUCU (1,1)
R016	Saturated zone (cm**3/g)	1.445E+03	2.000E+01	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.403E-05	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R016	Distribution coefficients for daughter Np-237				
R016	Contaminated zone (cm**3/g)	1.700E+01	-1.000E+00	---	DCNUCC (2)
R016	Unsaturated zone 1 (cm**3/g)	1.700E+01	-1.000E+00	---	DCNUCU (2,1)
R016	Saturated zone (cm**3/g)	1.700E+01	-1.000E+00	---	DCNUCS (2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.567E-03	ALEACH (2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
R016	Distribution coefficients for daughter Th-229				
R016	Contaminated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCC (5)
R016	Unsaturated zone 1 (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCU (5,1)
R016	Saturated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCS (5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.327E-05	ALEACH (5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (5)
R016	Distribution coefficients for daughter U-233				
R016	Contaminated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCC (6)
R016	Unsaturated zone 1 (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCU (6,1)
R016	Saturated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCS (6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.192E-04	ALEACH (6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (6)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD

	User	Used by RESRAD	Parameter
Menu	Input	Default (If different from user input)	Name
AA			
R019	Depth of soil mixing layer (m)	2.300E-01 1.500E-01	DM
R019	Depth of roots (m)	2.150E+00 9.000E-01	DROOT
R019	Drinking water fraction from ground water	1.000E+00 1.000E+00	FGWDW
R019	Household water fraction from ground water	not used 1.000E+00	FGWHH
R019	Livestock water fraction from ground water	1.000E+00 1.000E+00	FGWLW
R019	Irrigation fraction from ground water	1.000E+00 1.000E+00	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00 7.000E-01	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00 1.500E+00	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00 1.100E+00	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01 1.700E-01	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01 2.500E-01	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02 8.000E-02	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01 1.000E-01	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00 1.000E+00	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00 1.000E+00	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01 2.500E-01	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01 2.500E-01	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01 2.500E-01	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01 2.500E-01	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01 2.500E-01	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01 2.500E-01	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01 2.000E+01	WLAM
C14	C-12 concentration in water (g/cm**3)	not used 2.000E-05	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used 3.000E-02	C12CZ
C14	Fraction of vegetation carbon from soil	not used 2.000E-02	CSOIL
C14	Fraction of vegetation carbon from air	not used 9.800E-01	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used 3.000E-01	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used 7.000E-07	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used 1.000E-10	REVSN
C14	Fraction of grain in beef cattle feed	not used 8.000E-01	AVFG4
C14	Fraction of grain in milk cow feed	not used 2.000E-01	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used 8.894E+01	CO2F
STOR	Storage times of contaminated foodstuffs (days):		
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01 1.400E+01	STOR_T(1)
STOR	Leafy vegetables	1.000E+00 1.000E+00	STOR_T(2)
STOR	Milk	1.000E+00 1.000E+00	STOR_T(3)
STOR	Meat and poultry	2.000E+01 2.000E+01	STOR_T(4)
STOR	Fish	7.000E+00 7.000E+00	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00 7.000E+00	STOR_T(6)
STOR	Well water	1.000E+00 1.000E+00	STOR_T(7)
STOR	Surface water	1.000E+00 1.000E+00	STOR_T(8)
STOR	Livestock fodder	4.500E+01 4.500E+01	STOR_T(9)
R021	Thickness of building foundation (m)	not used 1.500E-01	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used 2.400E+00	DENSFL
R021	Total porosity of the cover material	not used 4.000E-01	TPCV
R021	Total porosity of the building foundation	not used 1.000E-01	TPFL
R021	Volumetric water content of the cover material	not used 5.000E-02	PH2OCV

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Dose Conversion Factor (and Related) Parameter Summary
File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
Dose conversion factors for inhalation, mrem/pCi:				
B-1	Am-241	4.440E-01	4.440E-01	DCF2(1)
B-1	Np-237+D	5.400E-01	5.400E-01	DCF2(2)
B-1	Th-229+D	2.160E+00	2.160E+00	DCF2(3)
B-1	U-233	1.350E-01	1.350E-01	DCF2(4)
Dose conversion factors for ingestion, mrem/pCi:				
D-1	Am-241	3.640E-03	3.640E-03	DCF3(1)
D-1	Np-237+D	4.440E-03	4.440E-03	DCF3(2)
D-1	Th-229+D	4.030E-03	4.030E-03	DCF3(3)
D-1	U-233	2.890E-04	2.890E-04	DCF3(4)
Food transfer factors:				
D-34	Am-241 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(1,1)
D-34	Am-241 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-05	5.000E-05	RTF(1,2)
D-34	Am-241 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-06	RTF(1,3)
D-34	Np-237+D , plant/soil concentration ratio, dimensionless	2.000E-02	2.000E-02	RTF(2,1)
D-34	Np-237+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(2,2)
D-34	Np-237+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(2,3)
D-34	Th-229+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(3,1)
D-34	Th-229+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(3,2)
D-34	Th-229+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(3,3)
D-34	U-233 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(4,1)
D-34	U-233 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(4,2)
D-34	U-233 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(4,3)
Bioaccumulation factors, fresh water, L/kg:				
D-5	Am-241 , fish	3.000E+01	3.000E+01	BIOFAC(1,1)
D-5	Am-241 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5	Np-237+D , fish	3.000E+01	3.000E+01	BIOFAC(2,1)
D-5	Np-237+D , crustacea and mollusks	4.000E+02	4.000E+02	BIOFAC(2,2)
D-5	Th-229+D , fish	1.000E+02	1.000E+02	BIOFAC(3,1)
D-5	Th-229+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(3,2)
D-5	U-233 , fish	1.000E+01	1.000E+01	BIOFAC(4,1)
D-5	U-233 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(4,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Am-241	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): Am-241	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Am-241				
R016	Contaminated zone (cm**3/g)	1.445E+03	2.000E+01	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	1.445E+03	2.000E+01	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.445E+03	2.000E+01	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.403E-05	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for daughter Np-237				
R016	Contaminated zone (cm**3/g)	1.700E+01	-1.000E+00	---	DCNUCC(2)
R016	Unsaturated zone 1 (cm**3/g)	1.700E+01	-1.000E+00	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	1.700E+01	-1.000E+00	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.567E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for daughter Th-229				
R016	Contaminated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.327E-05	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for daughter U-233				
R016	Contaminated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCC(4)
R016	Unsaturated zone 1 (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.192E-04	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017 Radii of shape factor array (used if FS = -1):					
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017 Fractions of annular areas within AREA:					
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018 Fruits, vegetables and grain consumption (kg/yr)					
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019 Livestock fodder intake for meat (kg/day)					
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
0R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
0R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
0R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
0R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
0R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
0R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
1R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
1R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV(2)
1R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV(3)
1R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
1R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
1R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
1R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
1R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
1R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
1R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
1R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
1R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
1R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
1R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
1R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
1R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
0R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
0R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
0R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
0R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
0R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Dose Conversion Factor (and Related) Parameter Summary
 File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
B-1 Dose conversion factors for inhalation, mrem/pCi:				
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Am-243+D	4.400E-01	4.400E-01	DCF2(2)
B-1	Cm-243	3.070E-01	3.070E-01	DCF2(3)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(5)
B-1	Pu-239	4.290E-01	4.290E-01	DCF2(6)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(7)
D-1 Dose conversion factors for ingestion, mrem/pCi:				
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Am-243+D	3.630E-03	3.630E-03	DCF3(2)
D-1	Cm-243	2.510E-03	2.510E-03	DCF3(3)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(5)
D-1	Pu-239	3.540E-03	3.540E-03	DCF3(6)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(7)
D-34 Food transfer factors:				
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Am-243+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(2,1)
D-34	Am-243+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-05	5.000E-05	RTF(2,2)
D-34	Am-243+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-06	RTF(2,3)
D-34	Cm-243 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(3,1)
D-34	Cm-243 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(3,2)
D-34	Cm-243 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-06	RTF(3,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(5,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(5,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(5,3)
D-34	Pu-239 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(6,1)
D-34	Pu-239 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(6,2)
D-34	Pu-239 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-06	1.000E-06	RTF(6,3)
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(7,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(7,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(7,3)
D-5 Bioaccumulation factors, fresh water, L/kg:				
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5	Am-243+D , fish	3.000E+01	3.000E+01	BIOFAC(2,1)
D-5	Am-243+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(2,2)
D-5	Cm-243 , fish	3.000E+01	3.000E+01	BIOFAC(3,1)
D-5	Cm-243 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(3,2)

File: FGR 13 Morbidity

Menu	Parameter	Current Value	Default	Parameter Name
D-5	Pa-231, fish	1.000E+01	1.000E+01	BIOFAC (5,1)
D-5	Pa-231, crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC (5,2)
D-5				
D-5	Pu-239, fish	3.000E+01	3.000E+01	BIOFAC (6,1)
D-5	Pu-239, crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC (6,2)
D-5				
D-5	U-235+D, fish	1.000E+01	1.000E+01	BIOFAC (7,1)
D-5	U-235+D, crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC (7,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.302E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.575E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.290E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	2.500E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Cm-243	1.000E+00	0.000E+00	---	S1(3)
R012	Concentration in groundwater (pCi/L): Cm-243	not used	0.000E+00	---	W1(3)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.860E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	8.500E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	1.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	4.380E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.030E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	7.500E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.200E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	4.350E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	6.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	7.770E+05	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	2.120E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.100E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	9.000E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E-01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.000E-01	2.000E-02	---	HGWT
R014	Saturated zone b parameter	4.900E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.451E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	1.323E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Unsat. zone 1, thickness (m)	1.430E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.860E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	1.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	4.380E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	5.550E+02	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Cm-243				
R016	Contaminated zone (cm**3/g)	6.761E+03	-1.000E+00	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm**3/g)	6.761E+03	-1.000E+00	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	6.761E+03	-1.000E+00	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.155E-05	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	8.250E+02	2.000E+01	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	8.250E+02	2.000E+01	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	8.250E+02	2.000E+01	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	9.464E-05	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for daughter Am-243				
R016	Contaminated zone (cm**3/g)	1.445E+03	2.000E+01	---	DCNUCC(2)
R016	Unsaturated zone 1 (cm**3/g)	1.445E+03	2.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	1.445E+03	2.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.403E-05	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for daughter Pa-231				
R016	Contaminated zone (cm**3/g)	3.800E+02	5.000E+01	---	DCNUCC(5)
R016	Unsaturated zone 1 (cm**3/g)	3.800E+02	5.000E+01	---	DCNUCU(5,1)
R016	Saturated zone (cm**3/g)	3.800E+02	5.000E+01	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.054E-04	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)
R016	Distribution coefficients for daughter Pu-239				
R016	Contaminated zone (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCC(6)
R016	Unsaturated zone 1 (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCU(6,1)
R016	Saturated zone (cm**3/g)	9.530E+02	2.000E+03	---	DCNUCS(6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.193E-05	ALEACH(6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(6)
R016	Distribution coefficients for daughter U-235				
R016	Contaminated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCC(7)
R016	Unsaturated zone 1 (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCU(7,1)
R016	Saturated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCS(7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.192E-04	ALEACH(7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(7)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Mass loading for inhalation (g/m**3)	2.330E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.725E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.571E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.181E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	2.060E+01	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.826E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.785E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Livestock fodder intake for meat (kg/day)	2.710E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.320E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.889E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.887E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
C14	DCF correction factor for gaseous forms of C14	not used	8.894E+01	---	CO2F
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active