

**From:** Judith Joustra  
**To:** Fisher-Tyler Frieda (DHSS)  
**Date:** Tue, Jul 22, 2003 2:56 PM  
**Subject:** RE: EA for Bristol Meyers Squibb

thank you

>>> "Fisher-Tyler Frieda (DHSS)" <Frieda.Fisher-Tyler@state.de.us> 07/22/03 02:55PM >>>  
Judith,

Yes, I did get to speak with him, thanks for the reminder. Rob did not have any significant issues with the Bristol Myers-Squibb EA. The Office of Radiation Control indicates non-objection with this email.

We would appreciate notification of any issues that arise, and notice of decommissioning closure.

Thanks,

Frieda Fisher-Tyler, CIH  
Administrator,  
Office of Radiation Control  
DE Division of Public Health  
P.O. Box 637  
Dover, DE 19903

<http://www.deph.org/hsp/orchome.htm>  
[Frieda.Fisher-Tyler@state.de.us](mailto:Frieda.Fisher-Tyler@state.de.us)  
302-744-4944  
302-739-3839, fax

-----Original Message-----

From: Judith Joustra [<mailto:JAJ@nrc.gov>]  
Sent: Tuesday, July 22, 2003 2:51 PM  
To: Fisher-Tyler Frieda (DHSS)  
Subject: RE: EA for Bristol Meyers Squibb

Were you able to discuss Bristol Meyers Squibb with Robert? If so, is there anything I need to answer/address?

>>> "Fisher-Tyler Frieda (DHSS)" <[Frieda.Fisher-Tyler@state.de.us](mailto:Frieda.Fisher-Tyler@state.de.us)> 07/18/03 08:55AM >>>  
will do. don't foresee any significant issues.

Frieda Fisher-Tyler, CIH

Administrator,  
Office of Radiation Control  
DE Division of Public Health  
P.O. Box 637  
Dover, DE 19903

<http://www.deph.org/hsp/orchome.htm>  
[Frieda.Fisher-Tyler@state.de.us](mailto:Frieda.Fisher-Tyler@state.de.us)  
302-744-4944  
302-739-3839, fax

-----Original Message-----

From: Judith Joustra [<mailto:jaj@nrc.gov>]  
Sent: Thursday, July 17, 2003 4:08 PM  
To: Fisher-Tyler Frieda (DHSS)  
Subject: RE: EA for Bristol Meyers Squibb

Bristol Meyers did vacate the facilities but they are aware that they are still accountable till we remove the site from the license. We believe the decommissioning is completed but we have not removed the site from the license...that won't happen until the EA is published. Let me know Monday what Robert wanted ...that way I can get this into final and sent to the Federal Register for publishing. thanks again

>>> "Fisher-Tyler Frieda (DHSS)" <[Frieda.Fisher-Tyler@state.de.us](mailto:Frieda.Fisher-Tyler@state.de.us)> 07/17/03 03:57PM >>>  
I'm not certain of his specific question. It is our understanding that Bristol Myer-Squibb decommissioned and vacated the facilities which were previously regulated by NRC under their by-product radioactive material R&D broad scope license.

His question may have been whether the facility decommissioning was completed, and considered closed by the NRC.

He will be in the office monday, I'll follow up when I seen him.

Best Regards,

Frieda Fisher-Tyler, CIH  
Administrator,  
Office of Radiation Control  
DE Division of Public Health  
P.O. Box 637  
Dover, DE 19903

<http://www.deph.org/hsp/orchome.htm>  
[Frieda.Fisher-Tyler@state.de.us](mailto:Frieda.Fisher-Tyler@state.de.us)  
302-744-4944  
302-739-3839, fax

-----Original Message-----

From: Judith Joustra [<mailto:jaj@nrc.gov>]  
Sent: Thursday, July 17, 2003 2:37 PM  
To: Fisher-Tyler Frieda (DHSS)  
Subject: RE: EA for Bristol Meyers Squibb

thank you for responding quickly. I also received an email from Robert Brinsfield shortly before I received your email. Robert indicated that he wanted me to call him. I called and left him a message but he hasn't returned my call. Would you know what he may have wanted? I am not in my office today or Monday so the best way to contact me would be by email today or Monday. I don't want to proceed with the EA if he has a question that needs to be resolved. Thanks again.

>>> "Fisher-Tyler Frieda (DHSS)" <[Frieda.Fisher-Tyler@state.de.us](mailto:Frieda.Fisher-Tyler@state.de.us)> 07/16/03 09:40AM >>>  
Judith,

The EA for Bristol-Myers Squibb facility in Delaware has been reviewed, and there are no comments pending.

Thank you for the follow up notice.

Best Regards,

Frieda Fisher-Tyler, CIH  
Administrator,  
Office of Radiation Control  
DE Division of Public Health  
P.O. Box 637  
Dover, DE 19903

<http://www.deph.org/hsp/orchome.htm>  
[Frieda.Fisher-Tyler@state.de.us](mailto:Frieda.Fisher-Tyler@state.de.us)  
302-744-4944  
302-739-3839, fax

-----Original Message-----

From: Judith Joustra [<mailto:JAJ@nrc.gov>]  
Sent: Tuesday, July 15, 2003 2:51 PM

To: Fisher-Tyler Frieda (DHSS)  
Subject: EA for Bristol Meyers Squibb

I'm checking on the status of your review. My management informed me today that the 30 day deadline for comments passed yesterday. If you need any additional information please let me know. Also please let me know when you expect to complete your review so that I may pass it on to my management.

thanks