

August 7, 2003

B. Marie Moore, Vice President
Safety and Regulatory
Nuclear Fuel Services, Inc.
P.O. Box 337, MS 123
Erwin, TN 37650

SUBJECT: NUCLEAR FUEL SERVICES, INC., CORRECTION TO AMENDMENT 39 -
AUTHORIZATION OF OPERATIONS IN URANYL NITRATE BUILDING AT
THE BLENDED LOW-ENRICHED URANIUM COMPLEX AND POSSESSION
LIMIT INCREASE.

Dear Ms. Moore:

This refers to Amendment 39 to your license dated July 7, 2003 (ADAMS No. ML031890762). It has come to our attention that Safety Condition S-1 in Amendment 39 fails to reference the supplement to your license application dated April 16, 2003 (ADAMS no. ML031110031). NRC staff used the commitments in this supplement as the basis for approving management measures for items relied on for safety at the Uranyl Nitrate Building.

Accordingly, your license has been corrected to include the date of April 16, 2003, in Safety Condition S-1 on page 4. Please insert the corrected page 4 from the enclosed license and destroy the old page 4.

If you have any questions regarding this matter, please contact Mary T. Adams of my staff at (301) 415-7249 or by e-mail at mta@nrc.gov.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Sincerely,

/RA/

Susan M. Frant, Chief
Fuel Cycle Facilities Branch
Division of Fuel Cycle Safety and Safeguards
Office of Nuclear Material Safety and Safeguards

Docket 70-143
License SNM-124
Amendment 39

Enclosure: Corrected Amendment 39

August 7, 2003

B. Marie Moore, Vice President
Safety and Regulatory
Nuclear Fuel Services, Inc.
P.O. Box 337, MS 123
Erwin, TN 37650

SUBJECT: NUCLEAR FUEL SERVICES, INC., CORRECTION TO AMENDMENT 39 -
AUTHORIZATION OF OPERATIONS IN URANYL NITRATE BUILDING AT
THE BLENDED LOW-ENRICHED URANIUM COMPLEX AND POSSESSION
LIMIT INCREASE.

Dear Ms. Moore:

This refers to Amendment 39 to your license dated July 7, 2003 (ADAMS No. ML031890762). It has come to our attention that Safety Condition S-1 in Amendment 39 fails to reference the supplement to your license application dated April 16, 2003 (ADAMS no. ML031110031). NRC staff used the commitments in this supplement as the basis for approving management measures for items relied on for safety at the Uranyl Nitrate Building.

Accordingly, your license has been corrected to include the date of April 16, 2003, in Safety Condition S-1 on page 4. Please insert the corrected page 4 from the enclosed license and destroy the old page 4.

If you have any questions regarding this matter, please contact Mary T. Adams of my staff at (301) 415-7249 or by e-mail at mta@nrc.gov.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Sincerely,

/RA/

Susan M. Frant, Chief
Fuel Cycle Facilities Branch
Division of Fuel Cycle Safety and Safeguards
Office of Nuclear Material Safety and Safeguards

Docket 70-143
License SNM-124
Amendment 39

Enclosure: Corrected Amendment 39

DISTRIBUTION:

SChidakel, OGC PSilva DAYres, RII KRamsey DRich, SRI MZobler, OGC

C:\ORPCheckout\FileNET\ML032160445.wpd

ML032160445

OFC	FCLB	E	FCLB	E	OGC	N	FCFB	E	FCFB	E
NAME	MAdams		JMuszkiewicz		STreby		LRoché		SFrant	
DATE	8/1/2003		8/4/2003		8/5/2003		8/6/2003		8/7/2003	

OFFICIAL RECORD COPY