

**MANUAL HARD COPY DISTRIBUTION
DOCUMENT TRANSMITTAL 2003-37033**

USER INFORMATION:

Name: GERLACH*ROSE M EMPL#: 28401 CA#: 0363

Address: NUCSA2

Phone#: 254-3194

TRANSMITTAL INFORMATION:

TO: GERLACH*ROSE M 08/14/2003

LOCATION: DOCUMENT CONTROL DESK

FROM: NUCLEAR RECORDS DOCUMENT CONTROL CENTER (NUCSA-2)

THE FOLLOWING CHANGES HAVE OCCURRED TO THE HARDCOPY OR ELECTRONIC MANUAL ASSIGNED TO YOU:

101 - 101 - EMERGENCY DIRECTOR (ED)-TSC EMERGENCY PLAN-POSITION SPECIFIC PROCEDURE

REMOVE MANUAL TABLE OF CONTENTS DATE: 06/26/2003

ADD MANUAL TABLE OF CONTENTS DATE: 08/13/2003

CATEGORY: PROCEDURES TYPE: EP

ID: EP-PS-101


ADD: PCAF 2003-1571 REV: N/A

UPDATES FOR HARD COPY MANUALS WILL BE DISTRIBUTED WITHIN 5 DAYS IN ACCORDANCE WITH DEPARTMENT PROCEDURES. PLEASE MAKE ALL CHANGES AND ACKNOWLEDGE COMPLETE IN YOUR NIMS INBOX UPON RECEIPT OF HARD COPY. FOR ELECTRONIC MANUAL USERS, ELECTRONICALLY REVIEW THE APPROPRIATE DOCUMENTS AND ACKNOWLEDGE COMPLETE IN YOUR NIMS INBOX.

A045

PROCEDURE CHANGE PROCESS FORM

1. PCAF NO. <u>2013-1571</u>	2. PAGE 1 OF <u>11</u>	3. PROC. NO. <u>EP-PS-101</u> REV. <u>19</u>
4. FORMS REVISED - <u>A</u> R <u>11</u> , - <u>G</u> R <u>5</u> , - <u> </u> R <u> </u> , - <u> </u> R <u> </u> , - <u> </u> R <u> </u> , - <u> </u> R <u> </u>		
5. PROCEDURE TITLE TSC Emergency Director: Emergency Plan Position Specific Instruction		
6. REQUESTED CHANGE PERIODIC REVIEW <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES INCORPORATE PCAFS <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES # <u> </u> # <u> </u> # <u> </u> # <u> </u> REVISION <input type="checkbox"/> PCAF <input checked="" type="checkbox"/> DELETION <input type="checkbox"/> (CHECK ONE ONLY)		
7. SUMMARY OF / REASON FOR CHANGE <input type="checkbox"/> Added clarification step to both procedures to state that the TSC and EOF should be activated whenever the NERO is called out regardless of EAL classification level. <input type="checkbox"/> Added clarification to both procedures that the activation process is the same regardless of the EAL classification level. <input type="checkbox"/> Added clarification that if a EAL classification is made by a facility, that same facility is to make the notifications prior to turnover to another facility. This is an administrative change since it provides clarification to an existing technical requirement.		
8. DETERMINE COMMITTEE REVIEW REQUIREMENTS (Refer to Section 6.1.4) PORC REVIEW REQ'D? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES		9. PORC MTG# <u> </u>
BLOCKS 11 THRU 16 ARE ON PAGE 2 OF FORM		
17. <u>T.C. Dalpiaz</u> / <u>3227</u> / <u>08/06/2003</u> PREPARER ETN DATE (Print or Type)		18. COMMUNICATION OF CHANGE REQUIRED? <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES (TYPE) <u>E Mail Notification</u>
19. <u>Jeffrey H. Hineswood</u> <u>8/6/03</u> RESPONSIBLE SUPERVISOR DATE		SIGNATURE ATTESTS THAT RESPONSIBLE SUPERVISOR HAS CONDUCTED QADR AND TECHNICAL REVIEW UNLESS OTHERWISE DOCUMENTED IN BLOCK 16 OR ATTACHED REVIEW FORMS. CROSS DISCIPLINE REVIEW (IF REQUIRED) HAS BEEN COMPLETED BY SIGNATURE IN BLOCK 16 OR ATTACHED REVIEW FORMS.
20. <u>Jeffrey H. Hineswood</u> <u>8/6/03</u> FUM APPROVAL DATE		
21. RESPONSIBLE APPROVER <u>MA</u> INITIALS		ENTER N/A IF FUM HAS APPROVAL AUTHORITY <u> </u> DATE



PROCEDURE CHANGE PROCESS FORM

1. PCAF NO. 2003-1571 | 2. PAGE 2 OF 11 | 3. PROC. NO. EP-PS-101 REV. 19

11. This question documents the outcome of the 50.59 and 72.48 Review required by NDAP-QA-0726. Either 11a, b, c or d must be checked "YES" and the appropriate form attached or referenced.
- a. This change is an Administrative Correction for which 50.59 and 72.48 are not applicable. ☐ YES ☒ N/A
- b. This change is a change to any surveillance, maintenance or administrative procedure for which 50.59 and 72.48 are not applicable. ☒ YES ☐ N/A
- c. This change is bounded by a 50.59/72.48 Screen/Evaluation, therefore, no new 50.59/72.48 Evaluation is required. ☐ YES ☒ N/A
Screen/Evaluation No. _____
- d. 50.59 and/or 72.48 are applicable to this change and a 50.59/72.48 Screen/Evaluation is attached. ☐ YES ☒ N/A
12. This change is consistent with the FSAR or an FSAR change is required. ☒ YES
Change Request No. _____
13. Should this change be reviewed for potential effects on Training Needs or Material? ☐ YES ☒ NO
If YES, enter an Action Item @ NIMS/Action/Gen Work Mech/PICN _____
14. Is a Surveillance Procedure Review Checklist required per NDAP-QA-0722? ☐ YES ☒ NO
15. Is a Special, Infrequent or Complex Test/Evolution Analysis Form required per NDAP-QA-0320? (SICT/E form does not need to be attached.) ☐ YES ☒ NO

16. Reviews may be documented below or by attaching Document Review Forms NDAP-QA-0101-1.

REVIEW	REVIEWED BY WITH NO COMMENTS	DATE
QADR	_____	_____
TECHNICAL REVIEW	_____	_____
REACTOR ENGINEERING/NUCLEAR FUELS *	_____	_____
IST **	_____	_____
OPERATIONS	_____	_____
NUCLEAR SYSTEMS ENGINEERING	_____	_____
NUCLEAR MODIFICATIONS	_____	_____
MAINTENANCE	_____	_____
HEALTH PHYSICS	_____	_____
NUCLEAR TECHNOLOGY	_____	_____
CHEMISTRY	_____	_____
OTHER <u>10 CFR 50.54Q</u>	<u><i>J. D. [Signature]</i></u>	<u><i>8/6/04</i></u>

* Required for changes that affect, or have potential for affecting core reactivity, nuclear fuel, core power level indication or impact the thermal power heat balance. ⁽⁵⁸⁾

** Required for changes to Section XI Inservice Test Acceptance Criteria.

EMERGENCY DIRECTOR (ED)-TSC:

Emergency Plan-Position Specific Procedure

WHEN: Emergency Support Center (TSC) is activated

HOW NOTIFIED: Phoned by Station Operator
After hours: Paged

REPORT TO: Vice President-Nuclear Operations

WHERE TO REPORT: Control Room/TSC

OVERALL DUTY:

Manage the Technical Support Center (TSC) so that the plant responds to the emergency, people are protected, and the center processes information to those who need to know. Once the EOF has taken over these communications and radiological functions, concentrate exclusively on returning the plant to a safe condition.

MAJOR TASKS:

TAB:

REVISION:

Assemble and brief TSC staff, then take over the task of managing the emergency.

TAB A

~~10~~ 11

Reclassify the emergency as conditions change.

TAB B

8

Make sure information is being communicated to company, public, and government personnel.

TAB C

6

Make protective action recommendations to safeguard public and measures to protect personnel working in or near the plant.

TAB D

10

Review Severe Accident Management (SAM), strategies.

TAB E

4

Manage turnover to the next shift.

TAB F

4

Turn over Emergency Management to the EOF.

TAB G

~~4~~ 5

When emergency is terminated, disband the TSC staff.

TAB H

0

PCAF

PCAF

MAJOR TASK:

Assemble and brief TSC staff, then take over the task of managing the emergency.

SPECIFIC TASKS:

HOW:

NOTE: When the NERO is called out, the TSC should be activated regardless of the classification level.

NOTE: The activation process is the same regardless of classification level

NOTE (1):

The Operations Coordinator may perform Steps 1 through 3b (as defined by parenthesis) if the TSC Emergency Director has assumed the role of the ED in the Control Room.

NOTE (2):

If the ED did NOT take over Control of the Emergency proceed with Step 1.

1. Determine plant status.

1a. Report to Control Room. _____

1b. Receive turnover from Shift Manager. _____

HELP

**CONTROL ROOM/TSC
TURNOVER CHECKLIST**
See TAB 5

1c. Determine:

- (1) Resources or actions required by Operations. _____
- (2) In progress plant activities. _____

2. Assume overall management of the emergency.

2a. Verify key Coordinators are ready to assume emergency functions required for activation:

- (1) Operations Coordinator _____
- (2) Damage Control Team coordinator _____

SPECIFIC TASKS:

HOW:

- (3) Rad Protection Coordinator _____
- (4) TSC Coordinator _____
- (5) TSC NRC Communicator _____
- (6) Security Coordinator _____

HELP

Emergency Organization
See TAB 2

NOTE:

The Operations Coordinator may perform step 2b as defined in (. However, only a qualified ED can relieve the Control Room ED of overall management of the emergency.

**NOTE:IF AN EAL
DECLARATION HAS JUST BEEN
MADE IN THE CONTROL
ROOM, ENSURE THE CONTROL
ROOM ALSO MAKES THE
OFFSITE NOTIFICATIONS AND
PAR NOTIFICATIONS (if a
General Emergency was declared)**

- 2b. Contact the Shift Manager and relieve Control Room of overall management of emergency.

(Ops Coordinator notify Control Room ED of readiness of TSC to take turnover.)

- (1) Offsite Notification (TSC Communicator) _____
- (2) Dose Projection (Rad Protection Coordinator) _____
- (3) Emergency Teams (Damage Control Team Coordinator) _____
- (4) Emergency Classification (Technical Support and Operations Coordinators) _____
- (5) Protective Action Recommendations (Rad Protection Coordinator). _____

SPECIFIC TASKS:

HOW:

- | | | |
|--|---|-------|
| 2c. | If the Operations Coordinator prepared the TSC for activation while you were filling the role of Control Room ED, activate the TSC. | _____ |
| 2d. | Make a Plant PA announcement when the "TSC is in control of the emergency." | _____ |
| NOTE (1):
The Plant Page located on the ED Desk is Local to the TSC. The Plant-wide PA is located on either wall in the TSC. | | |
| NOTE (2):
This responsibility can be delegated to the TSC Communicator. | | |
| 2e. | Brief TSC personnel on emergency situation. | _____ |
| 2f. | Review classification of emergency (TAB B). | _____ |
| 2g. | Review radiological conditions and dose projections if applicable (TAB D). | _____ |
| 3. | Perform external notifications. | |
| 3a. | Notify Public Information Manager of plant status. | _____ |
| 3b. | Notify Senior Vice President-Generation and Chief Nuclear Officer, or VP - Nuclear Operations. Request they notify other managers as appropriate. | _____ |

PCAF #203-1571
0107-0-OF 11

TAB A
EP-PS-101-A
Revision 40- 11
-Page 4 of 7

Page

SPECIFIC TASKS:

HOW:

4. Direct the Security or Admin Coordinators to verify 60 and 90 minute NERO members respond.

5. Manage the emergency.

- 5a. Reclassify the emergency as conditions change (TAB B).

- 5b. Communicate information concerning emergency (TAB C).

- 5c. Initiate radioactive release monitoring to support Public Protective Action Recommendation (TAB D).

- 5d. Make Protective Action Recommendation as required (TAB D).

- 5e. Notify the Control Room to initiate accountability.

NOTE (1):

Accountability required at Site Area Emergency or higher classification (consider habitability of accountability locations). Rad Protection and Security Coordinators responsible to implement.

NOTE (2):

Once accountability is ordered, it must be maintained until either the event is terminated or an evacuation is ordered.

- 5f. Initiate RCA Evacuation when plant conditions dictate or:

- (1) When accountability is initiated.

SPECIFIC TASKS:

HOW:

- 5g. Initiate Site Evacuation of non-essential personnel when site conditions dictate or when a Site or General Emergency is declared AND accountability is complete. _____

NOTE:

Essential personnel:

- Operations
- Maintenance
- Health Physics
- Chemistry
- Security
- NERO Members

- (1) Instruct Security Coordinator to perform site evacuation. _____
- (2) If the TSC is in control of the Emergency, direct both TSC Communicators to notify offsite agencies of the evacuation initiation. _____
- (3) If the EOF is in control of the emergency, direct the TSC E-Plan Communicator to notify the EOF Communicator of the evacuation so that the EOF can notify offsite agencies. _____
- (4) Direct the TSC NRC Communicator to notify the NRC of the evacuation initiation. _____

- 5h. Monitor plant status. _____

NOTE:

Ops Coordinator responsible to maintain.

SPECIFIC TASKS:

HOW:

5i. Establish plant priorities. _____

NOTE:

Ops Coordinator responsibility.

5j. Initiate corrective actions for plant priorities. _____

NOTE:

Damage Control Team Coordinator responsible to implement actions.

5k. Ensure proper resources are available to combat emergency. _____

NOTE:

Damage Control Team and Admin. Coordinators responsibilities.

5l. Initiate core damage assessment. _____

NOTE:

Tech Support Coordinator responsibility. Requires PASS sample - Chemistry Coordinator.

5m. Initiate 24-hour shift coverage for emergency positions. _____

NOTE:

Admin. Coordinator responsible.

5n. Support emergency medical response, search/rescue. _____

NOTE:

Reference SP-00-308, (Emergency Medical Response, Search/Rescue)

6. Request Federal assistance to augment NERO.

6a. When federal assistance is required, requests should be coordinated with PEMA and/or DEP/BRP. _____

SPECIFIC TASKS:

HOW:

7. If required, invoke the provisions of 10CFR 50.54X.

7a.

In accordance with 10CFR 50.54X, operation outside the Technical Specifications shall only be taken in an emergency:

- (1) When action is immediately needed to protect the public health and safety and no action consistent with license conditions and Technical Specifications that can provide adequate or equivalent protection is immediately apparent.
- (2) Direct the Operations Coordinator to have the Shift Manager implement the provisions of OP-AD-001 Section 6.2.6.

MAJOR TASK:

Turn over Emergency Management to EOF, but continue to assess plant conditions and evaluate reclassification based on plant parameters.

SPECIFIC TASKS:

HOW:

1. Collect turnover information from designated sources.

- 1a. Use turnover checklist.

HELP

TSC/EOF TURNOVER CHECKLIST
See TAB 5

2. Turnover of control of overall management of emergency activities from the TSC to the EOF.

- 2a. Review turnover checklist with Recovery Manager.

NOTE: IF AN EAL DECLARATION HAS JUST BEEN MADE IN THE TSC, INSURE THAT OFFSITE NOTIFICATIONS ARE MADE BY THE TSC PRIOR TO TURNOVER TO THE EOF.

NOTE: IF A GENERAL EMERGENCY WAS JUST DECLARED IN THE TSC INSURE THAT THE PAR AND PAR NOTIFICATIONS ARE MADE BY THE TSC PRIOR TO TURNOVER TO THE EOF.

3. Continue to assess plant conditions and evaluate reclassification plant parameters.

NOTE:

The Emergency Director is responsible to notify the Recovery Manager when in-plant conditions associated with an Emergency Action Level have been reached.

PCAF