

August 29, 2003

LICENSEE: Entergy Operations, Inc. (Entergy or the licensee)

FACILITY: Arkansas Nuclear One, Unit 2 (ANO-2) and Waterford Steam Electric Station, Unit 3 (W3)

SUBJECT: SUMMARY OF AUGUST 14, 2003, CATEGORY 1 MEETING WITH ENTERGY TO DISCUSS ITS RELAXATION REQUESTS FROM THE VESSEL HEAD INSPECTION ORDER (TAC NOS. MB8927, MB9542, MB9644, MB9882, AND MB9883)

On August 14, 2003, a public meeting was held between the U.S. Nuclear Regulatory Commission (NRC), and representatives of Entergy, at NRC Headquarters, One White Flint North, 11555 Rockville Pike, Rockville, MD. The purpose of the meeting was to discuss Entergy's May 8, June 11, and July 1, 2003, relaxation requests, as supplemented, from NRC's vessel head inspection Order. The first request was on the bare metal visual (BMV) exam, the second was for the nozzle threads on control element drive mechanism (CEDM) nozzles, and the third was for the combination of examination techniques. The first request pertains to ANO-2. The latter two pertain to ANO-2 and W3.

The licensee's presentation included a review of their relaxation requests, a new finding which revealed a limited amount of free span on the down-hill side of many ANO-2 CEDM nozzles, an overview of the deterministic fracture mechanics analysis performed for postulated flaws in the CEDM and incore instrument nozzles, and an overview of the probabilistic analysis being performed for CEDMs.

The staff discussed the details of the additional information that the licensee needs to provide for the BMV relaxation request and the deterministic fracture mechanics analysis. In addition, the staff indicated that, although the licensee's deterministic conceptual approach appears to be reasonable, the relaxation requests need to be resubmitted to not only address the additional information needed, but to also show how all of the information provided fits together and to fully justify the hardship of not performing the Order-required inspections. Regarding the licensee's probabilistic approach, the staff indicated that given the time constraints associated with the upcoming ANO-2 and W3 outages, this approach is not viable.

Regarding timing of the revised relaxation requests, the staff indicated that it needs at least 30 days after the last submittal to complete its review and issue its Safety Evaluation. This 30-day schedule assumes that the licensee provides a high-quality submittal as discussed above.

A list of meeting attendees is enclosed (no members of the public were in attendance). A copy of the licensee's slides presented at the meeting has been placed in the NRC Agencywide Documents Access and Management System (Accession Number ML032320180).

Please direct any inquiries to Tom Alexion at 301-415-1326, or twalexion@nrc.gov.

/RA/

Thomas W. Alexion, Project Manager, Section 1
Project Directorate IV
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-368 and 50-382

Enclosure: List of attendees

cc w/encl: See next page

A list of meeting attendees is enclosed (no members of the public were in attendance). A copy of the licensee's slides presented at the meeting has been placed in the NRC Agencywide Documents Access and Management System (Accession Number ML032320180).

Please direct any inquiries to Tom Alexion at 301-415-1326, or twa@nrc.gov.

/RA/

Thomas W. Alexion, Project Manager, Section 1
Project Directorate IV
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-368 and 50-382

Enclosure: List of attendees

cc w/encl: See next page

DISTRIBUTION:

PUBLIC

RidsNrrDlpm (TMarsh/ELeeds)
RidsNrrDlpmLpdiv1 (RGramm)
RidsAcrsAcnwMailCenter
JClark (EDO/Region 4)
WBateman (NRR/DE/EMCB)
AHiser (NRR/DE/EMCB)
JCollins (NRR/DE/EMCB)
RidsNrrPMJMinns
RidsNrrPMNKalyanam
RidsNrrLADJohnson

PDIV-1 Reading
RidsNrrDlpmLpdiv (HBerkow)
RidsNrrPMTAlexion
RidsOgcRp
TMensah (NRR/PMAS)
RidsNrrRgn4MailCenter (AHowell)
TChan (NRR/DE/EMCB)
RDavis (NRR/DE/EMCB)
TSteingass (NRR/DE/EMCB)
SSheng (NRR/DE/EMCB)

Package No.: ML032410436
Meeting Notice No.: ML032200089
Handout No.: ML032320180
Summary No.: ML032410450

OFFICE	PDIV-1/PM	PDIV-1/LA	EMCB/SC	PDIV-1/SC
NAME	TAlexion	MMcAllister for DJohnson	ALH for TChan	RGramm
DATE	8/25/03	8/25/03	8/27/03	8/28/03

OFFICIAL RECORD COPY

MEETING ON ENTERGY'S REQUEST FOR RELAXATION FROM

NRC'S VESSEL HEAD INSPECTION ORDER

ARKANSAS NUCLEAR ONE, UNIT 2

AUGUST 14, 2003

ATTENDEES

<u>NAME</u>	<u>ORGIANIZATION</u>
W. Eaton	Entergy
W. Sims	Entergy
W. James	Entergy
R. Swain	Entergy
R. Lewis	Entergy
B. Gray	Entergy
J. Brihmadesan	Entergy
M. Krupa	Entergy
S. Bennett	Entergy
Z. Kuljis	Westinghouse
J. Lareau	Westinghouse
P. Riccardella	Structural Integrity
W. Bateman	NRC
T. Chan	NRC
A. Hiser	NRC
S. Sheng	NRC
R. Davis	NRC
J. Collins	NRC
T. Steingass	NRC
R. Gramm	NRC
J. Minns	NRC
N. Kalyanam	NRC
T. Alexion	NRC

Enclosure

Arkansas Nuclear One

cc:

Executive Vice President
& Chief Operating Officer
Entergy Operations, Inc.
P.O. Box 31995
Jackson, MS 39286-1995

Director, Division of Radiation
Control and Emergency Management
Arkansas Department of Health
4815 West Markham Street, Slot 30
Little Rock, AR 72205-3867

Winston & Strawn
1400 L Street, N.W.
Washington, DC 20005-3502

Mr. Mike Schoppman
Framatome ANP, Richland, Inc.
Suite 705
1911 North Fort Myer Drive
Rosslyn, VA 22209

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 310
London, AR 72847

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

County Judge of Pope County
Pope County Courthouse
Russellville, AR 72801

Vice President, Operations Support
Entergy Operations, Inc.
P.O. Box 31995
Jackson, MS 39286-1995

Wise, Carter, Child & Caraway
P.O. Box 651
Jackson, MS 39205

Mr. Craig G. Anderson
Vice President Operations, ANO
Entergy Operations, Inc.
1448 S. R. 333
Russellville, AR 72801

Waterford Steam Electric Station, Unit 3

cc:

Mr. Michael E. Henry, State Liaison Officer
Department of Environmental Quality
Permits Division
P.O. Box 4313
Baton Rouge, Louisiana 70821-4313

Vice President, Operations Support
Entergy Operations, Inc.
P. O. Box 31995
Jackson, MS 39286-1995

Director
Nuclear Safety Assurance
Entergy Operations, Inc.
17265 River Road
Killona, LA 70066-0751

Wise, Carter, Child & Caraway
P. O. Box 651
Jackson, MS 39205

General Manager Plant Operations
Waterford 3 SES
Entergy Operations, Inc.
17265 River Road
Killona, LA 70066-0751

Licensing Manager
Entergy Operations, Inc.
17265 River Road
Killona, LA 70066-0751

Winston & Strawn
1400 L Street, N.W.
Washington, DC 20005-3502

Resident Inspector/Waterford NPS
P. O. Box 822
Killona, LA 70066-0751

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 1000
Arlington, TX 76011

Parish President Council
St. Charles Parish
P. O. Box 302
Hahnville, LA 70057

Executive Vice President
& Chief Operating Officer
Entergy Operations, Inc.
P. O. Box 31995
Jackson, MS 39286-1995

Chairman
Louisiana Public Services Commission
P. O. Box 91154
Baton Rouge, LA 70825-1697

Mr. Joseph E. Venable
Vice President Operations
Entergy Operations, Inc.
17265 River Road
Killona, LA 70066-0751