

AmerGenSM

An Exelon/British Energy Company

AmerGen Energy Company, LLC

200 Exelon Way

Suite 345

Kennett Square, PA 19348

www.exeloncorp.com

ExelonSM

Nuclear

Exelon Generation
4300 Winfield Road
Warrenville, IL 60555

RS-03-167

10 CFR 26.71(d)

August 27, 2003

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, DC 20555

Braidwood Station, Units 1 and 2
Facility Operating License Nos. NPF-72 and NPF-77
NRC Docket Nos. STN-456 and STN 50-457

Byron Station, Units 1 and 2
Facility Operating License Nos. NPF-37 and NPF-66
NRC Docket Nos. 50-454 and 50-455

Clinton Power Station, Unit 1
Facility Operating License No. NPF-62
NRC Docket No. 50-461

Dresden Nuclear Power Station, Units 1, 2, and 3
Facility Operating License Nos. DPR-2, DPR-19 and DPR-25
NRC Docket Nos. 50-010, 50-237 and 50-249

LaSalle County Station, Units 1 and 2
Facility Operating License Nos. NPF-11 and NPF-18
NRC Docket Nos. 50-373 and 50-374

Limerick Generating Station, Units 1 and 2
Facility Operating License Nos. NPF-39 and NPF-85
NRC Docket Nos. 50-352 and 50-353

Peach Bottom Atomic Power Station, Units 2 and 3
Facility Operating License Nos. DPR-44 and DPR-56
NRC Docket Nos. 50-277 and 50-278

Oyster Creek Generating Station
Facility Operating License No. DPR-16
NRC Docket No. 50-219

Quad Cities Nuclear Power Station, Units 1 and 2
Facility Operating License Nos. DPR-29 and DPR-30
NRC Docket Nos. 50-254 and 50-265

A021

August 27, 2003
U. S. Nuclear Regulatory Commission
Page 2

Three Mile Island Nuclear Station, Unit 1
Facility Operating License No. DPR-50
NRC Docket No. 50-289


Subject: Fitness for Duty Performance Data Reports - First Period - 2003

In accordance with 10 CFR 26.71(d), "Recordkeeping requirements," Exelon Generation Company (Exelon), LLC, and AmerGen Energy Company, LLC (AmerGen) are providing the compiled fitness-for-duty program performance data for their respective nuclear power stations and the corporate support employees within the scope of the rule for the six month period ending June 30, 2003.

As required by 10 CFR 26.71(d), management actions and reported events are also provided as attachments. The information is being provided as required within 60 days of June 30, i.e., by August 29, 2003. This performance data is reported on the January 1992 revised Fitness-For Duty (FFD) Performance Data Form developed by Nuclear Management and Resources Council (NUMARC).

Please direct any questions regarding this matter to T. W. Simpkin at (630) 657-2821.

Respectfully,



Keith R. Jury
Director - Licensing
Exelon Generating Company, LLC
AmerGen Energy Company, LLC

Attachments

cc: Regional Administrator - NRC Region I
Regional Administrator - Region III
NRC Senior Resident Inspector - Braidwood Station
NRC Senior Resident Inspector - Byron Station
NRC Senior Resident Inspector - Clinton Power Station
NRC Senior Resident Inspector - Dresden Nuclear Power Station
NRC Senior Resident Inspector - LaSalle County Station
NRC Senior Resident Inspector - Limerick Generating Station
NRC Senior Resident Inspector - Oyster Creek Generating Station
NRC Senior Resident Inspector - Peach Bottom Atomic Power Station
NRC Senior Resident Inspector - Quad Cities Nuclear Power Station
NRC Senior Resident Inspector - Three Mile Island Nuclear Station

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2003
Six Months Ending

KENNETT SQUARE AND WARRENVILLE OFFICES

Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		777		0		228	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		8	0	0	0	4	0
For Cause	Post Accident	1	0	0	0	0	0
	Observed Behavior	0	0	0	0	0	0
Random		140	0	0	0	16	0
Follow-up		8	0	0	0	0	0
Other		1	0	0	0	0	0
Total		158	0	0	0	20	0

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2003
Six Months Ending

BRAIDWOOD STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		701		0		459	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		52	0	0	0	1336	11
For Cause	Post Accident	0	0	0	0	1	0
	Observed Behavior	4	3*	0	0	9	6**
Random		170	0	0	0	98	0
Follow-up		6	0	0	0	37	1
Other		2	0	0	0	4	0
Total		234	3	0	0	1485	18

* Includes one refusal to test

** Includes two refusals to test

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2003
Six Months Ending

BYRON STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500

Cocaine 300/150 Phencyclidine 25/25

Opiates 300/300 Alcohol (% BAC) .04

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		712		0		205	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		39	0	0	0	135	2
For Cause	Post Accident	6	0	0	0	3	0
	Observed Behavior	0	0	0	0	1	0
Random		185	0	0	0	45	1
Follow-up		5	0	0	0	2	0
Other		2	0	0	0	0	0
Total		237	0	0	0	186	3

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

June 30, 2003
Six Months Ending

CLINTON POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		547		0		169	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		23	0	0	0	111	0
For Cause	Post Accident	0	0	0	0	2	0
	Observed Behavior	0	0	0	0	0	0
Random		121	0	0	0	32	0
Follow-up		14	0	0	0	2	0
Other		2	0	0	0	0	0
Total		160	0	0	0	147	0

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2003
Six Months Ending

DRESDEN NUCLEAR POWER STATION

Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ _____ /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 _____
Cocaine	300/150	Phencyclidine	25/25 _____
Opiates	300/300	Alcohol (% BAC)	.04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		720		0		273	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		34	0	0	0	155	1
For Cause	Post Accident	4	0	0	0	2	0
	Observed Behavior	3	1	0	0	0	0
Random		152	1	0	0	59	0
Follow-up		0	0	0	0	5	0
Other		6	0	0	0	0	0
Total		199	2	0	0	221	1

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2003
Six Months Ending

LASALLE COUNTY STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		711		0		479	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		27	0	0	0	1751	14
For Cause	Post Accident	8	0	0	0	8	0
	Observed Behavior	1	1	0	0	5	3*
Random		201	0	0	0	107	2**
Follow-up		4	0	0	0	12	0
Other		4	0	0	0	18	0
Total		245	1	0	0	1901	19

* Includes two refusals to test.

** Includes one refusal to test.

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2003
Six Months Ending

LIMERICK GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		760		0		415	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		91	1	0	0	1105	11*
For Cause	Post Accident	8	0	0	0	9	0
	Observed Behavior	3	0	0	0	6	1
Random		242	2	0	0	143	0
Follow-up		23	1	0	0	30	1
Other		4	0	0	0	4	1
Total		371	4	0	0	1297	14

* Includes one refusal to test.

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

June 30, 2003
Six Months Ending

OYSTER CREEK GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		439		0		158	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		21	0	0	0	186	5
For Cause	Post Accident	2	0	0	0	3	1
	Observed Behavior	1	0	0	0	4	0
Random		121	1	0	0	78	0
Follow-up		8	0	0	0	5	0
Other		0	0	0	0	10	1
Total		153	1	0	0	286	7

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2003
Six Months Ending

PEACH BOTTOM ATOMIC POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	<u> </u> / <u> </u>	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 <u> </u>
Cocaine	300/150	Phencyclidine	25/25 <u> </u>
Opiates	300/300	Alcohol (% BAC)	.04 <u> </u>

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		688		0		219	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		45	0	0	0	118	0
For Cause	Post Accident	4	0	0	0	0	0
	Observed Behavior	2	0	0	0	0	0
Random		213	1	0	0	89	0
Follow-up		7	0	0	0	9	0
Other		0	0	0	0	0	0
Total		271	1	0	0	216	0

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

Exelon
Company

June 30, 2003
Six Months Ending

QUAD CITIES NUCLEAR POWER STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs:	Screen/Confirmation (ng/ml)	/ <u> </u> /	Appendix A to 10 CFR 26
Marijuana	50/15	Amphetamines	1000/500 <u> </u>
Cocaine	300/150	Phencyclidine	25/25 <u> </u>
Opiates	300/300	Alcohol (% BAC)	.04 <u> </u>

		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		706		0		272	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		35	1	0	0	245	2
For Cause	Post Accident	4	0	0	0	4	0
	Observed Behavior	1	0	0	0	1	0
Random		196	0	0	0	45	0
Follow-up		1	0	0	0	13	0
Other		5	0	0	0	2	0
Total		242	1	0	0	310	2

**FITNESS FOR DUTY
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10 CFR 26**

AmerGen Energy Company, LLC
Company

June 30, 2003
Six Months Ending

THREE MILE ISLAND NUCLEAR GENERATING STATION
Location

Susan Techau
Contact Name

(630) 657-2904
Phone (include area code)

Cutoffs: Screen/Confirmation (ng/ml) / Appendix A to 10 CFR 26

Marijuana 50/15 Amphetamines 1000/500 _____

Cocaine 300/150 Phencyclidine 25/25 _____

Opiates 300/300 Alcohol (% BAC) .04 _____


		Licensee Employees		Long -Term Contractor		Short -Term Contractor	
Average with Unescorted Access		503		0		180	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		40	0	0	0	93	0
For Cause	Post Accident	4	0	0	0	1	0
	Observed Behavior	0	0	0	0	1	0
Random		151	0	0	0	65	1
Follow-up		3	0	0	0	5	0
Other		0	0	0	0	0	0
Total		198	0	0	0	165	1

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES –KENNETT SQUARE AND
WARRENVILLE OFFICES**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold ———




————— Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - BRAIDWOOD STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	2	1
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	8 6	5	0	1	0	3	2
TOTAL	8 6	5	0	1	0	5	3

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold ———




————— Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – BYRON STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 1	2	0	0	0	0	0
TOTAL	1 1	2	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold




Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – CLINTON POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold




Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – DRESDEN NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	1	0	0	0	1	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 1	0	0	0	0	0	0
TOTAL	1 1	1	0	0	0	1	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold




Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LASALLE COUNTY STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 0	0	0	0	0	1	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	6 5	7	0	0	0	2	3
TOTAL	7 5	7	0	0	0	3	3

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold




Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – LIMERICK GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 0	1	1	0	0	1	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	9 5	2	1	0	0	1	1
TOTAL	10 5	3	2	0	0	2	1

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold ———




———— Positive Tests at
100 ng/ml or greater

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – OYSTER CREEK GENERATING STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	1	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	5 0	2	1	0	0	0	0
TOTAL	5 0	2	1	0	0	1	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold




Positive Tests at
100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES –PEACH BOTTOM ATOMIC
POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	1	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0	0	0	0	0	0	0
TOTAL	0	1	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold ———




—————Positive Tests at
100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – QUAD CITIES NUCLEAR
POWER STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1 0	1	0	0	0	0	0
TOTAL	2 0	1	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold ———




———— Positive Tests at
100 ng/ml or greater

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES – THREE MILE ISLAND NUCLEAR
GENERATING STATION**

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0	1	0	0	0	0	0
TOTAL	0	1	0	0	0	0	0

Exelon implements a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for the more stringent level of 50 ng/ml, the data is reported above as follows:

All Positive Tests at or above
Exelon's Threshold ———



—————Positive Tests at
100 ng/ml or greater

KENNETT SQUARE AND WARRENVILLE OFFICES

Management Actions and Sanctions

There were zero (0) positive tests during this reporting period.

Events Reported

There were no 24-hour reportable events during this reporting period.

Additional Information

During the current reporting period, i.e., January-June, 2003, twenty-two (22) specimens from all locations were reported as presumptive positive for cocaine as a result of on-site screening. All twenty-two (22) of the specimens were confirmed as positive by the laboratories and were verified as positive by the Medical Review Officers for a confirmation rate of 100%.

During the current reporting period, i.e., January-June, 2003, thirty-six (36) specimens from all locations were reported as presumptive positive for marijuana as a result of on-site screening. Thirty-two (32) of the thirty-six (36) specimens were confirmed as positive by the laboratories and were verified as positive by the Medical Review Officers for a confirmation rate of 88.9%.

BRAIDWOOD STATION

Management Actions and Sanctions

Eighteen (18) positive tests resulted in the denial or revocation of unescorted access. One (1) short-term contractor was determined to have provided a substituted pre-access test specimen (temperature 107 degrees). The subsequent test for cause resulted in a positive test for marijuana and the individual was denied unescorted access. One (1) licensee employee was denied unescorted access after refusing to undergo a test for cause after the detection of the odor of alcohol. Two (2) short-term contractors were denied unescorted access after refusing to undergo tests for cause after their pre-access urine specimens were found to be outside of the acceptable temperature range.

Events Reported

There were no 24-hour reportable events during this reporting period.

BYRON STATION

Management Actions and Sanctions

Three (3) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

CLINTON POWER STATION

Management Actions and Sanctions

There were zero (0) positive tests during this reporting period.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.

DRESDEN NUCLEAR POWER STATION

Management Actions and Sanctions

Three (3) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

LASALLE COUNTY STATION

Management Actions and Sanctions

Seventeen (17) positive tests resulted in the denial or revocation of unescorted access. Two (2) short-term contractors were denied unescorted access after refusing to undergo tests for cause after their pre-access urine specimens were found to be outside of the acceptable temperature range. One (1) short-term contractor was denied unescorted access after refusing to undergo a random test.

Events Reported

There were no 24-hour reportable events during this reporting period.

LIMERICK GENERATING STATION

Management Actions and Sanctions

Seventeen (17) positive tests resulted in the denial or revocation of unescorted access. One (1) short-term contractor was denied unescorted access after refusing to undergo a pre-access test.

Events Reported

A follow-up test conducted on a licensee employee with a limited fuel-moving license resulted in a positive alcohol test on May 14, 2003. The individual's unescorted access was revoked and a work performance investigation was completed. A 24-hour reportable event notification was made to the NRC Operations Center in accordance with 10 CFR 26.73(a)(2).

OYSTER CREEK GENERATING STATION

Management Actions and Sanctions

Eight (8) positive tests resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.

PEACH BOTTOM ATOMIC POWER STATION

Management Actions and Sanctions

One (1) positive test resulted in the denial or revocation of unescorted access.

Events Reported

A follow-up test conducted at Limerick Generating Station on May 14, 2003, resulted in a positive alcohol test on a licensee employee with a limited fuel-moving license at Peach Bottom Atomic Power Station. The individual's unescorted access was revoked and a work performance investigation was completed. A 24-hour reportable event notification was made to the NRC Operations Center in accordance with 10 CFR 26.73(a)(2).

QUAD CITIES NUCLEAR POWER STATION

Management Actions and Sanctions

Three (3) positive tests resulted in the denial or revocation of unescorted access.

Events Reported

There were no 24-hour reportable events during this reporting period.

THREE MILE ISLAND NUCLEAR GENERATING STATION

Management Actions and Sanctions

One (1) positive test resulted in the denial or revocation of unescorted access.

Note on Cutoff Levels

The initial cutoff level for marijuana is 50 ng/ml for all individuals except for licensee bargaining unit personnel whose initial cutoff level for marijuana is 100 ng/ml.

Events Reported

There were no 24-hour reportable events during this reporting period.