



Entergy Operations, Inc.
1340 Echelon Parkway
Jackson, MS 39213-8298
Tel 601 368 5758

Michael A. Krupa
Director
Nuclear Safety & Licensing

CNRO-2003-00040

September 12, 2003

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, DC 20555

SUBJECT: Entergy Operations, Inc.,
Relaxation Request to NRC Order EA-03-009 for In-Core
Instrumentation Nozzles

Arkansas Nuclear One, Unit 2
Docket No. 50-368
License No. NPF-6

REFERENCE: Entergy Operations, Inc. letter CNRO-2003-00035 to the NRC,
"Response to Request for Additional Information Pertaining to
Relaxation Request to NRC Order EA-03-009 for In-Core
Instrumentation Nozzles," dated September 3, 2003

Dear Sir or Madam:

In the referenced letter, Entergy Operations, Inc. (Entergy) requested relaxation from Section IV.C(1)(b) of NRC Order EA-03-009 for Arkansas Nuclear One, Unit 2 (ANO-2) via Relaxation Request #3 pertaining to the In-Core Instrumentation (ICI) nozzles located in the reactor pressure vessel (RPV) head. The request proposed a three-step alternative based on ultrasonic testing, stress analysis, and augmented inspections utilizing a sampling plan.


In a telephone conference held on September 9, 2003, representatives of the NRC staff and Entergy discussed the use of a sampling plan to determine the number of nozzles to be inspected. As a result of that discussion and by this letter, Entergy amends Relaxation Request #3. Specifically, Entergy will not utilize a sampling plan and proposes to perform augmented inspections of the eight (8) ICI nozzles as described in the request.

This letter contains no new commitments.

A101

If you have any questions or require additional information, please contact Guy Davant at (601) 368-5756.

Sincerely,

A handwritten signature in black ink, appearing to read "M. A. K. K. K." with a stylized flourish at the end.

MAK/GHD/bal

cc: Mr. C. G. Anderson (ANO)
Mr. W. A. Eaton (ECH)
Mr. G. A. Williams (ECH)

Mr. T. W. Alexion, NRR Project Manager (ANO-2)
Mr. R. L. Bywater, NRC Senior Resident Inspector (ANO)
Mr. T. P. Gwynn, NRC Region IV Regional Administrator