

POTTSTOWN HEALTHCARE CORPORATION

Michael Lambo, MD

Nalini Mehta, MD

Suman Tiwari, MD

FAX TRANSMITTAL SUMMARY

1611 Medical Drive

Pottstown, PA 19464

610/327-7301

610/705-5648 fax

DATE: 9/25/03J-5
SUB-1572
04009040TO: Donna TandaReceiver's Phone # Mail contrl # 133380Receiver's Fax # 610-337-5269FROM: Shih-min Lo, Ph.D.Sender's Phone # 610-327-7301Sender's Fax # 610/705-5648Number of Pages (Including this form): 2

Comments: Dear Donna, attached is the most recent wipe test result of the depleted Uranium collimator from the Varian 6100 linear accelerator (the circled in) of Schuylkill Cancer Treatment Center, (in Pottsville, PA) and is now in the possession of Simon Kramer Institute in New Philadelphia, Pa. Please let me know if you have any further questions. Thanks, S.M. Lo

PLEASE NOTE: If you do not receive all of the pages indicated above, call as soon as possible to inform sender.

CONFIDENTIAL

INFORMATION CONTAINED IN THIS MESSAGE IS UNCLASSIFIED AND NOT FOR OFFICIAL USE ONLY. IT IS THE PROPERTY OF THE U.S. GOVERNMENT AND IS LOANED TO YOUR AGENCY. IT IS TO BE HANDLED AND STORED IN ACCORDANCE WITH THE REQUIREMENTS OF THE NATIONAL ARCHIVES AND RECORDS ADMINISTRATION. IT IS TO BE DESTROYED WHEN NO LONGER REQUIRED FOR OFFICIAL USE. IT IS TO BE HANDLED AND STORED IN ACCORDANCE WITH THE REQUIREMENTS OF THE NATIONAL ARCHIVES AND RECORDS ADMINISTRATION. IT IS TO BE DESTROYED WHEN NO LONGER REQUIRED FOR OFFICIAL USE.

In addition to the authorized receiver, please copy this statement of receipt and return to sender via the above fax number.

_____, verified recipient of this message, including this summary.

(Sender facility name)

133380

NMSS/RGNI MATERIALS-002

LEAK TEST CERTIFICATE*Issued To:*

Simon Kramer Institute
Shin-min Lo, PH.D
15 Alliance Street
New Philadelphia, PA 17959

Purchase Order:

Tests for leakage of radioactive material were performed by Ecology Services Inc. on the following sealed sources/devices with the results as indicated.


Instrument Make	Instrument Model	Serial Number	Isotope	Activity (mCi)	Test Results (μ Ci)
Varian	Clinac #4	20149	dU	N/A	<0.1
Varian	Clinac #6/100	20144	dU	N/A	<0.1
Varian	Clinac #6/100	20178	dU	N/A	<0.1

Old unit from Schuylkill Cancer Treatment Center.

Radiation Remarks/Levels: N/A

Date of Test: 8/26/2003

Date of Next Scheduled Test: 2/22/2004


Steven Andrae Kelley
Health Physicist

(Maryland License: MD-27-061-01)

Rev 3.0, 25 June, 2000

Leak Test Certificate.xlt

TOTAL P.02