

NRC FORM 241 (7-1999)		U.S. NUCLEAR REGULATORY COMMISSION		APPROVED BY OMB: HQ 3150-0013 Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities to ensure that they are conducted in accordance with requirements for protection of the public health and safety. Send comments regarding burden estimate to the Records Management Branch (T-6 E6), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by Internet e-mail to b61@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0013), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.		EXPIRES: 07/31/2002	
<b>REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS</b> <i>(Please read the instructions before completing this form)</i>							
1. NAME OF LICENSEE (Person or firm proposing to conduct the activities described below) <b>Applied Technical Services, Inc.</b>				2. TYPE OF REPORT <input type="checkbox"/> INITIAL <input checked="" type="checkbox"/> REVISION <input type="checkbox"/> CLARIFICATION			
3. ADDRESS OF LICENSEE (Mailing address or other location where licensee may be located) <b>1190 Atlanta Industrial Drive Marietta, GA 30066</b>				4. LICENSEE CONTACT AND TITLE <b>Gene Mock - RSO</b>			
				5. TELEPHONE NUMBER (Include Area Code) <b>770-423-1400</b>		6. FACSIMILE NUMBER (Include Area Code) <b>770-514-3299</b>	
7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20 <input type="checkbox"/> WELL LOGGING <input type="checkbox"/> LEAK TESTING AND/OR CALIBRATIONS <input type="checkbox"/> TELETHERAPY/RADIATOR SERVICE <input type="checkbox"/> PORTABLE GAUGES <input type="checkbox"/> OTHER (Specify) <input checked="" type="checkbox"/> RADIOGRAPHY <input checked="" type="checkbox"/> REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS)							
8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE <b>Varney, Inc. 1701 Shenandoah Avenue NW Roanoke, VA 24017</b>				9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION (Street and Number or other location. Give as complete an address or directions as possible.) <b>Robins AFB 235 Byron Street Robins AFB, GA 31098</b>			
				10. CLIENT TELEPHONE NUMBER (Include Area Code) <b>540-343-0155</b>		11. WORK LOCATION TELEPHONE NUMBER (Include Area Code) <b>478-975-0303</b>	
12. DATES SCHEDULED		13. NUMBER OF WORK DAYS		14. ADD		15. DELETE	
FROM <b>10/7/03</b>		TO <b>10/9/03</b>		<b>2</b>			
						16. LOCATION REFERENCE NUMBER <b>000316</b>	
LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.							
17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED (Include description of type and quantity of radioactive material, sealed sources, or devices to be used.) <b>Iridium 192 - See attached sheet</b>							
18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9. ABOVE. (Licenseses of the general license must accompany the Initial NRC Form 241.)				LICENSE NUMBER <b>GA896-1</b>		STATE <b>GA</b>	
				EXPIRATION DATE <b>10/31/03</b>			
19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)							
I, THE UNDERSIGNED, HEREBY CERTIFY THAT: a. All information in this report is true and complete. b. I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission. c. I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year. d. I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters. e. I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.							
CERTIFYING OFFICER - RSO or Management Representative (Name and Title) <b>Ron Johnston - NDT-1A Manager</b>				SIGNATURE <i>Ron Johnston</i>		DATE <b>10-3-03</b>	
WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.							
FOR NRC USE ONLY		REVIEWING OFFICIAL (Typed/Printed Name and Title) <b>John McMath</b>		SIGNATURE <i>John McMath</i>		DATE <b>10/6/03</b>	
						TOTAL USAGE - DAYS TO DATE <b>9</b>	



B2994

AEA Technology  
 QSA Inc.

40 North Avenue

Burlington, MA 01803

Telephone (781) 272-2000

Telephone (800) 815-1393

Facsimile (781) 273-2216

# Source Certificate

Radionuclide: **I-192**  
 ISO/ANSI Classification: **C63535**  
 IAEA Special Form Reference Number: **USA/0333/S**  
 Measured Equivalent Activity on **May-07-2003**  
**108.9 Ci 4.0 TBq**

Holder/Capsule #: **09979B**  
 Source Model: **4249**  
 Product Code: **ICUCF100**  
 Sales Order: **131048 APPLIED TECHNICAL SERVICE**

Source Physical Size:	Actual	Nominal
	(mm) (in)	(mm) (in)
Diameter	3.000 0.118	0.000 0.000
Length	2.625 0.103	0.000 0.000
Diagonal	3.986 0.157	0.000 0.000

Quality Control Tests **May-07-2003**  
 Wipe Test A: **<0.00045 uCi**  
 Vacuum Bubble Test: **Passed**  
 Tensile Test: **Passed**  
 Wipe Test B: **<0.00045 uCi**

## Decay Data:

Technician: *[Signature]*

Date	108.9	107.9	106.9	105.9	104.9	103.9	102.9
May-07-03	108.9	107.9	106.9	105.9	104.9	103.9	102.9
May-14-03	102.0	101.0	100.1	99.1	98.2	97.3	96.4
May-21-03	95.5	94.6	93.7	92.8	92.0	91.1	90.3
May-28-03	89.4	88.6	87.7	86.9	86.1	85.3	84.5
Jun-04-03	83.7	82.9	82.3	81.4	80.6	79.9	79.1
Jun-11-03	78.4	77.7	76.9	76.2	75.3	74.8	74.1
Jun-18-03	73.4	72.7	72.0	71.4	70.7	70.0	69.4
Jun-25-03	68.7	68.1	67.5	66.8	66.2	65.6	65.0
Jul-02-03	64.4	63.8	63.2	62.6	62.0	61.4	60.8
Jul-09-03	60.3	59.7	59.1	58.5	58.0	57.5	57.0
Jul-16-03	56.4	55.9	55.4	54.8	54.3	53.8	53.3
Jul-23-03	52.6	52.3	51.9	51.4	50.9	50.4	49.9
Jul-30-03	49.5	49.0	48.6	48.2	47.7	47.2	46.8
Aug-06-03	46.2	45.8	45.5	45.0	44.6	44.2	43.8
Aug-13-03	43.4	43.0	42.6	42.2	41.8	41.4	41.0
Aug-20-03	40.6	40.2	39.9	39.5	39.1	38.8	38.4
Aug-27-03	38.0	37.7	37.3	37.0	36.6	36.3	36.0
Sep-03-03	35.5	35.3	35.0	34.6	34.3	34.0	33.7
Sep-10-03	33.3	33.0	32.7	32.4	32.1	31.8	31.5
Sep-17-03	31.2	30.9	30.6	30.4	30.1	29.8	29.5
Sep-24-03	29.2	29.0	28.7	28.4	28.2	27.9	27.6
Oct-01-03	27.4	27.1	26.9	26.6	26.4	26.1	25.9
Oct-08-03	25.6	25.4	25.2	24.9	24.7	24.5	24.2
Oct-15-03	24.0	23.8	23.6	23.3	23.1	22.9	22.7
Oct-22-03	22.8	22.5	22.3	22.1	21.9	21.6	21.4
Oct-29-03	21.0	20.8	20.7	20.5	20.3	20.1	19.9
Nov-05-03	19.7	19.5	19.3	19.2	19.0	18.8	18.6
Nov-12-03	18.3	18.1	17.9	17.8	17.6	17.4	17.2
Nov-19-03	17.3	17.1	17.0	16.8	16.6	16.5	16.3
Nov-26-03	16.2	16.0	15.9	15.7	15.6	15.4	15.3
Dec-03-03	15.2	15.0	14.9	14.7	14.6	14.5	14.3
Dec-10-03	14.2	14.1	13.9	13.8	13.7	13.5	13.4
Dec-17-03	13.3	13.2	13.0	12.9	12.8	12.7	12.6
Dec-24-03	12.4	12.3	12.2	12.1	12.0	11.9	11.8
Dec-31-03	11.6	11.5	11.4	11.3	11.2	11.1	11.0
Jan-07-04	10.9	10.8	10.7	10.6	10.5	10.4	10.3
Jan-14-04	10.2	10.1	10.0	9.9	9.8	9.7	9.7
Jan-21-04	9.6	9.5	9.4	9.3	9.2	9.1	9.0
Jan-28-04	9.0	8.9	8.8	8.7	8.6	8.5	8.5
Feb-04-04	8.4	8.3	8.2	8.2	8.1	8.0	7.9
Feb-11-04	7.8	7.7	7.6	7.6	7.5	7.4	7.4
Feb-18-04	7.4	7.3	7.2	7.1	7.1	7.0	6.9
Feb-25-04	6.9	6.8	6.7	6.7	6.6	6.5	6.5
Mar-03-04	6.4	6.4	6.3	6.3	6.2	6.1	6.1
Mar-10-04	6.0	6.0	5.9	5.9	5.8	5.8	5.7
Mar-17-04	5.7	5.6	5.5	5.5	5.4	5.4	5.3
Mar-24-04	5.3	5.2	5.2	5.1	5.1	5.0	5.0
Mar-31-04	5.0	4.9	4.9	4.8	4.8	4.7	4.7
Apr-07-04	4.6	4.6	4.5	4.5	4.4	4.4	4.4
Apr-14-04	4.3	4.3	4.3	4.2	4.2	4.1	4.1
Apr-21-04	4.1	4.0	4.0	4.0	3.9	3.9	3.8
Apr-28-04	3.8	3.8	3.7	3.7	3.7	3.6	3.6

Date	4.02	3.99	3.95	3.91	3.88	3.84	3.80
May-07-03	4.02	3.99	3.95	3.91	3.88	3.84	3.80
May-14-03	3.77	3.73	3.70	3.66	3.63	3.60	3.56
May-21-03	3.53	3.50	3.46	3.43	3.40	3.37	3.34
May-28-03	3.20	3.27	3.24	3.21	3.18	3.15	3.12
Jun-04-03	3.09	3.06	3.04	3.01	2.98	2.95	2.92
Jun-11-03	2.92	2.87	2.84	2.81	2.79	2.76	2.74
Jun-18-03	2.71	2.68	2.66	2.64	2.61	2.59	2.56
Jun-25-03	2.54	2.51	2.49	2.47	2.44	2.42	2.40
Jul-02-03	2.38	2.36	2.33	2.31	2.29	2.27	2.24
Jul-09-03	2.23	2.20	2.18	2.16	2.14	2.12	2.10
Jul-16-03	2.08	2.06	2.04	2.03	2.00	1.99	1.97
Jul-23-03	1.95	1.93	1.92	1.90	1.88	1.86	1.84
Jul-30-03	1.83	1.81	1.79	1.77	1.76	1.74	1.73
Aug-06-03	1.71	1.69	1.68	1.66	1.65	1.63	1.62
Aug-13-03	1.60	1.58	1.57	1.55	1.54	1.53	1.51
Aug-20-03	1.50	1.48	1.47	1.45	1.44	1.43	1.42
Aug-27-03	1.40	1.39	1.38	1.36	1.35	1.34	1.33
Sep-03-03	1.31	1.30	1.29	1.28	1.26	1.25	1.24
Sep-10-03	1.23	1.22	1.20	1.19	1.18	1.17	1.16
Sep-17-03	1.15	1.14	1.13	1.12	1.11	1.10	1.09
Sep-24-03	1.06	1.07	1.06	1.05	1.04	1.03	1.02
Oct-01-03	1.01	1.00	0.99	0.98	0.97	0.96	0.95
Oct-08-03	0.94	0.93	0.93	0.92	0.91	0.90	0.89
Oct-15-03	0.86	0.86	0.87	0.86	0.85	0.84	0.83
Oct-22-03	0.83	0.82	0.81	0.81	0.79	0.79	0.78
Oct-29-03	0.77	0.77	0.76	0.75	0.75	0.74	0.73
Nov-05-03	0.73	0.72	0.71	0.71	0.70	0.69	0.68
Nov-12-03	0.68	0.67	0.66	0.66	0.65	0.65	0.64
Nov-19-03	0.64	0.63	0.62	0.62	0.61	0.61	0.60
Nov-26-03	0.59	0.59	0.58	0.58	0.57	0.56	0.56
Dec-03-03	0.56	0.55	0.55	0.54	0.54	0.53	0.52
Dec-10-03	0.52	0.52	0.51	0.51	0.50	0.49	0.49
Dec-17-03	0.49	0.48	0.48	0.47	0.47	0.46	0.45
Dec-24-03	0.45	0.45	0.45	0.44	0.44	0.44	0.43
Dec-31-03	0.42	0.42	0.42	0.41	0.41	0.41	0.40
Jan-07-04	0.40	0.39	0.39	0.39	0.38	0.38	0.38
Jan-14-04	0.37	0.37	0.37	0.36	0.36	0.35	0.35
Jan-21-04	0.35	0.35	0.34	0.34	0.34	0.33	0.33
Jan-28-04	0.33	0.32	0.32	0.32	0.31	0.31	0.31
Feb-04-04	0.31	0.30	0.30	0.30	0.29	0.29	0.29
Feb-11-04	0.29	0.28	0.28	0.28	0.28	0.27	0.27
Feb-18-04	0.27	0.27	0.26	0.26	0.26	0.25	0.25
Feb-25-04	0.25	0.25	0.25	0.24	0.24	0.24	0.24
Mar-03-04	0.23	0.23	0.23	0.23	0.22	0.22	0.22
Mar-10-04	0.22	0.22	0.22	0.21	0.21	0.21	0.21
Mar-17-04	0.21	0.20	0.20	0.20	0.19	0.19	0.19
Mar-24-04	0.19	0.19	0.19	0.18	0.18	0.18	0.18
Mar-31-04	0.18	0.18	0.18	0.17	0.17	0.17	0.17
Apr-07-04	0.17	0.17	0.17	0.16	0.16	0.16	0.16
Apr-14-04	0.15	0.15	0.15	0.15	0.15	0.15	0.15
Apr-21-04	0.15	0.14	0.14	0.14	0.14	0.14	0.14
Apr-28-04	0.14	0.14	0.13	0.13	0.13	0.13	0.13