

January 5, 2004

Mr. Lew W. Myers
Chief Operating Officer
FirstEnergy Nuclear Operating Company
Davis-Besse Nuclear Power Station
5501 North State Route 2
Oak Harbor, OH 43449-9760

SUBJECT: DAVIS-BESSE UNIT 1 - WITHDRAWAL OF AN AMENDMENT REQUEST
(TAC NO. MB3746)

Dear Mr. Myers:

By letter dated December 17, 2001, as supplemented by letter dated June 4, 2002, you applied for an amendment to the Davis-Besse Nuclear Power Station, Facility Operating License No. NPF-3. The proposed change would have modified the facility technical specifications (TS) pertaining to TS 3/4.3.1, "Reactor Protection System (RPS) Instrumentation," to delete an Action involving either reducing core thermal power and the high neutron flux reactor trip setpoint, or monitoring quadrant power tilt when an RPS channel is inoperable. Additionally, changes were proposed to the content and format of TS Tables 3.3-1 and 4.3-1 to enhance TS clarity. Subsequently, by letter dated November 26, 2003, you withdrew the amendment request.

The Commission has filed the enclosed Notice of Withdrawal of Application for Amendment to Facility Operating License with the Office of the *Federal Register* for publication.

Sincerely,

/RA/

Stephen P. Sands, Project Manager
Project Directorate III
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-346

Enclosure: Notice of Withdrawal

cc w/encl: See next page

January 5, 2004

Mr. Lew W. Myers
Chief Operating Officer
FirstEnergy Nuclear Operating Company
Davis-Besse Nuclear Power Station
5501 North State Route 2
Oak Harbor, OH 43449-9760

SUBJECT: DAVIS-BESSE UNIT 1 - WITHDRAWAL OF AN AMENDMENT REQUEST
(TAC NO. MB3746)

Dear Mr. Myers:

By letter dated December 17, 2001, as supplemented by letter dated June 4, 2002, you applied for an amendment to the Davis-Besse Nuclear Power Station, Facility Operating License No. NPF-3. The proposed change would have modified the facility technical specifications (TS) pertaining to TS 3/4.3.1, "Reactor Protection System (RPS) Instrumentation," to delete an Action involving either reducing core thermal power and the high neutron flux reactor trip setpoint, or monitoring quadrant power tilt when an RPS channel is inoperable. Additionally, changes were proposed to the content and format of TS Tables 3.3-1 and 4.3-1 to enhance TS clarity. Subsequently, by letter dated November 26, 2003, you withdrew the amendment request.

The Commission has filed the enclosed Notice of Withdrawal of Application for Amendment to Facility Operating License with the Office of the *Federal Register* for publication.

Sincerely,

/RA/

Stephen P. Sands, Project Manager
Project Directorate III
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-346

Enclosure: Notice of Withdrawal

cc w/encl: See next page

DISTRIBUTION:

PUBLIC	
PD 3-2 r/f	SSands
WRuland	OGC
AMendiola	ACRS
THarris	MRing, RIII

ADAMS ACCESSION NUMBER: ML033420008

OFFICE	PM:LPD3-2	LA:LPD3-2	SC:LPD3-2
NAME	SSands	THarris	DPickett for AMendiola
DATE	12/18/03	12/18/03	01/05/04

OFFICIAL RECORD COPY

Davis-Besse Nuclear Power Station, Unit 1

cc:

Mary E. O'Reilly
FirstEnergy Corporation
76 South Main St.
Akron, OH 44308

Manager - Regulatory Affairs
FirstEnergy Nuclear Operating Company
Davis-Besse Nuclear Power Station
5501 North State - Route 2
Oak Harbor, OH 43449-9760

Director, Ohio Department of Commerce
Division of Industrial Compliance
Bureau of Operations & Maintenance
6606 Tussing Road
P.O. Box 4009
Reynoldsburg, OH 43068-9009

Regional Administrator
U.S. Nuclear Regulatory Commission
801 Warrenville Road
Lisle, IL 60523-4351

Michael A. Schoppman
Framatome ANP
1911 N. Ft. Myer Drive
Rosslyn, VA 22209

Resident Inspector
U.S. Nuclear Regulatory Commission
5503 North State Route 2
Oak Harbor, OH 43449-9760

Randel J. Fast, Plant Manager
FirstEnergy Nuclear Operating Company
Davis-Besse Nuclear Power Station
5501 North State - Route 2
Oak Harbor, OH 43449-9760

Dennis Clum
Radiological Assistance Section Supervisor
Bureau of Radiation Protection
Ohio Department of Health
P.O. Box 118
Columbus, OH 43266-0118

Carol O'Claire, Chief, Radiological Branch
Ohio Emergency Management Agency
2855 West Dublin Granville Road
Columbus, OH 43235-2206

Zack A. Clayton
DERR
Ohio Environmental Protection Agency
P.O. Box 1049

Columbus, OH 43266-0149

State of Ohio
Public Utilities Commission
180 East Broad Street
Columbus, OH 43266-0573

Attorney General
Department of Attorney General
30 East Broad Street
Columbus, OH 43216

President, Board of County
Commissioners of Ottawa County
Port Clinton, OH 43252

President, Board of County
Commissioners of Lucas County
One Government Center, Suite 800
Toledo, OH 43604-6506

David Lochbaum, Nuclear Safety Engineer
Union of Concerned Scientists
1707 H Street NW, Suite 600
Washington, D.C. 20006

The Honorable Dennis J. Kucinich
United States House of Representatives
Washington, D.C. 20515

The Honorable Dennis J. Kucinich, Member
United States House of Representatives
14400 Detroit Avenue
Lakewood, OH 44107

Mr. James P. Riccio
Nuclear Policy Analyst
Greenpeace
702 H. Street, NW, Suite 300
Washington, DC 20001

Paul Gunter
Director Nuclear Watchdog Project
Nuclear Information & Resource Service
1424 16th Street NW Suite 401
Washington, DC 20009

UNITED STATES NUCLEAR REGULATORY COMMISSIONDAVIS-BESSE NUCLEAR POWER STATIONDOCKET NO. 50-346NOTICE OF WITHDRAWAL OF APPLICATION FORAMENDMENT TO FACILITY OPERATING LICENSE

The U.S. Nuclear Regulatory Commission (the Commission) has granted the request of FirstEnergy Nuclear Operating Company (the licensee) to withdraw its December 17, 2001, as supplemented by letter dated June 4, 2002, application for proposed amendment to Facility Operating License No. NPF-3 for the Davis-Besse Nuclear Power Station, Unit No. 1, located in Ottawa County, Ohio.

The proposed amendment would have modified the facility technical specifications (TS) pertaining to TS 3/4.3.1, "Reactor Protection System (RPS) Instrumentation," to delete an Action involving either reducing core thermal power and the high neutron flux reactor trip setpoint, or monitoring quadrant power tilt when an RPS channel is inoperable. Additionally, changes were proposed to the content and format of TS Tables 3.3-1 and 4.3-1 to enhance TS clarity.

The Commission had previously issued a Notice of Consideration of Issuance of Amendment published in the FEDERAL REGISTER on November 25, 2003 (68 FR 66136). However, by letter dated November 26, 2003, the licensee withdrew the amendment request.

For further details with respect to this action, see the application for amendment dated December 17, 2001, as supplemented by letter dated June 4, 2002, and the licensee's letter dated November 26, 2003, which withdrew the application for license amendment. Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room (PDR), located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville,

Documents Access and Management Systems (ADAMS) Public Electronic Reading Room on the internet at the NRC Web site, <http://www.nrc.gov/reading-rm/adams/html>. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS, should contact the NRC PDR Reference staff by telephone at 1-800-397-4209, or 301-415-4737 or by email to pdr@nrc.gov.

Dated at Rockville, Maryland, this 5th day of January, 2004.

FOR THE NUCLEAR REGULATORY COMMISSION

/RA/

Stephen P. Sands, Project Manager, Section 2
Project Directorate III
Division of Licensing Project Management
Office of Nuclear Reactor Regulation