

DEC 15 2003

LR-N03-0517



U. S. Nuclear Regulatory Commission  
Document Control Desk  
Washington, DC 20555

Gentlemen:

**MONTHLY OPERATING REPORT  
HOPE CREEK GENERATING STATION  
DOCKET NO. 50-354**

In compliance with Section 6.9, Reporting Requirements for the Hope Creek Technical Specifications, the operating statistics for **November 2003** are being forwarded.

Sincerely,

A handwritten signature in black ink, appearing to read "J. Hutton", with a long horizontal stroke extending to the right.

James A. Hutton  
Hope Creek Plant Manager

Attachments

C Distribution

IE24

DOCKET NO.: 50-354  
 UNIT: Hope Creek  
 DATE: 12/11/03  
 COMPLETED BY: F. Todd  
 TELEPHONE: (856) 339-1316

Reporting Period November 2003

### OPERATING DATA REPORT

Design Electrical Rating (MWe-Net)  
 Maximum Dependable Capacity (MWe-Net)

No. of hours reactor was critical  
 No. of hours generator was on line (service hours)

Unit reserve shutdown hours

Net Electrical Energy (MWH)

1083		
1049		
Month	Year-to-date	Cumulative
720	6907	128022
720	6711	125530
0	0	0
761682	6856217	127334908

### UNIT SHUTDOWNS

NO.	DATE	TYPE F=FORCED S=SCHEDULED	DURATION (HOURS)	REASON (1)	METHOD OF SHUTTING DOWN THE REACTOR (2)	CORRECTIVE ACTION/ COMMENT

(1) Reason

- A - Equipment Failure (Explain)
- B - Maintenance or Test
- C - Refueling
- D - Regulatory Restriction
- E - Operator Training/License Examination
- F - Administrative
- G - Operational Error (Explain)
- H - Other

(2) Method

- 1 - Manual
- 2 - Manual Trip/Scram
- 3 - Automatic Trip/Scram
- 4 - Continuation
- 5 - Other (Explain)

DOCKET NO.: 50-354  
UNIT: Hope Creek  
DATE: 12/11/03  
COMPLETED BY: R. Ritzman  
TELEPHONE: (856) 339-1445

### Summary Of Monthly Operating Experience

- The unit entered the month at a reduced power level, reaching 100% on November 1.
- On November 15, there was a planned power reduction to approximately 69% to repair a moisture separator drain valve. Power was restored to 100% on November 17.
- At the end of the month, Hope Creek completed 54 days of continuous on-line operation.