



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

January 13, 2005

Docket No. 03035941
Control No. 136152

License No. 45-25582-01

Terry W. Coffey
Administrator
Virginia Urology Center
9105 Stony Point Drive
Richmond, VA 23235

SUBJECT: VIRGINIA UROLOGY CENTER, ISSUANCE OF LICENSE AMENDMENT,
CONTROL NO. 136152

Dear Mr. Coffey:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Please note that on October 25, 2004, the NRC suspended public access to ADAMS, and initiated an additional security review of publicly available documents to ensure that potentially sensitive information is removed from the ADAMS database accessible through the NRC's web site. Interested members of the public may obtain copies of the referenced documents for review and/or copying by contacting the NRC Public Document Room pending resumption of public access to ADAMS. The NRC Public Document Room is located at NRC Headquarters in Rockville, MD, and can be contacted at 800-397-4209 or 301-415-4737 or pdr@nrc.gov.

Thank you for your cooperation.

Sincerely,

Original signed by Tara L. Weidner

Tara L. Weidner
Health Physicist
Medical Branch
Division of Nuclear Materials Safety

T. Coffey
Virginia Urology Center

2

Enclosure:
Amendment No. 7

cc:
Bernard Tisdale, M.D., Radiation Safety Officer

T. Coffey
Virginia Urology Center

3

DOCUMENT NAME: E:\Filenet\ML050210237.wpd

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	TWeidner/TLW							
DATE	1/13/05							

OFFICIAL RECORD COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Virginia Urology Center</p> <p>2. 9105 Stony Point Drive Richmond, Virginia 23235</p>	<p>In accordance with the letter dated December 6, 2004,</p> <p>3. License number 45-25582-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date April 30, 2012</p> <hr/> <p>5. Docket No. 030-35941 Reference No.</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.400</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed Source (Source Tech Medical LLC Model STM 1251)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 1000 millicuries</p>
<p>9. Authorized use:</p> <p>A. Any manual brachytherapy procedure permitted by 10 CFR 35.400, for which the patient can be released under the provisions of 10 CFR 35.75.</p>		

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 8228 Meadowbridge Road, Mechanicsville, Virginia and 9105 Stony Point Parkway, Richmond, Virginia.
11. The Radiation Safety Officer for this license is Bernard Tisdale, M.D.
12. Licensed material is only authorized for use by, or under the supervision of:
- A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
45-25582-01Docket or Reference Number
030-35941

Amendment No. 7

B. The following individuals are authorized users for medical use as indicated:

<u>Authorized Users</u>	<u>Material and Use</u>
Bernard Tisdale, M.D.	35.400
Lori King Gillespie, M.D.	35.400
Thomas J. Eichler, M.D.	35.400
Taryn G. Torre, M.D.	35.400
David M. Randolph, M.D.	35.400


13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
45-25582-01Docket or Reference Number
030-35941

Amendment No. 7

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated February 18, 2002 (ML020500261)
- B. Letter dated April 9, 2002 (ML021050543)
- C. Letter dated April 18, 2002 (ML021120678)
- D. Letter dated February 24, 2003 (ML030570374)
- E. Letter received April 25, 2003



For the U.S. Nuclear Regulatory Commission

Date January 13, 2005

By

Original signed by Tara L. WeidnerTara L. Weidner
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406