



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

February 16, 2005

Docket No. 03036530  
Control No. 136380

License No. 29-30895-01

Ralph Dauito, M.D.  
President/CEO  
Eastlantic Diagnostic Institute  
Twin Plaza Building 2  
1470 South Main Road  
Vineland, NJ 08360

SUBJECT: EASTLANTIC DIAGNOSTIC INSTITUTE, ISSUANCE OF LICENSE  
AMENDMENT, CONTROL NO. 136380

Dear Dr. Dauito:

This refers to your license amendment request. Enclosed with this letter is the amended license. Please note that your license was written in a format compatible with the revised 10 CFR Part 35, dated April 24, 2002 (enclosed).

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. Please note the last condition on your license indicates that, "This license condition applies only to those procedures that are required to be submitted in accordance with the regulations." Therefore, any procedures submitted that were not required by regulation to be submitted, e.g., calibration of dose calibrators, will not be considered a part of your license and were not reviewed during the licensing process. These procedures will be reviewed during inspections, as necessary. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

*An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).*

Please note that on October 25, 2004, the NRC suspended public access to ADAMS, and initiated an additional security review of publicly available documents to ensure that potentially sensitive information is removed from the ADAMS database accessible through the NRC's web site. Interested members of the public may obtain copies of the referenced documents for review and/or copying by contacting the NRC Public Document Room pending resumption of public access to ADAMS. The NRC Public Document Room is located at NRC Headquarters in Rockville, MD, and can be contacted at 800-397-4209 or 301-415-4737 or [pdr@nrc.gov](mailto:pdr@nrc.gov).

R. Dauito  
Eastlantic Diagnostic Institute

2

Thank you for your cooperation.

Sincerely,

***Original signed by Willie J. Lee***

Willie J. Lee  
Health Physicist  
Medical Branch  
Division of Nuclear Materials Safety

Enclosures:

1. Amendment No. 2
2. 10 CFR Part 35

DOCUMENT NAME: E:\Filenet\ML050490143.wpd

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	WLee/WJL1							
DATE	2/16/2005							

OFFICIAL RECORD COPY

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Eastlantic Diagnostic Institute</p> <p>2. Twin Plaza Building 2 1470 South Main Road Vineland, New Jersey 08360</p>	<p>In accordance with the letter dated January 25, 2005,</p> <p>3. License number 29-30895-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date March 31, 2014</p> <hr/> <p>5. Docket No. 03036530 Reference No.</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Iodine 131 permitted by 10 CFR 35.300</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 30 millicuries</p>
<p>9. Authorized use:</p> <p>A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.</p> <p>B. Any imaging and localization study permitted by 10 CFR 35.200.</p> <p>C. Any sodium iodide iodine-131 diagnostic study or therapy procedure permitted by 10 CFR 35.300, except thyroid carcinoma.</p>		

**CONDITIONS**

10. A. Licensed material may be used or stored only at the licensee's facilities located at Twin Plaza Building Number 2, 1470 South Main Road, Vineland, New Jersey.
- B. Licensed material in Item 6.B. may be possessed in sentinel node biopsy tissue only at Oak and Main Surgicenter, 907 N. Main Rd., Vineland, New Jersey.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
29-30895-01Docket or Reference Number  
03036530

Amendment No. 2

**11. Licensed material is only authorized for use by, or under the supervision of:**

**A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.**

**B. The following individuals are authorized users for medical use as indicated:**

**Ralph Dauito, M.D.**

**35.100; 35.200; oral administration of sodium iodide iodine-131 for treatment of hyperthyroidism and cardiac dysfunction**

**12. The Radiation Safety Officer for this license is Ralph Dauito, M.D.**

**13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.**

**14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."**

**15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.**

- A. Application dated March 17, 2004**
- B. Letters dated March 23, 2004**
- C. Letter dated January 25, 2005**

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
29-30895-01Docket or Reference Number  
03036530

Amendment No. 2



For the U.S. Nuclear Regulatory Commission

Date February 16, 2005

By

***Original signed by Willie J. Lee***Willie J. Lee  
Medical Branch  
Division of Nuclear Materials Safety  
Region I  
King of Prussia, Pennsylvania 19406