



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

March 10, 2005

Docket No. 03036503
Control No. 134471

License No. 19-30882-01

Claudia D. Newman
Secretary/Treasurer
Hardin-Kight Associates, Inc.
7525 WB & A Road, Suite 100
Glen Burnie, MD 21061

SUBJECT: HARDIN-KIGHT ASSOCIATES, INC., ISSUANCE OF CORRECTED COPY OF
LICENSE, CONTROL NO. 134471

Dear Ms. Newman:

During an administrative review, we identified errors on your NRC license which was issued on March 17, 2004. Enclosed is the Corrected Copy of License No. 19-30882-01. Item No. 1 has been changed to correct the spelling of your company name; Items 6, 7, 8, and 9 have been changed to authorize use of Troxler Electronic Laboratories, Inc. Model No. 3411B portable gauging devices; and Condition Nos. 11.A. and 20 have been changed to correct the date of your license application.

We apologize for any inconvenience these errors may have caused.

Sincerely,

Original signed by John D. Kinneman

John D. Kinneman, Chief
Security and Industrial Branch
Division of Nuclear Materials Safety

Enclosure:
Corrected Copy of License No. 19-30882-01

C. Newman
Hardin-Kight Associates, Inc.

2

NRC Web site addresses:

NRC regulations

<http://www.nrc.gov/reading-rm/doc-collections/cfr/>

Licensing guidance

<http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/>

General Policy and Procedure for NRC Enforcement Actions

<Http://www.nrc.gov/what-we-do/regulatory/enforcement/enforc-pol.pdf>

206 of the Energy Reorganization Act of 1974

<http://www.nrc.gov/who-we-are/governing-laws.html>

cc:

Glenn Clayville, Radiation Safety Officer

DOCUMENT NAME: E:\Filenet\ML050690472.wpd

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	N	DNMS/RI			
NAME	DJanda/DMJ		JKinneman/JDK					
DATE	3/10/2005		3/10/2005					

OFFICIAL RECORD COPY

CORRECTED COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee		
1. Hardin-Kight Associates, Inc.		3. License number 19-30882-01
2. 7524 WB & A Road, Suite 100 Glen Burnie, Maryland 21061		4. Expiration date March 31, 2014
		5. Docket No. 030-36503 Reference No.
6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Cesium 137	A. Sealed sources (Troxler Drawing No. A-102112)	A. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State
B. Americium 241	B. Sealed neutron sources (Troxler Drawing No. A-102451)	B. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State
C. Cesium 137	C. Sealed sources (AEA Technology/QSA, Inc. Model No. CDCW556; Isotope Products Laboratories, Inc. Model No. HEG-137)	C. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State
D. Americium 241	D. Sealed neutron sources (AEA Technology/QSA, Inc. Model No. AMNV.997; Isotope Products Laboratories, Inc. Model Nos. Am1.NO2, 3021 and 3027)	D. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
19-30882-01Docket or Reference Number
030-36503**CORRECTED COPY**

9. Authorized use:

- A. and B. In Troxler Electronic Laboratories, Inc. Model No. 3411B portable gauging devices for measuring physical properties of materials.
- C. and D. In Troxler Electronic Laboratories, Inc. Model No. 3400 Series portable gauging devices for measuring physical properties of materials.

CONDITIONS

10. Licensed material may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the Federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.

11. A. Licensed material shall be used by, or under the supervision and in the physical presence of, individuals who have received the training described in the application dated March 15, 2004.
- B. The Radiation Safety Officer for this license is Glenn Clayville.
12. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
19-30882-01Docket or Reference Number
030-36503**CORRECTED COPY**

- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is not authorized to perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
15. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
17. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
18. A. If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.
- B. If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the licensee shall notify the U.S. Nuclear Regulatory Commission and submit the report required by 10 CFR 30.50(b)(2) and (c). The licensee shall not abandon the sealed source or probe without obtaining the Commission's prior written consent.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
19-30882-01Docket or Reference Number
030-36503**CORRECTED COPY**

19. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated March 15, 2004 (ML040860672)



For the U.S. Nuclear Regulatory Commission

Date March 10, 2005

By

Original signed by Donna M. JandaDonna M. Janda
Security and Industrial Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406