

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

RECEIVED
REGION 1

'05 MAR 31 PM 5:12 PAGE 1

1. LICENSEE AND 2. ADDRESS

DAVES & KELLY INC
DBA A JACOBSON & ASSOCIATES
BOX 14748
LOUISVILLE, KY 40214

ATTENTION: MICHAEL S. KELLY, MS CHP
TELEPHONE: 502-485-0457

PURSUANT TO KRS 211.842 ET SEQ., THE KENTUCKY CABINET FOR HUMAN
RESOURCES REGULATIONS, 902 KAR 100, AND IN RELIANCE ON STATEMENTS
AND REPRESENTATIONS HERETOFORE MADE BY THE LICENSEE, A LICENSE IS
HEREBY ISSUED TO RECEIVE, ACQUIRE, OWN, POSSESS AND TRANSFER
RADIOACTIVE MATERIAL LISTED BELOW; AND TO USE SUCH RADIOACTIVE
MATERIAL FOR THE PURPOSE(S) AND AT THE PLACE(S) DESIGNATED BELOW.
THIS LICENSE IS SUBJECT TO ALL APPLICABLE RULES, REGULATIONS, AND
ORDERS OF THE CABINET FOR HEALTH SERVICES, NOW OR HEREINAFTER IN
EFFECT AND TO ANY CONDITIONS SPECIFIED BELOW.

3. LICENSE NUMBER: 201-175-55
AMENDMENT NO. 36
AMENDS IN ITS ENTIRETY
4. EXPIRATION DATE: MARCH 31, 2006
5. REVIEWER: 47

6. LICENSED MATERIAL	7. FORM	8. POSSESSION LIMIT
A. ANY RADIOACTIVE MATERIAL	A. ANY	A. 1 MILLICURIE
B. TECHNETIUM 99M	B. PERTECHNETATE	B. 150 MILLICURIES
C. CESIUM 137	C. SEALED SOURCE (TECH OPS MODEL 77302)	C. NO SINGLE SOURCE TO EXCEED 165 MILLICURIES

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

LICENSE NUMBER: 201-175-55

AMENDMENT 36

PAGE 2

D. COBALT 57	D. SEALED SOURCE	D. NO SINGLE SOURCE TO EXCEED 5 MILLICURIES
E. BARIUM 133 CESIUM 137 COBALT 60 TIN 113	E. SEALED SOURCE	E. NO SINGLE SOURCE TO EXCEED 3 MILLICURIES

9. AUTHORIZED USE

- A. THE LICENSEE IS AUTHORIZED TO PERFORM TESTS FOR LEAKAGE AND/OR CONTAMINATION UPON SEALED SOURCES CONTAINING RADIOACTIVE MATERIAL AND UPON DEVICES WHICH CONTAIN SUCH SEALED SOURCES.
- B. SHIELDING EVALUATION MEASUREMENTS IN RADIOLOGICAL EXAM ROOMS.
- C. FOR USE IN TECHNICAL OPERATIONS MODEL 773 CALIBRATION UNIT FOR CALIBRATION OF RADIATION MEASURING INSTRUMENTS.
- D. AND E. INSTRUMENT QUALITY ASSURANCE TESTING.

CONDITIONS:

- 10. THE LICENSEE SHALL COMPLY WITH THE PROVISIONS OF THE KENTUCKY CABINET FOR HEALTH SERVICES ADMINISTRATIVE RADIATION REGULATIONS, 902 KAR 100.
- 11. RADIOACTIVE MATERIAL SHALL BE USED AT HAYES TESTING LABORATORY, 2521 HOLLOWAY ROAD, HOLLOWAY INDUSTRIAL PARK, LOUISVILLE, KENTUCKY.
- 12. COPIES OF RECORDS REQUIRED PURSUANT TO 902 KAR 100 OR CONDITIONS OF THE LICENSE SHALL BE MAINTAINED FOR INSPECTION BY THE CABINET AT 2521 HOLLOWAY ROAD, HOLLOWAY INDUSTRIAL PARK, LOUISVILLE, KENTUCKY.
- 13. RADIOACTIVE MATERIAL MAY ALSO BE USED AT TEMPORARY JOB SITES, IN AREAS NOT UNDER EXCLUSIVE FEDERAL JURISDICTION, ANYWHERE IN THE COMMONWEALTH OF KENTUCKY WHERE THE CABINET MAINTAINS JURISDICTION FOR REGULATING THE USE OF RADIOACTIVE MATERIAL.

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

LICENSE NUMBER: 201-175-55

AMENDMENT 36

PAGE 3

14. RADIOACTIVE MATERIAL SHALL BE USED BY:

JODI L. DAVES
SARAH C. HUGHES

VICKI D. JEFFS
MICHAEL KELLY

15. THE RADIATION SAFETY OFFICER FOR THE ACTIVITIES AUTHORIZED BY THIS LICENSE IS MICHAEL S. KELLY .

16. TESTS FOR LEAKAGE AND/OR CONTAMINATION SHALL BE PERFORMED ONLY AT CUSTOMER'S FACILITIES BY THE LICENSEE FOR EVALUATION AT THE HAYES TESTING LABORATORY, 2521 HOLLOWAY ROAD, LOUISVILLE, KENTUCKY.

17. TESTS FOR LEAKAGE AND/OR CONTAMINATION SHALL BE CAPABLE OF DETECTING THE PRESENCE OF 0.005 MICROCURIES OF RADIOACTIVE MATERIAL ON THE TEST SAMPLE OR, IN THE CASE OF RADIUM, THE ESCAPE OF RADON AT A RATE OF 0.001 MICROCURIES PER TWENTY-FOUR HOURS.

18. THE LICENSEE SHALL PROVIDE THE CUSTOMER A WRITTEN REPORT OF LEAK TEST RESULTS IN TERMS OF MICROCURIES.

19. SEALED SOURCES CONTAINING RADIOACTIVE MATERIAL SHALL NOT BE OPENED OR REMOVED FROM THEIR RESPECTIVE SOURCE HOLDERS BY THE LICENSEE.

20. THE LICENSEE SHALL CONDUCT A PHYSICAL INVENTORY EVERY SIX (6) MONTHS TO ACCOUNT FOR ALL SEALED SOURCES RECEIVED AND POSSESSED UNDER THE LICENSE. THE RECORDS OF THE INVENTORIES SHALL BE MAINTAINED FOR FIVE (5) YEARS FROM THE DATE OF THE INVENTORY FOR INSPECTION BY THE CABINET, AND SHALL INCLUDE THE RADIONUCLIDES, QUANTITIES, MANUFACTURER'S NAME AND MODEL NUMBERS, LOCATION OF SEALED SOURCES, AND THE DATE OF THE INVENTORY.

21. INSTRUMENTS SHALL BE CONSIDERED CALIBRATED ONLY IF THE INSTRUMENTS READING ARE WITHIN PLUS OR MINUS TEN PERCENT OF THE CALCULATED VALUE.

22. THE LICENSEE MAY TRANSPORT RADIOACTIVE MATERIAL, OR DELIVER RADIOACTIVE MATERIAL TO A CARRIER FOR TRANSPORT, IN ACCORDANCE WITH THE PROVISIONS OF 902 KAR 100:070, AND OTHER DEPARTMENTS OF THE COMMONWEALTH OF KENTUCKY HAVING JURISDICTION.

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

LICENSE NUMBER: 201-175-55

AMENDMENT 36

PAGE 4

23. EXCEPT AS SPECIFICALLY PROVIDED OTHERWISE IN THIS LICENSE, THE LICENSEE SHALL CONDUCT ITS PROGRAM IN ACCORDANCE WITH THE STATEMENTS, REPRESENTATIONS, AND PROCEDURES CONTAINED IN THE DOCUMENTS, INCLUDING ANY ENCLOSURES, LISTED BELOW. THE CABINET FOR HEALTH SERVICES REGULATIONS, 902 KAR 100, SHALL GOVERN UNLESS STATEMENTS, REPRESENTATIONS, AND PROCEDURES IN THE LICENSEE'S APPLICATION AND CORRESPONDENCE ARE MORE RESTRICTIVE THAN THE REGULATION.

A. APPLICATION DATED MARCH 1, 2003, SIGNED BY MICHAEL S. KELLY, PRESIDENT.



MANAGER
RADIATION HEALTH & TOXIC
AGENTS BRANCH

JAMES W. HOLSINGER, JR., M.D.

SECRETARY
CABINET FOR HEALTH AND FAMILY
SERVICES

DATE ISSUED MARCH 10, 2005