



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

April 26, 2005

Docket No. 03032029  
Control No. 136654

License No. 52-25133-01

Jennifer O'Neill Almonte  
Radiation Safety Officer  
S & M Testing  
Carr H1, Km 30.2  
Caguas, PR 00726

SUBJECT: S & M TESTING, ISSUANCE OF LICENSE AMENDMENT, CONTROL NO.  
136654

Dear Ms. Almonte:

This refers to your license amendment request that was apparently sent to our Atlanta Office on November 28, 2003, via facsimile. However, this office does not have a record of having received the request. NRC inspector saw the request in your records during a recent inspection of your facilities. We regret any inconvenience this may have caused you. Your letter did not include the referenced facility diagram. Enclosed with this letter is the amended license.

**Your amended license includes revisions of a few conditions. Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license.** If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

*An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).*

Current NRC regulations and guidance are available at the NRC Web sites listed below or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

***Original signed by Sattar Lodhi, Ph.D.***

Sattar Lodhi, Ph.D.  
Senior Health Physicist  
Security and Industrial Branch  
Division of Nuclear Materials Safety

Enclosure:  
Amendment No. 06

NRC Web site addresses

NRC regulations

<http://www.nrc.gov/reading-rm/doc-collections/cfr/>

Licensing guidance

<http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/>

General Policy and Procedure for NRC Enforcement Actions

<Http://www.nrc.gov/what-we-do/regulatory/enforcement/enforc-pol.pdf>

206 of the Energy Reorganization Act of 1974

<http://www.nrc.gov/who-we-are/governing-laws.html>

J. Almonte  
S & M Testing

3

DOCUMENT NAME: G:\Docs\Mailed\Lic Cvr Letter\I52-25133-01.136654.04262005.wpd

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	SLodhi/ASL							
DATE	04/20/2005							

OFFICIAL RECORD COPY

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. S &amp; M Testing Laboratory</p> <p>2. Carr H1, Km 30.2 Caguas, Puerto Rico 00726</p>	<p>In accordance with the letter dated November 28, 2003,</p> <p>3. License number 52-25133-01 is amended in its entirety to read as follows:</p> <p>4. Expiration date September 30, 2011</p> <p>5. Docket No. 030-32029 Reference No.</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Cesium 137</p> <p>B. Americium 241</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed Sources (Campbell Pacific Nuclear Model CPN-131)</p> <p>B. Sealed Sources (Campbell Pacific Nuclear Model CPN-131)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p> <p>B. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p>
<p>9. Authorized use:</p> <p>A. and B. In Campbell Pacific Nuclear Models MC series portable gauging devices for measuring physical properties of materials.</p>		

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
52-25133-01Docket or Reference Number  
030-32029

Amendment No. 06

**CONDITIONS**

10. Licensed material may be used or stored at the licensee's facilities located at Carr H1, Km 30.2, Caguas, Puerto Rico, and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the Federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.

11. Licensed material shall be used by, or under the supervision and in the physical presence of, individuals who have received the training described in the application dated September 1, 2001.
12. The Radiation Safety Officer for this license is Jennifer O'Neill.
13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
15. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
52-25133-01Docket or Reference Number  
030-32029

Amendment No. 06

- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
16. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
17. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
18. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
19. A. If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.
- B. If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the licensee shall notify the U.S. Nuclear Regulatory Commission and submit the report required by 10 CFR 30.50(b)(2) and (c). The licensee shall not abandon the sealed source or probe without obtaining the Commission's prior written consent.
20. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
52-25133-01Docket or Reference Number  
030-32029

Amendment No. 06

21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated September 1, 2001 (ML012620154)
- B. Letter received in Atlanta Office via facsimile on January 12, 2002 (ML030080540)



For the U.S. Nuclear Regulatory Commission

Date April 26, 2005

By

***Original signed by Sattar Lodhi, Ph.D.***

Sattar Lodhi, Ph.D.  
Security and Industrial Branch  
Division of Nuclear Materials Safety  
Region I  
King of Prussia, Pennsylvania 19406