



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

April 29, 2005

Docket No. 03021092
Control No. 136518

License No. 45-23447-01

Robert E. Bryant
Administrator - Vice President
Riverside Walter Reed Hospital
P.O. Box 1130
Gloucester, VA 23061

SUBJECT: RIVERSIDE WALTER REED HOSPITAL, ISSUANCE OF LICENSE RENEWAL,
CONTROL NO. 136518

Dear Mr. Bryant:

This refers to your request for renewal of your NRC license. Enclosed with this letter is the renewed license. Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

The NRC expects licensees to conduct their programs with meticulous attention to detail and high standards of compliance. Because of the serious consequences to employees and the public that can result from failure to comply with NRC requirements, you must conduct your program according to NRC regulations, the conditions of your NRC license, and the representations made in your application. Please note that the last condition on your license indicates that "This license condition applies only to those procedures that are required to be submitted in accordance with the regulations." Therefore, any procedures submitted that were not required by regulation to be submitted, e.g., calibration of dose calibrators, will not be considered a part of your license and were not reviewed during the licensing process. These procedures will be reviewed during inspections, as necessary.

Please note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify the NRC in writing when:
 - a) an authorized user, or Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change;
 - b) the mailing address changes;
 - c) the name on the license changes; or

- d) permitting an individual to function as a temporary Radiation Safety Officer in accordance with 10 CFR 35.24(c).
3. In accordance with 10 CFR 30.36(d), notify the NRC, promptly, in writing, and request termination of the license
- a) when you decide to terminate all activities involving materials authorized under the license; or
 - b) if you decide not to acquire or possess and use authorized material.
4. Request and obtain a license Amendment before you:
- a) permanently change Radiation Safety Officers;
 - b) receive byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license; or
 - c) add or change the areas of use, except as allowed by 10 CFR 35.13(e) and with the appropriate notification described in 10 CFR 35.14(b)(4);
 - d) change the name or ownership of your organization;
 - e) change the address(es) of use identified on the license;
 - f) receive, prepare, or use byproduct material for a type of use that is not authorized on the license;
 - g) permit anyone to work as an authorized user, except as allowed by 10 CFR 35.13(b) and with the appropriate notification described in 10 CFR 35.14(a);
5. Submit a complete renewal application or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations.

In addition, please note that NRC Form 313 requires the applicant, by signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or a certifying official of the licensee rather than a consultant.

You will be periodically inspected by the NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in NUREG 1600, "General Policy and Procedure for NRC Enforcement Actions" (Enforcement Policy).

R. Bryant
Riverside Walter Reed Hospital

3

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are available at the NRC Web sites listed below or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

Original signed by Michelle Beardsley

Michelle Beardsley
Health Physicist
Medical Branch
Division of Nuclear Materials Safety

Enclosure:
Amendment No. 13

NRC Web site addresses

NRC regulations

<http://www.nrc.gov/reading-rm/doc-collections/cfr/>

Licensing guidance

<http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/>

General Policy and Procedure for NRC Enforcement Actions

<http://www.nrc.gov/what-we-do/regulatory/enforcement/enforc-pol.pdf>

206 of the Energy Reorganization Act of 1974

<http://www.nrc.gov/who-we-are/governing-laws.html>

cc:

Brad H. Berrier, Radiation Safety Officer

R. Bryant
Riverside Walter Reed Hospital

4

DOCUMENT NAME: G:\Docs\Mailed\Lic Cvr Letter\I45-23447-01.136518.04292005.wpd

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	N	DNMS/RI			
NAME	SXu/SSX		MBeardsley/MRB					
DATE	4/29/2005		4/29/2005					

OFFICIAL RECORD COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the application dated February 25, 2005
1. Riverside Walter Reed Hospital	3. License No. 45-23447-01
2. P.O. Box 1130 Gloucester, Virginia 23061	is amended in its entirety to read as follows:
	4. Expiration Date: April 30, 2015
	5. Docket No. 030-21092

- | | | |
|--|---|--|
| 6. Byproduct, source, and/or special nuclear material

A. Any byproduct material permitted by 10 CFR 35.100
B. Any byproduct material permitted by 10 CFR 35.200
C. Any byproduct material permitted by 10 CFR 35.300
D. Any byproduct material permitted by 10 CFR 31.11 | 7. Chemical and/or physical form

A. Any
B. Any
C. Any
D. Prepackaged kits | 8. Maximum amount that licensee may possess at any one time under this license

A. As needed
B. As needed
C. 600 millicuries
D. 200 millicuries |
|--|---|--|

9. Authorized use:

- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
- B. Any imaging and localization study permitted by 10 CFR 35.200.
- C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300.
- D. In vitro studies.

CONDITIONS

- 10. Licensed material may be used or stored only at the licensee's facilities located at 7591 Hospital Dr. Gloucester, Virginia.
- 11. The Radiation Safety Officer (RSO) for this license is Brad H. Berrier.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.

45-23447-01

Docket No.

030-21092

Amendment No. 13

12. Licensed material is only authorized for use by, or under the supervision of:

- A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
- B. The following individuals are authorized users for medical use as indicated:

Authorized UserMaterial and Use

Warren B. Helwig, M.D.	35.100; 35.200; <u>In vitro</u> studies
William Wood, Jr., M.D.	35.100; 35.200; <u>In vitro</u> studies
Dennie T. Bartol, M.D.	35.100; 35.200; <u>In vitro</u> studies
John M. Daimler, M.D.	35.100; 35.200; 35.300; <u>In vitro</u> studies
Jonathan H. DeMeo, M.D.	35.100; 35.200; 35.300; <u>In vitro</u> studies
Steven M. Irby, M.D.	35.100; 35.200; <u>In vitro</u> studies
J. Frank Sanderson, M.D.	35.100; 35.200; <u>In vitro</u> studies
D. J. Schengber, M.D.	35.100; 35.200; 35.300; <u>In vitro</u> studies
John M. Wendell, Jr., M.D.	35.100; 35.200; 35.300; <u>In vitro</u> studies
Steven Walter Falen, M.D.	35.100; 35.200; 35.300; <u>In vitro</u> studies
James Donald Baylous, M.D.	35.100; 35.200; <u>In vitro</u> studies
Curtis Doane Stoldt, D.O.	35.100; 35.200; <u>In vitro</u> studies
Thomas Andrew Pincus, M.D.	35.100; 35.200; <u>In vitro</u> studies
Yizhi Liang, M.D.	35.100; 35.200; <u>In vitro</u> studies

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
15. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License No.
45-23447-01Docket No.
030-21092

Amendment No. 13

16. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U. S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated February 25, 2005 [ML050800340]



For the U.S. Nuclear Regulatory Commission

Date April 29, 2005

By

Original signed by Michelle Beardsley

Michelle Beardsley
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406