



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

May 25, 2005

Docket No. 03002540
Control No. 137021

License No. 29-11982-01

Sharon Wahl, CNMT
Director of Nuclear Medicine
Kessler Memorial Hospital
600 S. White Horse Pike
Hammonton, NJ 08037

SUBJECT: KESSLER MEMORIAL HOSPITAL, REQUEST FOR ADDITIONAL
INFORMATION CONCERNING APPLICATION FOR AMENDMENT TO
LICENSE, CONTROL NO. 137021

Dear Ms. Wahl:

This is in reference to your letter dated May 6, 2005 requesting to amend Nuclear Regulatory Commission License No. 29-11982-01. In order to continue our review, we need the following additional information:

1. Your application should have been signed by a management representative rather than yourself. Please have a management representative sign the response to this letter indicating that management has reviewed the application and concurs in the statements and representations contained therein. Note also that a management representative should sign all future correspondence that requests a change in your license.
2. You have requested that Jonathan Law be named Radiation Safety Officer (RSO) on your license. It appears that this individual may be an outside consultant\contractor. If this is so, in support of this request, please address the following:
 - a. Describe the control over the radiation safety program that will be delegated so that the consultant-RSO will be able to exercise authority over authorized users when confronted with radiation safety problems that require implementation of corrective actions.
 - b. Describe the relationship that will exist between the consultant-RSO and your institutional management regarding expenditure of funds to facilitate the objectives of your radiation safety program and related regulatory requirements.
 - c. Identify other commitments of the consultant-RSO for other NRC or Agreement State licensed facilities, along with a description of how the consultant-RSO will allocate time to permit the performance of the duties of the RSO as described in the regulations. State the consultant-RSO's minimum amount of on-site time (hours per week).

- d. Appoint an in-house representative who will serve as the point of contact during the RSO's absence. This person may be allowed to assist the consultant RSO with limited authority.
- e. Describe the overall availability of the consultant-RSO to respond to questions or operational issues that arise during the conduct of your radiation safety program and related regulatory requirements. Specify the maximum amount of time it will take the RSO to arrive at the facility in the event of an emergency that requires his presence.

In addition, please submit evidence that Mr. Law meets the requirements of 10 CFR 35.50 to be a Radiation Safety Officer, i.e. on a NRC or Agreement State license as RSO, appropriate Board certification, or preceptor statement verifying hours of training and experience.

Current NRC regulations and guidance are available at the NRC web site at <http://www.nrc.gov/materials/miau/mat-toolkits.html> and <http://www.nrc.gov/who-we-are/governing-laws.html> or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

We will continue our review upon receipt of this information. Please reply to my attention at the Region I Office and refer to Mail Control No. 137021. If you have any technical questions regarding this deficiency letter, please call me at (610) 337-6942.

If we do not receive a reply from you within 30 calendar days from the date of this letter, we will assume that you do not wish to pursue your application.

Sincerely,

Original signed by Michelle Beardsley

Michelle Beardsley
Health Physicist
Medical Branch
Division of Nuclear Materials Safety

cc:
Bruce Stratt, M.D., Radiation Safety Officer

S. Wahl, CNMT
Kessler Memorial Hospital

3

DOCUMENT NAME: E:\Filenet\ML051450376.wpd

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	MBeardsley/MRB							
DATE	5/25/2005							

OFFICIAL RECORD COPY