

MS-16
L-7

June 8, 2005


Mr. Nicholson,

030 334 38

In response to the memo dated June 2, 2005 in regards to amendment to license # 07-11871-06, mail control # 136812, we would like to provide the following clarifications and additional information.

1. Dr. Peter DiMaria, a new authorized user on the license, has agreed to be named as Radiation Safety Officer on the license with Todd Campbell, the proposed Radiation Safety Officer, acting as his assistant until Todd Campbell has gained sufficient hands-on experience with the radioactive material on the license. Delaware State University will then reapply for an amendment to name Todd Campbell as Radiation Safety Officer.
2. Please remove the radionuclides, nickel-63 and americium-241, from the license. These sources have been returned the vendor with documentation provided with amendment application.
3. The authorized use location will be the Mishoe Science Center with laboratories similar to laboratory 313 with layout provided in amendment application.
4. The P-32, P-33, S-35 isotopes to be used in labeling compounds will be in bound form.
5. Please remove Donald Wilkinson, William Palmer, John Ferrier, and Pearl Burbage as authorized users on the license.

Sincerely,



Todd Campbell
Acting Radiation Safety Officer
Delaware State University
tcampbell@desu.edu
phone (302) 857-6533

fax (302) 857-6539

136812
NMSS/RGNI MATERIALS-002