


Mallinckrodt 7/2/60
 Proj. 5-8
 Doc 70-36


3/2 Ref Dwg 6448 and 6574 (3/2 Request in green)

6448 (see SG)

6574 (see S.G.)




30"
 17"
 14"
 5 1/2"
 6 1/4"
 3/8" steel



Barlock #22 basket
 1/2" not mach
 5/8" before mach
 3/8" steel
 aluminum
 1/8" thick
 3/8" steel

Birdcage main members
 are 1 1/2 x 1 1/2 x 1/4 or
 1 1/2 x 1 1/2 x 3/16 alium
 angle.



3/16 x 1 1/2 flat
 to prevent
 stacking (when
 required)
 large permit
 stacking when
 allowed.

Material in env. environment and
 may shift by LTL, LCL, R, or piece,
 Air freight, Air express
 Pack material in 5" x 5" corner
 PE bottles.
 Metal 11 1/2 x 12 x 12
 Pieces - in Fig 12, PF-17, R-1380
 eg. 8" dia, 15.5/2.3 = 6.73 kg x safe
 Note - full env. metal only. (Q)
 May 12 cent, single
 P = 1.59 kg/ft x 11 1/2 x 12 x 12
 May in shift 11 1/2 x 12 - 132 kg.
 COMPOUND INDICATION
 5" dia dia 44 can stack.
 May of 12 cent in shipment
 stacking permitted!

Compound 1 + 2 only - (P > 2.2)
 Note hole corrected by density
 (TID-7019, Sec 2.2, 5/1/60)
 No stacking (see above)