

BYPRODUCT MATERIAL LICENSE

Amendment No. 25

Pursuant to the Atomic Energy Act of 1954 and Title 10, Code of Federal Regulations, Chapter 1, Part 30, Licensing of Byproduct Material, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, own, possess, transfer and import byproduct material listed below, and to use such byproduct material for the purpose(s) and at the place(s) designated below. This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, and is subject to all applicable rules, regulations, and orders of the Atomic Energy Commission now or hereafter in effect and to any conditions specified below.

<p align="center">Licensee</p> <p>1. Name Aluminum Company of America Alcoa Research Laboratories</p> <p>2. Address P.O. Box 772 New Kensington, Pennsylvania 15068</p>	<p>In accordance with letter dated April 28, 1971,</p> <p>3. License number 37-07653-02 is amended in its entirety to read as follows:</p> <p>4. Expiration date April 30, 1973</p> <p>5. Reference No.</p>
--	---

6. Byproduct material (element and mass number)	7. Chemical and/or physical form	8. Maximum amount of radioactivity which licensee may possess at any one time
A. Any byproduct material with Atomic Nos. between 3 & 83, except Strontium 90	A. Any	A. 2 curies of each byproduct material with Atomic Nos. between 3 & 83, inclusive, except Strontium 90
B. Strontium 90	B. Any	B. 50 millicuries
C. Hydrogen 3	C. Any	C. 50 curies
D. Strontium 90	D. Sealed Source (Tracerlab Model S-2A)	D. 13.5 millicuries <i>delivered</i>
E. Cobalt 60	E. Sealed Source (Instruments, Inc. Model B-20-14)	E. 2 sources of 100 millicuries each
F. Strontium 90	F. Sealed Source (U.S. Radium Model LAB 370-1)	F. 300 millicuries
G. Strontium 90	G. Sealed Source (Nuclear-Chicago Model RG-31A1)	G. 10 millicuries <i>delivered</i>
H. Plutonium 238	H. Sealed Source (Radiochemical Centre Model PPC-5)	H. 1 source not to exceed 30 millicuries <i>delivered</i>
I. Promethium 147	I. Sealed Source (Radiochemical Centre Model No. PHX-7)	I. 1 source not to exceed 500 millicuries <i>delivered</i>

ATOMIC ENERGY COMMISSION
BYPRODUCT MATERIAL LICENSE
Supplementary Sheet

Page 2 of 4 Pages

Continued from Page 1

License Number 37-07653-02
Amendment No. 25

6. Byproduct material (element and mass number)	7. Chemical and/or physical form	8. Maximum amount of radio activity which licensee may possess at any one time
J. Krypton 85	J. Sealed Source (Tracerlab S-76A)	J. 500 millicuries
K. Cesium 137	K. Sealed Source (Amersham/Searle Model 850233, 3M Type 4P6M or 4P6E)	K. 2 curies
L. Krypton 85	L. Sealed Source (Tracerlab S-76A)	L. 500 millicuries

9. Authorized use

- A. through C. Research and Development as defined in Section 30.4(q), Title 10, Code of Federal Regulations, Part 30.
- ☒ D. To be used in Tracerlab Model BG-1 gauge to measure thickness of aluminum sheet. *del*
- ☒ E. To be used in Instruments, Inc., Model B-20-06 source holder to measure level of fluidized bed in process reactor vessel.
- ☒ F. To be used in an Ohmart Model LBG-2 source holder to measure the thickness of aluminum.
- ☒ G. To be used in Pratt and Whitney Model A, B, C, D, E, F, or FA gauge for measurement of aluminum sheet.
- ☒ H. To be used in a Texas Nuclear Corporation Model 465 analyzer for x-ray fluorescence studies. *del*
- ☒ I. To be used in a Texas Nuclear Corporation Model 465 analyzer for x-ray fluorescence studies.
- ☒ J. To be used in Tracerlab Model HUB-76A devices to measure paint thickness.
- ☒ K. To be used in a Nuclear Chicago Model 5120 liquid density gauge to measure gravity of slurry passing through a pipe line.
- ☒ L. Storage in a Tracerlab HUB-76A source holder.

CONDITIONS

- 10. Licensed material may only be used at Seventh Street Road, Route 780, Merwin, Pennsylvania, and ~~Freeport Road, New Kensington, Pennsylvania,~~ except sealed sources in gauges and analytical devices may also be used at Aluminum Company of America facilities throughout non-Agreement States.

ATOMIC ENERGY COMMISS
BYPRODUCT MATERIAL LICENSE

Page 3 of 4 Pages

Supplementary Sheet

CONDITIONS

License Number 37-07653-02
Amendment No. 25

(Continued)

11. The licensee shall comply with the provisions of Title 10, Chapter 1, Code of Federal Regulations, Part 20, "Standards for Protection Against Radiation."
12. Byproduct material shall be used by, or under the supervision of, individuals designated by the licensee's Isotopes Committee.
13. Byproduct material shall not be used in or on human beings, in products distributed to the public, or in field applications where such activity is released.
14. A(1) Each sealed source containing byproduct material, other than Hydrogen 3, with a half-life greater than thirty days and in any form other than gas shall be tested for leakage and/or contamination at intervals not to exceed six months. In the absence of a certificate from a transferor indicating that a test has been made within six months prior to the transfer, the sealed source shall not be put into use until tested.
 - (2) Notwithstanding the periodic leak test required by this condition, any licensed sealed source is exempt from such leak tests when the source contains 100 microcuries or less of beta and/or gamma emitting material or 10 microcuries or less of alpha emitting material.
 - (3) The periodic leak test required by this condition does not apply to sealed sources that are stored and not being used. The sources excepted from this test shall be tested for leakage prior to any use or transfer to another person unless they have been leak tested within six months prior to the date of use or transfer.
- B. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. The test sample shall be taken from the sealed source or from the surfaces of the device in which the sealed source is permanently mounted or stored on which one might expect contamination to accumulate. Records of leak test results shall be kept in units of microcuries and maintained for inspection by the Commission.

TOMIC ENERGY COMMISS
BYPRODUCT MATERIAL LICENSE
Supplementary Sheet

Page 4 of 4 Pages

License Number 37-07653-02

CONDITIONS

Amendment No. 25

14. continued

- C. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with Commission regulations. A report shall be filed within 5 days of the test with the Director, Division of Materials Licensing, U. S. Atomic Energy Commission, Washington, D. C., 20545, describing the equipment involved, the test results, and the corrective action taken. A copy of such report shall also be sent to the Director, Region I, Division of Compliance, USAEC, 970 Broad Street, Newark, New Jersey, 07102.
- D. Tests for leakage and/or contamination shall be performed by the licensee or by other persons specifically authorized by the Commission or an Agreement State to perform such services.
- E. Notwithstanding the above, the leak test interval for Nuclear-Chicago 5120 devices shall be 3 years.
15. Except as specifically provided otherwise by this license, the licensee shall possess and use byproduct material described in Items 6, 7, and 8 of this license in accordance with statements, representations, and procedures contained in application dated March 28, 1966 and letter dated April 28, 1971.

Date MAY 14 1971

For the U. S. Atomic Energy Commission
Original Signed By
Robert E. Brinkman
by Materials Branch

Division of Materials Licensing
Washington, D. C. 20545