

2 pgs
Elliott Earl, Management Analyst

22 ELIZABETH DRIVE

MANCHESTER, CONNECTICUT 06041

Acting as
Agent of Recprd and
President of the Institute
For Nuclear Serology, Inc. of
Manchester, Conn.

DR-1276

TELEPHONE
203-643-7171

290
2 August 1964

U.S. DEPT. OF INTERIOR
RECEIVED
SEP 2 - 1964
OFFICE OF THE
ASSISTANT SECRETARY
FOR MINERAL RESOURCES

U.S. DEPT. OF INTERIOR
RECEIVED
AUG 31 4 50 PM '64
IMMEDIATE OFFICE
OF THE SECRETARY

Sir:

The attached copy of a communication to one of your employees may have a peculiar interest to you in view of all the circumstances:

- 1) Senator John Pastores remarks at the recent convention in Atlantic City.
- 2) The passing of one Robert Peabody.
- 3) Your statutory responsibilities in connection with airborne surveys by your Geophysics branch.

Will you advise?

Sincerely,

[Signature]
ELLIOTT EARL

The Honorable Stearns Udall
Secretary of the Interior
Washington, D.C.

P.S.: Our mutual good friend Senator Thomas Dodd and Lister Hill understand the objectives of the Institute...although they are not honorary members they should be...because they help like Section 274 of the Atomic Energy Act of 1954 as amended which we originally started on its way Were there any environmental surveys? If so by whom and when?

16442
DMR
C-26
DR-1276

OFFICE OF THE PRESIDENT
THE INSTITUTE FOR NUCLEAR SEROLOGY, INC.
MANCHESTER, CONNECTICUT 06042 • PHONE 643-7171 AREA CODE 203 DR-1276

MESSAGE

REPLY

TO Chief, Airborne Survey Section
Geophysics Branch
U.S. Geological Survey
U.S. Department of Interior
Washington 25, D.C.

DATE August 26, 1964

Subject: United Nuclear Incident-
Charlestown, R.I., July 24-26th 1964

Sir:

Will you please inform us as to what
if any steps your department took to monitor
environmental contamination releases as a
result of subject incident...and oblige.

Do you propose to take remedial steps
as suggested by Mr. Goodman of the AFL-CIO?

Respectfully requested.

ELLIOTT EARL

CC: Hon Stewart Udall,
Secretary of the Interior

BY

SIGNED

RECIPIENT KEEP THIS COPY, RETURN WHITE COPY TO SENDER

DR-1276