



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

September 28, 2005

Docket No. 03006111
Control No. 137573

License No. 37-03698-01

Tonda Lewis
Radiation Protection Program Supervisor
Department of Environmental Protection
Bureau of Radiation Protection
PO Box 8469
Harrisburg, PA 17105-8469

SUBJECT: DEPARTMENT OF ENVIRONMENTAL PROTECTION, REQUEST FOR
ADDITIONAL INFORMATION CONCERNING APPLICATION FOR
AMENDMENT TO LICENSE, CONTROL NO. 137573

Dear Ms. Lewis:

This is in reference to your application dated August 19, 2005 requesting to amend Nuclear Regulatory Commission License No. 37-03698-01. In order to continue our review, we need the following additional information:

1. In order to remove the facility located at Evangelical Press Building, 3rd and Reilly Streets from your license submit the results of your Final Status Survey Report for review. Guidance for the Final Status Survey Report may be found in NUREG-1757, Volume 2, Section 4.5.
2. On the current license James Kopenhaver is authorized for materials A through G. The amendment request specifies him as an authorized user of Item G only. Specify if he to be completely removed from the license or just removed as an authorized user of Item G.
3. Authorized users should have training and experience commensurate with the scope of proposed activities. Submit a list of topics covered in the "Radiation Protection Safety Orientation" training the proposed authorized users have completed. Also, submit information demonstrating that each proposed authorized user has experience with the type and quantity of material they propose to use.

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, industrial, and academic uses of nuclear material**; then **toolkit index page**. Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

We will continue our review upon receipt of this information. Please reply to my attention at the Region I Office and refer to Mail Control No. 137573. If you have any technical questions regarding this deficiency letter, please call me at (610) 337-5399.

T. Lewis
Department of Environmental Protection

2

If we do not receive a reply from you within 30 calendar days from the date of this letter, we will assume that you do not wish to pursue your application.

Sincerely,

Original signed by Stephen Hammann

Stephen Hammann
Health Physicist
Commercial and R&D Branch
Division of Nuclear Materials Safety

This Document is Sensitive and Should Be Non-Public.

DOCUMENT NAME: E:\Filenet\ML052720490.wpd

SISP Review Complete: (STH)

After declaring this document "An Official Agency Record" it will not be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	SHammann /STH/							
DATE	9/28/05							

OFFICIAL RECORD COPY